# 第04章\_运算符

讲师: 尚硅谷-宋红康 (江湖人称: 康师傅)

官网: http://www.atguigu.com

# 【题目】 # 1.选择工资不在5000到12000的员工的姓名和工资 # 2.选择在20或50号部门工作的员工姓名和部门号 # 3.选择公司中没有管理者的员工姓名及job\_id # 4.选择公司中有奖金的员工姓名,工资和奖金级别 # 5.选择员工姓名的第三个字母是a的员工姓名 # 6.选择姓名中有字母a和k的员工姓名 # 7.显示出表 employees 表中 first\_name 以 'e'结尾的员工信息 # 8.显示出表 employees 部门编号在 80-100 之间的姓名、工种 # 9.显示出表 employees 的 manager\_id 是 100,101,110 的员工姓名、工资、管理者id

### 1.选择工资不在5000到12000的员工的姓名和工资

```
SELECT last_name, salary
FROM employees
WHERE salary < 5000 OR salary > 12000;

SELECT last_name, salary
FROM employees
WHERE salary NOT BETWEEN 5000 AND 12000;
```

### 2.选择在20或50号部门工作的员工姓名和部门号

```
SELECT last_name, department_id
FROM employees
WHERE department_id = 20 OR department_id = 50;

SELECT last_name, department_id
FROM employees
WHERE department_id IN(20, 50);
```

### 3.选择公司中没有管理者的员工姓名及job\_id

```
SELECT last_name, job_id
FROM employees
WHERE manager_id IS NULL;
```

### 4.选择公司中有奖金的员工姓名,工资和奖金级别

```
SELECT last_name, salary, commission_pct
FROM employees
WHERE commission_pct IS NOT NULL;
```

### 5.选员工姓名的第三个字母是a的员工姓名

```
SELECT last_name
FROM employees
WHERE last_name LIKE '__a%';
```

### 6.选择姓名中有字母a和k的员工姓名

```
SELECT last_name
FROM employees
WHERE last_name LIKE '%a%k%' OR last_name LIKE '%k%a%';
```

### 7.显示出表 employees 表中 first\_name 以 'e'结尾的员工信息

```
SELECT employee_id, first_name, last_name
FROM employees
WHERE first_name LIKE '%e';

SELECT employee_id, first_name, last_name
FROM employees
WHERE first_name REGEXP 'e$';
```

# 8.显示出表 employees 部门编号在 80-100 之间的姓名、工种

```
SELECT last_name,job_id

FROM employees

#where department_id in (80,90,100);

WHERE department_id BETWEEN 80 AND 100;
```

# 9.显示出表 employees **的** manager\_id 是 100,101,110 **的员工姓名、工资、** 管理者id

```
SELECT last_name,salary,manager_id
FROM employees
WHERE manager_id IN (100,101,110);
```