Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

PROTOCOL

Clinical Study to Assess the Wear and Moisturization Efficacy of a Cushion

Research Center:	**China-Norm**
Study-No.:	**25-0266 (Sponsor)** **M25047024 (China Norm)**
Sponsor:	**Estee Lauder Companies Innovation R&D (China) Co., Ltd**
Version / Date:	**4.0 / 16th September, 2025**

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

CONTENT

SYNOPSIS OF PROTOCOL 3
1. OBJECTIVE 4
2. STUDY DESIGN 4
2.1. Selection of Subjects & Informed Consent 4
2.1.1 Inclusion Criteria: 4
2.1.2 Exclusion Criteria: 4
2.1.3 Subject Restrictions 5
2.1.4 Withdrawal of Subjects 5
2.2. Evaluation Methods 6
2.2.1 Photo-grading 6
2.2.2 Instrument Measurement 6
2.2.3 Facial Photos Tracking 7
2.3. Procedure 7
2.3.1 Activities Table 7
2.3.2 Conducting of Study 8
3. STUDIED PRODUCT 9
3.1. Product Information 9
3.2. Usage of product 9
3.3. Storage 9
3.4. Treatment assignment and compliance 9
3.5. Breaking the Code in an Emergency 9
4. DATA MANAGEMENT 10
4.1. Data Entry and Check 10
4.2. Descriptive Analysis 10
4.3. Efficacy Verification 10
4.3.1 Comparison 10
5. ADVERSE EVENT 10
5.1. Adverse Event (AE) 10
5.2. Serious Adverse Event (SAE) 11
5.2.1 Handling Adverse Event and Serious Adverse Event 11
5.2.2 Notification to the Sponsor 12
6. QUALITY CONTROL AND QUALITY ASSURANCE 12
7. CLINICAL STUDY REPORTING 12
8. PROTOCOL AMENDMENT/DEVIATION 12
SIGNATURE PAGE 13
APPENDIX LIST 15
APPENDIX A. Photo grading Atlas 16
APPENDIX B. Randomization Table 18
APPENDIX C. Product list 19
APPENDIX D. Adverse Event Form 20
APPENDIX E. Protocol Amendment/Deviation Form 23
APPENDIX F. End of Study Form 24

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

SYNOPSIS OF PROTOCOL

Study Title:	Clinical Study to Assess the Wear and Moisturization Efficacy of a Cushion
Protocol Number:	25-0266 (Sponsor) M25047024 (China Norm)
Study Objective:	The objective of this study is to evaluate the wear and moisture performance characteristics of a cushion foundation over 24 hours upon a single application by women with normal to oily skin.
Investigational Product:	CC Cushion (MT#4225558) - 2 shades (201, 202)
Application Area(s):	Face
Sponsor Contact:	Carmen Yang Estee Lauder Companies Innovation R&D (China) Co., Ltd Address: Building #10 of Caohejing Business Park Phase IV, No. 889 Tianlin Road, Minhang District, Shanghai, China 200233
Site of investigation:	Shanghai China-Norm Quality Technical Service Co., Ltd. Address：F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China
Principal Investigator:	Yanwen Jiang Shanghai China-Norm Quality Technical Service Co., Ltd. F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China
Sub-investigator：	Jing Gu Shanghai China-Norm Quality Technical Service Co., Ltd. F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

1. OBJECTIVE

The objective of this study is to evaluate the long wear and moisture performance characteristics of a cushion foundation over 24 hours upon a single application by women with normal to oily skin.

2. STUDY DESIGN

This is a single center and full-face single time application design study.

2.1. Selection of Subjects & Informed Consent

A sufficient number of healthy female subjects will be recruited so that a minimum of 30 subjects will be expected to complete the 24 hours study duration.

According to the declaration of Helsinki the subjects must consent to the study in writing. The Informed Consent Form (ICF) will include contact information for whom contact regarding questions about the study, subjects' rights, and what to do in the event of a research-related injury. Subjects will be informed that they are free to discontinue from the study at any time. As part of the informed consent process, the prospective subject will be given as much time as needed to read the ICF and will have the opportunity to have any study-related questions answered to their satisfaction prior to signing the ICF. A signed and dated copy will be provided to the subject and a signed and dated copy will be retained in the study file. Subjects, who fulfil the following criteria of inclusion and exclusion, take part in the study. No IRB review is needed for this study.

2.1.1 Inclusion Criteria:

Subjects must:

1) Chinese women, aged from 20 to 50 years old;
2) Be in general good health and good mental state;
3) Normal to oily skin by subjects' self-perceived and also judged by PI or designee;
4) Be willing to refrain from using any products on face on T0 visit day;
5) Sleep on the back and has a stable sleeping position;
6) Be willing to refrain from using any skin care products on face for at least 48 hours;
7) Have clean test area (face): free of skincare products, make-ups, and sunscreen on face;
8) Not currently be participating and will not participate in any other study involving the test area (face) for the duration of the study;
9) Not have participated in any other study involving the test area (face) in the past 1 month;
10) Be willing to read, understand and able to sign the Informed Consent Form;
11) Be willing to read, understand and able to sign the Authorization Statement that allows image collection and related information processing;
12) Be willing to comply with all study protocol requirements;
13) Regular cushion users.

2.1.2 Exclusion Criteria:

Subjects must not:

1) Intending to get pregnant, be pregnant, be lactating, be within 6 months of delivery or be unwilling to take necessary precautions to avoid a pregnancy;
2) Have any skin problems to impact clinical assessment, such as scars, open wounds and cheilitis, etc.;

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

3) Having used antihistamine drugs in the past 1 week or immunosuppressants in the past 1 month;
4) Take anti-allergic drug/injections in the past 1 month;
5) Presently have allergies, allergic dermatitis or skin disease;
6) Have sensitivity or even allergy to topical products, ingredients or fragranced products;
7) Have history of suffering from skin diseases (such as psoriasis, eczema, psoriasis, skin cancer, etc.);
8) Have used any anti-inflammatory treatment on the test area within 2 months prior to this study starting date;
9) Has a chronic medical condition that may interfere with testing (e.g., asthma, insulin-dependent diabetes, lupus, rheumatoid arthritis or other immune/auto-immune diseases);
10) Have received cosmetic medical procedures on the face (such as injectable anti-wrinkle products, cosmetic surgery, tattoo removal, home light facial procedures or home use medical devices, etc.) in the past 1 month;
11) Have excessive sun exposure or ultraviolet light in the past 1 month;
12) Have applied Alpha hydroxyl acid, ortho-hydroxybenzoic acid, hydroquinone in the past 3 months; or used prescriptions (such as antibiotic, retinoids, alpha hydroxyl acid and steroid), oral contraceptives (such as Diane 35®，Jasmine®，Holgyeme®，Syndi 35®，Regulon®);
13) Avoid providing emergency contact;
14) Subjects that are not compliant to the selection criteria or not proper for participation as determined by Principal Investigator;
15) An employee of cosmetic companies or Shanghai China-Norm Quality Technical Service Co., Ltd.

2.1.3 Subject Restrictions

Subjects should follow below instructions from the 48-hours wash-out period T0 visit:

- Panelists are required to refrain from using any skin care products on face for at least 48 hours.

Duration of study visit (from T0 to T24h visit):

- Panelists are required to avoid eating heavy or greasy food, sun exposure and strenuous exercise at least 1 hour before visit on T0 visit day;
- Panelists are required to come to the lab with clean face, free of skincare products, make-ups, and sunscreen on face that could affect evaluations on T0 visit day;
- Not to touch, wipe or otherwise engage in activities that might interfere with the test sites, e.g., rubbing to clothing during the 24-hour study;
- Must move all hair from around the face, using a hairband, hair clip or rubber band during the 24-hour study;
- To remain in the test facility and stay in the controlled temperature and relative humidity room for the duration of visit (visit 1 from T0 to T12h, visit 2 T24h);
- Must drink through a straw and eat food in smaller pieces during the study, all meals will be followed the time requirements during the study in the laboratory (if applicable) or at home:
  1) the lunch and dinner will be provided for 1st visit between immediate measurement and T8h measurement;
- Must not drink water 30 minutes before each testing timepoints;
- Avoid taking public transportations (such as undergrounds, buses etc.);
- Wear clothes with loose neckline or button-downs include nightgown;
- Must sleep on the provided pillowcase;
- No face cleaning, shampooing or bathing for the 24 hours during the study.

2.1.4 Withdrawal of Subjects

Subjects may discontinue from the clinical study at any time. In addition, the Principal Investigator (PI) or designee has the right to withdraw a subject for any reason that is in the best interests of the subject. Whenever a subject is withdrawn

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

from a study, an ***'End of Study'*** (***Appendix F***) participation form must be completed. Withdrawals due to adverse events or non-attendance must be followed up.

2.2. Evaluation Methods

2.2.1 Photo-grading

Photo-grading will be conducted by 3 validated experts. Fading, color true, settling/creasing, caking, poring and streaking will be assessed at Timm (15min after application), T8h (8-hour after application), T12h (12-hour after application) and T24h (24-hour after application) according to ***Appendix A***.

Parameter	Scale	Lighting mode	Evaluation area	Time point					Reference
				T0 (Baseline)	Timm (15min after application)	T8h (8-hour after application)	T12h (12-hour after application)	T24h (24-hour after application)	
Fading	0-9 scale	STD 2	Global face, focus on cheek	X*	X	X	X	X	Baseline + Immediate
Color True	0-9 scale	STD 2	Global face, focus on cheek	/	X	X	X	X	Immediate
Settling/creasing	0-9 scale	STD 2	Forehead, side face	/	X	X	X	X	Immediate
Caking	0-9 scale	STD 2	Global face, focus on cheek	/	X	X	X	X	Immediate
Poring	0-9 scale	STD 2	Cheek	/	X	X	X	X	Immediate
Streaking	0-9 scale	STD 2	Global face, focus on cheek	/	X	X	X	X	Immediate

**Baseline is taken as a reference for evaluation of post-application time points.*

2.2.2 Instrument Measurement

The skin hydration on face will be measured using the Corneometer CM825 at T0 (baseline) and T24h by a trained technician.

- ***Skin hydration by Capacitance via Corneometer CM825 (Courage & Khazaka, Germany)***

The measurement is based on capacitance measurement of a dielectric medium, here the stratum corneum, the uppermost layer of the skin. With increasing hydration, its di-electric properties change.
For each measurement, the Corneometer probe will be placed perpendicular to the skin firmly, to ensure that the probe is in full contact with the surface skin of test site before reading out the value.

Measurement on face, **Duplicated** readings on test area according to the Randomization Table (***Appendix B***) will be collected and the average value of 3 readings will be calculated at T0 (baseline) and T24h according to the *Diagram 1*. If there are inconsistencies in the measured positions, the actual measured position will be recorded in the CRF table.

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384



Diagram 1. Test Area for Corneometer

For the T0 measurement: No need to wipe before Corneometer measurement.
For the T24h measurement, the test area will be wiped with cotton pads prior to measurement on both side of face 1 time, then the Corneometer measurement will be taken right after wiping.
The probe will be cleaned thoroughly with alcohol pads between each subject.

2.2.3 Facial Photos Tracking

- ***Facial Image Capture by VISIA-CR 4.3***

The facial photo is captured by VISIA-CR on front, left and right sides with standard 1 and standard 2 operated by trained technician at T0 (baseline), Timm (15min after application), T8h (8-hour after application), T12h (12-hour after application) and T24h (24-hour after application).

2.3. Procedure

2.3.1 Activities Table

	Visit 1				**Visit 2**
	Before application	**After application**			
	T0 (baseline)	**Timm (15 minutes after application)**	**T8h (8-hour after application)**	**T12h (12-hour after application)**	**T24h (24-hour +/-1 hour after application)**
Written informed consent	X	/	/	/	/
Inclusion / non-inclusion Criteria / Eligibility	X	/	/	/	/
Medical history	X	/	/	/	/
Face washing by warm tap water	X	/	/	/	/
30 minutes for acclimation	X	/	X	X	X
VISIA-CR capture	X	X	X	X	X
Corneometer	X	/	/	/	X
Product application	X	/	/	/	/
Photo-grading	X	X	X	X	X
Tolerance feedback	/	X	X	X	X
Compliance check	X	X	X	X	X

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

	Visit 1				Visit 2
	Before application	After application			
	T0 (baseline)	Timm (15 minutes after application)	T8h (8-hour after application)	T12h (12-hour after application)	T24h (24-hour +/-1 hour after application)
AE/SAE report	X	X	X	X	X
End of study	/	/	/	/	X

'X' means action required;
All the measurements will be conducted under the conditions with a well-controlled room temperature (21 ±1 °C) and humidity (50%±10%).

2.3.2 Conducting of Study

Pre-study: 48-hour wash-out stage

Prior to the start of the study, prospective subjects will be informed via telephone to refrain from using any skin care products on face for at least 48 hours and assigned an appointment for visiting the lab.

Visit 1: Baseline, Immediate (15min after product application), 8h (8-hour after product application), 12h (12-hour after product application) evaluation

a. Prospective subjects will be asked not to use any skin care products or make-up products on the visit day;
b. On the arrival, the prospective subject will be informed about the nature of the study and the treatment procedure and a signed and dated informed consent form will be obtained. The Authorization Statement disclosed sponsor name will be given the prospective subjects for reference to consider the willingness, and the prospective subjects will confirm and signed;
c. Demographic data collection;
d. Medical examination, prospective subject's interview on her medical history and concomitant medications;
e. Verification of inclusion/exclusion criteria for screening;
f. Prospective subjects will wash face with warm tap water then pat dry with clean tissue paper; and then rinse their mouths using a uniform measuring cup and purified water at center;
g. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10%);
h. Verification of inclusion/exclusion criteria for final eligibility;
i. At baseline, eligible subjects will participate in the following procedures:
   a) The front, left and right side of face photo captured by VISIA-CR (at least N=30);
   b) Corneometer measurement on random sides of face (at least N=30);
j. The make-up expert will use the investigational cushion on subject's face by powder puff. The dosage of single use will be weight and recorded in CRF;
k. At immediate (15min after product application), subjects will participate in the following procedure:
   a) The front, left and right side of face photo captured by VISIA-CR (at least N=30);
l. At T8h (8-hour after product application), subjects will participate in the following procedure:
   b) The front, left and right side of face photo captured by VISIA-CR (at least N=30);
m. At T12h (12-hour after product application), subjects will participate in the following procedure:
   c) The front, left and right side of face photo captured by VISIA-CR (at least N=30);
n. Subjects will be asking for an accurate visit time for 2nd day; then subjects could go home and the uniformed pillow cases and related instructions will be provided;
o. Adverse Events/Local Intolerance will be checked and recorded;

Visit 2: 2nd day of 24h+/-1h (24-hour after product application) evaluation

a. Subjects will arrive site at assigned time in the morning;
b. On the arrival, the compliance and eligibility will be checked by PI or designee;
c. The expert will check the make-up condition on face after the subjects arriving the laboratory;

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

d. Subjects will return the uniformed pillow cases that provided at 1st visit;
e. Subjects will rinse their mouths using a uniform measuring cup and purified water;
f. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10%);
g. At T24h (+/-1 hour after product application), subjects will participate in the following procedures:
   a) The front, left and right sides of face photo captured by VISIA-CR (at least N=30);
   b) Wipe the assigned test area 1 time and then Corneometer measurement on random sides of face;
h. Adverse Events/Local Intolerance will be checked and recorded;
i. The end of study.

Note: All photograph gradings (fading, color true, settling/creasing, caking and poring) will be conducted after all images were captured, 4 days after the study visit day.

3. STUDIED PRODUCT

3.1. Product Information

Product Description	Sponsor Test product Number	Color & Product Form	Batch number	Expiration date	Unit Size	Number of Units
CC Cushion Shade: 201	MT4225558	Very light beige medium viscosity liquid	D0068	2027/6/12	12.5g	18
CC Cushion Shade: 202	MT4225558	Very light beige medium viscosity liquid	D0068	2027/6/12	12.5g	18

Ancillary products of 40 powder puffs provided by Estee Lauder, IKEA (Shanghai) Pillow case for compliance management, the products have the photo shown as listed in the ***Appendix C.***

3.2. Usage of product

For application process on face will be done by make-up expert on-site:

- The make-up expert will apply the investigational cushion with a sufficient amount on the subjects' entire face, using powder puff for one time in the lab;
- The make-up expert will check the quality of application to make sure the cushion is applied evenly.

3.3. Storage

Study products must be stored in sealed plastic containers at room temperature. All used and unused study products will be appropriately inventoried by China-Norm.

3.4. Treatment assignment and compliance

Product weight will be checked before and after application. Any misses will be documented as a protocol deviation and the subject will be re-instructed on proper product usage or be dropped from the study at the PI's discretion. Any deviations relating to subject non-compliance will be assessed by PI or designee to determine the termination of the subject's participation in the study or not.

3.5. Breaking the Code in an Emergency

Premature code breaking should only happen when there is a (1) product(s) related SAE or (2) subject with or without SAE need emergency medical interventions which need knowledge of the study products received. CRO/Study coordinator should inform PI and sponsor/monitor of the code break case and result. In these circumstances, PI will

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

open and sign on the code break envelope. Once the code is broken, the subject should be withdrawn from the study and if the code broken is under the condition of product related SAE, this subject's data would not be analyzed for efficacy. Details should then be recorded on CRF and withdrawal form. AE and SAE management should refer to Adverse Event Reporting and Handling SOPs. If SAE is determined not related to study products, code break would not be necessary.

4. DATA MANAGEMENT

4.1. Data Entry and Check

Double entry in Excel and data logic check will be done before the statistics procedure.

4.2. Descriptive Analysis

Descriptive statistics will be provided by one treatment group according to criteria nature:

- Number of observed values (nobs), mean, standard deviation (SD), standard error (SE), median, minimum, maximum, mean change from baseline and mean change% from baseline.

Descriptive statistics will be performed on per protocol population and will be provided for all demographic and baseline characteristics:

- Age
- Gender
- Photo grading of fading, color true, settling/creasing, caking and poring

4.3. Efficacy Verification

4.3.1 Comparison

For photo grading of fading, color true, settling/creasing, caking, poring and streaking; the mean value will be estimated at the assigned timepoints are Timm (15min after application), T8h (8-hour after application), T12h (12-hour after application) and T24h (24-hour after application). The mean values <= 3 means pass.

For Corneometer measurement on face, the mean value will be calculated at the assigned time point is T24h. And the mean of the change from baseline (defined as post-baseline value minus baseline value) will be calculated at applicable post-baseline time points; the null hypothesis, that the mean change from baseline is zero, will be tested using methods described subsequently; and using Paired T test, an increase indicates an improvement of hydration on face.

All statistical tests will be 2-tailed at significance level alpha=0.05.
Comparison of instrumental measurement:

- Time comparison for Corneometer value on face (T24h versus T0).

5. ADVERSE EVENT

5.1. Adverse Event (AE)

In this study, an alight or tolerant sensation of tightness is regarded as a normal sensation after the test product application.

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

Undesirable or Adverse Event is a human adverse health event which is voluntarily reported by a subject/consumer, healthcare professional, Competent Authority, or any other individual to have occurred during or after normal or reasonably foreseeable use of a cosmetic product. but is not necessarily attributable to the product use.

An undesirable event is distinct from anecdotal subject/consumer complaints of a non- specific nature or reports of sensorial perceptions that can be expected from the normal and reasonably foreseeable use of a specific cosmetic product. Undesirable Events typically include, but are not limited to, irritant or allergic reactions that can affect the skin, eyes or mouth;

An Adverse Event, whether or not related to the investigational product, was recorded in the "Adverse Event form" together with the chronology of event (date of the onset, still in progress, finished), the duration of symptoms, the severity of very slight (VSL), slight (S), moderate (M), strong (S), very strong (VST), the relationship to the investigational product (none, unlikely, possible, probable, definite), the sequelae and medical decision (whenever a medication is prescribed in relation with an Adverse Event, it was recorded in the "Adverse Event form" with the reason for treatment. Additional information may be requested when necessary). Forms must be carefully and completely filled in with as much details as possible.
When an adverse event persists at the end of the study, the investigator will ensure that the subject is followed up until resolution of the adverse event.

If the severity of the expected symptoms justifies withdrawal of the subject from the study, at the subject's request or that of the investigator, an "Adverse Event form" was completed.

Depending on the nature and seriousness of the event, copies of the medical records of the subject may be requested as well as the results of laboratory analyses. In the case of hospitalization of the subject, a copy of the hospital records was sent to the Sponsor as soon as possible, if available. In certain cases, the investigator may be requested to provide a letter summarizing the events related to this case. Under all circumstances, the investigator must follow-up the subject until the outcome of the event is known.

5.2. Serious Adverse Event (SAE)

A Serious Adverse Event is defined as:

- Death due to any cause, whether or not it is felt to be related to the study;
- A life-threatening event in which the panelist was, in the view of the Investigator, at immediate risk of death from the event as it occurred;
- Any event that is disabling or incapacitating;
- An event that requires inpatient hospitalization [Note: In general hospitalization signifies that the panelist has been admitted to the hospital overnight, for observation and/or treatment that would not have been appropriate in the physician's office or out-patient setting]. Hospitalization for elective treatment of a pre-existing condition is not considered a "serious" AE.
- A congenital anomaly/birth defect.

Recording, documentation and follow up of such Serious Adverse Event was realized in the same way as for an Adverse Event.

5.2.1 Handling Adverse Event and Serious Adverse Event

Unexpected or unusual medical events or clinical symptoms are documented in an adverse event form (Appendix D). The subjects are instructed to immediately contact the test site to be examined by the investigator and/or designee. If this event is a medical condition that is not part of the subject's medical history, it is documented.

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

The investigator or designee will notify the sponsor representative of any adverse events (within 12 hours) or any severe adverse events (immediately) or any events that are related to study participation.

5.2.2 Notification to the Sponsor

Any adverse event was reported by the investigator to the Sponsor within 48h following its confirmation by the investigator on a case-by-case basis depending on the nature of the adverse event. The corresponding "Adverse Event form" was sent to the Sponsor in a timely manner.
A Serious Adverse Event must be communicated immediately by the investigator to the Sponsor (within 12 hours). Any additional information requested by the Sponsor must be provided within a period of 5 days following receipt of the form.

6. QUALITY CONTROL AND QUALITY ASSURANCE

Quality assurance and quality control systems with written Standard Operating Procedures will be used to ensure that the study is conducted and data generated, documented (recorded), and reported in compliance with the protocol, GCP, and the applicable regulatory requirements. The study may be monitored by Quality Assurance / Sponsor representative. All protocol, data and reports will be reviewed by Quality Assurance.

7. CLINICAL STUDY REPORTING

The clinical study report will include (but is not limited to) the following information: study design and protocol, subject population demographics, statistical methods used, results, description of AEs (if any), protocol deviations, figures, and conclusions. The draft report will be prepared by the Investigator and the draft report will be submitted to the Sponsor for review and changes may be made at the Sponsor's request. Upon Sponsor's approval, the report will be finalized and forwarded to the Sponsor.

8. PROTOCOL AMENDMENT/DEVIATION

Any protocol amendment or deviation (***Appendix E***) signed by mutual agreement is documented.

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

SIGNATURE PAGE

Writer：

Yanwen Jiang
Principal Investigator
Shanghai China-Norm Quality Technical Service Co., Ltd.

Yanwen Jiang
Signature

2025.09.16
21:35:16
+02'00'
2024.002.20895

Date

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPROVAL

Approve:

Carmen Yang
Sponsor
Estee Lauder Companies Innovation R&D (China) Co., Ltd

Signed by:
Carmen Yang

Signature

Signer Name: Carmen Yang
Signing Reason: I approve this document
Signing Time: 16-Sep-2025 | 3:16:12 AM EDT
3C8AA1973E46427BAF0589D595B6A5DF

Date

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPENDIX LIST

APPENDIX A. Photo grading Atlas

APPENDIX B. Randomization Table

APPENDIX C. Product List

APPENDIX D. Adverse Event Form

APPENDIX E. Protocol Amendment/Deviation Form

APPENDIX F. End of Study Form

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPENDIX A. Photo grading Atlas

- ***Fading (0 to 9 scale) – Complexion***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference points are both the baseline and immediate.

China norm Grade	0	1	2	3	4	5	6	7	8	9
Level	No fading	Minimal fading	Minimal to mild fading	Mild fading	Mild to moderate fading	Somewhat moderate fading	Moderate fading	Moderate to severe fading	Severe fading	Very/Heavy fading
Description	No exposed bare skin	Almost all amount of product remained on skin, very slight area of bare skin exposed	/	Most of product remained on skin, small area of bare skin exposed	/	/	Exposed bare skin are clearly visible	/	Almost all area of bare skin exposed	No product remained on skin; all areas of bare skin exposed

- ***Color True (0 to 9 scale) – Complexion***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate.

China norm Grade	0	1	2	3	4	5	6	7	8	9
Level	No color change	Minimal color change	Minimal to mild color change	Mild color change	Mild to Moderate color change	Somewhat moderate color change	Moderate color change	Moderate to severe color change	Severe color change	Very/Heavy color change
Description	No color change of remained product	Minimal color change of remained product	Minimal to mild color change of remained product	Mild color change of remained product	Mild to Moderate color change of remained product	Somewhat moderate color change of remained product	Moderate color change of remained product	Moderate to severe color change of remained product	Severe color change of remained product	Very/Heavy color change of remained product

- ***Settling/Creasing (0 to 9 scale) – Complexion***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate.

China norm Grade	0	1	2	3	4	5	6	7	8	9
Level	No settling/creasing	Minimal settling/creasing	Minimal to mild settling/creasing	Mild settling/creasing	Mild to moderate settling/creasing	Somewhat moderate settling/creasing	Moderate settling/creasing	Moderate to severe settling/creasing	Severe settling/creasing	Very/Heavy settling/creasing
Description	No migration of product into the wrinkle, lines or folds	Minimal migration of product into the wrinkle, lines or folds, only one wide line and/or with minimal number of thinner lines clogged	/	Slight migration of product into the wrinkle, lines or folds, less than three wide lines and/or with small number of thinner lines clogged	/	/	A certain amount of product migrated into the wrinkle, lines or folds, more than three wide lines and/or with a lot of small lines clogged	/	Severe migration into wrinkle, lines or folds, almost of lines (more than eight wide lines) are severely clogged and enhanced	Heavy migration into wrinkle, lines or folds, all of lines are heavily clogged and enhanced

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

- ***Poring (0 to 9 scale) – Complexion***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate.

China norm Grade	0	1	2	3	4	5	6	7	8	9
Level	No poring	Minimal poring	Minimal to mild poring	Mild poring	Mild to moderate poring	Somewhat moderate poring	Moderate poring	Moderate to severe poring	Severe poring	Very/Heavy poring
Description	No migration of product into pores at cheek	Minimal migration into pores at cheek, very few area of pores clogged	/	Slight migration into pores at cheek, a small area of pores clogged	/	/	Moderate migration to pores at cheek, clogged pores are clearly seen on face	/	Severe migration into pores at cheek, pores are severely clogged and enhanced	Heavy migration into pores at cheek, pores are heavily clogged and enhanced

- ***Caking (0 to 9 scale) – Complexion***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate.

China norm Grade	0	1	2	3	4	5	6	7	8	9
Level	No caking	Minimal caking	Minimal to mild caking	Mild caking	Mild to moderate caking	Somewhat moderate caking	Moderate caking	Moderate to severe caking	Severe caking	Very/Heavy caking
Description	No clumps or aggregated pieces	Very slight aggregation or clumps are seen only appear at one small area	/	A small number of aggregated pieces or clumps only appear at less than three areas	/	/	A certain amount of aggregated pieces or clumps are clearly seen on face.	/	Large clumps or a certain number of aggregated pieces are visible on face. Skin is very rough	Large clumps or a heavy number of clumps are visible on face. Skin is heavily rough

- ***Streaking (0 to 9 scale) – Complexion***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate.

China norm Grade	0	1	2	3	4	5	6	7	8	9
Level	No streaking	Minimal streaking	Minimal to mild streaking	Mild streaking	Mild to moderate streaking	Somewhat moderate streaking	Moderate streaking	Moderate to severe streaking	Severe streaking	Very/Heavy streaking
Description	No streaks.	Very slight streaks or streaks only appear at one small area	/	A small number of streaks or slight streaks only appear at less than three areas	/	/	A certain number of streaks are clearly seen on skin surface or streaks appear at more than three areas	/	Visibly large streaks or a certain number of streaks are visible on face. Skin is very rough.	Large streaks or a large number of streaks are visible on face. Skin is quite rough.

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPENDIX B. Randomization Table

Subject ID	Corneometer
1	R
2	L
3	L
4	R
5	L
6	R
7	L
8	R
9	L
10	R
11	R
12	L
13	L
14	R
15	L
16	L
17	R
18	L
19	L
20	R
21	L
22	L
23	R
24	R
25	L
26	L
27	R
28	R
29	L
30	R
31	R
32	R
33	L
34	L
35	R

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPENDIX C. Product list

Product Name	Photo
Cushion (MT# 4225558) Shade 201	
Cushion (MT# 4225558) Shade 202	
Powder Puff	
IKEA Pillow case	

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPENDIX D. Adverse Event Form

Study Number: 研究项目编号: _____ Date: 日期: _____	**ADVERSE EVENTS / UNCOMFORTABLE SENSATIONS** **不良事件/不适感受记录表**	

Panelist Number受试者编号：_____ Initial受试者姓名首字母：_____ Ethnicity种族：_____ Skin Type皮肤类型 _____

Description of Symptom 症状描述	Location of Symptom 症状发生位置	Intensity 严重程度	Onset Day# 开始日期	Onset Time after application 产品使用后的发作时间	Duration of Symptom 症状持续时间	Frequency 发作频率	Consecutively 是否持续	Relationship 相关性	Action Taken 采取的措施	FollowUp 追踪	Recorded By 记录者

Experienced Before? Y or N Explain:
以前是否经历过? 是/否 解释说明:_____

If occurs with usual product this was: ☐less than with their usual product ☐the same as their usual product ☐more than with their usual product
若在使用日常产品时发生过类似经历，那么本次反应: ☐不如日常产品明显 ☐跟日常产品差不多 ☐比使用日常产品更明显

(Professional Service studies only): Would the panelist receive the service again? Y or N
(仅限专业服务研究): 受试者是否再次接受服务？ 是/否

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

Usual Products:
日常产品:

Comment:
备注: _____

	Intensity (self-perceived) 严重程度（自我感知） VSL= Very slight非常轻微 SLT=Slight轻微 M=Moderate中度 ST=Strong重度 VST=Very Strong非常严重	Relationship To Test Product 与测试产品的相关性 1=None不相关 2=Unlikely不太可能 3=Possible可能 4=Probable很可能 5=Definite肯定	Action Taken 采取的措施 1=None无 2=Modify test product use变更产品的用法 3=Medication/Seek Medical Attention寻求药物/医疗护理 4=Discontinue终止（使用）	Follow-up 追踪 1=No follow-up necessary不需要追踪 2=Panelist will call if condition worsens若情况恶化，受试者将致电 3=Panelist will see a doctor受试者就医 4= Follow-up with panelist追踪受试者	

Study Investigator Signature & Date:
研究者签名及日期: _____

Outcome Assigned by Study Investigator (Circle below):
研究者指定结果 (以下圈选):
1= Resolved解决 3=Panelist lost to follow-up失访
2=Stabilized稳定 4=Otherwise explained其他阐述

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

（接续前一页）的具体备注:

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPENDIX E. Protocol Amendment/Deviation Form

STUDY INFORMATION:

STUDY TITLE:	
STUDY NUMBER:	
AGENCY STUDY NUMBER:	
SPONSOR:	
PRINCIPAL INVESTIGATOR:	
VERSION / DATE	

CONTENT

NO.	ORIGINAL CONTENT	REVISED CONTENT	TYPE
1			
2			

SIGNATURE OF PRINCIPAL INVESTIGATOR:

DATE:

Docusign Envelope ID: F5547741-F03A-4181-8FE6-71C6C0736384

APPENDIX F. End of Study Form

END OF STUDY FORM 研究中止/完成证明

Subject Number 受试者编号：_____

Subject Initial 受试者姓名首字母缩写：_____

Drop-out 研究中止：

Reason for Dropping out 中止原因:

_____

_____

_____

Date of Drop-out 中止日期_____

End of Study 研究完成：_____

Date of completion of study 研究完成日期 _____

It has been explained to me that I may be contacted by the investigator whenever new information is needed to be imparted to me as a result to taking part of this study. I also understand that I may be asked for further information, if needed. 此份证明已向我解释并且我已清楚和同意在如果需要的情况下，接受研究人员进一步联系并提供更多与研究相关的材料。

Subject's Initials and signature 受试者姓名首字母及签名：_____ | _____

Date 日期 ：_____

Signature of Investigator or designee 研究人员或授权代表签名：_____

Date 日期 ：_____