STUDY PROTOCOL

B5 Serum 4-week Clinical Study

Research Center	**Shanghai China-Norm Quality Technical Service Co., Ltd.**
Study-No.:	**C26005014 (CRO)** **EI-CN-CLINS-26-01647 (Sponsor)**
Investigational Product:	**Serum 2.0 [Formula #2039248 03L]** **Serum 1.0 [Formula #2039128 50]**
Sponsor:	**L'Oréal R&I CHINA**
Date of Protocol:	**10th Mar, 2026/ Version 3.0**
Study Duration:	**23rd Mar – 28th May, 2026**
Topline:	**5th June, 2026 (Group B)** **19th June, 2026 (Group A)**

CONTENTS

1. Responsibilities ... 3
2. General Information ... 4
3. Selection of Volunteers ... 6
4. Study Design ... 7
5. Measurement ... 9
   5.1. Clinical Assessment by Dermatologist ... 9
   5.2. Instrumental Measurement ... 12
   5.3. Photo Capture ... 13
   5.4. Lactic Acid Sting Test (LAST) ... 14
   5.5. Sensation Self-Grading ... 15
   5.6. Consumer Questionnaire ... 15
6. Product ... 15
   6.5. Test Products ... 15
   6.6. Dose and Treatment Regimens ... 16
7. Procedure ... 17
   7.5. Screening ... 17
   7.6. Conducting the Study ... 17
8. Biostatistics and Data Management ... 20
   8.1. Statistical considerations ... 20
   8.2. Descriptive analysis ... 20
   8.3. Efficacy Verification ... 21
9. Further Study Documentation ... 21
   9.1. Protocol Amendment ... 21
   9.2. Dropouts ... 21
   9.3. Deviations from Protocol ... 22
   9.4. Adverse Event Reporting ... 22
10. Ethical Considerations ... 22
Annex 11.1. Subject Eligibility Check List ... 24
Annex 11.2. Protocol Amendment Document ... 26
Annex 11.3. Protocol Deviation Record ... 27
Annex 11.4. Adverse Event Report Form ... 28
Annex 11.5. Consumer Questionnaire ... 30
Annex 11.6. Daily Log ... 38
Annex 11.7. Randomization table ... 40
Annex 11.8. Sensation Self-grading ... 44
Annex 11.9. Lactic Acid Sting Test Record Form ... 45

C1 - Internal use

1. Responsibilities

The management system of CRO is certified for the scope "Cosmetic Testing". Study performance, data analysis and study report are based on the Quality Management System ISO 9001:2015.

The study report represents a correct description of measured values and recorded results during the study. To the best of its knowledge, CRO ensures the absence of significant deviations from the study protocol affecting the quality/integrity of this study.

Study performance, data analysis, and study report are realized approximating the main principles of GCP.

Principle requirements of the Declaration of Helsinki are taken into consideration.

Shanghai China-Norm Quality Technical Service Co., Ltd

_____

L'Oréal R&I CHINA

_____

C1 - Internal use

2. General Information

Title:	B5 Serum 4-week Clinical Study
Study Number:	C26005014 (CRO) EI-CN-CLINS-26-01647 (Sponsor)
Test Product:	Serum 2.0 [Formula #2039248 03L] Serum 1.0 [Formula #2039128 50]
Principal Investigator:	Ping Xu Title: Dermatologist
Test Site:	Shanghai China-Norm quality technical service Co., Ltd Address: F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China
Study Objective:	To assess long-term soothing efficacy of test products after 4-week repeated application, comparing with benchmarks.
Experimental Design:	Mono-centric, full face, long-term application design
Test Areas:	Face
Subjects:	Sufficient female adult subjects will be enrolled in the study and recruited according to the inclusion and non-inclusion criteria listed below. Subjects will be randomized into two groups (Group A and Group B). For each group, at least 40 subjects should complete the clinical part and 60 subjects should complete questionnaire part.
Age:	20-40 years old
Measurements:	***Clinical Assessment by Dermatologist*（N=40 per group）** - *Skin texture and quality attributes:* Skin redness, skin radiance, skin brightness, skin dullness, skin softness, skin elasticity, skin firmness and skin plumpness will be evaluated by dermatologist at T-2w (screening), T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only); - *Wrinkle attributes:* Global appearance of fine line, forehead wrinkle, glabellar wrinkle and nasolabial fold will be evaluated by dermatologist at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only). - *Lifting attributes:* Global sagging and jawline lifting will be evaluated by dermatologist at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only); ***Instrument Measurement*（N=40 per group）** - **Skin hydration by Corneometer** will be measured at T0 (baseline), T1w, T4w, T5w (Group A only) and T6w (Group A only);

C1 - Internal use

- **Skin TEWL by Vapometer** will be measured at T0 (baseline), T1w, T4w, T5w (Group A only) and T6w (Group A only);
- **Erythema index by Mexameter** will be measured at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only);
- **Epidermis density and thickness by Ultrascan UC22** will be measured at T0, T1w, T4w, T5w (Group A only) and T6w (Group A only).

***Photo shooting*（N=40 per group）**

- **VISIA-CRP:** Standard facial photos (left, right and front face with Standard light, Cross-Polarized light, Parallel-Polarized light and UV light) will be taken at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only);
- **Two-photon microscopic imaging system**: Collagen and Elastin imaging will be performed at T0 (baseline), T1w, T4w, T5w (Group A only) and T6w (Group A only);
- **CASIO (DZ-d100) (N=10 per group):** Demo will be taken at T0 (baseline), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only);
- **VisioScan VC20 (N=10 per group):** Standard partial photo on face shooting will be done at T0 (baseline), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only).

***Lactic acid sting test*（N=40 per group）**

- **Lactic Acid Sting Test (LAST)** will be done at T0 (baseline), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only).

***Sensation Self-Grading*（N=40 per group）**

- Stinging, itching, burning and tightness will be evaluated by each subject sensation self-grading at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only).

***Consumer Questionnaire*（N=60 per group）**

- A consumer questionnaire at Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only);
- A safety questionnaire (Group A only) at T4w.

Test Duration:

- 7 visits (Group A)/5 visits (Group B):
  T-2w,
  T0 (baseline), Timm (15minutes after application),

C1 - Internal use

T1d,
T1w,
T4w,
T5w (Group A only),
T6w (Group A only).

3. Selection of Volunteers

According to the declaration of Helsinki[1]the subjects must consent to the study in writing. Before-hand they are informed about the study, its objectives, probable benefits, potential risks, and troublesome aspects, as well as about their rights and responsibilities. Volunteers, who fulfil the following criteria of inclusion and exclusion, take part in the study.

Inclusion Criteria:

Prospective subjects meeting all the criteria below will be eligible for enrolment:

1. Chinese female, 20–40 years old.
2. All skin types with 100% sensitive skin (self-declared).
3. Presenting with corresponding severity for the attribute evaluated by Dermatologist included:
   - Redness (full face): grade⩾4 (0-9 scale);
   - Global appearance of fine line: 3⩽grade⩽6 (0-9 scale);
   - Nasolabial fold: 1⩽grade⩽5 (Skin Aging Atlas, of 0 to 7 on Page 54 to 55);
   - Forehead wrinkles: 1⩽grade⩽5 (Skin Aging Atlas, of 0 to 8 on Page 32 to 33);
4. The sum of the 2.5min and 5min stinging scores (lactic acid side minus distilled water side)⩾3 after LAST test.
5. Presenting with lack of radiance, smoothness, brightness, softness, elasticity, firmness and plumpness on the face, evaluated by dermatologist.
6. Presenting with sagging, evaluated by dermatologist.
7. All accept not to use any cosmetics, skincare products, beauty equipment, all topical medications and cleansing products on face during the test.
8. Did not participate in any clinical test or cosmetic product test on skin within 1 month.
9. No disagreement of dermatologist because of other reasons that exclude the participation of the volunteer.
10. In general, good health at the time of the study.
11. Willing and able to participate as evidenced by signing of informed consent and photo release form.
12. Must be willing to comply with all study protocol requirements.

Exclusion Criteria:

Prospective subjects meeting any of the criteria listed below will be excluded from participation:

1. Pregnant or breast-feeding woman or woman planning pregnancy during the study.
2. Subject deprived of rights by a court or administrative order.

[1]Declaration of Helsinki, 64th World Medical Assembly, Fortaleza, Brazil, October 2013

C1 - Internal use

3. Major subject to a guardianship order.
4. Subject residing in a health or social care establishment.
5. Patient in an emergency setting.
6. Volunteer with a skin disease in the test areas as well as skin allergy (particularly e.g., acne, rosacea, eczema).
7. Volunteer presenting a stable or progressive serious disease (per investigator's assessment).
8. Immuno-compromised subject.
9. Subject with history of allergy to cosmetic or personal care products or ingredients.
10. Subject presenting excessive exposure to sunlight or UV radiation (investigator's assessment).
11. Subject with history of sunlight sensitivity or allergies.
12. Subjects regularly practicing aquatic or nautical sports.
13. Subjects regularly attending a sauna.
14. Subject with physical highly sensitive constitution.
15. Subject with cardiovascular or circulatory history.
16. Subject with a history of skin cancer or malignant melanoma.
17. Subject with history of medical beauty treatment and taking part in other studies in the last 6 months before study.
18. Intake of antihistamines, antibiotics, corticosteroids, non-steroidal anti-inflammatories or immune-suppressants in the last 6 months before study.

4. Study Design

Sufficient female adult subjects will be enrolled in the study and recruited according to the inclusion and non-inclusion criteria. Subjects will be randomized into two groups (Group A and Group B). At least 40 subjects per group should complete the clinical and instrumental assessments, and at least 60 subjects per group should complete the consumer questionnaire.

The methodology of this study consists of clinical assessment by dermatologist, instrument measurement, photo shooting, sensitive skin assessment (LAST) and consumer questionnaire.

1) <u>Study Schedule:</u>

Activity	**Wash out**	**Test**						
	Visit 1	**Visit 2**		**Visit 3**	**Visit 4**	**Visit 5**	**Visit 6 (Group A only)**	**Visit 7 (Group A only)**
	T-2w	**T0**	**Timm**	**T1d**	**T1w**	**T4w**	**T5w**	**T6w**
	(screening)	**(baseline)**	**(15minutes after application)**	**(1 day after application)**	**(after 1 week application)**	**(after 4 weeks application)**	**(after 4 weeks application + 1 week)**	**(after 4 weeks application + 2 weeks)**
Written informed consent and photo release form	X							
Inclusion / non-inclusion Criteria (Primary eligibility)	X							
Medical history	X							

C1 - Internal use

Activity	Wash out	Test						
	Visit 1	Visit 2		Visit 3	Visit 4	Visit 5	Visit 6 (Group A only)	Visit 7 (Group A only)
	T-2w	T0	Timm	T1d	T1w	T4w	T5w	T6w
	(screening)	(baseline)	(15minutes after application)	(1 day after application)	(after 1 week application)	(after 4 weeks application)	(after 4 weeks application + 1 week)	(after 4 weeks application + 2 weeks)
Face washing with standard cleanser	X	X		X	X	X	X	X
30 minutes for acclimatization	X	X		X	X	X	X	X
Clinical Assessment	X(screening)	X(screening & baseline)	X	X	X	X	X	X
VISIA-CRP		X	X	X	X	X	X	X
CASIO (DZ-d100) (Demo, N=10 per group)		X		X	X	X	X	X
VC20(Demo, N=10 per group)		X		X	X	X	X	X
Two-photon microscopic imaging system		X			X	X	X	X
Mexameter		X	X	X	X	X	X	X
Corneometer		X			X	X	X	X
Vapometer		X			X	X	X	X
UC22		X			X	X	X	X
Sensation Self-grading		X	X	X	X	X	X	X
Lactic Acid Sting Test		X(screening & baseline)		X	X	X	X	X
Consumer questionnaire			X	X	X	X	X	X
Safety questionnaire (Group A only)						X		
Investigational Product Application		←						→
Tolerance Feedback by Diary Log			←					→
Compliance Check	X	X	X	X	X	X	X	X
AE/SAE Report	X	X	X	X	X	X	X	X
Distribute/Return/Weight Auxiliary,	X (D)		X (D/W)	X (W)	X (W)	X (W/R)		

C1 - Internal use

Activity	Wash out	Test						
	Visit 1	Visit 2		Visit 3	Visit 4	Visit 5	Visit 6 (Group A only)	Visit 7 (Group A only)
	T-2w	T0	Timm	T1d	T1w	T4w	T5w	T6w
	(screening)	(baseline)	(15minutes after application)	(1 day after application)	(after 1 week application)	(after 4 weeks application)	(after 4 weeks application + 1 week)	(after 4 weeks application + 2 weeks)
Investigational Product								
End of Study								X

"X" means action required; "◄►" means repeated action during this time.
All the measurements will be conducted under the conditions with a well-controlled room temperature (21± 1°C) and humidity (45% ± 5%).

5. Measurement

5.1. Clinical Assessment by Dermatologist

Every effort will be made to have the Dermatologist grade the same subjects throughout the study. The dermatologist will not be allowed to refer to the previous scores at the post-baseline assessment. The efficacy parameters will be assessed at the indicated locations refer to Atlas and some skin parameters using a modified Griffiths 10-point scale. The tendentious half-point (0.4 or 0.6) increments may be used when necessary to describe skin appearance more accurately for Atlas and the half-point scores (0.5) increment may be used when necessary to describe the skin appearance more accurately in Griffith 10-points scale.

- ***Skin texture and quality attributes:*** Skin redness, skin radiance, skin brightness, skin dullness, skin softness, skin elasticity, skin firmness and skin plumpness will be evaluated by dermatologist at T-2w (screening) T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only);
- ***Wrinkle attributes:*** Global appearance of fine line, forehead wrinkle, glabellar wrinkle and nasolabial fold will be evaluated by dermatologist at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only);
- ***Lifting attributes:*** Global sagging and jawline sagging will be evaluated by dermatologist at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only);

Attributes in Griffith 10-points scale (0 to 9 scale)

No.	Atlas	Method	None	Mild	Moderate	Severe
			Score 0	Score 1~3	Score 4~6	Score 7~9
1.	Skin redness	Visual Whole face	No redness	Slight redness	Mild redness	Severe, heavy redness
2.	Skin radiance	Visual Whole face	Extremely radiant, luminous or glowing appearance all over the tested area	Adequate to acceptable radiance, most area with visibly radiant and glowing appearance	Perceivable to slight radiance	Very slight radiance or extreme dull looking, skin is heavily dull and matte, no luster on face

C1 - Internal use

No.	Atlas	Method	None	Mild	Moderate	Severe
			Score 0	**Score 1~3**	**Score 4~6**	**Score 7~9**
3.	Skin brightness	Visual Whole face	Skin is gloss and brightness, there is no darkness and unevenness	Skin is adequately glossy and bright overall; slight and limited darkness and/or unevenness may be observed in small areas.	Skin shows perceivable darkness and unevenness; gloss and brightness are reduced, and the complexion appears noticeably dull or muted.	Skin is extreme and visible darkness and unevenness, there is no gloss and brightness
4.	Sin dullness	Visual Whole face	Extremely radiant, luminous or glowing appearance all over the tested area	Adequate to acceptable radiance, most area with visibly radiant and glowing appearance	Perceivable to slight radiance	Very slight radiance or extreme dull looking, skin is heavily dull and matte, no luster on face
5.	Skin softness	Tactile	Very soft and supple; easily deformable under gentle external force, but not saggy.	Soft to reasonably soft; deformable with light pressure; only slight resistance; no obvious stiffness.	Moderately firm to slightly stiff; noticeable resistance to pressure; reduced pliability; tactile feel is less soft.	Very stiff, hard to bend deformation by external forces
6.	Skin elasticity	Tactile Whole face	Skin feels toned, dense and resilient, skin can be snapped back immediately, there are no pressing traces	Elastic buts light flabby	Moderate flabby	Skin feels pliable, thin and non-resilient, visible flabby, there are obvious pressing trace
7.	Skin firmness	Visual Whole face	Looks very tight and firm	Fairly tight, with the assessed area firm	Perceptible firm	Very little firm or very slack in the assessed area
8.	Skin plumpness	Visual Whole face	Very plump, no fine line reflection at all, hydrated skin	Adequate to acceptable plump	Perceivable to slight plump	Very wizened, severe fine line reflection, lack of moisture
9.	Global appearance of fine line	Visual Whole face	No fine lines present; skin looks completely smooth	Rare, presence of fine lines that area widely spaced apart in the treatment area	Moderate number of fine lines near each other in the treatment area	Numerous, many fine lines densely packed together in the treatment area
10.	Global sagging	Visual Whole face	No visible sagging	Slight sagging	Moderate sagging	Severe sagging
11.	Jaw line lifting	Visual Jaw line	Very lifting/no sagging, jawline is well-defined and firm, with no visible sagging. The skin appears smooth and taut, contributing to a youthful and energetic appearance. The overall facial contours are sharp and distinct, with no signs of aging or gravitational pull	Moderate lifting/slight sagging, jawline shows slight to moderate sagging. There may be a subtle loss of definition, with minor jowls beginning to form. The skin may appear slightly less firm, but the overall facial contours remain relatively sharp. The impact on appearance is minimal, with only subtle signs of aging	Mild lifting/moderate sagging, jawline exhibits significant sagging. There is a noticeable loss of definition, with more pronounced jowls forming. The skin appears less firm and may show early signs of drooping. The overall facial contours become less distinct, contributing to a more aged appearance. The face may start to look slightly heavier and more tired	No lifting/extemely sagging, jawline shows severe sagging. There is a significant loss of definition, with pronounced jowls and heavy drooping. The skin appears loose and sagging, significantly affecting the overall facial contours. The face looks very aged and fatigued, with a heavy, drooping appearance that contributes to a significant loss of facial symmetry

<u>Attributes in < Loreal Atlas> scale:</u>

No.	Atlas	Reference
1.	Forehead wrinkles	<Skin Aging Atlas, of 0 to 8 on Page 32 to 33 >

C1 - Internal use

2.	Glabellar wrinkles	<Skin Aging Atlas, of 0 to 6 on Page 36 to 37>
3.	Nasolabial folds	<Skin Aging Atlas, of 0 to 7 on Page 54 to 55 >

◆ **Safety checked by Dermatologist (only for Group A, N=40)**

During the examination at T0 (baseline)and T4w, Dermatologist ask each subject "do you feel any discomfort right now?"

- If yes, the specification of discomfort(s) type (tightness, stinging, burning, itching and any other discomforts). Also, the intensity* and the location of discomfort occurred will be recorded.

Meanwhile, Dermatologist must specify the exact area (example of left cheek, right cheek, around eye, etc.) of the physical signs (redness, erythema, edema, dryness, desquamation, pimple and any other symptom) observed during the examination at T0 (baseline)and T4w .

◆ **Physical Symptom**

Attributes in 5-points scale (0 to 4 scale):

Attributes	Score 0 None	Score 1 Very Slight	Score 2 Slight	Score 3 Moderate	Score 4 Severe
Dryness	No dryness	Superficial lines and/or white powdery appearance beginning to develop	Uniform dryness; scales beginning to separate and occasional uplifting scales	Uplifting scales; may be a few shallow cracks	Well-defined scaling, fissures and signs of bleeding may be present; some erythema is present
Erythema	No erythema	Very faint erythema (skin has a very light pink color)	Faint erythema (skin reaction is more apparent with clear borders but is still pink with more intensity	Bright erythema (erythema is apparent in bright pink and borders are clearly defined)	Very bright erythema (skin is bright red, borders are very well defined, capillaries and bruising may be visible)
Pimple	No pimple	Comedones only or less than 10 lesions, none on trunk, no scars, non-inflammatory lesion	10-25 papules, mild scarring, inflammatory lesion (<5mm)	Pustules, moderate scarring	Nodules or cysts, extensive scarring, inflammatory lesion (>5mm)
Desquamation	No desquamation	Patchy, slight powderiness with small scales	General, slight powderiness with small lifting scales	General, moderate powderiness with cracking and scales	Severe, heavy powderiness with cracking and lifting scales
Edema	No swelling	Very slight swelling, indistinct border	Defined swelling, distinct border	Defined swelling, raise border (1mm)	Pronounced swelling, raised border (>1mm)

Immutability of the reactions for each subject, Dermatologist must specify the immutability of the reactions** to the product.

Imputability of Reaction:

****Reaction chose:**

- Not related
- Doubtful
- Possible
- Probable
- Very probable

◆ **Self-perceived Symptom**

Each subject will be asked by dermatologist if have any discomfort right now, including tightness, stinging, burning, itching and any other symptoms. The intensity and its exact area (e.g., left cheek, right cheek, etc.)

C1 - Internal use

must be specified.

Intensity Scale:

Score 0	Score 1	Score 2	Score 3	Score 4
none	very slight	slight	moderate	severe

5.2. Instrumental Measurement

5.2.1. Skin hydration by Corneometer CM825 (Courage& Khazaka, Germany)

It measures moisture content of the skin via capacitance measurements. The measurable capacitance is proportional to the water content of stratum corneum, given that other physical and physiological variables affecting skin electrical properties are carefully controlled. Corneometer measurement will be done at the tested areas according to *Diagram 1*. The left/right cheek will be assigned per subject according to the randomization table at T0 (baseline) and kept consistent for all visits. Three consecutive valid readings will be taken and averaged. The deviation of 3 measurements is less than 10%. Measurements will be performed at T0 (baseline), T1w, T4w, T5w (Group A only) and T6w (Group A only).



Diagram 1 Test area

5.2.2. Skin TEWL by Vapometer (Delfin Technologies, Finland)

It's equipped with a closed cylindrical chamber. When it is in contact with the skin, the relative humidity (RH %) in the chamber increases, based on which transepidermal water loss (TEWL) is calculated. Lower TEWL means better skin barrier function. Measurement will be performed according to *Diagram 1*. The left/right cheek will be assigned per subject according to the randomization table at T0 (baseline) and kept consistent for all visits. Two measurements will be taken at test site. Measurements will be conducted at T0 (baseline), T1w, T4w, T5w (Group A only) and T6w (Group A only).

5.2.3. Skin erythema by Mexameter MX18 (Courage& Khazaka, Germany)

The measurement is based on absorption/reflection. The probe of the Mexameter® MX 18 emits three specific light wavelengths. A receiver measures the light reflected by the skin. As the quantity of emitted light

C1 - Internal use

is defined, the quantity of light absorbed by the skin can be calculated. For the erythema measurement two specific wavelengths are used (green: 568 nm and red: 660 nm), corresponding to the spectral absorption peak of hemoglobins and to avoid other color influences (e. g. bilirubin). Measurements will be performed according to *Diagram 1*. The left/right cheek will be assigned per subject according to the randomization table at T0 (baseline) and kept consistent for all visits. Three consecutive valid readings will be taken and averaged. Measurements will be conducted at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only).

5.3. Photo Capture

5.3.1. Facial Image Capture by VISIA-CRP (Canfield, America)

The instrument combines the most advanced digital photography technology with a variety of light sources (Standard light, Cross-Polarized light, Parallel-Polarized light and UV-Absorption light) to improve the visibility of skin analysis. The facial photo will be captured on front, left and right operated by trained technician at T0 (baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only).

5.3.2. Ultrasound UC22 (Courage& Khazaka)

The device measurements are based on ultrasonic waves that enter the skin and are based on different reflections from different tissues. The reflected waves are converted into electrical pulses that form an image in 256 different colors in a B-scan, which can measure skin thickness and density. At 22mhz, you can see skin 6-8mm deep in high resolution. Epidermis thickness & density will be measured and it will be done according to *Diagram 1* at T0 (baseline), T1w, T4w, T5w (Group A only) and T6w (Group A only).

5.3.3. SUPERVISION780 two-photon microscopic imaging system (Beijing Transcend Vivoscope Bio-Technology Co., Ltd)

SUPERVISION780 is a mobile, miniaturized two-photon microscopic imaging system used for in vivo, non-invasive, label-free detection of the structure and the three-dimensional distribution of components of skin. The principle is based on two-photon absorption, that is, under the excitation of near-infrared light, two photons are absorbed simultaneously, thereby exciting fluorescence. This excitation process requires two photons to be absorbed almost simultaneously, so it can only occur in the high-intensity area of the focus region, thereby achieving optical slicing and three-dimensional imaging. Measurement will be done on one side cheek according to *Diagram 1* at T0 (baseline), T1w, T4w, T5w (Group A only) and T6w (Group A only). The left/right cheek will be assigned per subject according to the randomization table at T0 (baseline) and kept consistent for all visits.

5.3.4. VisioScan VC20 (Courage& Khazaka, Germany)

A CCD test system of skin image with UV light source in a special probe is used to test on the skin surface, and the image of the active state of the skin is obtained. The black and white video signal is input to the digitizer of the test system for processing, and then input to the computer. The active skin surface condition can be evaluated by analyzing the special active skin evaluation software SELS. Before measurement, subjects will be asked to sit in a chair and stay close to the back of the chair, ensuring that the body and head staying at relatively fixed position. Image capture will be performed according to *Diagram 1*. The left/right cheek will be assigned per subject according to the randomization table at T0 (baseline) and kept consistent for all visits. *(demo subgroup: 20 subjects in total, 10 subjects per group)*.

C1 - Internal use

5.3.5. CASIO (DZ-d100) (Casio, Japan)

This is a digital camera for skin observation. Casio's unique camera technology and image processing technology help us to observe the skin. Supports medical practice as a medical tool that can be handled easily; It is possible to shoot three kinds of images of polarization / non polarization / UV with the same angle of view.
Recording mode: DERMO CONT
Digital zoom: 2x
Light: Mid
Shooting light source: polarized, non-polarized
Facial image capture will be done at T0 (baseline), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only) *(demo subgroup: 20 subjects in total, 10 subjects per group).*

5.4. Lactic Acid Sting Test (LAST)

The lactic acid test is widely accepted as a marker of skin sensitivity and employed for the selection of subjects experiencing invisible sensory irritation. The intensity of symptoms (stinging, itchiness, burning and other) will be answered by subject at 0~30 seconds, 2.5 minutes and 5 minutes after lactic application. The variation of score between 10% concentration of lactic and distilled water will be calculated and defined to the sensitive level. Stinging score, itching score, burning score and total score will be calculated. Score of stinging equal and higher than 3 (T2.5min+T5min) will be included in this study. This process will be done at T0 (screening). Test area refers to *Diagram 2*.
50ul of 10% lactic acid solution and distilled water will be dropped on a medical filter with a diameter of 0.8 cm and applied to the nasal groove on both side of face according to *Diagram 2*. The left/right assignment will be determined by the randomization table (refer to Annex 11.7.) and kept consistent for each subject throughout the study. The intensity of symptoms (stinging, itchiness, burning and other) will be answered by subject at 0~30 seconds, 2.5 minutes and 5 minutes after lactic application. The stinging score, itching score, burning score and total score of both side of face will be calculated. This process will be done at T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only).



Diagram 2 Test area for LAST

C1 - Internal use

5.5. Sensation Self-Grading

Stinging, itching, burning and tightness will be evaluated by each subject sensation self-grading at T0(baseline), Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only). The intensity will be recorded.

Intensity Scale:

Score 0	Score 1	Score 2	Score 3	Score 4
none	very slight	slight	moderate	severe

5.6. Consumer Questionnaire

A consumer questionnaire (Annex 11.5) will be answered by each subject at Timm (15minutes after application), T1d, T1w, T4w, T5w (Group A only) and T6w (Group A only).
A safety questionnaire (Group A only) will be answered by each subject at T4w.

6. Product

6.5. Test Products

Name	Formula number	Batch Number	Format	Color	Volume	Manufacture Date/Expired Date	Number Of Samples Received
Serum 2.0	2039248 03L	RS26046	Liquid	White	25mL	Feb/05/2026	140pcs
Serum 1.0	2039128 50	74ZN02	Liquid	White	30mL	2028-11-20	180pcs
STD Cleanser	730457 36	RS26004	Lotion	White	100mL	Jan/05/2026	200pcs
STD Moisturizer	609801 04F	RS25339	Cream	White	50mL	Dec/17/2025	200pcs
STD Sunscreen	730623 4	74Z61L	Lotion	White	50mL	17/06/2028	200pcs

Product No.	Formula#/Registration	Product Name	Product Type	Label As
Investigational Product				
1	2039248 03L	Serum 2.0	Serum	受试者No.: 上海复硕正态-电话:+86 15618001675 测试编号 测试期精华 配方号：2039248 03L 批号：RS26046 生产日期：Feb/05/2026 用于脸部 室温保存 禁止入口入眼，如不慎入眼，请立即用大量清水冲洗。仅供本测试使用，禁止销售，防止儿童接触。

C1 - Internal use

2	2039128 50 苏 G 妆网备字 2024006276	Serum 1.0	Serum	受试者No.: 上海复硕正态-电话:+86 15618001675 测试编号 测试产品 配方号：2039128 50 批号：74ZN02 限期使用日期：2028-11-20 用于脸部 室温保存 禁止入口入眼，如不慎入眼，请立即用大量清水冲洗。仅供本测试使用，禁止销售，防止儿童接触。
Auxiliary Products				
3	730457 36	STD Cleanser	Lotion	受试者No.: 上海复硕正态-电话:+86 15618001675 测试编号 配方号：730457 36 批号：RS26004 生产日期：Jan/05/2026 用于面部，早晚使用，每天2次 室温保存
4	609801 04F	STD Moisturizer	Cream	受试者No.: 上海复硕正态-电话:+86 15618001675 测试编号 配方号：609801 04F 批号：RS25339 生产日期：Dec/17/2025 用于面部，早晚使用，每天2次 室温保存
5	730623 4	STD Sunscreen	Lotion	受试者No.: 上海复硕正态-电话:+86 15618001675 测试编号 配方号：730623 4批号：74Z61L 限期使用日期：17/06/2028 室温保存

6.6. Dose and Treatment Regimens

- All subjects will be requested to use the investigational product twice a day on clean face skin, Standard products including cleanser, cream and sunscreen on whole face.
- Dosage: According to daily usage habits. Investigational product：Take appropriate amount and apply the serum to the face.
- Onsite: Trained applicator will check and instruct subjects in the use of test products.

a. <u>Wash-out stage: T-2w ~ T0</u>

AM: Standard cleanser + standard moisturizer + standard sunscreen

PM: Standard cleanser + standard moisturizer

<u>No any other skincare or facial make up products are used except provide products.</u>

b. <u>Test stage: T0~ T4w</u>

AM: Standard cleanser + Investigational serum + standard moisturizer + standard sunscreen

PM: Standard cleanser + Investigational serum + standard moisturizer

<u>No any other skincare or facial make up products are used except provide products.</u>

c. <u>Test stage: T4w ~ T6w（only for Group A）</u>

AM: Standard cleanser + standard moisturizer + standard sunscreen

C1 - Internal use

PM: Standard cleanser + standard moisturizer

No any other skincare or facial make up products are used except provide products.

7. Procedure

7.5. Screening

prospective subjects will be screened by the Investigator according to the inclusion and exclusion criteria described in the "Selection of Volunteers" section. Eligible subjects will enter a 2-week washout period. Key eligibility criteria, including LAST, will be re-confirmed at T0 (baseline, prior to randomization/first application). Only subjects who meet all study requirements will be enrolled and randomized.

7.6. Conducting the Study

Visit 1: T-2w (Wash out stage)

a. On visit day, subjects will be asked not to use any cosmetic product on test areas;
b. Check in subject. The subject will be informed about the nature of the study and a signed and dated informed consent form will be obtained. At the same time, one Photo release form will be also signed from each subject;
c. A subject screening number will be automatically allocated (SC0X) by CRF;
d. Demographic data collection;
e. Medical examination, subject's interview on his medical history and concomitant medications;
f. Subjects wash face with standard cleanser, then pat dry with clean tissue paper at center;
g. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21°C ± 1°C) and humidity (45% ± 5%));
h. For baseline, subjects will participate in the following procedures:
   - Clinical Assessment will be done by dermatologist;
i. Preliminary verification of inclusion/non-inclusion criteria for primer eligibility;
j. Distribution of standard products (weighted) and usage dairy to subjects.
k. Adverse Events/Local Intolerance will be checked and recorded.

Visit 2: T0 (baseline), Timm (15 minutes after application)

a. On visit day, subjects will be asked not to use any cosmetic product on test areas;
b. Check in subject. Subjects wash face with standard cleanser, then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21°C ± 1°C) and humidity (45% ± 5%));
d. For screening and baseline, subjects will participate in the following procedures:
   - Clinical Assessment will be done by dermatologist (baseline& rescreening);
   - VISIA-CRP for facial photo capture will be done by trained technician;
   - CASIO (DZ-d100) capture will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
   - VC20 will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
   - Two-photon imaging will be done by trained technician;
   - Corneometer will be done by trained technician;
   - Vapometer will be done by trained technician;
   - Mexameter will be done by trained technician;
   - UC22 will be done by trained technician;

C1 - Internal use

- Sensation Self-grading will be done by subjects;
- LAST will be performed to confirm eligibility (baseline& screening);

e. Verification of inclusion/non-inclusion criteria for final eligibility;
f. Under the guidance, subjects use test products on whole face;
g. At Timm, subjects will participate in the following procedures:
- Clinical Assessment will be done by Dermatologist;
- VISIA-CRP for facial photo capture will be done by trained technician;
- Mexameter will be done by trained technician;
- Sensation Self-grading will be done by subjects;
- Consumer questionnaire will be completed by subjects;

h. Products and daily log will be delivered to each subject;
i. Adverse Events/Local Intolerance will be checked and recorded;

Visit 3: T1d（1-day after application）

a. On visit day, subjects will be asked not to use any cosmetic product on test areas;
b. Check in subject. Subjects wash face with standard cleanser, then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21°C ± 1°C) and humidity (45% ± 5%));
d. Subjects will participate in the following procedures:
- Clinical Assessment will be done by dermatologist;
- VISIA-CRP for facial photo capture will be done by trained technician;
- CASIO (DZ-d100) capture will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
- VC20 will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
- Mexameter will be done by trained technician;
- Sensation Self-grading will be done by subjects;
- LAST will be performed;
- Consumer questionnaire will be completed by subjects;

e. Products and daily log will be checked by trained technician;
f. Adverse Events/Local Intolerance will be checked and recorded;

Visit 4: T1w (after 1-week application)

a. On visit day, subjects will be asked not to use any cosmetic product on test areas;
b. Check in subject. Subjects wash face with standard cleanser, then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21°C ± 1°C) and humidity (45% ± 5%));
d. Subjects will participate in the following procedures:
- Clinical Assessment will be done by dermatologist;
- VISIA-CRP for facial photo capture will be done by trained technician;
- CASIO (DZ-d100) capture will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
- VC20 will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
- Two-photon imaging will be done by trained technician;
- Corneometer will be done by trained technician;
- Vapometer will be done by trained technician;
- Mexameter will be done by trained technician;

C1 - Internal use

- UC22 will be done by trained technician;
- Sensation Self-grading will be done by subjects;
- LAST will be performed;
- Consumer questionnaire will be completed by subjects;

e. Adverse Events/Local Intolerance will be checked and recorded;

Visit 5: T4w (after 4-week application)

a. On visit day, subjects will be asked not to use any cosmetic product on test areas;
b. Check in subject. Subjects wash face with standard cleanser, then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21°C ± 1°C) and humidity (45% ± 5%);
d. Subjects will participate in the following procedures:
   - Clinical Assessment will be done by dermatologist;
   - VISIA-CRP for facial photo capture will be done by trained technician;
   - CASIO (DZ-d100) capture will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
   - VC20 will be done by trained technician *(demo subgroup: 20 subjects in total, 10 subjects per group)*;
   - Two-photon imaging will be done by trained technician;
   - Corneometer will be done by trained technician;
   - Vapometer will be done by trained technician;
   - Mexameter will be done by trained technician;
   - UC22 will be done by trained technician;
   - Sensation Self-grading will be done by subjects;
   - LAST will be performed;
   - Consumer questionnaire and Safety questionnaire (Group A only) will be completed by subjects;
e. Adverse Events/Local Intolerance will be checked and recorded;

Visit 6 (Group A only): T5w (after 4-week application+1-week)

a. On visit day, subjects will be asked not to use any cosmetic product on test areas;
b. Check in subject. Subjects wash face with standard cleanser, then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21°C ± 1°C) and humidity (45% ± 5%);
d. Subjects will participate in the following procedures:
   - Clinical Assessment will be done by dermatologist;
   - VISIA-CRP for facial photo capture will be done by trained technician;
   - CASIO (DZ-d100) capture will be done by trained technician *(10 subjects for group A)*;
   - VC20 will be done by trained technician *(10 subjects for group A)*;
   - Two-photon imaging will be done by trained technician;
   - Corneometer will be done by trained technician;
   - Vapometer will be done by trained technician;
   - Mexameter will be done by trained technician;
   - UC22 will be done by trained technician;
   - Sensation Self-grading will be done by subjects;
   - LAST will be performed;
   - Consumer questionnaire will be completed by subjects;

C1 - Internal use

e. Adverse Events/Local Intolerance will be checked and recorded;

Visit 7 (Group A only): T6w (after 4-week application+ 2-week)

a. On visit day, subjects will be asked not to use any cosmetic product on test areas;
b. Check in subject. Subjects wash face with standard cleanser, then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21°C ± 1°C) and humidity (45% ± 5%);
d. Subjects will participate in the following procedures:
   - Clinical Assessment will be done by dermatologist;
   - VISIA-CRP for facial photo capture will be done by trained technician;
   - CASIO (DZ-d100) capture will be done by trained technician *(10 subjects for group A)*;
   - VC20 will be done by trained technician *(10 subjects for group A)*;
   - Two-photon imaging will be done by trained technician;
   - Corneometer will be done by trained technician;
   - Vapometer will be done by trained technician;
   - Mexameter will be done by trained technician;
   - UC22 will be done by trained technician;
   - Sensation Self-grading will be done by subjects;
   - LAST will be performed;
   - Consumer questionnaire will be completed by subjects;
e. Adverse Events/Local Intolerance will be checked and recorded;
f. The end of study.

For home-use period, no any other skin care products will be used except test products. Intolerance feedback will be reported in daily for each subject.

8. Biostatistics and Data Management

8.1. Statistical considerations

All statistical tests will be two-sided and at the 5% level of significance.

8.2. Descriptive analysis

The per-protocol (PP) population is the primary population for all statistical analysis. The PP population will include all subjects who received treatment and completed the study in general accordance with protocol. Only the data of completing subjects will be analyzed.

For population of the volunteers:
Demographic data and baseline characteristics, including age will be summarized according to the analysis population for all subjects combined. The descriptive statistics including N, Mean, SD, SEM, Median, Max/Min will be presented.

For clinical scoring, instrumental measurement, image analysis, lactic acid sting test and self-grading:
N, Mean, SD, SEM, Median, Max/Min, the mean change from baseline, the percentage% of mean change

C1 - Internal use

from baseline values will be presented.

$$\text{Percent mean change from baseline} = \frac{(\text{Visit mean score} - \text{baseline mean score}) \times 100\%}{\text{baseline mean score}}$$

For consumer questionnaires:

The descriptive statistics including mean will be presented. For categorical variables, the frequency and percentage of Top 2 box (percentage of "strongly agree" and "somewhat agree").

8.3. Efficacy Verification

8.3.1 Comparison between Time-points

For Clinical Assessment and self-grading

A non-parametric test (Wilcoxon Sign Rank test) will be used.

- Timm, T1d, T1w, T4w, T5w, T6w versus T0

For instrumental measurement and image analysis:

A Shapiro-Wilk test will be used to test for normality of the baseline data (T0) and the change from baseline data (Tn-T0) at post-baseline time points. When data passes normality (all normality of the distributions is confirmed for the same parameter), a parametric test (ANOVA) will be used to test the null hypothesis that the mean change from baseline is zero. When data fails normality (if one or more normality of the distributions for the same parameter is rejected), a non-parametric test (Wilcoxon Sign Rank test) will be used.

- For Corneometer, Vapometer, UC22 and SUPERVISION780: T1w, T4w, T5w, T6w versus T0;
- For Mexameter: Timm, T1d, T1w, T4w, T5w, T6w versus T0;

A more appropriate analysis may be performed, which will be recorded in a Note to File and/or in the study report.

8.3.2 Comparison between Treatments

A Shapiro-Wilk test will be used to test for normality of the change from baseline data (Tn-T0) at post-baseline time points. When data passes normality (all normality of the distributions is confirmed for the same parameter), a parametric test (Paired T Test) will be used to compare the mean change from baseline between groups. When data fails normality (if one or more normality of the distributions for the same parameter is rejected), a non-parametric test (Wilcoxon Sign Rank test) will be used.

- For Clinical grading, self-grading, Mexameter, Corneometer, Vapometer, UC22 and SUPERVISION780:
  - Group A versus Group B

A more appropriate analysis may be performed, which will be recorded in a Note to File and/or in the study report.

9. Further Study Documentation

9.1. Protocol Amendment

Any protocol amendment (Annex 11.2) signed by mutual agreement is documented.

9.2. Dropouts

C1 - Internal use

Subjects may withdraw from the study at any time. In the case of withdrawal, the reason of withdrawing is documented and reported.

9.3. Deviations from Protocol

Protocol deviations (Annex 11.3) are documented and reported.

9.4. Adverse Event Reporting

Unexpected or unusual medical events or clinical symptoms are documented in an adverse event form (Annex 11.4). The subjects are instructed to immediately contact the test site to be examined by the investigator and/or designee. If this event is a medical condition that is not part of the subject's medical history, it is documented.

The investigator or designee will notify the sponsor representative of any adverse events (within 24 hours) or any severe adverse events (immediately) or any events that are related to study participation.

10. Ethical Considerations

According to this study (protocol, ICD/Assent Document, and all addenda) will be reviewed and approved by an Ethic contacted by the Study Site.

Details of the Ethic for this study are indicated below:

- Name: Ethics Committee within the enterprise
- Address: F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China
- Contact details: +86-021-66059727, fsec@china-norm.com

It is the responsibility of the PI to have Ethic approval of the study protocol, protocol amendments, ICD/Assent Document(s), and other relevant documents, e.g., advertisements, as applicable.

The study will not be activated, and subjects will not be recruited, consented, or receive study materials until such time as the Ethic has approved the required documentation. In addition, the Ethic will review the study before any significant change in the protocol is initiated. After each review, the Ethic's approval letter will be forwarded to the Sponsor. All correspondence with the Ethic should be retained in the study master file to storage.

C1 - Internal use

Annex

11.1 Subject Eligibility Check List

11.2 Protocol Amendment Document

11.3 Protocol Deviation Record

11.4 Adverse Event Report Form

11.5 Consumer Questionnaire

11.6 Daily Log

11.7 Randomization table

11.8 Sensation Self-grading

11.9 Lactic Acid Sting Test Record Form

C1 - Internal use

Annex 11.1. Subject Eligibility Check List

Test No.: Volunteer No.:	Sex: ☐ female ☐ male	Age:

1.	Chinese female, 20–40 years old.	☐ yes	☐ no
2.	All skin types with 100% sensitive skin (self-declared).	☐ yes	☐ no
3.	Presenting with corresponding severity for the attribute evaluated by Dermatologist included: ■ Redness (full face): grade≥4 (0-9 scale); ■ Global appearance of fine line: 3≤grade≤6 (0-9 scale); ■ Nasolabial fold: 1≤grade≤5 (Skin Aging Atlas, of 0 to 7 on Page 54 to 55); ■ Forehead wrinkles: 1≤grade≤5 (Skin Aging Atlas, of 0 to 8 on Page 32 to 33);	☐ yes	☐ no
4.	The sum of the 2.5min and 5min stinging scores (lactic acid side minus distilled water side)≥3 after LAST test.	☐ yes	☐ no
5.	Presenting with lack of radiance, smoothness, brightness, softness, elasticity, firmness and plumpness on the face, evaluated by dermatologist.	☐ yes	☐ no
6.	Presenting with sagging, evaluated by dermatologist.	☐ yes	☐ no
7.	All accept not to use any cosmetics, skincare products, beauty equipment, all topical medications and cleansing products on face during the test.	☐ yes	☐ no
8.	Did not participate in any clinical test or cosmetic product test on skin within 1 month.	☐ yes	☐ no
9.	No disagreement of dermatologist because of other reasons that exclude the participation of the volunteer.	☐ yes	☐ no
10.	In general, good health at the time of the study.	☐ yes	☐ no
11.	Willing and able to participate as evidenced by signing of informed consent and photo release form.	☐ yes	☐ no
12.	Must be willing to comply with all study protocol requirements.	☐ yes	☐ no

1.	Pregnant or breast-feeding woman or woman planning pregnancy during the study.	☐yes	☐no
2.	Subject deprived of rights by a court or administrative order.	☐yes	☐no
3.	Major subject to a guardianship order.	☐yes	☐no
4.	Subject residing in a health or social care establishment.	☐yes	☐no
5.	Patient in an emergency setting.	☐yes	☐no
6.	Subject with a skin disease in the test areas as well as skin allergy (particularly e.g., acne, rosacea, eczema).	☐yes	☐no
7.	Subject presenting a stable or progressive serious disease (per investigator's assessment).	☐yes	☐no
8.	Immuno-compromised subject.	☐yes	☐no
9.	Subject with history of allergy to cosmetic or personal care products or ingredients.	☐yes	☐no

C1 - Internal use

10.	Subject presenting excessive exposure to sunlight or UV radiation (investigator's assessment).	☐yes	☐no
11.	Subject with history of sunlight sensitivity or allergies.	☐yes	☐no
12.	Subject regularly practicing aquatic or nautical sports.	☐yes	☐no
13.	Subject regularly attending a sauna.	☐yes	☐no
14.	Subject with physical highly sensitive constitution.	☐yes	☐no
15.	Subject with cardiovascular or circulatory history.	☐yes	☐no
16.	Subject with a history of skin cancer or malignant melanoma.	☐yes	☐no
17.	Subject with history of medical beauty treatment and taking part in other studies in the last 3 months before study.	☐yes	☐no
18.	Intake of antihistamines, antibiotics, corticosteroids, non-steroidal anti-inflammatories or immune-suppressants in the last 6 months before study.	☐yes	☐no

Signature of Volunteer: ..... Date: .....

Responsible Tester: ..... Date: .....

C1 - Internal use

Annex 11.2. Protocol Amendment Document

Sponsor:		**Implementation:**	

Project Title:		**Project No.:**	
Contract No.:		**Protocol Edition:**	
Amendment Date:		**Valid Date:**	
Amendment content: **Original Item:** **Amendment Item：** **Reason:**			

By mutual agreement, both parties signed this protocol amendment document.

Sponsor Signature/Date：	**Implementation Signature/Date：**

C1 - Internal use

Annex 11.3. Protocol Deviation Record

Page ____ of _____

IF THERE IS NO DEVIATIONS OCCURRED DURING THE STUDY, PLEASE SIGN IN BELOW.

Investigator_Date_____

IF THERE IS ANY DEVIATION, PLEASE FILL IN THE FOLLOWING SECTION

Date: **Explanation of Deviation and Action**

_____ _____

_____

_____

_____

Investigator

Date: **Explanation of Deviation and Action**

_____ _____

_____

_____

_____

Investigator

Date: **Explanation of Deviation and Action**

_____ _____

_____

_____

_____

Investigator

Date: **Explanation of Deviation and Action**

_____ _____

_____

_____

_____

Investigator

C1 - Internal use

Annex 11.4. Adverse Event Report Form

EI-CN-CLINS-26-01647	Adverse Event Management	Application Date:

Adverse Event Form

Information of Subjects 受试者信息	Name 姓名： Age 年龄： Gender 性别： Contact No.电话： Previous Allergies 既往过敏史：
Test Information 测试信息	Description of test design 所参加测试的描述：
Product Information 产品信息	Name 配方全名： Fla. No.配方号： Batch N°
Nature of AE 性质 Use the specific and concise terms. Please indicate the signs and symptoms. For the cutaneous adverse events, please indicate the location. 请使用简明的言语并描述病症 皮肤相关的不良事件请注明部位	
Start date 开始日期	(YYYY/MM/DD)
Duration 持续时间	____ Days____ hour____ min
Ending date 结束日期	(YYYY/MM/DD) or □ In progress 进行中
Intensity 强度	☐ Slight 轻度 ☐ Moderate 中度 ☐ Severe 重度
Time between last application and beginning of reaction **反应出现前最后一次使用产品与反应出现的时间间隔**	____ Days____ hour____ min
How long have you been using this product prior to this reaction? **反应出现前，此产品总共使用了多久**	
With which frequency? **使用次产品的频率**	
Area product applied: **使用部位**	
Other products used simultaneously in same area: **相同部位同时使用的其他产品**	

EI-CN-CLINS-26-01647_A1V1 Adverse Event Form

-Confidential-

C1 - Internal use

EI-CN-CLINS-26-01647	Adverse Event Management	Application Date:

Action undertaken on the investigational product **对本测试产品采取的措施**	☐ None 无 ☐ Temporary halt 暂停后又恢复 ☐ Early termination 停止使用 ☐ Adjustment of the posology (explain in the comments) 调整剂量（备注中详述）
Medical Consultation: **治疗**	Name of the Doctor: 医生姓名 Name of the Hospital: 医院名 Diagnosis： 诊断 Patch Test: Yes 是□ No 否□ 是否做斑贴试验 Result of Patch Test: 斑贴试验结果
Follow up 事件后续	☐ Resolved 症状消失 ☐ Persistent 症状持续 ☐ Death 死亡 ☐ Unknown 不详
SAE 严重不良事件	☐ Yes 是 □ No 否
Relation to the investigational product **和本测试产品的关系**	☐ None 肯定无关 ☐ Little probable 基本无关 ☐ Possible 可能有关 ☐ Probable 很可能有关 ☐ Sure 肯定有关
Investigator's Name **研究人员姓名** **Date** **日期** **Signature** **研究人员签名**	

EI-CN-CLINS-26-01647_A1V1 Adverse Event Form

-Confidential-

C1 - Internal use

Annex 11.5. Consumer Questionnaire

非常同意 Strongly Agree	比较同意 Somewhat agree	谈不上同意也谈不上不同意 Neither agree nor disagree	比较不同意 Somewhat agree	非常不同意 Strongly Disagree
5	4	3	2	1

【TIMM】

Following are some statements about the efficacy of the serum product. Please tell me how you agree with each statement according to **your first application**. 5 means you "Strongly agree" with this statement, 4 means "somewhat agree", 3 means "neither agree nor disagree", 2 means "somewhat disagree". 1 means "Strongly disagree".) (programmer's notes: show randomly)

下面是一些产品使用效果的描述语句，请根据您**第一次刚使用完**这个精华产品的感受，对每一句话给出您同意程度的评分。5 分是"非常同意"，4 分是"比较同意"，3 分是"谈不上同意也谈不上不同意"，2 分是"比较不同意"，1 分是"非常不同意"。

【T1D】

Following are some statements about the efficacy of the serum product. Please tell me how you agree with each statement according to **your skin condition after one day**. 5 means you "Strongly agree" with this statement, 4 means "somewhat agree", 3 means "neither agree nor disagree", 2 means "somewhat disagree". 1 means "Strongly disagree".) (programmer's notes : show randomly)

下面是一些产品使用效果的描述语句，请根据您用了这个精华产品**一天后的肌肤状态**，对每一句话给出您同意程度的评分。5 分是"非常同意"，4 分是"比较同意"，3 分是"谈不上同意也谈不上不同意"，2 分是"比较不同意"，1 分是"非常不同意"。

【T1W】

Following are some statements about the efficacy of the serum product. Please tell me how you agree with each statement according to your usage experience **in past one week**. 5 means you "Strongly agree" with this statement, 4 means "somewhat agree", 3 means "neither agree nor disagree", 2 means "somewhat disagree". 1 means "Strongly disagree".) (programmer's notes : show randomly)

下面是一些产品使用效果的描述语句，请根据您**过去一周**对这个精华产品的使用感受，对每一句话给出您同意程度的评分。5 分是"非常同意"，4 分是"比较同意"，3 分是"谈不上同意也谈不上不同意"，2 分是"比较不同意"，1 分是"非常不同意"。

【T4W】

Following are some statements about the efficacy of the serum product. Please tell me how you agree with each statement according to your usage experience **in the past four weeks**. 5 means you "Strongly agree" with this statement, 4 means "somewhat agree", 3 means "neither agree nor disagree", 2 means "somewhat disagree". 1 means "Strongly disagree".) (programmer's notes : show randomly)

下面是一些产品使用效果的描述语句，请根据您**过去四周**对这个精华产品的使用感受，对每一句话给出您同意程度的评分。5 分是"非常同意"，4 分是"比较同意"，3 分是"谈不上同意也谈不上不同意"，2 分是"比较不同意"，1 分是"非常不同意"。

EFFICACY	TIMM	T1D	T1W	T4W
Soothing & stabilization & repairing				

C1 - Internal use

I feel my skin redness soothed in 10m 10 分钟舒缓肌肤泛红情况	x			
I feel my skin hotness soothed in 10m 10 分钟舒缓肌肤灼热感	x			
I feel my skin itchiness soothed in 10m 10 分钟缓解肌肤瘙痒	x			
I feel my skin dryness soothed in 10m 10 分钟舒缓肌肤干燥	x			
I feel my skin tightness soothed in 10m 10 分钟缓解肌肤紧绷感	x			
I feel my skin stinging soothed in 10m 10 分钟舒缓肌肤刺痛	x			
Instant anti-redness 即刻褪红	x			
Skin looks less red 肌肤泛红减少		x	x	x
I feel my skin redness soothed 舒缓肌肤泛红情况			x	x
Skin feels repaired 肌肤感觉被修护	x	x	x	x
skin's discomfort feels reduced 肌肤感觉不适减少	x	x	x	x
Skin feels strengthened 肌肤感觉强韧	x	x	x	x
Skin feels soothed 肌肤感觉舒缓	x	x	x	x
Skin feels comfortable 肌肤感觉舒服	x	x	x	x
skin is more stabilized 肌肤感觉稳定	x	x	x	x
My skin stability is improved 我的肌肤稳定性改善了			x	x
Enhance skin tolerance 皮肤耐受（皮肤对外界的适应能力）增强			x	x
I feel that my skin reacts less to everyday aggressions/triggers 肌肤对每天外界侵袭的反应减少			x	x
I feel my skin is protected against everyday triggers 肌肤感觉受到保护，能对抗每天外界的侵袭			x	x
Day after day I fell skin sensitive symptoms are soothed 日复一日，肌肤的敏感症状缓解了			x	x
I feel my sensitive symptoms relapse was reduced. 我感觉我皮肤的敏感症状复发情况减少了				x

C1 - Internal use

I feel my skin dryness soothed 舒缓肌肤干燥				x
I feel my skin hotness soothed 舒缓肌肤灼热感				x
I feel my skin itchiness soothed 缓解肌肤瘙痒				x
I feel my skin tightness soothed 缓解肌肤紧绷感				x
I feel my skin stinging soothed 舒缓肌肤刺痛				x
Radiance				
Skin looks more radiant 肌肤看起来更有光泽	x		x	x
Skin looks brighter 肌肤看起来更明亮	x		x	x
Skin looks radiant 肌肤看起来有光泽		x		
Skin looks bright 肌肤看起来明亮		x		
Skin quality improvement				
Skin feels softer 肌肤感觉更柔软/柔嫩	x		x	x
Skin feels smoother 肌肤感觉更光滑	x		x	x
Skin looks more transparent 肌肤看起来更通透	x		x	x
Skin texture feels more refined 肤质感觉更细腻	x		x	x
My skin condition is improved 肌肤状况改善了	x		x	x
Skin feels soft 肌肤感觉柔软/柔嫩		x		
Skin feels smooth 肌肤感觉光滑		x		
Skin looks transparent 肌肤看起来通透		x		
Skin texture feels refined 肤质感觉细腻		x		
Hydration				
Water-oil balance 肌肤感觉水油平衡	x	x	x	x
Skin feels hydrated 肌肤感觉保湿/水润	x		x	x

C1 - Internal use

Long Lasting hydration 持久保湿		x		
COSMETICITY	T1MM	T1D	T1W	T4W
The water like texture leaves no residue 产品质地水润，快速吸收无残留				x
The product is quickly absorbed into skin 产品快速被肌肤吸收				x
The product is easy to apply on skin 产品容易使用				x
The texture is fresh 产品质地清爽				x
The texture is light-weighted and burden free 产品质地轻盈无负担				x
The texture is non-greasy 产品质地不油				x
The texture is non-sticky 产品质地不粘				x
The texture is translucent 产品是半透明质地的				x
The product is gentle for the skin 产品对皮肤温和				x
Skin feels refreshed 肌肤感觉清爽				x
The product doesn't leave oily feeling 使用产品后，肌肤感觉不油腻				x
The product doesn't leave sticky feeling 使用产品后，肌肤感觉不粘腻				x
No noodles 不搓泥				x
Ok for layering 可以叠加其他产品一起使用				x
I'd like to replace my current serum with this product and add it in my skincare routine 我愿意将这款产品替代我现有的精华并加入到护肤步骤中去				x
The product improves the efficacy of my daily routine 这款产品可以提高我整体护肤品的效果				x
I would recommend this product 我愿意推荐这个产品				x
The product is suitable for my skin type 产品适合我的肤质				x
The product has a pleasant scent 该产品的味道怡人				x

C1 - Internal use

The product has a pleasant texture 该产品的质地怡人				x
The product is pleasant to apply 该产品使用感觉愉悦				x
The product leaves the skin comfortable 肌肤感觉舒服				x

以下问题只在 T4w 时询问：

总体上您对这个精华有多满意？（单选）

Generally speaking, how are you satisfied with the serum? (SA)

6 非常满意 Very satisfied
5 比较满意 Quite satisfied
4 有点满意 Slightly satisfied
3 有点不满意 Slightly dissatisfied
2 比较不满意 Quite dissatisfied
1 非常不满意 Very dissatisfied

如果请您对这个精华的整体表现做一个评估的话，您会给它打几分？1 分是"非常差"，10 分是"非常好"，您可以选择其中的任何一个分值来表示您对它的整体评价。

How would you rate the overall performance of the serum on a scale of 1 to 10, 1 being the worst and 10 being the best? (SA)

非常差 Worst　　非常好 Best
1　　10

请您不要考虑品牌与价格因素，只基于您使用这个测试产品的体验，和您目前最常用的精华产品相比，您觉得这个测试产品...？（单选）

Ignoring brand and price considerations, and based solely on your product usage experience, would you say that the test product is [...] than the product you use most often? (SA)

5 好很多 Much better
4 稍微好一点 Slightly better
3 说不上好或差 Neither better nor worse
2 稍微差一点 Slightly worse
1 差很多 Much worse

请问您是否愿意继续使用这个测试产品？(单选)

Would you like to continue using this product? (SA)

愿意 Yes 1　　**不愿意** No 2

RELAPSE	T5W	T6W

C1 - Internal use

【T5W】 Now you have stopped using this test serum for one week. Please tell me how you agree with each statement according to your feeling **after stopping using the product one week**. 5 means you "Strongly agree" with this statement, 4 means "somewhat agree", 3 means "neither agree nor disagree", 2 means "somewhat disagree". 1 means "Strongly disagree".) (programmer's notes : show randomly) 现在您已经停用这个精华产品一周了，请根据您**停用一周后**的感受，对每一句话给出您同意程度的评分。5 分是"非常同意"，4 分是"比较同意"，3 分是"谈不上同意也谈不上不同意"，2 分是"比较不同意"，1 分是"非常不同意"。 【T6W】 Now you have stopped using this test serum for two weeks. Please tell me how you agree with each statement according to your feeling **after stopping using the product two weeks**. 5 means you "Strongly agree" with this statement, 4 means "somewhat agree", 3 means "neither agree nor disagree", 2 means "somewhat disagree". 1 means "Strongly disagree".) (programmer's notes : show randomly) 现在您已经停用这个精华产品两周了，请根据您**停用两周后**的感受，对每一句话给出您同意程度的评分。5 分是"非常同意"，4 分是"比较同意"，3 分是"谈不上同意也谈不上不同意"，2 分是"比较不同意"，1 分是"非常不同意"。		
I feel my skin redness doesn't appear again and again 我感觉肌肤不再反复泛红	x	x
I feel my skin redness is further reduced 肌肤感觉泛红情况进一步改善了	x	x
I feel my sensitive symptoms doesn't appear again and again 我感觉我皮肤的敏感症状不再反复	x	x
I feel my sensitive symptoms relapse is further reduced. 我感觉我皮肤的敏感症状复发情况进一步减少了	x	x
I feel my skin dryness doesn't appear again and again 我感觉肌肤不再反复干燥	x	x
I feel my skin dryness is further reduced 肌肤感觉干燥情况进一步改善了	x	x
I feel my skin hotness doesn't appear again and again 我感觉肌肤不再反复灼热	x	x
I feel my skin hotness is further reduced 肌肤感觉灼热情况进一步改善了	x	x
I feel my skin itchiness doesn't appear again and again 我感觉肌肤不再反复瘙痒	x	x
I feel my skin itchiness is further reduced 肌肤感觉瘙痒情况进一步改善了	x	x
I feel my skin tightness doesn't appear again and again 我感觉肌肤不再反复紧绷	x	x
I feel my skin tightness is further reduced 肌肤感觉紧绷情况进一步改善了	x	x
I feel my skin stinging doesn't appear again and again 我感觉肌肤不再反复刺痛	x	x

C1 - Internal use

I feel my skin stinging is further reduced 肌肤感觉刺痛情况进一步改善了	x	x

Quality of life	T0
To what extent does your current skin sensitivity affect your quality of daily life? (SA) **请问您现在的肌肤敏感状况对你日常生活质量的影响程度？（单选）** 5 Very affected 非常影响 4 Quite affected 比较影响 3 Neutral 一般 2 Not particularly affected 不太影响 1 Not affected at all 一点也不影响	x

Quality of life	T4W
To what extent does your current skin sensitivity affect your quality of daily life? (SA) **请问您现在的肌肤敏感状况对你日常生活质量的影响程度？（单选）** 5 Very affected 非常影响 4 Quite affected 比较影响 3 Neutral 一般 2 Not particularly affected 不太影响 1 Not affected at all 一点也不影响	x

非常同意 Strongly Agree	比较同意 Somewhat agree	谈不上同意也谈不上不同意 Neither agree nor disagree	比较不同意 Somewhat agree	非常不同意 Strongly Disagree
5	4	3	2	1

Following are some statements about the quality of life impact from skin sensitive problem improvement of the test product after 4 weeks home usage. Please tell me how you agree with each statement. 5 means you "Strongly agree" with this statement, 4 means "somewhat agree", 3 means "neither agree nor disagree", 2 means "somewhat disagree". 1 means "Strongly disagree". (SA)
请问您使用产品 4 周后，这个产品在改善肌肤敏感问题的效果方面，是否对您生活质量有影响。关于以下这些描述，请用 1-5 分来表示您的感受， 1 分表示非常不同意， 2 表示比较不同意， 3 表示说不上同意不同意， 4 表示比较同意，5 表示非常同意。(单选)

Quality of life	T4W
I feel that the treatment of skin sensitive problems is easier with less time and effort consumption 我觉得肌肤的敏感问题护理起来更方便了	x
I feel that my skin becomes better 我觉得我的肌肤状态变好了	x
I feel my skin becomes more tolerant to extreme weather, environment or seasonal change	x

C1 - Internal use

在遇到极端天气、环境或换季时，我感觉肌肤的耐受性更强了	
The state of my skin makes me feel more confident 我的肌肤状态让我感觉更自信了	x
I feel less embarrassed about sensitive problems of skin 我对肌肤的敏感问题感到不那么尴尬了	x
I feel less anxious about sensitive problems of skin 我对肌肤的敏感问题感到不那么焦虑了	x
I feel my appearance is better 我觉得我的外貌得到了改善	x
The state of my skin makes me feel more attractive 我的肌肤状态让我感觉更有魅力了	x
Because sensitive problems of skin are improved, I spend less time and money on repairing/ strengthening products and related information 因为肌肤的敏感问题得到了改善，我可以少花一点时间和金钱在修护/强韧肌肤的产品和相关信息上	x
My beauty regimen (incl. skincare/ makeup routine, BP behavior) will not be impacted anymore by sensitive problems of skin 我的护肤/彩妆流程不再受到肌肤敏感问题的影响	x
Because sensitive problems of skin are improved, I believe that my career/study life will not be impacted anymore 因为肌肤的敏感问题得到了改善，我觉得我的事业/学习生活不再受到影响	x
Because sensitive problems of skin are improved, I believe that my relationships with others(partners, friends, and relatives) will be closer 因为肌肤的敏感问题得到了改善，我觉得我和他人的关系更好了	x
Because sensitive problems of skin are improved, I am more willing to connect with people/ social activities 因为肌肤的敏感问题得到了改善，我更愿意和他人交流/社交	x
肌肤泛红问题不那么令我困扰了	x
我对肌肤泛红问题不那么自卑了	x
因为肌肤的敏感问题得到了改善，我更愿意尝试户外活动了	x
因为肌肤的敏感问题得到了改善，我更愿意拍照合影了	x
我觉得肌肤状态更健康了	x

C1 - Internal use

Annex 11.6. Daily Log

测试阶段	日期（年/月/日）使用后填写	使用时间段	产品	未发生任何不良的情况 (请打钩)	皮肤有反应时填写				
					出现的症状	症状发生的部位	症状的程度	症状开始时间	症状持续时间
					1. 发红 2. 干燥 3. 刺痛 4. 瘙痒 5. 紧绷感 6. 发热/灼烧感 7. 其他 (请注明)	1.眼部 2.额头 3.脸颊 4.嘴角 5.下巴 6.其他（请注明）	1.非常轻微 2.轻微 3.中度 4.重度	使用产品后多长时间皮肤开始有反应？1.用后立即 2.用后 30 分钟内 3.用后 30 分钟至几个小时 4.用后____天	皮肤反应的特征持续了多长时间？
洗脱期 T-2w~T0	2026/3/23-2026/4/5	早	标准洁面	到访当天不使用任何化妆品、护肤品、美容设备、所有外用药物和洁面产品					
			标准面霜						
			标准防晒						
		晚	标准洁面						
			标准面霜						
测试期 T0	2026/4/6	早	标准洁面	到访当天不使用任何化妆品、护肤品、美容设备、所有外用药物和洁面产品					
			标准面霜						
			标准防晒						
		晚	标准洁面						
			测试产品						
			标准面霜						
测试期 T1d	2026/4/7	早	标准洁面						
			测试产品						
			标准面霜						
			标准防晒						
		晚	标准洁面						
			测试产品						
			标准面霜						
测试期 T1d~T4w	2026/4/8-2026/5/14	早	标准洁面						
			测试产品						
			标准面霜						
			标准防晒						
		晚	标准洁面						

C1 - Internal use

			测试产品						
			标准面霜						

C1 - Internal use

Annex 11.7. Randomization table

Randomization table for LAST measurement:

Subject ID	L	R
SC001	A	B
SC002	A	B
SC003	B	A
SC004	B	A
SC005	A	B
SC006	A	B
SC007	B	A
SC008	A	B
SC009	A	B
SC010	B	A
SC011	A	B
SC012	A	B
SC013	A	B
SC014	A	B
SC015	B	A
SC016	A	B
SC017	B	A
SC018	B	A
SC019	A	B
SC020	B	A
SC021	A	B
SC022	B	A
SC023	B	A
SC024	B	A
SC025	A	B
SC026	B	A
SC027	B	A
SC028	B	A
SC029	A	B
SC030	B	A
SC031	B	A
SC032	B	A
SC033	B	A
SC034	B	A
SC035	B	A
SC036	B	A
SC037	A	B
SC038	A	B

Subject ID	L	R
SC039	B	A
SC040	B	A
SC041	B	A
SC042	A	B
SC043	B	A
SC044	B	A
SC045	B	A
SC046	A	B
SC047	B	A
SC048	A	B
SC049	A	B
SC050	B	A
SC051	A	B
SC052	B	A
SC053	B	A
SC054	B	A
SC055	A	B
SC056	A	B
SC057	A	B
SC058	A	B
SC059	A	B
SC060	A	B
SC061	B	A
SC062	B	A
SC063	B	A
SC064	B	A
SC065	B	A
SC066	B	A
SC067	A	B
SC068	A	B
SC069	A	B
SC070	A	B
SC071	A	B
SC072	A	B
SC073	B	A
SC074	B	A
SC075	A	B
SC076	A	B

Subject ID	L	R
SC077	A	B
SC078	A	B
SC079	B	A
SC080	B	A
SC081	A	B
SC082	B	A
SC083	B	A
SC084	A	B
SC085	A	B
SC086	A	B
SC087	B	A
SC088	B	A
SC089	A	B
SC090	B	A
SC091	A	B
SC092	B	A
SC093	A	B
SC094	B	A
SC095	B	A
SC096	B	A
SC097	A	B
SC098	A	B
SC099	B	A
SC100	B	A
SC101	B	A
SC102	A	B
SC103	A	B
SC104	A	B
SC105	A	B
SC106	A	B
SC107	A	B
SC108	B	A
SC109	B	A
SC110	A	B
SC111	A	B
SC112	B	A
SC113	B	A
SC114	A	B

C1 - Internal use

Subject ID	L	R
SC115	B	A
SC116	A	B
SC117	B	A
SC118	A	B
SC119	B	A

Subject ID	L	R
SC120	B	A
SC121	A	B
SC122	A	B
SC123	A	B
SC124	A	B

Subject ID	L	R
SC125	B	A

A: Lactic acid

B: Distilled water

L: Left side of face

R: Right side of face

C1 - Internal use

Randomization table for instrumental measurement:

RD. Number	UC22、VC20	Vapometer 、MX18、Cornemeter、Bi-photon
RD001	L	R
RD002	R	L
RD003	R	L
RD004	L	R
RD005	R	L
RD006	L	R
RD007	L	R
RD008	R	L
RD009	R	L
RD010	R	L
RD011	L	R
RD012	L	R
RD013	R	L
RD014	R	L
RD015	R	L
RD016	R	L
RD017	L	R
RD018	R	L
RD019	R	L
RD020	R	L
RD021	L	R
RD022	R	L
RD023	R	L
RD024	L	R
RD025	L	R
RD026	L	R
RD027	R	L
RD028	R	L
RD029	L	R
RD030	R	L
RD031	R	L
RD032	R	L
RD033	L	R
RD034	L	R
RD035	R	L
RD036	L	R
RD037	R	L

RD. Number	UC22、VC20	Vapometer 、MX18、Cornemeter、Bi-photon
RD038	L	R
RD039	L	R
RD040	R	L
RD041	R	L
RD042	L	R
RD043	L	R
RD044	R	L
RD045	L	R
RD046	R	L
RD047	R	L
RD048	R	L
RD049	R	L
RD050	L	R
RD051	R	L
RD052	L	R
RD053	R	L
RD054	R	L
RD055	L	R
RD056	L	R
RD057	L	R
RD058	R	L
RD059	R	L
RD060	L	R
RD061	L	R
RD062	R	L
RD063	L	R
RD064	R	L
RD065	R	L
RD066	L	R
RD067	L	R
RD068	R	L
RD069	L	R
RD070	L	R
RD071	L	R
RD072	R	L
RD073	L	R
RD074	R	L

C1 - Internal use

RD. Number	UC22、VC20	Vapometer 、MX18、Cornemeter、Bi-photon
RD075	L	R
RD076	L	R
RD077	L	R
RD078	L	R
RD079	R	L
RD080	R	L
RD081	L	R
RD082	L	R
RD083	R	L
RD084	L	R
RD085	L	R
RD086	R	L
RD087	R	L
RD088	R	L
RD089	R	L
RD090	R	L
RD091	L	R
RD092	L	R
RD093	L	R
RD094	L	R
RD095	L	R
RD096	R	L
RD097	L	R
RD098	R	L
RD099	R	L
RD100	R	L

RD. Number	UC22、VC20	Vapometer 、MX18、Cornemeter、Bi-photon
RD101	R	L
RD102	L	R
RD103	L	R
RD104	L	R
RD105	R	L
RD106	R	L
RD107	R	L
RD108	L	R
RD109	L	R
RD110	L	R
RD111	R	L
RD112	L	R
RD113	R	L
RD114	L	R
RD115	R	L
RD116	R	L
RD117	L	R
RD118	L	R
RD119	L	R
RD120	L	R
RD121	R	L
RD122	L	R
RD123	R	L
RD124	L	R
RD125	L	R

C1 - Internal use

Annex 11.8. Sensation Self-grading

评估时间点：T0、Timm、T1d、T1w、T4w、T5w（Group A only）、T6w（Group A only）
受试者编号：（RD）_____

症状	0 分 无感觉	1 分 十分轻微感觉	2 分 轻微感觉	3 分 中等感觉	4 分 严重感觉
刺痛	0	1	2	3	4
瘙痒	0	1	2	3	4
灼热	0	1	2	3	4
紧绷	0	1	2	3	4

其他：

C1 - Internal use

Annex 11.9. Lactic Acid Sting Test Record Form

项目编号：C26005014　　时间点：T0　　受试者编号：（SC）_____

将 10%乳酸水溶液与对照组-蒸馏水各 50μl 滴于直径 0.8cm 的医用滤片上作用于鼻沟处

【Left Code 左边代码：_____　　Right Code 右边代码_____ 】

【乳酸刺痛筛选记录表】

30 秒后的感受								
区域	**左边**				**右边**			
面颊	无感觉	轻微感觉	中度感觉	严重感觉	无感觉	轻微感觉	中度感觉	严重感觉
	0 分	1.0 分	2.0 分	3.0 分	0 分	1.0 分	2.0 分	3.0 分
瘙痒	○	○	○	○	○	○	○	○
刺痛	○	○	○	○	○	○	○	○
灼热	○	○	○	○	○	○	○	○
其他	○	○	○	○	○	○	○	○
其他，请详述：_____								

2.5 分钟后的感受								
区域	**左边**				**右边**			
面颊	无感觉	轻微感觉	中度感觉	严重感觉	无感觉	轻微感觉	中度感觉	严重感觉
	0 分	1.0 分	2.0 分	3.0 分	0 分	1.0 分	2.0 分	3.0 分
瘙痒	○	○	○	○	○	○	○	○
刺痛	○	○	○	○	○	○	○	○
灼热	○	○	○	○	○	○	○	○
其他	○	○	○	○	○	○	○	○
其他，请详述：_____								

5 分钟后的感受								
区域	**左边**				**右边**			
面颊	无感觉	轻微感觉	中度感觉	严重感觉	无感觉	轻微感觉	中度感觉	严重感觉
	0 分	1.0 分	2.0 分	3.0 分	0 分	1.0 分	2.0 分	3.0 分
瘙痒	○	○	○	○	○	○	○	○
刺痛	○	○	○	○	○	○	○	○
灼热	○	○	○	○	○	○	○	○
其他	○	○	○	○	○	○	○	○
其他，请详述：_____								

鼻唇沟	**左边**	**右边**
2.5 分钟和 5 分钟刺痛总分		

C1 - Internal use

两侧差值	

【是否符合入组条件】2.5min 和 5min 的面部刺痛总分≥3 分　　☐是　　☐否

时间点：T1d, T1w, T4w, T5w, T6w　　受试者编号：（SC）_____（RD）_____

将 10%乳酸水溶液与对照组-蒸馏水各 50μl 滴于直径 0.8cm 的医用滤片上作用于鼻沟处

【Left Code 左边代码：_____　　Right Code 右边代码_____ 】

【乳酸刺痛记录表】

30 秒后的感受								
区域	左边				右边			
面颊	无感觉	轻微感觉	中度感觉	严重感觉	无感觉	轻微感觉	中度感觉	严重感觉
	0 分	1.0 分	2.0 分	3.0 分	0 分	1.0 分	2.0 分	3.0 分
瘙痒	○	○	○	○	○	○	○	○
刺痛	○	○	○	○	○	○	○	○
灼热	○	○	○	○	○	○	○	○
其他	○	○	○	○	○	○	○	○
其他，请详述：_____								

2.5 分钟后的感受								
区域	左边				右边			
面颊	无感觉	轻微感觉	中度感觉	严重感觉	无感觉	轻微感觉	中度感觉	严重感觉
	0 分	1.0 分	2.0 分	3.0 分	0 分	1.0 分	2.0 分	3.0 分
瘙痒	○	○	○	○	○	○	○	○
刺痛	○	○	○	○	○	○	○	○
灼热	○	○	○	○	○	○	○	○
其他	○	○	○	○	○	○	○	○
其他，请详述：_____								

5 分钟后的感受								
区域	左边				右边			
面颊	无感觉	轻微感觉	中度感觉	严重感觉	无感觉	轻微感觉	中度感觉	严重感觉
	0 分	1.0 分	2.0 分	3.0 分	0 分	1.0 分	2.0 分	3.0 分
瘙痒	○	○	○	○	○	○	○	○
刺痛	○	○	○	○	○	○	○	○
灼热	○	○	○	○	○	○	○	○
其他	○	○	○	○	○	○	○	○
其他，请详述：_____								

C1 - Internal use