PROTOCOL

Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control

Research Center：	**China-Norm**
Study-No.:	**EXT24S204 (Sponsor)** **C25104001 (China Norm)**
Sponsor:	**CHANEL Parfums Beauté**
Version / Date:	**4.0 / 17th January, 2024**

CONTENT

SYNOPSIS OF PROTOCOL 4
1. BACKGROUND INFORMATION 5
2. OBJECTIVE 5
3. STUDY DESIGN 5
3.1. Selection of Subjects & Informed Consent 5
3.1.1. Inclusion Criteria: 6
3.1.2. Exclusion Criteria: 6
3.1.3. Subject Restrictions 7
3.1.4. Withdrawal of Subjects 7
3.2. Evaluation Methods 8
3.2.1. Clinical Grading by Dermatologist 8
3.2.2. Facial Photos Tracking 9
3.2.3. Instrumental Measurement 9
3.2.4. Self-assessment 10
3.2.5. Consumer Questionnaire 10
3.3. Schedule 11
3.3.1. Activities Table 11
3.3.2. Conducting of Pre-study 12
3.3.3. Conducting of Study 12
4. STUDIED PRODUCT 15
4.1. Product Information 15
4.2. Usage of product 15
4.3. Storage 16
4.4. Treatment Assignment and Compliance 16
4.5. Breaking the Code in an Emergency 16
5. DATA MANAGEMENT 16
5.1. Data Check and Analysis 16
5.2. Descriptive Analysis 16
5.3. Efficacy Verification 17
5.3.1. Comparison between Time-points 17
5.3.2. Comparison between Treatments 18
5.3.3. Results Judgment 18
6. ADVERSE EVENT 19
6.1.1. Adverse Event (AE) 19
6.1.2. Serious Adverse Event (SAE) 20
6.1.3. Handling Adverse Event and Serious Adverse Event 20
6.1.4. Notification to the Sponsor 20
7. QUALITY CONTROL AND QUALITY ASSURANCE 20
8. CLINICAL STUDY REPORTING 20
9. PROTOCOL AMENDMENT/DEVIATION 21
APPENDIX LIST 24
APPENDIX A. Clinical Granding Standard Scales 25
APPENDIX B. Fractional Ultrapulse CO2-laser Procedure Introduction 27
APPENDIX C. Dairy Log 28
APPENDIX D. Adverse Event Form 36

APPENDIX E. Protocol Amendment/Deviation Form 38
APPENDIX F. End of Study Form 39

SYNOPSIS OF PROTOCOL

Study Title:	Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control
Protocol Number:	C25104001 (China Norm)
Study Objective:	The objective of this study is to assess the potential for enhance efficacy of the investigational product regarding anti-aging, moisturization, repair skin barrier and improvement of skin characteristics, after a superficial laser procedure, on a representative panel presenting healthy skin.
Investigational Product:	FACE BALM BFL904089001-F023-02
Application Area(s):	Whole Face
Sponsor Contact:	Perrine DOS REIS CHANEL Email: perrine.dos-reis@chanel.com
Site of investigation:	Shanghai China-Norm Quality Technical Service Co., Ltd. 6F, No.355, Guangzhongxi Road, Jing'an District, Shanghai, China
Principal Investigator:	Jingbo MA Principal Investigator Shanghai China-Norm Quality Technical Service Co., Ltd.
Duration:	Field work duration: 20th January, 2025 ~ 27th April, 2025 Data result of 1 month: Before 4th April, 2025 Data result of 2 months: 10th May, 2025 Efficacy report submit: 20th May, 2025

1. BACKGROUND INFORMATION

In the field of dermatology and cosmetic research, there is a growing interest in enhancing the efficacy of medical procedures with complementary products. With the increasing demand for effective anti-aging solutions, this study aims to investigate whether a specific investigational product can amplify the benefits of the superficial laser treatment and also support the fragilized skin. The objective is to provide scientific evidence for claims such as improved radiance, firmness, and overall anti-aging effects, which are highly sought after in the beauty industry. By conducting this study in a controlled environment with a specific group of Asian women who have undergone the laser procedure, we hope to contribute to the development of more effective post-procedure skincare regimens and support the claims of cosmetic products to meet the market's need.

2. OBJECTIVE

The objective of this study is to assess the potential for enhance efficacy of the investigational product regarding anti-aging, moisturization, repair skin barrier and improvement of skin characteristics, after a superficial laser procedure, on a representative panel presenting healthy skin.

3. STUDY DESIGN

This is a single-center, randomized, negative-controlled study that combines superficial laser therapy. The study period is set to include a 4-week washout period, 1 session superficial treatment (CO_2 fractional laser) with a 10-day self-recovery period (to have healthy skin allowing the application of a cosmetic product, decision taken by the dermatologist after assessment of the skin condition), and an 8-week treatment period with continuous use of the investigational product or control application. There are 2 distinct groups will be established within the study for the purpose of observation as following:

- Group 1: Treated group (investigational cream with CO_2 fractional laser treatment)
- Group 2: Control group (neutral cream with CO_2 fractional laser treatment)

The study will utilize a parallel randomization method to manage and mitigate initial disparities between two groups, thereby ensuring the study's randomization integrity and minimizing bias. The controlled variables will concentrate predominantly on the age of the subjects and skin-related indicators (according to the various indicators involved in the inclusion criteria) after laser treatment.

3.1. Selection of Subjects & Informed Consent

A sufficient number of healthy female subjects will be recruited so that a minimum of 60 subjects evenly divided into 2 groups will be expected to complete for the study.

This study necessitates ethical clearance before it can proceed. In tandem with this, adhering to the Declaration of Helsinki, participants are required to provide their written consent to participate in the study. The Informed Consent Form (ICF) will encompass contact information for whom contact regarding questions about the study, subjects' rights, and what to do in the event of a research-related injury. Subjects will be informed that they are free to discontinue from the study at any time. As part of the informed consent process, the prospective subject will be given as much time as needed to read the ICF and will have the opportunity to have any study-related questions answered to their satisfaction prior to signing the ICF. A signed and dated copy will be provided to the subject and a signed and dated copy will be retained in the study file. Subjects, who fulfil the following criteria of inclusion and exclusion, take part in the study.

3.1.1. Inclusion Criteria:

Subjects must:

1) Asian women, with age range from 40 to 60 years old;
2) Be in general good health and good mental state;
3) Presenting healthy skin as determined by Dermatologist;
4) All Fitzpatrick skin types;
5) All skin types on face (dry, normal, oily and combination) by subjects' self-perceived with sensitive skin confirmed by dermatologist;
6) Willing to participate in Fractional Ultrapulse CO_2-laser Procedure, also have undergone a 4-week washout period prior to 1 session superficial treatment (Fractional Ultrapulse CO2-laser Procedure) with a 10-day self-recovery period;
7) Aware and willing to accept that after a 10-day healing period, if the skin is not "ready" for the application of cosmetic products as determined by a dermatologist, they will be required to withdraw from the study;
8) Facial skin exhibits specific characteristics (the mean baseline needs to be the same for 2 groups for all those parameters, before the procedure T0) which require dermatological evaluation, detailed as follows:
   - Crow's feet wrinkles: grade: 3⩽ grade ⩽5 (SKIN AGING ATLAS Volume 2 Asian Type, page 60 to 61)
   - Underneath eyes wrinkles: 3⩽ grade ⩽6 (SKIN AGING ATLAS Volume 2 Asian Type, page 79 to 81)
   - Nasolabial fold: 2⩽ grade ⩽4 (SKIN AGING ATLAS Volume 2 Asian Type, page 54 to 55)
   - Dullness: 3⩽ grade ⩽6 (9-points scale, 0 is the worst, 9 is the best)
   - Uneven skin tone: 3⩽ grade ⩽6 (9-points scale, 0 is the worst, 9 is the best)
   - Uneven skin texture: 3⩽ grade ⩽6 (9-points scale, 0 is the worst 9 is the best)
   - Lack of firmness: 3⩽ grade ⩽6 (9-points scale, 0 is the worst, 9 is the best)
9) Have clean testing area (face): free of make-up on face, free of skin care products (lotions, sunscreens), make-up, perfumes, or other topical products on the visit day;
10) Not currently be participating and will not participate in any other study involving the test area (face) for the duration of the study;
11) Not have participated in any other study involving the test area (face) in the past 1 month;
12) Be willing to read, understand and able to sign the Informed Consent Form & Photo Release Form;
13) Be willing to comply with all study protocol requirements.

3.1.2. Exclusion Criteria:

Subjects must not:

1) Intending to get pregnant, be pregnant, be lactating, be within 6 months of delivery or be unwilling to take necessary precautions to avoid a pregnancy;
2) Have any skin problems to impact clinical assessment, such as large areas of acne, scars, and open wounds, etc.;
3) Having used antihistamine drugs in the past 1 week or immunosuppressants in the past 1 month;
4) Take anti-allergic drug/injections in the past 1 month;
5) Presently have allergies, allergic dermatitis or skin disease;
6) Have sensitivity or even allergy to topical products, ingredients or fragranced products;
7) Having a history of allergies, including but not limited to allergies to certain ingredients in cosmetics (no known allergies to vanilla or vanilla derived compounds, etc.).
8) Have history of suffering from skin diseases (such as psoriasis, eczema, psoriasis, skin cancer, etc.);
9) Have used any anti-inflammatory treatment on the test area within 2 months prior to this study starting date;
10) Has a chronic medical condition that may interfere with testing (e.g., asthma, insulin-dependent diabetes, lupus, rheumatoid arthritis or other immune/auto-immune diseases);

11) Have received cosmetic medical procedures on the face (such as injectable anti-wrinkle products, cosmetic surgery, tattoo removal, home light facial procedures or home use medical devices, etc.) in the past 6 months;
12) Have excessive sun exposure or ultraviolet light in the past 1 month;
13) Have applied Alpha hydroxyl acid, ortho-hydroxybenzoic acid, hydroquinone in the past 3 months; or used prescriptions (such as antibiotic, retinoids, alpha hydroxyl acid and steroid), oral contraceptives (such as Diane 35®, Jasmine®, Holgyeme®, Syndi 35®, Regulon®);
14) Avoid providing emergency contact;
15) Subjects that are not compliant to the selection criteria or not proper for participation as determined by Principal Investigator
16) An employee of the cosmetic companies or Shanghai China-Norm Information Technology Co., Ltd.

3.1.3. Subject Restrictions

Subjects should follow below instructions till the completion of product application phase of the study:

During the whole study:

- All skincare and makeup products should not be application except the investigational product (for group 1), neutral cream (for group 2), and usual sunscreen and usual cleanser (for both groups);
- No application of facial and eye contour treatments during the 48 hours preceding the start of the study;
- Refrain from using any skin care products or make-up on face on the day of each visit;
- Required to wash face only with warm tap water on the day of each visit.
- Prohibition of exposure to the sun. If necessary, required to use physical way to protect face from UV exposure during the study duration (e.g. use umbrella or wear hat, etc.) during the recovery phase and according to their usual habits apply the sunscreen (if needed) during the 4-week washout phase and 8-week treatment phase;
- Required to maintain regular lifestyle habits as much as possible (such as dietary habits, sleep patterns, exercise routines, etc.);

During the 4-week wash-out period (specific):

- Only apply the control products, usual sunscreen (if needed), usual cleanser during the wash-out period;
- No application of anti-aging/firming products during the wash-out period;

During the 10-day recovery period (specific):

- Refrain from using any skin care products or make-up on face;
- Only warm tap water is allowed for cleansing the face;
- Use the adjuvant medication if needed according to the advice of dermatologist and determined by PI (e.g. Epidermal Growth Factor);
- Required to use physical way to protect face from UV exposure during the study duration (e.g. use umbrella or wear hat, etc.), a uniform sun protection mask will be provided by CHINA-NORM.

3.1.4. Withdrawal of Subjects

Subjects may discontinue from the clinical study at any time. In addition, the Principal Investigator (PI) or designee has the right to withdraw a subject for any reason that is in the best interests of the subject. Whenever a subject is withdrawn from a study, an ***'End of Study'*** (***Appendix E***) participation form must be completed. Withdrawals due to adverse events or non-attendance must be followed up.

3.2. Evaluation Methods

3.2.1. Clinical Grading by Dermatologist

ON FACE Clinical scoring of ***Crow's feet wrinkles*** and ***Underneath eye wrinkles*** respectively according to the standard scale from <Skin Aging Atlas>; ***Wrinkles lines visibility (whole face), fine lines visibility (whole face), Smooth aspect of the skin, Skin radiance, Skin redness, Skin grain fineness, Skin softness, Skin plumpness, Skin elasticity, Skin suppleness, Skin tonicity*** and ***Skin firmness*** respectively according to the standard scale from CHINA-NORM in ***Appendix A*** by 1 validated dermatologist at following time-points:

- *T-28d (4 weeks washout), only for pre-inclusion for this study;*
- *T0 (baseline, before procedure);*
- *T11d (after complete healing according to dermatologist);*
- *T11dTimm (15 minutes after product application);*
- *T39d (4 weeks after repeated application);*
- *T67d (8 weeks after repeated application).*

The assessment will be performed at standard environment with uniformed lighting (Cool Daylight, 6500K), from baseline throughout the study. Each subject will be assessed by same validated dermatologist from T-28d. Unexpected change of grader or grading environment during the study will be documented as protocol deviation.

Parameter	Indicator Name from CHINA-NORM	Method	Scale	Evaluation area	Time point				
					T0 (Baseline)	T11d	T11dTimm	T39d	T67d
Crow's feet wrinkles	Crow's feet wrinkles	Visual	0-6	Focus on both sides of periocular skin	X	X	X	X	X
Underneath eye wrinkles	Underneath eye wrinkles	Visual	0-9	Focus on both sides of periocular skin	X	X	X	X	X
Wrinkles lines visibility (whole face)	Global appearance of wrinkles	Visual	0-9	Whole face (Cheeks, forehead, chin, undereye area, nasolabial folds)	X	X	X	X	X
Fine lines visibility (whole face)	Global appearance of fine line	Visual	0-9	Whole face (Cheeks, forehead, chin, undereye area, nasolabial folds)	X	X	X	X	X
Smooth aspect of the skin	Skin smoothness	Visual	0-9	Focus on both sides of cheek	X	X	X	X	X
Skin radiance	Skin radiance	Visual	0-9	Whole face	X	X	X	X	X
Skin redness	Skin redness	Visual	0-9	Whole face	X	X	X	X	X
Skin grain fineness	Rough skin texture	Tactile	0-9	Focus on both sides of cheek	X	X	X	X	X
Skin softness	Skin softness	Tactile	0-9	Focus on both sides of cheek	X	X	X	X	X
Skin plumpness	Skin plumpness	Visual	0-9	Focus on both sides of cheek	X	X	X	X	X
Skin elasticity	Skin elasticity	Tactile	0-9	Focus on both sides of cheek	X	X	X	X	X
Skin suppleness	Skin suppleness	Tactile	0-9	Focus on both sides of cheek	X	X	X	X	X
Skin tonicity	Skin tonicity	Tactile	0-9	Focus on both sides of cheek	X	X	X	X	X
Skin firmness	Skin firmness	Visual	0-9	Whole face	X	X	X	X	X
Nourished aspect of the skin	Nourished aspect of the skin	Visual	0-9	Whole face	X	X	X	X	X
Moisturizing aspect of the skin	Skin dryness	Visual	0-9	Whole face	X	X	X	X	X

3.2.2. Facial Photos Tracking

- ***Facial Image Capture by ColorFace (Newtone, France)***

Subjects will be asked to wear hair band, close eyes, and coordinate with image-position matching, then take pictures by the same trained technician from baseline. The facial photo is captured by ColorFace on front, left and right side with standard (STD60), cross polarized (CP), parallel polarized (PP) modalities and UV modalities operated by trained technician at the following time-points:

- *T0 (baseline, before procedure);*
- *T11d (after complete healing according to dermatologist);*
- *T11dTimm (15 minutes after product application);*
- *T39d (4 weeks after repeated application);*
- *T67d (8 weeks after repeated application).*

3.2.3. Instrumental Measurement

- ***Elasticity and Firmness by Cutometer® Dual MPA 580 (Courage & Khazaka, Germany)***

Based on the principles of suction and stretch, the device creates a negative pressure on the surface of the skin under test to draw the skin into a specific test probe. The depth of the skin into the test probe is measured by a non-contact optical test system, which includes a light transmitter and receiver. The ratio of the light emitted to the light received was proportional to the depth of the skin inhaled, and then analyzed by MPA software to determine the skin's elastic properties. Each subject will be measured by same validated technician from baseline. Cutometer measurement will be done on both cheeks refer to *Diagram 1*. The standard set-up as below CHANEL Cutometer parameters will be fixed . Among the generated parameters, repeats average of R0 (Uf, skin firmness, the first maximum amplitude or the highest point of the first curve), R2 (Ua/Uf, gross elasticity of skin), R5 (Ur/Ue, so-called net elasticity of skin without viscous deformation) and R7 (Ur/Uf, biological elasticity) will be taken into statistical analyze and all curves should be preserved. Two measurements will be taken for both sides of cheek at the following time-points:

- *T0 (baseline, before procedure);*
- *T11d (after complete healing according to dermatologist);*
- *T39d (4 weeks after repeated application);*
- *T67d (8 weeks after repeated application).*

Chanel cutometer parameters:

Cutometer settings	
Probe Opening (mm)	2
Mode	1
Pression (mb)	450
Action time (suction) / cycle (seconds)	3
Rest time (release) / cycle (seconds)	2
Number of cycles	1
Measurement Area/Repositioning	
Measuring Area	Cheekbone
Repositioning Mask	Yes

Conditions	
Nombre de mesures	**2:** shift slightly for the second measurement, the 2 curves must "overlap"
Checking the value of "off set" at T0 and Tfin - (margin allowed)	**Essential** (+/- 30)

- ***Vapometer (Delfin Technologies, Finland)***

Vapometer (Delfin Technologies, Finland) is the instrument for the trans-epidermal water loss (TEWL) measurement. It's equipped with a closed cylindrical chamber. When it is in contact with the skin, the relative humidity (RH %) in the chamber increases, based on which transepidermal water loss (TEWL) is calculated. Lower TEWL means better skin barrier function. Each subject will be measured by same validated technician from baseline. Vapometer measurement will be done on both sides of cheek refer to *Diagram 1*. Two measurements will be taken for each area at the following time-points:

- *T0 (baseline, before procedure and Timm after procedure);*
- *T11d (after complete healing according to dermatologist);*
- *T39d (4 weeks after repeated application);*
- *T67d (8 weeks after repeated application).*



Diagram 1. Test Areas

3.2.4. Self-assessment

A self-assessment evaluation regarding the skin comfort after product using will be answered by each subject. A 10-point rating scale will be used at the following time-points:

- *T11dTimm (15 minutes after product application);*
- *T39d (4 weeks after repeated application);*
- *T67d (8 weeks after repeated application).*

Parameters	Scale									
Skin comfort	Comfortable not at all ←							→		Very comfortable
	0	1	2	3	4	5	6	7	8	9

3.2.5. Consumer Questionnaire

A questionnaire regarding the product efficacy and performance will be rated by each subject. A 5-point rating scale will be used, with 1 indicating the lowest rating and 5 indicating the highest rating. The questionnaire evaluation list

below will be answered by each subject at the following time-points:

- *T11dTimm (15 minutes after product application);*
- *T39d (4 weeks after repeated application);*
- *T67d (8 weeks after repeated application).*

Parameters	**Scale**				
	Worst performance ◄——► Best performance				
Tightness sensations are reduced	1	2	3	4	5
The texture delicately envelops in a comforting and soothing veil	1	2	3	4	5
The texture is cream	1	2	3	4	5
The texture is melting	1	2	3	4	5
The texture merges with the skin	1	2	3	4	5

3.3. Schedule

Each subject will be required to 5 visits (4-week washout period, 1 session superficial treatment with a 10-day self-recovery period, and an 8-week treatment period). The specifics visit will be followed:

- *Visit 1: T-28d (4 weeks washout),*
- *Visit 2: T0 (baseline, before procedure and Timm after procedure),*
- *Visit 3: T11d (after complete healing according to dermatologist), T11dTimm (15 minutes after product application),*
- *Visit 4: T39d (4 weeks after repeated application)*
- *Visit 5: T67d (8 weeks after repeated application).*

3.3.1. Activities Table

Activities	**Visit 1**		**Visit 2**		**Visit 3**	**Visit 4**	**Visit 5**	
	T-28d		**T0**		**T11d**	**T39d**	**T67d**	
	Pre-Screening		Before/After medical procedure		After medical procedure and complete healing			
	Wash-out		Enrollment/ Procedure		Before product application	Timm after 1st product application	After 4 weeks product application	After 8 weeks product application
Written informed consent	X	4-week Wash-out Period		10-day Recovery Period				
Inclusion / non-inclusion Criteria	X							
Medical history	X							
Final eligibility, check eligibility			X					
Face washing by warm tap water	X		X		X	X	X	X
30 minutes for acclimation*	X		X		X	X	X	X
COLORFACE capture*			X		X	X	X	X
Clinical grading by dermatologist*	X		X		X	X	X	X
Medical procedure Fractional Ultrapulse CO_2-laser			X					
Vapometer*			X Both before & after[a]		X	X	X	X
Cutometer*			X		X	X	X	X
Self-assessment						X	X	X
Questionnaire						X	X	X
Product application						►——►		

Dairy log of product use						→	→	→
Distribute(D)/Return®/Weight(W)/Investigational Product (IP) and Control Product (CP)	X D/W CP		X W CP			X D/W IP&CP	X D/W IP&CP	X W/R IP&CP
Compliance check	X		X		X	X	X	X
AE/SAE report	X		X		X	X	X	X
End of study								X

'' mark means action required; All the measurements will be conducted under the conditions with a well-controlled room temperature (21°C ±1 °C) and humidity (50%±10%).*

[a]*The temperature and humidity settings for the Vapometer measurement after the medical procedure in the surgical treatment area will differ slightly from those in the laboratory's constant temperature and humidity room. However, the temperature will be maintained between 20-26℃.*

3.3.2. Conducting of Pre-study

Visit 1: Pre-screening visit on T-28d

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subject will be informed about the nature of the study and a signed and dated informed consent form will be obtained. At the same time, one Photo release form will be also signed from each subject;
c. Subjects will bring their usually used sunscreen and cleanser product on the visit day, where the brand series and efficacy information of these products will all be recorded in the CRF;
d. Demographic data collection;
e. Medical examination, subject's interview on his medical history and concomitant medications;
f. Subjects wash face and with warm tap water then pat dry with clean tissue paper at center;
g. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %);
h. For pre-screening: Clinical grading on principal inclusions will be done by dermatologist;
i. Verification of inclusion/exclusion criteria for initial eligibility;
j. The control products (neutral cream) will be weighted and provided to subjects, and the daily log will be provided; Meanwhile, subjects' usual sunscreen and cleanser will be weighted and recorded;
k. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).

A 4-week wash-out period will be designated for each subject, during which they will be required to use a neutral cream, usual cleanser and sun protection, which should be recorded in a diary if they are used.

3.3.3. Conducting of Study

Visit 2: Enrollment visit on T0 (before and after medical procedure) and Medical Procedure

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subjects wash face with warm tap water then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %);
d. Verification of inclusion/exclusion criteria for final eligibility confirmation;
e. For enrollment evaluation: Clinical grading will be done by dermatologist;
f. A subject formal number will be automatically allocated (RD00X) by CRF;
g. T0 before procedure: COLORFACE will be captured by trained technician;
h. T0 before procedure: Vapometer and Cutometer will be measured by trained technician;
l. The neutral cream will be weighted and taken back, and the dairy log will be taken back and provided new one for recovery period; Meanwhile, auxiliary products will be recorded if they occur;
i. Subjects will go to clinic and do the medical procedure;
j. Timm after procedure: Vapometer will be measured by trained technician;
k. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).

A 10-day recovery period will be designated for each subject, during which they will be required to comply with the requirements listed in Section 3.1.3 Subject Instructions.

Visit 3: Baseline evaluation visit on T11d (After complete healing)

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subjects wash face with warm tap water then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %);
d. After the dermatologist confirms that the skin is completely healed, the subjects will participate in the following procedure at T11d (after complete healing) as baseline:
   - Clinical grading will be done by dermatologist;
   - COLORFACE will be captured by trained technician;
   - Vapometer and Cutometer will be measured by trained technician;
e. Subjects were divided into 2 groups by parallel random;
f. Both investigational cream and neutral cream will be used on site by subjects' themselves under the recommended gesture refer to ***Section 4.2***, and the dosage will be recorded;
g. At T11dTimm (15 minutes after product application), the subjects will participate in the following procedure:
   - Clinical grading will be done by dermatologist;
   - COLORFACE will be captured by trained technician;
   - Vapometer and Cutometer will be measured by trained technician;
   - Self-assessment and a questionnaire will be answered by subjects;
m. According to the random table, the investigational cream and neutral cream will be weighted and provided. The dairy log for recovery period will be taken back and a new one for product treatment period; Meanwhile, subjects' usual sunscreen and cleanser will be weighted;
h. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).

Visit 4: Evaluation visit on T39d (4 weeks after product application)

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subjects wash face with warm tap water then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %);
d. The subjects will participate in the following procedure:
   - Clinical grading and safety assessment will be done by dermatologist;
   - COLORFACE will be captured by trained technician;
   - Vapometer and Cutometer will be measured by trained technician;
   - Self-assessment and a questionnaire will be answered by subjects;
n. The investigational cream and neutral cream will be weighted and provided, and the diary log will be taken back and checked; Meanwhile, subjects' usual sunscreen and cleanser will be weighted;
e. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).

Visit 5: Evaluation visit on T67d (8 weeks after product application)

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subjects wash face with warm tap water then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %);
d. The subjects will participate in the following procedure:

- Clinical grading will be done by dermatologist;
- COLORFACE will be captured by trained technician;
- Vapometer and Cutometer will be measured by trained technician;
- Self-assessment and a questionnaire will be answered by subjects;

e. The investigational cream and neutral cream will be weighted and taken back, and the dairy log will be checked and taken back; Meanwhile, subjects' usual sunscreen and cleanser will be weighted;
f. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI);
g. The end of study.

4. STUDIED PRODUCT

4.1. Product Information

Product Name:	FACE BALM
Formula Number:	BFL904089001-F023-02
Character:	Cream
Specification:	50g
Batch Number:	N/A
Limited to date/Shelf-life	7th January 2028
Quantity	80 pieces

Note: an adjuvant medication if needed according to the advice of dermatologist and determined by PI (e.g. Epidermal Growth Factor) prepared by CHINA-NORM.

4.2. Usage of product

Period	Method of application
Washout T-28d to T0	*Two Groups* **Morning:** Usual cleanser + Neutral cream + Usual sunscreen (if needed) **Evening:** Usual cleanser + Neutral cream
Recovery phase T0 to T11d	*Two Groups* Only cleans the face with warm tap water + Use the auxiliary product according to the advice of dermatologist (if applicable and will be recorded)
On-site (1st application) T11d	*Group 1: Treated Group* The technician will instruct the subjects to use the investigational cream and apply on the whole face according to the gesture as below: **The APPLICATION technique** Take a pearl-sized amount of face balm. Apply to the chin, cheeks and forehead, then smooth over the face from the middle outwards. **SOOTHING massage TECHNIQUE** For a soothing moment of softness, warm your hands and Press THEM lightly for a few seconds with deep slow breaths ON: 1. the forehead and cheeks 2. the temples and outer cheeks 3. the chin and inner cheeks 4. the facial contour *Group 2: Control Group.* The technician will instruct the subjects to apply the neutral cream on their entire face, using the same gesture as that used for the investigational cream.

Period	Method of application
Treatment T11d to T67d	*Group 1: Treated Group* **Morning:** Usual cleanser + Investigational Cream + Usual sunscreen (if needed) **Evening:** Usual cleanser + Investigational Cream *Group 2: Control Group.* **Morning:** Usual cleanser + Neutral cream + Usual sunscreen (if needed) **Evening:** Usual cleanser + Neutral cream

4.3. Storage

Study products must be stored in sealed plastic containers at room temperature. All used and unused study products will be appropriately inventoried by China-Norm.

4.4. Treatment Assignment and Compliance

Product weight check and diary will be used to assess subject compliance. Any misses will be documented as a protocol deviation and the subject will be re-instructed on proper product usage or be dropped from the study at the PI's discretion. Any deviations relating to subject non-compliance will be assessed by PI or designee to determine the termination of the subject's participation in the study or not.

4.5. Breaking the Code in an Emergency

Premature code breaking should only happen when there is a (1) product(s) related SAE or (2) subject with or without SAE need emergency medical interventions which need knowledge of the study products received. CRO/Study coordinator should inform PI and sponsor/monitor of the code break case and result. In these circumstances, PI will open and sign on the code break envelope. Once the code is broken, the subject should be withdrawn from the study and if the code broken is under the condition of product related SAE, this subject's data would not be analyzed for efficacy. Details should then be recorded on CRF and withdrawal form. AE and SAE management should refer to Adverse Event Reporting and Handling SOPs. If SAE is determined not related to study products, code break would not be necessary.

5. DATA MANAGEMENT

5.1. Data Check and Analysis

Before proceeding with the statistical analysis, data entries will be meticulously double-checked in Excel (Microsoft Office) to ensure accuracy, and a thorough logic check will be conducted to validate the data's integrity.

Once the data accuracy verification is complete, the dataset will be secured for statistical processing. This study's statistical analysis included descriptive analysis and efficacy verification will be performed utilizing the advanced analytical software, SPSS version 24.0.

5.2. Descriptive Analysis

Descriptive statistics will be provided by one treatment group according to criteria nature:

- For grading data: Number of observed values (nobs), mean, standard error (SE), mean change from baseline and the percentage% of improved subjects;
- For instrumental measurement data: Number of observed values (nobs), mean, standard error (SE), mean change from baseline and the percentage% of mean change from baseline;

– For self-assessment data: Number of observed values (nobs), mean, standard error (SE), mean change from baseline;
– For questionnaire data: Number of observed values (nobs), mean, standard error (SE), mean change from baseline, proportion of each option, Top 2 box (the percentage of ratings from 4 to 5), Bottom box (the percentage of ratings of 1, if needed).

Descriptive statistics will be performed on per protocol population and will be provided for all demographic and baseline characteristics:
- Age
- Gender
- Fitzpatrick skin types
- Facial skin types
- Clinical grading scoring
- Instrumental measurement value
- Self-assessment scoring
- Questionnaire data

5.3. Efficacy Verification

5.3.1. Comparison between Time-points

Mean of the change from baseline (defined as post-baseline value minus baseline value) will be estimated at applicable post-baseline time points. The null hypothesis, that the mean change from baseline is zero, will be tested using methods described below.

<u>Regarding the clinical grading data:</u>
The mean value will be estimated at the assigned time points are the T11d (after complete healing) as baseline, T11dTimm (15 minutes after application), T39d and T67d. Wilcoxon Signed Rank test will be employed, where a decrease signifies enhanced efficacy for wrinkle-related attributes, while an increase denotes improved efficacy for other aspects of skin texture, skin tone, and overall skin condition.
- Comparison between time points: T11dTimm, T39d and T67d versus T11d;

<u>Regarding the instrumental measurement data:</u>
The mean value will be calculated at the assigned time point are the T0 (before procedure), T0 (after procedure), T11d (after complete healing), T11dTimm (15 minutes after application), T39d and T67d. And the mean of the change from T0 (before procedure) or the change from T11d (after complete healing) (defined as post-baseline value minus baseline value) will be calculated at applicable post-baseline time points; the null hypothesis, that the mean change from baseline is zero, will be tested using methods described subsequently; and using Paired T test. All statistical tests will be 2-tailed at significance level alpha=0.05.

*Comparison between time points for **Vapometer** value:*
- T0 (before procedure) versus T0 (after procedure);
- T0 (before procedure) versus T11d (after complete healing), T11dTimm (1st product application), T39d, T67d;
- T11d (after complete healing) versus T11dTimm (1st product application)

*Comparison between time points for **Cutometer** value:*
- T0 (before procedure) versus T11d (after complete healing);
- T11d (after complete healing) versus T39d, T67d;

5.3.2. Comparison between Treatments

Regarding the clinical grading data:

The mean of the change from baseline (defined as post-baseline value minus baseline value) will be calculated at applicable post-baseline time points; the null hypothesis, that the mean change between treatments is zero, will be tested using methods described subsequently; and using Mann-Whitney U test. All statistical tests will be 2-tailed at significance level alpha=0.05.

- Comparison between treatments at each time-point: Treated group versus Control group;

Regarding the instrumental measurement data:

The mean of the change from before procedure/baseline after procedure (defined as post-baseline value minus baseline value) will be calculated at applicable post-baseline time points; the null hypothesis, that the mean change between treatments is zero, will be tested using methods described subsequently; and using Independent T test. All statistical tests will be 2-tailed at significance level alpha=0.05.

*Regarding the **Vapometer** value treatments comparison:*

- At T11dTimm (1st product application), T39d, T67d, using the mean value change from T0 (before procedure): Treated group versus Control group;
- At T11dTimm (1st product application), using the mean value change from T11d (after complete healing): Treated group versus Control group;

*Regarding the **Cutometer** value treatments comparison:*

- At T11d (after complete healing), using the mean value change from T0 (before procedure): Treated group versus Control group;
- At T39d and T67d, using the mean value change from T11d (after complete healing): Treated group versus Control group;

Regarding the self-assessment data:

The mean of the change from baseline (defined as post-baseline value minus baseline value) will be calculated at applicable post-baseline time points; the null hypothesis, that the mean change between treatments is zero, will be tested using methods described subsequently; and using Mann-Whitney U test. All statistical tests will be 2-tailed at significance level alpha=0.05.

- Comparison between treatments at each time-point: Treated group versus Control group;

Regarding the questionnaire data:

The mean of the change from baseline (defined as post-baseline value minus baseline value) will be calculated at applicable post-baseline time points; the null hypothesis, that the mean change between treatments is zero, will be tested using methods described subsequently; and using Mann-Whitney U test. All statistical tests will be 2-tailed at significance level alpha=0.05.

- Comparison between treatments: Treated group versus Control group.

5.3.3. Results Judgment

- Clinical grading of wrinkle-related attributes: The assigned time points data is significantly lower ($p<0.05$) compare to that of T11d (after complete healing); and the treated group is significantly lower ($p<0.05$) than that of control group adjusted by T11d (after complete healing);
- Clinical grading of other aspects of skin texture, skin tone, and overall skin condition: The assigned time points

data is significantly higher (p<0.05) compare to that of T11d (after complete healing); and the treated group is significantly higher (p<0.05) than that of control group adjusted by T11d (after complete healing);

- Instrumental measurement on face (Cutometer_R2, R5 and R7): The assigned time points data is significantly higher (p<0.05) compare to that of T11d (after complete healing); and the treated group is significantly higher (p<0.05) than that of control group adjusted by T11d (after complete healing);
- Instrumental measurement of Cutometer (R0, R4) on face: The assigned time points data is significantly lower (p<0.05) compare to that of T11d (after complete healing); and the treated group is significantly lower (p<0.05) than that of control group adjusted by T11d (after complete healing);
- Instrumental measurement of Vapometer on face: The assigned time points data is significantly lower (p<0.05) compare to that of T0 (before procedure) or T11d (after complete healing); and the treated group is significantly lower (p<0.05) than that of control group adjusted T0 (before procedure) or T11d (after complete healing) respectively;
- Self-assessment: The treated group is significantly higher (p<0.05) than that of control group;
- Questionnaire: The treated group is significantly higher (p<0.05) than that of control group.

6. ADVERSE EVENT

6.1.1. Adverse Event (AE)

Undesirable or Adverse Event is a human adverse health event which is voluntarily reported by a subject/consumer, healthcare professional, Competent Authority, or any other individual to have occurred during or after normal or reasonably foreseeable use of a cosmetic product. but is not necessarily attributable to the product use.

An undesirable event is distinct from anecdotal subject/consumer complaints of a non- specific nature or reports of sensorial perceptions that can be expected from the normal and reasonably foreseeable use of a specific cosmetic product. Undesirable Events typically include, but are not limited to, irritant or allergic reactions that can affect the skin, eyes or mouth.

An Adverse Event, whether or not related to the investigational product, was recorded in the "Adverse Event form" together with the chronology of event (date of the onset, still in progress, finished), the duration of symptoms, the severity of very slight (VSL), slight (S), moderate (M), strong (S), very strong (VST), the relationship to the investigational product (none, unlikely, possible, probable, definite), the sequelae and medical decision (whenever a medication is prescribed in relation with an Adverse Event, it was recorded in the "Adverse Event form" with the reason for treatment. Additional information may be requested when necessary). Forms must be carefully and completely filled in with as much details as possible.
When an adverse event persists at the end of the study, the investigator will ensure that the subject is followed up until resolution of the adverse event.

If the severity of the expected symptoms justifies withdrawal of the subject from the study, at the subject's request or that of the investigator, an "Adverse Event form" was completed.

Depending on the nature and seriousness of the event, copies of the medical records of the subject may be requested as well as the results of laboratory analyses. In the case of hospitalization of the subject, a copy of the hospital records was sent to the Sponsor as soon as possible, if available. In certain cases, the investigator may be requested to provide a letter summarizing the events related to this case. Under all circumstances, the investigator must follow-up the subject until the outcome of the event is known.

6.1.2. Serious Adverse Event (SAE)

A Serious Adverse Event is defined as:

- Death due to any cause, whether or not it is felt to be related to the study;
- A life-threatening event in which the panelist was, in the view of the Investigator, at immediate risk of death from the event as it occurred;
- Any event that is disabling or incapacitating;
- An event that requires inpatient hospitalization [Note: In general hospitalization signifies that the panelist has been admitted to the hospital overnight, for observation and/or treatment that would not have been appropriate in the physician's office or out-patient setting]. Hospitalization for elective treatment of a pre-existing condition is not considered a "serious" AE.
- A congenital anomaly/birth defect.

Recording, documentation and follow up of such Serious Adverse Event was realized in the same way as for an Adverse Event.

6.1.3. Handling Adverse Event and Serious Adverse Event

Unexpected or unusual medical events or clinical symptoms are documented in an adverse event form (***Appendix C***). The subjects are instructed to immediately contact the test site to be examined by the investigator and/or designee. If this event is a medical condition that is not part of the subject's medical history, it is documented.

The investigator or designee will notify the sponsor representative of any adverse events (within 24 hours) or any severe adverse events (immediately) or any events that are related to study participation.

6.1.4. Notification to the Sponsor

Any adverse event happening after the beginning of the study period (T11d) was reported by the investigator to the Sponsor within 48h following its confirmation by the investigator on a case-by-case basis depending on the nature of the adverse event. The corresponding "Adverse Event form" was sent to the Sponsor in a timely manner.
A Serious Adverse Event must be communicated immediately by the investigator to the Sponsor (within 24 hours). Any additional information requested by the Sponsor must be provided within a period of 5 days following receipt of the form.

7. QUALITY CONTROL AND QUALITY ASSURANCE

Quality assurance and quality control systems with written Standard Operating Procedures will be used to ensure that the study is conducted and data generated, documented (recorded), and reported in compliance with the protocol, GCP, and the applicable regulatory requirements. The study may be monitored by Quality Assurance / Sponsor representative. All reports will be reviewed by Quality Assurance.

8. CLINICAL STUDY REPORTING

The clinical study report will include (but is not limited to) the following information: study design and protocol, subject population demographics, statistical methods used, results, description of AEs (if any), protocol deviations, figures, and conclusions. The draft report will be prepared by the Investigator and the draft report will be submitted to the Sponsor for review and changes may be made at the Sponsor's request. Upon Sponsor's approval, the report will be finalized and forwarded to the Sponsor.

9. PROTOCOL AMENDMENT/DEVIATION

Any protocol amendment or deviation (***Appendix D)*** signed by mutual agreement is documented.

SIGNATURE PAGE

Writer：

Jingbo MA
Principal Investigator/Dermatologist
Shanghai China-Norm Quality Technical Service Co., Ltd.

Jingbo Ma

_____

Signature

2025-01-20

_____

Date

APPROVAL

Approve:

Perrine DOS REIS
CHANEL Parfums & Beauté

Signature

20th January 2025

Date

APPENDIX LIST

APPENDIX A. Clinical Granding Standard Scales

APPENDIX B. Fractional Ultrapulse CO2-laser Procedure Introduction

APPENDIX C. Adverse Event Form

APPENDIX D. Protocol Amendment/Deviation Form

APPENDIX E. End of Study Form

APPENDIX A. Clinical Granding Standard Scales

- ***Attributes in < Skin Aging Atlas > scale:***

No.	Atlas	Reference
1.	Crow's feet wrinkles	<Skin Aging Atlas, of 0 to 6 on Page 40 to 41 >
2.	Underneath eye wrinkles	<Skin Aging Atlas, of 0 to 9 on Page 46 to 47 >

- ***Attributes in Griffith 10-points scale (0 to 9 scale)***

No.	Parameter	Indicator Name from CHINA-NORM	Method	Best Condition	Slight	Moderate	Worst Condition
				Score 0	Score 1 to 3	Score 4 to 6	Score 7 to 9
1.	Wrinkles lines visibility (whole face)	Global appearance of wrinkles	Visual	No wrinkles present; no visible deep, wide and long wrinkle, skin looks completely smooth	Rare, presence of wrinkle that area widely spaced apart in the treatment area	Moderate number of wrinkles in close proximity to each other in the treatment area	Numerous, many wrinkles (deep, wide or long) densely packed together in the treatment area
2.	Fine lines visibility (whole face)	Global appearance of fine line	Visual	No fine lines present; skin looks completely smooth	Rare to gradually visible of fine lines that area widely spaced apart on the treatment area	Moderate number to pronounced fine lines in close proximity to each other on the treatment area	Numerous to almost full coverage of fine lines densely packed together on the treatment area
3.	Smooth aspect of the skin	Skin smoothness	Visual	Rough looking, heave rough; pronouncedly, extensively visible skin roughness	Perceivable to slight smooth	Adequate to acceptable smooth	Perfect smooth, extremely smooth, even-looking skin texture, no roughness
4.	Skin radiance	Skin radiance	Visual	Very slight radiance or extreme dull looking, skin is heavily dull and matte, no luster on face	Perceivable to slight radiance	Adequate to acceptable radiance, most area with visibly radiant and glowing appearance	Extremely radiant, luminous or glowing appearance all over the tested area
5.	Skin redness	Skin redness	Visual	No evidence of redness	Color is light red	Color is moderate red, moderate to bright red	Color is dark red to deep red, borders area very well defined
6.	Skin grain fineness	Rough skin texture	Tactile	Very rough, significantly (severe) palpable skin roughness, drag and/or surface bumps/depressions, mark roughness of the treatment area associated with a stiff feeling	Moderately rough, several areas of definite roughness of the treatment area	Some areas of slightly irregular roughness in the treatment area	Very fine, no roughness of the treatment area; skin is completely smooth and pliable
7.	Skin softness	Skin softness	Tactile	Very stiff, hard to bend deformation by external forces	Perceivable to slight soft	Adequate to acceptable soft	Very soft, easier to bend deformation by external forces but not saggy
8.	Skin plumpness	Skin plumpness	Visual	Very wizened, severe fine line reflection, lack of moisture	Perceivable to slight plump	Adequate to acceptable plump	Very plump, no fine line reflection at all, hydrated skin
9.	Skin elasticity	Skin elasticity	Tactile	Skin feels pliable, thin and non-resilient, visible flabby, there are obvious pressing trace	Moderate flabby	Elastic but slight flabby	Skin feels toned, dense and resilient, skin can be snapped back immediately, there are no pressing traces

Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control

No.	Parameter	Indicator Name from CHINA-NORM	Method	Best Condition	Slight	Moderate	Worst Condition
				Score 0	Score 1 to 3	Score 4 to 6	Score 7 to 9
10.	Skin suppleness	Skin suppleness	Tactile	Very inflexible, skin is extremely rigid and inflexible, showing no signs of elasticity or bounce when touched	Perceivable to slight supple, skin has some flexibility but is still quite firm and slow to return to its original state after being deformed	Adequate to acceptable supple, skin is quite supple, with a good balance of flexibility and firmness, and it springs back relatively quickly after being deformed	Very supple, skin is at its peak suppleness, exhibiting the highest level of elasticity and resilience, characteristic of very youthful and well-hydrated skin
11.	Skin tonicity	Skin tonicity	Tactile	Very flaccid, skin is extremely lax and has little to no firmness, showing significant sagging or flaccidity	Perceivable to slight tonicity, skin is somewhat firm but still lacks optimal elasticity, showing mild to moderate sagging	Adequate to acceptable tonicity, skin is exceptionally firm and youthful, with a high level of elasticity and no visible signs of sagging	Very tonicity, skin is at the pinnacle of firmness and elasticity, showing no signs of laxity or aging, and is extremely youthful in appearance
12.	Skin firmness	Skin firmness	Visual	Severe ptosis sign, the ptosis is clearly visible and extends	Mild ptosis sign, the ptosis is clear visible, although it does not extend	Slight ptosis sign, the ptosis is no visible	Very firmness, no visible ptosis sign
13.	Nourished aspect of the skin	Nourished aspect of the skin	Visual	Poor nourishment, frequent dryness, flakiness, or rough texture may be present	Moderate nourishment, some signs of dryness or dullness may be noticeable	Good nourishment, occasional dryness or tightness may be present	Excellent nourishment, the skin appears well-hydrated, plump, and healthy
14.	Moisturizing aspect of the skin	Skin dryness	Visual	No evidence of dryness	Mild dryness – superficial lines and/or white powdery appearance beginning to develop	Moderate dryness – uniform dryness; scales beginning to separate and occasional uplifting scales	Severe dryness – uplifting scales; may be a few shallow cracks

APPENDIX B. Fractional Ultrapulse CO2-laser Procedure Introduction

The Fractional Ultrapulse CO_2-laser is a gas laser. It generates arrays which act on the dermis and promote the generation of dermal collagen and the rearrangement of collagen fibers. The instrument uses ultrapulse mode and the pulse ejects continuously or repeatedly with a frequency of 1000Hz. For this study, the laser therapy is tailored to the study's precise goals, ensuring it remains superficial and does not penetrate the dermis. Consequently, it employs unique parameter configurations, outlined as followed setting at T0 visit:

Parameter Setting:

- Device model: KL
- Cutoff filters: 10-20mJ (only affects the epidermis without damaging the dermis)
- Fractional spacing: 1.2 mm
- Treatment coverage rate: 4-5%
- Repetition: 1 time
- Ablation depth: 50-200 micrometers

APPENDIX C. Dairy Log

The table below is just an example reference, and the diary content will be combined with the content of the tolerability check section. In efficacy study, this study includes three phases of diaries for compliance check: a 4-week wash-out period diary, a 10-day recovery period diary, and an 8-week product usage period diary.

【DAIRY OF WASH-OUT PERIOD 洗脱期日记】

Subject ID 受试者编号_____ Initial 受试者姓名首字母_____

Only one week is listed as a reference:

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms 皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应?	How long the symptom last? 皮肤反应的特征持续了多长时间?	Which area? 出现的症状在哪些部位? (请详述发生的部位)
T-28d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
Comments 备注:										
T-27d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					

Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
Comments 备注:										
T-26d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
Comments 备注:										
T-25d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
Comments 备注:										
T-24d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
Comments 备注:										
T-23d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					

Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
Comments 备注:										
T-22d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
Comments 备注:										
T-21d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Neutral Cream 面霜	☐	☐					
Comments 备注:										

【DAIRY OF RECOVER 恢复期日记】

Subject ID 受试者编号_____ Initial 受试者姓名首字母_____

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms 皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						8. Itch 瘙痒 9. Burn 灼热 10. Sting 刺痛 11. Edema 水肿 12. Redness 发红 13. Desquamation 脱屑 14. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
T0		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T1d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T2d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T3d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T4d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T5d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					

Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						8. Itch 瘙痒 9. Burn 灼热 10. Sting 刺痛 11. Edema 水肿 12. Redness 发红 13. Desquamation 脱屑 14. Other (Specific)其他症状（请注明）	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
Comments 备注:										
T6d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T7d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T8d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T9d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T10d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										

【DAIRY OF TREATMENT PERIOD 使用期日记】

Group 1 组 1 ☐ | **Group 2 组 2** ☐

Subject ID 受试者编号_____ Initial 受试者姓名首字母_____

Only one week is listed as a reference:

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms 皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						15. Itch 瘙痒 16. Burn 灼热 17. Sting 刺痛 18. Edema 水肿 19. Redness 发红 20. Desquamation 脱屑 21. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
T11d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T12d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T13d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					

Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						15. Itch 瘙痒 16. Burn 灼热 17. Sting 刺痛 18. Edema 水肿 19. Redness 发红 20. Desquamation 脱屑 21. Other (Specific)其他症状（请注明）	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T14d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T15d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T16d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					

Efficacy Clinical Study: Investigational Cream Product, Applied on Healthy Skin after Superficial Aesthetic Procedure, Under Dermatological Control

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						15. Itch 瘙痒 16. Burn 灼热 17. Sting 刺痛 18. Edema 水肿 19. Redness 发红 20. Desquamation 脱屑 21. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
Comments 备注:										
T17d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										

APPENDIX D. Adverse Event Form

ADVERSE EVENTS 不良事件	
Adverse Event 不良事件描述:	|_____|
Location of Event 发生区域:	|_____|
Date Started 开始日期:	_ _ - _ _ _ - _ _ _ _ Day Month Year
Date Ended 结束日期:	_ _ - _ _ _ - _ _ _ _ Day Month Year
Outcome 结果: (Check one 选择一项)	☐ Recovered / Resolved 恢复/已解决 ☐ Not recovered / not resolved 未恢复/未解决 ☐ Fatal 致命的 ☐ Recovered / Resolved with sequelae 恢复/已解决但有后遗症 ☐ Recovering / resolving 恢复中/解决中 ☐ Unknown 未知
Frequency 频率: (Check one 选择一项)	☐ Single Episode 单次发作的 ☐ Intermittent 间歇性的
Severity 严重程度: (Check one 选择一项)	☐ Mild 轻微的 ☐ Moderate 中度的 ☐ Severe 重度的
Relationship to Investigational Product: 与研究产品的相关性 (Check one 选择一项)	☐ Not Related 不相关 ☐ Doubtful 不确定的 ☐ Possible 可能的 ☐ Probable 很有可能的 ☐ Very likely 非常有可能的
Action Taken with Investigational Product: 对研究产品采取的措施 (Check one 选择一项)	☐ Not Changed 未更换 ☐ Reduced 减少用量 ☐ Interrupted 中止使用 ☐ Withdrawn 撤回 ☐ Increased 增加用量 ☐ Unknown 未知 ☐ Not Applicable 不适用
Was medication given for the event? 对事件给予药物治疗了吗? (Check one 选择一项)	☐ No 否 ☐ Yes 是

Does the event meet the definition of Serious? **该事件是否达到严重不良事件的定义？**	☐ **Yes 是** ☐ **No 否** **If Yes, Serious Criteria (Check all that apply):** ☐ **Death 死亡** ☐ **Hospitalization Required 需入院治疗** ☐ **Prolonged Hospitalization 长期住院** ☐ **Life Threatening 有生命危险** ☐ **Persistent/Significant Disability 造成持续的/重大的残疾** ☐ **Congenital Anomaly/ Birth Defect 先天畸形/先天性缺陷** ☐ **Other Medically Important Condition 其他重要的医学症状**

APPENDIX E. Protocol Amendment/Deviation Form

STUDY INFORMATION:

STUDY TITLE:	
STUDY NUMBER:	
ANGENCY STUDY NUMBER:	
SPONSOR:	
PRINCIPAL INVESTIGATOR:	
VERSION / DATE	

CONTENT

NO.	ORIGINAL CONTENT	REVISED CONTENT	TYPE
1			
2			

SIGNTURE OF PRINCIPAL INVESTIGATOR：

DATE:

APPENDIX F. End of Study Form

END OF STUDY FORM 研究中止/完成证明

Subject Number 受试者编号：_____

Subject Initial 受试者姓名首字母缩写：_____

Drop-out 研究中止：

Reason for Dropping out 中止原因:

_____

_____

Date of Drop-out 中止日期_____

End of Study 研究完成：_____

Date of completion of study 研究完成日期 _____

It has been explained to me that I may be contacted by the investigator whenever new information is needed to be imparted to me as a result to taking part of this study. I also understand that I may be asked for further information, if needed. 此份证明已向我解释并且我已清楚和同意在如果需要的情况下，接受研究人员进一步联系并提供更多与研究相关的材料。

Subject's Initials and signature 受试者姓名首字母及签名：_____ | _____

Date 日期 ：_____

Signature of Investigator or designee 研究人员或授权代表签名： _____

Date 日期 ：_____