PROTOCOL

Tolerability check study: Investigational cream product, applied on healthy skin before and after superficial aesthetic procedure, under dermatological control

Research Center： **China-Norm**

Study-No.: **C25104005 (China Norm)**

Sponsor: **CHANEL PARFUMS BEAUTE**

Version / Date: **4.0 / 2nd April, 2025**

Content

SYNOPSIS OF PROTOCOL 3
1. BACKGROUND INFORMATION 4
2. OBJECTIVE 4
3. STUDY DESIGN 4
3.1. SELECTION OF SUBJECTS & INFORMED CONSENT 4
3.2. EVALUATION METHODS 6
3.3. SCHEDULE 7
4. STUDIED PRODUCT 9
4.1. PRODUCT INFORMATION 9
4.2. USAGE OF PRODUCT 9
4.3. STORAGE 10
4.4. TREATMENT ASSIGNMENT AND COMPLIANCE 11
5. DATA MANAGEMENT 11
5.1. DATA CHECK AND ANALYSIS 11
5.2. SAFETY TOLERANCE VERIFICATION 11
5.3. RESULTS JUDGMENT 11
6. ADVERSE EVENT 12
6.1. ADVERSE EVENT (AE) 12
6.2. SERIOUS ADVERSE EVENT (SAE) 12
6.3. HANDLING ADVERSE EVENT AND SERIOUS ADVERSE EVENT 13
6.4. NOTIFICATION TO THE SPONSOR 13
7. QUALITY CONTROL AND QUALITY ASSURANCE 13
8. CLINICAL STUDY REPORTING 13
9. PROTOCOL AMENDMENT/DEVIATION 13
APPENDIX LIST 16
APPENDIX A. ADVERSE EVENT FORM 17
APPENDIX B. FRACTIONAL ULTRAPULSE CO2-LASER PROCEDURE INTRODUCTION 19
APPENDIX C. DIARY LOG 20
APPENDIX D. PROTOCOL AMENDMENT/DEVIATION FORM 28
APPENDIX E. END OF STUDY FORM 29

SYNOPSIS OF PROTOCOL

Study Title:	Tolerability check study: Investigational cream product, applied on healthy skin before and after superficial aesthetic procedure, under dermatological control
Protocol Number:	C25104005 (China Norm)
Study Objective:	The objective of this study is to assess the skin tolerance/acceptability of the investigational cream when used for 4 weeks before a superficial laser procedure and 4 weeks after the recovery period, on a representative panel presenting healthy skin, under dermatological control.
Investigational Product:	FACE CREAM BFL904122001-F036-01
Application Area(s):	Whole Face and Neck Area
Sponsor Contact:	Sabrine SCHACHTER CHANEL PARFUMS BEAUTE Email: sabrine.schachter@chanel.com Julia SCHOUMAN CHANEL PARFUMS BEAUTE Email: Julia.schouman@chanel.com
Site of investigation:	Shanghai China-Norm Quality Technical Service Co., Ltd. 6F, No.355, Guangzhongxi Road, Jing'an District, Shanghai, China
Principal Investigator:	Jingbo MA Principal Investigator/Dermatologist Shanghai China-Norm Quality Technical Service Co., Ltd.
Duration:	Field work duration: 9th April, 2025 ~ 20th June, 2025 Data result of T4w: 9th July, 2025 Report submits: 6th August, 2025

1. BACKGROUND INFORMATION

Products with good tolerance are required during the preparation stage before medical procedures. After undergoing medical procedures such as fractional ultra-pulsed CO_2 laser treatment, significant changes take place in the skin. In the early stages of recovery after the medical procedure, although the skin has healed, it remains fragile and sensitive, and is more susceptible to adverse reactions. It is of vital importance to comprehensively evaluate the tolerance of products designed for pre-operative and post-operative skin. The test product it aims to ascertain its safety and compatibility for use both before and after the medical procedure.

2. OBJECTIVE

The objective of this study is to assess the skin tolerance/acceptability of the investigational cream when used for 4 weeks before a superficial laser procedure and 4 weeks after the recovery period, on a representative panel presenting healthy skin, under dermatological control.

3. STUDY DESIGN

This is a single-center and home use design study that combines superficial laser therapy. The study is set to include a 4-week pre-treatment period with continuous use of the investigational product, 1 session superficial treatment (CO_2 fractional laser) with a 10-day self-recovery period (to have healthy skin allowing the application of a cosmetic product, decision taken by the dermatologist after assessment of the skin condition), and a 4-week treatment period with continuous use of the investigational product.

3.1. Selection of Subjects & Informed Consent

A sufficient number of healthy female subjects will be recruited so that a minimum of 50 subjects will be expected to complete for the study.

This study necessitates ethical clearance before it can proceed. In tandem with this, adhering to the Declaration of Helsinki, participants are required to provide their written consent to participate in the study. The Informed Consent Form (ICF) will include contact information for whom contact regarding questions about the study, subjects' rights, and what to do in the event of a research-related injury. Subjects will be informed that they are free to discontinue from the study at any time. As part of the informed consent process, the prospective subject will be given as much time as needed to read the ICF and will have the opportunity to have any study-related questions answered to their satisfaction prior to signing the ICF. A signed and dated copy will be provided to the subject and a signed and dated copy will be retained in the study file. Subjects, who fulfil the following criteria of inclusion and exclusion, take part in the study.

3.1.1. Inclusion Criteria:

Subjects must:

1) Asian women, with age range from 18 to 70 years old;
2) Be in general good health and good mental state;
3) All Fitzpatrick skin types;
4) All skin types on face (dry, normal, oily and combination) by subjects' self-perceived with sensitive or non-sensitive skin confirmed by Baumann questionnaire and determined by dermatologist;
5) Have undergone a 4-week pre-treatment period with the investigational product prior to 1 session superficial treatment (Fractional Ultrapulse CO_2-laser Procedure) with a 10-day self-recovery period;

6) Present healthy skin. After 10 days of healing, if the skin is not «ready» to apply a cosmetic product, the subject is withdrawn from the study.
7) Users of face creams;
8) Have clean testing area (face): free of make-up on face, free of skin care products (lotions, sunscreens), make-up, perfumes, or other topical products on the visit day;
9) Not currently be participating and will not participate in any other study involving the test area (face) for the duration of the study;
10) Not have participated in any other study involving the test are (face) in the past 1 month;
11) Be willing to read, understand and able to sign the Informed Consent Form & Photo Release Form;
12) Be willing to comply with all study protocol requirements.

3.1.2. Exclusion Criteria:

Subjects must not:

1) Intending to get pregnant, be pregnant, be lactating, be within 6 months of delivery or be unwilling to take necessary precautions to avoid a pregnancy;
2) Have any skin problems to impact clinical assessment, such as large areas of acne, scars, and open wounds, etc.;
3) Having used antihistamine drugs in the past 1 week or immunosuppressants in the past 1 month;
4) Take anti-allergic drug/injections in the past 1 month;
5) Presently have allergies, allergic dermatitis or skin disease;
6) Have sensitivity or even allergy to topical products, ingredients or fragranced products;
7) Have history of suffering from skin diseases (such as psoriasis, eczema, psoriasis, skin cancer, etc.);
8) Have used any anti-inflammatory treatment on the test area within 2 months prior to this study starting date;
9) Has a chronic medical condition that may interfere with testing (e.g., asthma, insulin-dependent diabetes, lupus, rheumatoid arthritis or other immune/auto-immune diseases);
10) Have received cosmetic medical procedures on the face (such as injectable anti-wrinkle products, cosmetic surgery, tattoo removal, home light facial procedures or home use medical devices, etc.) in the past 6 month;
11) Have excessive sun exposure or ultraviolet light in the past 1 month;
12) Have applied Alpha hydroxyl acid, ortho-hydroxybenzoic acid, hydroquinone in the past 3 months; or used prescriptions (such as antibiotic, retinoids, alpha hydroxyl acid and steroid), oral contraceptives (such as Diane 35®，Jasmine®，Holgyeme®，Syndi 35®，Regulon®);
13) Avoid providing emergency contact;
14) Subjects that are not compliant to the selection criteria or not proper for participation as determined by Principal Investigator
15) An employee of the cosmetic companies or Shanghai China-Norm Information Technology Co., Ltd.

3.1.3. Subject Restrictions

Subjects should follow below instructions till the completion of product application phase of the study:

During the whole study:

- All skincare and makeup products should not be application except the investigational product, usual sunscreen and usual cleanser;
- No application of facial and eye contour treatments during the 48 hours preceding the start of the study;
- Refrain from using any skin care products or make-up on face on the day of each visit;
- Required to wash face only with warm tap water on the day of each visit;

- Prohibition of exposure to the sun. If necessary, required to use physical way to protect face from UV exposure during the study duration (e.g. use umbrella or wear hat, etc.) during the recovery phase and according to their usual habits apply the sunscreen (if needed) during the 4-week pre-treatment phase and 4-week treatment phase;
- Required to maintain regular lifestyle habits as much as possible (such as dietary habits, sleep patterns, exercise routines, etc.);

During the 4-week pre-treatment period (specific):

- Only apply the investigational products, usual sunscreen (if needed), usual cleanser during the pre-treatment period;

During the 10-day recovery period (specific):

- Refrain from using any skin care products or make-up on face;
- Only warm tap water is allowed for cleansing the face;
- Use the auxiliary product if needed according to the advice of dermatologist and determined by PI (e.g. Epidermal Growth Factor);
- Required to use physical way to protect face from UV exposure during the study duration (e.g. use umbrella or wear hat, etc.), a uniform sun protection mask will be provided by CHINA-NORM.

3.1.4. Withdrawal of Subjects

Subjects may discontinue from the clinical study at any time. In addition, the Principal Investigator (PI) or designee has the right to withdraw a subject for any reason that is in the best interests of the subject. Whenever a subject is withdrawn from a study, an ***'End of Study'*** (***Appendix E***) participation form must be completed. Withdrawals due to adverse events or non-attendance must be followed up.

3.2. Evaluation Methods

3.2.1. Dermatological evaluation

Skin symptom and sensation evaluation (Whole face)

The Dermatological check will include the potential skin symptoms on the skin of whole face according to the 0 to 4 scoring scale at T-28d, T0 (before procedure), T11d (=T0), T11dTimm (=T0imm) and T39d (=T28d). The standard from CHINA-NORM refers to the Safety and Technical Standards for Cosmetics (2015), extends some sensations of the subjects and dermatologist evaluation.

- Dryness 干燥
- Desquamation 脱屑
- Edema 水肿
- Erythema 红斑
- Papule 丘疹
- Itchiness 瘙痒
- Sting 刺痛
- Burning sensation 灼热感
- Other, specifics 其他，需详述

Grading	Scoring Scale
0	No reaction
1	Very slightly reaction
2	Slightly reaction

3	Moderate reaction
4	Obvious reaction

- ***Tolerance feedback in diary log:***

A diary log in ***Appendix C*** for tolerance feedback with product treatment by subjects through the whole study.

3.3. Schedule

Each subject will be required to 4 visits (4-week pre-treatment period, 1 session superficial treatment with a 10-day self-recovery period, and a 4-week treatment period). The specifics visit will be followed:

- *Visit 1: T-28d (4 weeks pre-treatment),*
- *Visit 2: T0 (4 weeks after repeated application of the investigational product / baseline, before procedure),*
- *Visit 3: T11d (=T0, after complete healing according to dermatologist and before product application), T11dTimm (=T0imm, 15 minutes after product application),*
- *Visit 4: T39d (=T28d, 4 weeks after repeated application).*

3.3.1. Activities Table

Activities	**Visit 1**	4-week Pre-treatment Period with continuous use of the investigational product	**Visit 2**	10-day Recovery Period	**Visit 3**		**Visit 4**
	Pre-study		**Pre-study**		**Treatment Period**		
	T-28d		**T0**		**T11d (=T0) / T11dTimm (=T0imm)**		**T39d (=T28d)**
	Pre-Screening		Before medical procedure		After medical procedure and complete healing		
	Pre-treatment		Enrollment/Baseline/Procedure		Before product application	Timm after 1st product application after procedure	After 4 weeks product application
Written informed consent	X						
Inclusion / non-inclusion Criteria	X						
Medical history	X						
Final eligibility, check eligibility	X						
Face washing by warm tap water	X		X		X		X
30 minutes for acclimation*	X		X		X		X
Tolerance checks by dermatologist*	X		X		X	X	X
Medical procedure Fractional Ultrapulse CO_2-laser			X				
Product application						→	
Diary log of product use						→	
Distribute(D)/Return®/Weight(W)/Investigational Product (IP)	X D/W IP		X W IP			X D/W IP	X D/W IP
Compliance check	X		X		X	X	X
AE/SAE report	X		X		X	X	X
End of study							X

'' mark means action required; All the measurements will be conducted under the conditions with a well-controlled room temperature (21°C ±1 °C) and humidity (50%±10%).*

3.3.2. Conducting of Pre-study

Visit 1: T-28d (Pre-treatment)

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subject will be informed about the nature of the study including inclusion criteria and a signed and dated informed consent form will be obtained. At the same time, one Photo release form will be also signed from each subject;
c. Subjects will bring their usually used sunscreen and cleanser product on the visit day, where the brand series and efficacy information of these products will all be recorded in the CRF;
d. Demographic data collection;
e. Medical examination, subject's interview on his medical history and concomitant medications;
f. Subjects wash face and with warm tap water then pat dry with clean tissue paper at center;
g. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %));
h. Verification of inclusion/exclusion criteria for eligibility;
i. A subject formal number will be automatically allocated (RD00X) by CRF;
j. The subjects will participate in the following procedure: Tolerance checks will be done by dermatologist;
k. The investigational cream will be used on site by subjects' themselves under the recommended gesture refer to ***Section 4.2***, and the dosage will be recorded;
l. The investigational cream will be weighted and provided to subjects, and the daily log will be provided; Meanwhile, subjects' usual sunscreen and cleanser will be weighted and recorded;
m. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).

A 4-week pre-treatment period will be designated for each subject, during which they will be required to use investigational cream, usual cleanser and sun protection, which should be recorded in a diary if they are used.

Visit 2: T0 (before and after laser procedure) and Laser Procedure Process

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subjects wash face with warm tap water then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %));
d. The subjects will participate in the following procedure: Tolerance checks will be done by dermatologist;
e. The investigational cream will be weighted and taken back, and the diary log will be taken back and provided new one for recovery period; Meanwhile, auxiliary products will be recorded if they occur;
f. Subjects will go to clinic and do the medical procedure;
g. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).

A 10-day recovery period will be designated for each subject, during which they will be required to comply with the requirements listed in Section 3.1.3 Subject Instructions.

3.3.3. Conducting of Study

Visit 3: T11d (After complete healing and before product application, Timm after product application)

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subjects wash face with warm tap water then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %));
d. After the dermatologist confirms that the skin is completely healed, the subjects will participate in the

following procedure at T11d (after complete healing) as baseline:
- Tolerance checks of baseline will be done by dermatologist;

e. The investigational cream will be used on site by subjects' themselves under the recommended gesture refer to ***Section 4.2***, and the dosage will be recorded;
f. At T11dTimm (15 minutes after product application), the subjects will participate in the following procedure:
   - Tolerance checks of 1st product application after procedure will be done by dermatologist;
g. The investigational cream will be weighted and provided. The diary log for recovery period will be taken back and a new one for product treatment period will be provided; Meanwhile, subjects' usual sunscreen and cleanser will be weighted;
h. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).

Visit 4: T39d (4 weeks after product application) Evaluation

a. Subjects will be asked not to use any skin care products and make-up products on the visit day;
b. On the arrival, the subjects wash face with warm tap water then pat dry with clean tissue paper at center;
c. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21± 1 °C) and humidity (50% ± 10 %));
d. The subjects will participate in the following procedure:
   - Tolerance checks will be done by dermatologist;
e. The investigational cream will be weighted and taken back, and the daily diary log will be checked and taken back; Meanwhile, subjects' usual sunscreen and cleanser will be weighted;
f. AE/SAEs (if occur) will be determined and reported by the Principal Investigator (PI).
g. The end of study.

4. STUDIED PRODUCT

4.1. Product Information

Product Name:	FACE CREAM
Formula Number:	BFL904122001-F036-01
Character:	Cream
Specification:	50g
Batch Number:	/
Limited to date/Shelf-life	10/03/2028
Quantity	48 + 108 (Included in the samples of efficacy study)

4.2. Usage of product

Period	Method of application
Pre-treatment T-28d to T0	**Morning:** Usual cleanser + Investigational cream + Usual sunscreen (if needed) **Evening:** Usual cleanser + Investigational cream The technician will instruct the subjects to use the investigational cream and apply on the whole face according to the gesture as below:

Period	Method of application
	   **Apply** By small touches the skin care product on the chin, the cheeks, the forehead **Smooth** Spread the cream across the chin, cheeks and forehead in long gliding strokes, working from the center of the face towards the outside. Then glide under the jawline, from chin to the ears and downward to the clavicle. Goes always up from chin to forehead to push the skin up. **Stroke** Finish by stroking downward on the nose wings, across the upper and lower lip and then under the jaw line. **Description for step 2:** **After product application, on the half part of the face, using all the surface of the palm, provide deep* smoothing movements, from the clavicula to the forehead.** 1- upwards on the neck: from clavicula to the jawbone; 2- outwards on the jawline: from chin to the earlobes; 3- upwards on the cheeks: from jawline to the cheekbone; 4- outwards from nostrils: under the cheekbone to the temple; 5- outwards on the temple; 6- upwards on the forehead: from the eyebrows to the hairline; **Repeat the exact same gesture on the other side of the face.** 
Recovery phase T0 to T11d	Only cleans the face with warm tap water + Use the auxiliary product according to the advice of dermatologist (if applicable and will be recorded)
Treatment T11d to T39d	**Morning:** Usual cleanser + Investigational Cream + Usual sunscreen (if needed) **Evening:** Usual cleanser + Investigational Cream Application of the investigational cream on the whole face according to the gesture. *Allowing subjects to adjust the intensity according to their own interpretation. The intensity should be such that it creates a slight pulling sensation on the skin while ensuring no discomfort is experienced. All the changes will be recorded for tracking.

4.3. Storage

Study products must be stored in sealed plastic containers at room temperature. All used and unused study products will be appropriately inventoried by China-Norm.

4.4. Treatment Assignment and Compliance

Product weight check and diary will be used to assess subject compliance. Any misses will be documented as a protocol deviation and the subject will be re-instructed on proper product usage or be dropped from the study at the PI's discretion. Any deviations relating to subject non-compliance will be assessed by PI or designee to determine the termination of the subject's participation in the study or not.

5. DATA MANAGEMENT

5.1. Data Check and Analysis

Before proceeding with the statistical analysis, data entries will be meticulously double-checked in Excel (Microsoft Office) to ensure accuracy, and a thorough logic check will be conducted to validate the data's integrity.

Once the data accuracy verification is complete, the dataset will be secured for statistical processing. This study's statistical analysis included descriptive analysis and efficacy verification will be performed utilizing the advanced analytical software, SPSS version 24.0.

5.2. Safety Tolerance Verification

Descriptive statistics will be provided for the Dermatological evaluation at T-28d, T0, T11d (=T0), T11dTimm (=T0imm) and T39d (=T28d) by one treatment group according to criteria nature:

- For Skin symptom and sensation evaluation on whole face: the mean, standard deviation (SD), the mean change% of baseline, the maximum increase from baseline and the valid number of observed values (nobs) of each symptom/sensation at each time point.

Descriptive statistics will be performed on per protocol population and will be provided for all demographic and baseline characteristics:

- Age
- Gender
- Fitzpatrick skin types
- Facial skin types
- Physical signs scoring by dermatologist
- Spontaneous feedback scoring by subjects

Difference analysis of clinical signs between different time points will be analyzed by non-parameter test Wilcoxon Signed Rank Test with the significant level of 0.05.

*Comparison between time points for **clinical signs** value:*

- T-28d (Pre-treatment) versus T0 (before procedure);
- T11dTimm (after complete healing and after product application), T39d versus T11d (after complete healing).

5.3. Results Judgment

The mean value of each symptom at post-application time point(s) should be significantly lower or no significant difference compared with the baseline. At the same time, the number of observed values of each symptom should not increase at post-application time point(s) compared with the baseline. In case of meeting both of two requirements, it can be concluded that the product is well tolerated.

6. ADVERSE EVENT

6.1. Adverse Event (AE)

Undesirable or Adverse Event is a human adverse health event which is voluntarily reported by a subject/consumer, healthcare professional, Competent Authority, or any other individual to have occurred during or after normal or reasonably foreseeable use of a cosmetic product. but is not necessarily attributable to the product use.

An undesirable event is distinct from anecdotal subject/consumer complaints of a non- specific nature or reports of sensorial perceptions that can be expected from the normal and reasonably foreseeable use of a specific cosmetic product. Undesirable Events typically include, but are not limited to, irritant or allergic reactions that can affect the skin, eyes or mouth.

An Adverse Event, whether or not related to the investigational product, was recorded in the "Adverse Event form" together with the chronology of event (date of the onset, still in progress, finished), the duration of symptoms, the severity of very slight (VSL), slight (S), moderate (M), strong (S), very strong (VST), the relationship to the investigational product (none, unlikely, possible, probable, definite), the sequelae and medical decision (whenever a medication is prescribed in relation with an Adverse Event, it was recorded in the "Adverse Event form" with the reason for treatment. Additional information may be requested when necessary). Forms must be carefully and completely filled in with as much details as possible.
When an adverse event persists at the end of the study, the investigator will ensure that the subject is followed up until resolution of the adverse event.

If the severity of the expected symptoms justifies withdrawal of the subject from the study, at the subject's request or that of the investigator, an "Adverse Event form" was completed.

Depending on the nature and seriousness of the event, copies of the medical records of the subject may be requested as well as the results of laboratory analyses. In the case of hospitalization of the subject, a copy of the hospital records was sent to the Sponsor as soon as possible, if available. In certain cases, the investigator may be requested to provide a letter summarizing the events related to this case. Under all circumstances, the investigator must follow-up the subject until the outcome of the event is known.

6.2. Serious Adverse Event (SAE)

A Serious Adverse Event is defined as:

- Death due to any cause, whether or not it is felt to be related to the study;
- A life-threatening event in which the panelist was, in the view of the Investigator, at immediate risk of death from the event as it occurred;
- Any event that is disabling or incapacitating;
- An event that requires inpatient hospitalization [Note: In general hospitalization signifies that the panelist has been admitted to the hospital overnight, for observation and/or treatment that would not have been appropriate in the physician's office or out-patient setting]. Hospitalization for elective treatment of a pre-existing condition is not considered a "serious" AE.
- A congenital anomaly/birth defect.

Recording, documentation and follow up of such Serious Adverse Event was realized in the same way as for an Adverse Event.

6.3. Handling Adverse Event and Serious Adverse Event

Unexpected or unusual medical events or clinical symptoms are documented in an adverse event form (***Appendix A***). The subjects are instructed to immediately contact the test site to be examined by the investigator and/or designee. If this event is a medical condition that is not part of the subject's medical history, it is documented.

The investigator or designee will notify the sponsor representative of any adverse events (within 24 hours) or any severe adverse events (immediately) or any events that are related to study participation.

6.4. Notification to the Sponsor

Any adverse event happening during the pre-treatment period or after the beginning of the study period (T11d) was reported by the investigator to the Sponsor within 48h following its confirmation by the investigator on a case-by-case basis depending on the nature of the adverse event. The corresponding "Adverse Event form" was sent to the Sponsor in a timely manner.
A Serious Adverse Event must be communicated immediately by the investigator to the Sponsor (within 24 hours). Any additional information requested by the Sponsor must be provided within a period of 5 days following receipt of the form.

7. QUALITY CONTROL AND QUALITY ASSURANCE

Quality assurance and quality control systems with written Standard Operating Procedures will be used to ensure that the study is conducted and data generated, documented (recorded), and reported in compliance with the protocol, GCP, and the applicable regulatory requirements. The study may be monitored by Quality Assurance / Sponsor representative. All reports will be reviewed by Quality Assurance.

8. CLINICAL STUDY REPORTING

The clinical study report will include (but is not limited to) the following information: study design and protocol, subject population demographics, statistical methods used, results, description of AEs (if any), protocol deviations, figures, and conclusions. The draft report will be prepared by the Investigator and the draft report will be submitted to the Sponsor for review and changes may be made at the Sponsor's request. Upon Sponsor's approval, the report will be finalized and forwarded to the Sponsor.

9. PROTOCOL AMENDMENT/DEVIATION

Any protocol amendment or deviation (***Appendix D)*** signed by mutual agreement is documented.

SIGNATURE PAGE

Writer：

Jingbo MA
Principal Investigator/Dermatologist
Shanghai China-Norm Quality Technical Service Co., Ltd.

Jingbo Ma

_____
Signature

2025.04.03
_____
Date

APPROVAL

Approve:

Sabrine SCHACHTER
CHANEL PARFUMS BEAUTE

_____
Signature

_____
Date

Approve:

Julia SCHOUMAN
CHANEL PARFUMS BEAUTE

_____
Signature

_____
Date

APPENDIX LIST

APPENDIX A. Adverse Event Form

APPENDIX B. Fractional Ultrapulse CO_2-laser Procedure Introduction

APPENDIX C. Diary Log

APPENDIX D. Protocol Amendment/Deviation Form

APPENDIX E. End of Study Form

APPENDIX A. Adverse Event Form

ADVERSE EVENTS 不良事件	
Adverse Event 不良事件描述:	|_____|
Location of Event 发生区域:	|_____|
Date Started 开始日期:	_ _ - _ _ _ - _ _ _ _ Day Month Year
Date Ended 结束日期:	_ _ - _ _ _ - _ _ _ _ Day Month Year
Outcome 结果: (Check one 选择一项)	☐ Recovered / Resolved 恢复/已解决 ☐ Not recovered / not resolved 未恢复/未解决 ☐ Fatal 致命的 ☐ Recovered / Resolved with sequelae 恢复/已解决但有后遗症 ☐ Recovering / resolving 恢复中/解决中 ☐ Unknown 未知
Frequency 频率: (Check one 选择一项)	☐ Single Episode 单次发作的 ☐ Intermittent 间歇性的
Severity 严重程度: (Check one 选择一项)	☐ Mild 轻微的 ☐ Moderate 中度的 ☐ Severe 重度的
Relationship to Investigational Product: 与研究产品的相关性 (Check one 选择一项)	☐ Not Related 不相关 ☐ Doubtful 不确定的 ☐ Possible 可能的 ☐ Probable 很有可能的 ☐ Very likely 非常有可能的
Action Taken with Investigational Product: 对研究产品采取的措施 (Check one 选择一项)	☐ Not Changed 未更换 ☐ Reduced 减少用量 ☐ Interrupted 中止使用 ☐ Withdrawn 撤回 ☐ Increased 增加用量 ☐ Unknown 未知 ☐ Not Applicable 不适用
Was medication given for the event? 对事件给予药物治疗了吗? (Check one 选择一项)	☐ No 否 ☐ Yes 是

Does the event meet the definition of Serious? **该事件是否达到严重不良事件的定义？**	☐ **Yes 是** ☐ **No 否** **If Yes, Serious Criteria (Check all that apply):** ☐ **Death 死亡** ☐ **Hospitalization Required 需入院治疗** ☐ **Prolonged Hospitalization 长期住院** ☐ **Life Threatening 有生命危险** ☐ **Persistent/Significant Disability 造成持续的/重大的残疾** ☐ **Congenital Anomaly/ Birth Defect 先天畸形/先天性缺陷** ☐ **Other Medically Important Condition 其他重要的医学症状**

APPENDIX B. Fractional Ultrapulse CO2-laser Procedure Introduction

The Fractional Ultrapulse CO_2-laser is a gas laser. It generates arrays which act on the dermis and promote the generation of dermal collagen and the rearrangement of collagen fibers. The instrument uses ultrapulse mode and the pulse ejects continuously or repeatedly with a frequency of 1000Hz. For this study, the laser therapy is tailored to the study's precise goals, ensuring it remains superficial and does not penetrate the dermis. Consequently, it employs unique parameter configurations, outlined as followed setting at T0 visit:

Parameter Setting:

- Device model: KL
- Cutoff filters: 10-20mJ (only affects the epidermis without damaging the dermis)
- Fractional spacing: 1.2 mm
- Treatment coverage rate: 4-5%
- Repetition: 1 time
- Ablation depth: 50-200 micrometers

APPENDIX C. Diary Log

The table below is just an example reference, and the diary content will be combined with the content of the tolerability check section. In efficacy study, this study includes three phases of diaries for compliance check: a 4-week pre-treatment period diary, a 10-day recovery period diary, and a 4-week product usage period diary.

【DIARY OF PRE-TREATMENT PERIOD 洗脱期日记】

Subject ID 受试者编号_____ Initial 受试者姓名首字母_____

Only one week is listed as a reference:

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
T-28d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										
T-27d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
T-26d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										
T-25d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										
T-24d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										
T-23d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状 (请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										
T-22d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										
T-21d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Investigational Cream 面霜	☐	☐					
Comments 备注:										

【DIARY OF RECOVER 恢复期日记】

Subject ID 受试者编号_____ Initial 受试者姓名首字母_____

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Interventions required as per medical advice 遵医嘱需做的干预处理	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状(请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
T0		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T1d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T2d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T3d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T4d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T5d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Interventions required as per medical advice 遵医嘱需做的干预处理	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状(请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
Comments 备注:										
T6d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T7d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T8d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T9d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										
T10d		A.M.早上	Epidermal Growth Factor 生长因子	☐	☐					
		P.M.晚上	Epidermal Growth Factor 生长因子	☐	☐					
Comments 备注:										

【DIARY OF TREATMENT PERIOD 使用期日记】

Subject ID 受试者编号_____ Initial 受试者姓名首字母_____

Only one week is listed as a reference:

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状(请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
T11d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T12d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T13d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M.	Usual Cleanser 洁面	☐	☐					

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状(请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
		晚上	Cream 面霜	☐	☐					
Comments 备注:										
T14d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T15d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T16d		A.M. 早上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										
T17d		A.M.	Usual Cleanser 洁面	☐	☐					

No 序号	Date 日期 (YYYY-MM-DD)	Time Period 时段	Treatment 产品使用	If used (√) 如使用，请打钩	Without Irritation (√) 未发生任何不适的情况 (请打钩) (If there is any discomfort, please fill in the symptom description, severity, time, and other information in the corresponding columns below.) （如有不适，请在后续对应栏里填写症状描述、程度、时间等信息）	**Skin Symptoms** **皮肤有反应时填写**				
						Symptom 出现的症状	Severity 症状程度	Start time 症状开始时间	Lasting time 症状持续时间	Area 症状发生的部位
						1. Itch 瘙痒 2. Burn 灼热 3. Sting 刺痛 4. Edema 水肿 5. Redness 发红 6. Desquamation 脱屑 7. Other (Specific)其他症状(请注明)	1.Very slight 非常轻微 2. Slight 轻微 3. Moderate 中度 4. Severe 严重	What time of the symptom occurred? 使用产品后多长时间皮肤开始有反应？	How long the symptom last? 皮肤反应的特征持续了多长时间？	Which area? 出现的症状在哪些部位? (请详述发生的部位)
		早上	Cream 面霜	☐	☐					
			Usual Sunscreen 防晒	☐	☐					
		P.M. 晚上	Usual Cleanser 洁面	☐	☐					
			Cream 面霜	☐	☐					
Comments 备注:										

APPENDIX D. Protocol Amendment/Deviation Form

STUDY INFORMATION:

STUDY TITLE:	
STUDY NUMBER:	
ANGENCY STUDY NUMBER:	
SPONSOR:	
PRINCIPAL INVESTIGATOR:	
VERSION / DATE	

CONTENT

NO.	ORIGINAL CONTENT	REVISED CONTENT	TYPE
1			
2			

SIGNTURE OF PRINCIPAL INVESTIGATOR:

DATE:

APPENDIX E. End of Study Form

END OF STUDY FORM 研究中止/完成证明

Subject Number 受试者编号：_____

Subject Initial 受试者姓名首字母缩写：_____

Drop-out 研究中止：

Reason for Dropping out 中止原因:
_____
_____

Date of Drop-out 中止日期_____

End of Study 研究完成：_____

Date of completion of study 研究完成日期 _____

It has been explained to me that I may be contacted by the investigator whenever new information is needed to be imparted to me as a result to taking part of this study. I also understand that I may be asked for further information, if needed. 此份证明已向我解释并且我已清楚和同意在如果需要的情况下，接受研究人员进一步联系并提供更多与研究相关的材料。

Subject's Initials and signature 受试者姓名首字母及签名：_____ | _____

Date 日期 ：_____

Signature of Investigator or designee 研究人员或授权代表签名： _____

Date 日期 ：_____