Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

PROTOCOL

Clinical Study to Assess the Wear and Moisturization Efficacy of a Liquid Lip

Research Center：	**China-Norm**
Study-No.:	**25-0331 (Sponsor)** **M25047027 (China Norm)**
Sponsor:	**Estee Lauder Companies Innovation R&D (China) Co., Ltd**
Version / Date:	**1.0 / 10th November, 2025**

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

CONTENT

SYNOPSIS OF PROTOCOL....3
1. OBJECTIVE....4
2. STUDY DESIGN....4
2.1. Selection of Subjects & Informed Consent....4
2.1.1. Inclusion Criteria:....4
2.1.2. Exclusion Criteria:....4
2.1.3. Subject Restrictions....5
2.1.4. Withdrawal of Subjects....5
2.2. Evaluation Methods....6
2.2.1. Photo-grading....6
2.2.2. Instrument Measurement....6
2.3. Procedure....7
2.3.1. Activities Table....7
2.3.2. Conducting of Study....7
3. STUDIED PRODUCT....8
3.1. Product Information....8
3.2. Usage of product....9
3.3. Storage....9
3.4. Treatment assignment and compliance....9
3.5. Breaking the Code in an Emergency....9
4. DATA MANAGEMENT....9
4.1. Data Entry and Check....9
4.2. Descriptive Analysis....9
4.3. Efficacy Verification....10
4.3.1. Comparison....10
5. ADVERSE EVENT....10
5.1. Adverse Event (AE)....10
5.2. Serious Adverse Event (SAE)....11
5.3. Handling Adverse Event and Serious Adverse Event....11
5.4. Notification to the Sponsor....11
6. QUALITY CONTROL AND QUALITY ASSURANCE....12
7. CLINICAL STUDY REPORTING....12
8. PROTOCOL AMENDMENT/DEVIATION....12
SIGNATURE PAGE....13
APPENDIX LIST....15
APPENDIX A. Photo-grading Atlas....16
APPENDIX B. Subjective Assessment Questionnaire....18
APPENDIX C. Product list....22
APPENDIX D. Adverse Event Form....23
APPENDIX E. Protocol Amendment/Deviation Form....26
APPENDIX F. End of Study Form....27
APPENDIX G. Randomization Table....28

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

SYNOPSIS OF PROTOCOL

Study Title:	Clinical Study to Assess the Wear and Moisturization Efficacy of a Liquid Lip
Protocol Number:	25-0331 (Sponsor) M25047027 (China Norm)
Study Objective:	The objectives of this study are to evaluate the wear and hydration effect of a Liquid Lip in various shades over the course 12 hours upon a single application by Chinese women with normal lips.
Investigational Product:	Liquid Lip (MT#4229543) - 3 shades (201, 202, 203)
Application Area(s):	Lips
Sponsor Contact:	Carmen Yang Estee Lauder Companies Innovation R&D (China) Co., Ltd Address: Building #10 of Caohejing Business Park Phase IV, No. 889 Tianlin Road, Minhang District, Shanghai, China 200233
Site of investigation:	Shanghai China-Norm Quality Technical Service Co., Ltd. Address：F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China
Principal Investigator:	Yanwen Jiang Shanghai China-Norm Quality Technical Service Co., Ltd. F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China
Sub-investigator：	Jing Gu Shanghai China-Norm Quality Technical Service Co., Ltd. F6, Baohua Center, No.355 West Guangzhong Road, Jing'an District, Shanghai, China

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

1. OBJECTIVE

The objectives of this study are to evaluate the wear effect and hydration effect of a Liquid Lip in various shades over the course of 12 hours upon a single application by Chinese women with normal lips.

2. STUDY DESIGN

This is a single center, entire-lip single application design study.

2.1. Selection of Subjects & Informed Consent

A sufficient number of healthy female subjects will be recruited so that a minimum of 25 subjects will be expected to complete the 12-hour study duration.

According to the declaration of Helsinki the subjects must consent to the study in writing. The Informed Consent Form (ICF) will include contact information for whom contact regarding questions about the study, subjects' rights, and what to do in the event of a research-related injury. Subjects will be informed that they are free to discontinue from the study at any time. As part of the informed consent process, the prospective subject will be given as much time as needed to read the ICF and will have the opportunity to have any study-related questions answered to their satisfaction prior to signing the ICF. A signed and dated copy will be provided to the subject and a signed and dated copy will be retained in the study file. Subjects, who fulfil the following criteria of inclusion and exclusion, take part in the study. No IRB review is needed for this study.

2.1.1. Inclusion Criteria:

Subjects must:

1) Chinese women, aged from 18 to 69 years old;
2) Be in general good health and good mental state;
3) With normal lips live-graded by PI or designee;
4) Medium to Full lips (Grade≥3) live-graded by PI or designee (refer to the lip fullness scale in ***Appendix A***);
5) Having the average Corneometer value between 15 to 35 a.u. on lower lip;
6) Be willing to refrain from using any lip products for at least 48 hours prior to baseline visit;
7) Have clean testing areas (face, lip): free of skincare products, make-ups, and sunscreen on face, free of lip primers, lip balms, liquid lips, lip glazes, or other lip products on lips;
8) Not currently be participating and will not participate in any other study involving the test areas (face, lip) for the duration of the study;
9) Not have participated in any other study involving the test area (face, lip) in the past one month;
10) Be willing to read, understand and able to sign the Informed Consent Form;
11) Be willing to read, understand and able to sign the Authorization Statement that allows image collection and related information processing;
12) Be willing to comply with all study protocol requirements;
13) Be a user of the test product category and /or an acceptor of the test product.

2.1.2. Exclusion Criteria:

Subjects must not:

1) Intending to get pregnant, be pregnant, be lactating, be within 6 months of delivery or be unwilling to take necessary precautions to avoid a pregnancy;

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

2) Have any skin problems to impact clinical assessment, such as scars, open wounds and cheilitis, etc.;
3) Having used antihistamine drugs in the past 1 week or immunosuppressants in the past 1 month;
4) Take anti-allergic drug/injections in the past 1 month;
5) Presently have allergies, allergic dermatitis or skin disease;
6) Have sensitivity or even allergy to topical products, ingredients or fragranced products;
7) Have history of suffering from skin diseases (such as psoriasis, eczema, psoriasis, skin cancer, cheilitis, etc.);
8) Have used any anti-inflammatory treatment on the test areas within 2 months prior to this study starting date;
9) Has a chronic medical condition that may interfere with testing (e.g., asthma, insulin-dependent diabetes, lupus, rheumatoid arthritis or other immune/auto-immune diseases);
10) Have received cosmetic medical procedures on the face, lips and around lips (such as injectable anti-wrinkle products, cosmetic surgery, tattoo removal, home light facial procedures or home use medical devices, lip filler, lip augmentation procedures, lip pigmentation adjustment, lip surgery, etc.) in the past 1 month;
11) Have excessive sun exposure or ultraviolet light in the past 1 month;
12) Have applied Alpha hydroxyl acid, ortho-hydroxybenzoic acid, hydroquinone in the past 3 months; or used prescriptions (such as antibiotic, retinoids, alpha hydroxyl acid and steroid), oral contraceptives (such as Diane 35®，Jasmine®，Holgyeme®，Syndi 35®，Regulon®);
13) Avoid providing emergency contact;
14) Subjects that are not compliant to the selection criteria or not proper for participation as determined by Principal Investigator;
15) An employee of cosmetic companies or Shanghai China-Norm Quality Technical Service Co., Ltd.

2.1.3. Subject Restrictions

Subjects should follow below instructions from the 48-hours wash-out period to T0 visit:

- Panelists are required to refrain from using any lips products on lips for at least 48 hours before the T0 visit.

Duration of study visit (from T0 to T12h visit):

- Panelists are required to come to the lab with clean face, lip, free of any skincare products, makeups, sunscreen, lip primer, lip balm, liquid lip, lip glaze and other products that could affect evaluations on T0 visit day;
- Panelists are required to avoid eating heavy or greasy food at breakfast on T0 visit day;
- Not to touch, wipe or otherwise engage in activities that might interfere with the test sites, e.g., rubbing to clothing, compressing lips, for the duration of study;
- Must remain in the test facility and stay in the controlled temperature and relative humidity room for the duration of visit (T0-T12h);
- Must drink through a straw and eat food in smaller pieces during the study, all meals will be provided by the laboratory during the 12-hour period and subjects are required to have meals in the laboratory, if applicable:
  1) the lunch will be provided between immediate measurement and T6h measurement;
  2) the dinner will be provided between T8h measurement and T12h measurement;
- Must not drink water 30 minutes before each testing timepoints;
- Must move all hair from around the face and lip, using a hairband, hair clip or rubber band during the 12-hour study.

2.1.4. Withdrawal of Subjects

Subjects may discontinue from the clinical study at any time. In addition, the Principal Investigator (PI) or designee has the right to withdraw a subject for any reason that is in the best interests of the subject. Whenever a subject is withdrawn from a study, an ***'End of Study'*** (***Appendix F***) participation form must be completed. Withdrawals due to adverse events or non-attendance must be followed up.

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

2.2. Evaluation Methods

2.2.1. Photo-grading

Photo-grading will be conducted by 1 validated expert. Fading, color true, feathering and smudging will be assessed at Timm (15min after application), T6h (6-hour after application), T8h (8-hour after application) and T12h (12-hour after application) according to ***Appendix A***.

Parameter	Scale	Lighting mode	Evaluation area	Time point					Reference
				T0 (Baseline)	Timm (15min after application)	T6h (6-hour after application)	T8h (8-hour after application)	T12h (12-hour after application)	
Fading	0-9 scale	STD 2	Lip	X*	X	X	X	X	Baseline + Immediate
Color True	0-9 scale	STD 2	Lip	/	X	X	X	X	Immediate
Feathering	0-9 scale	STD 2	Lip	/	X	X	X	X	Immediate
Smudging	0-9 scale	STD 2	Lip	/	X	X	X	X	Immediate

**Baseline is taken as a reference for evaluation of post-application time points.*

2.2.2. Instrument Measurement

The skin hydration on the lips will be measured using the Corneometer CM825 at T0 (baseline) and T12h.

- ***Skin hydration by Capacitance via Corneometer CM825 (Courage & Khazaka, Germany)***

The measurement is based on capacitance measurement of a dielectric medium, here the stratum corneum, the uppermost layer of the skin. With increasing hydration, its di-electric properties change.
For each measurement, the Corneometer probe will be placed perpendicular to the skin firmly, to ensure that the probe is in full contact with the surface skin of test site before reading out the value.

Measurement on lips, there are a total of 3 test sites located on the left, middle, and right sides of the lower lip according to the *Diagram 1*. **Duplicated** readings on each test site will be collected and the average value of 6 readings will be calculated at T0 (baseline) and T12h.
If there are inconsistencies in the measured positions, the actual measured position will be recorded in the CRF table.



Diagram 1. Test Area for Corneometer on lip

For the T0 measurement: No need to wipe before Corneometer measurement.
For the T12h measurement, the test area will be wiped with cotton pads prior to measurement on lower lip 2 times from right to left side, then the Corneometer measurement will be taken right after wiping.
The probe will be cleaned thoroughly with alcohol pads between each subject.

- ***Facial Image Capture by VISIA-CR-4.3***

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

The facial photo will be captured by VISIA-CR on front side with standard 1 and standard 2 operated by trained technician at T0 (baseline), Timm, T6h, T8h and T12h.

- ***Subjective assessment***

The subjective assessment will be answered by each subject at Timm, T6h, T8h and T12h according to ***Appendix B***. The subjective assessment questionnaire response options will be in the form of a 5-point semi-structured scale, ranging from one (1) to (5), where the score of one (1) will be the most negative rating and the score of five (5) will be the most positive rating the product can receive (the scale will also include a mid-point label "neither agree nor disagree").

2.3. Procedure

2.3.1. Activities Table

	Visit 1				
	Before application	**After application**			
	T0 (Screening/baseline)	**Timm (15 minutes after application)**	**T6h (6-hour after application)**	**T8h (8-hour after application)**	**T12h (12-hour after application)**
Written informed consent	X	/	/	/	/
Inclusion / non-inclusion Criteria / Eligibility	X	/	/	/	/
Medical history	X	/	/	/	/
Face (lips) washing by warm tap water	X	/	/	/	/
30 minutes for acclimation	X	/	/	/	/
Visia-CR capture	X	X	X	X	X
Corneometer on lips	X	/	/	/	X
Product application	X	/	/	/	/
Subjective assessment	/	X	X	X	X
Photo-grading	X	X	X	X	X
Tolerance feedback	/	X	X	X	X
Compliance check	X	X	X	X	X
AE/SAE report	X	X	X	X	X
End of study	/	/	/	/	X

'X' means action required;
All the measurements will be conducted under the conditions with a well-controlled room temperature (21±1 °C) and humidity (50%±10%).

2.3.2. Conducting of Study

Pre-study: 48-hour wash-out stage

Prior to the start of the study, prospective subjects will be informed via telephone to refrain from using any lip products on lips for at least 48 hours and assigned an appointment for visiting the lab.

Visit 1: Screening, T0 (Baseline), Immediate (15min after product application), T6h (6-hour after application), T8h (8-hour after application) and T12h (12-hour after application) evaluation

a. Prospective panelists are required to come to the lab with clean face, lip, free of any skincare products, makeups, sunscreen, lip primer, lip balm, liquid lip, lip glaze and other products on T0 visit day;

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

b. On the arrival, the prospective subject will be informed about the nature of the study and the treatment procedure and a signed and dated informed consent form will be obtained. The Authorization Statement disclosed sponsor name will be given the subjects for reference to consider the willingness, and subjects will confirm and sign off;
c. Demographic data collection;
d. Medical examination, prospective subject's interview on her medical history and concomitant medications;
e. Verification of inclusion/exclusion criteria for screening;
f. Prospective subjects wash face and lips with warm tap water then pat dry with clean tissue paper;
g. Acclimatization to the room condition for 30 minutes (the conditions with a well-controlled room temperature (21±1 °C) and humidity (50%±10%);
h. Screening: Live-grading will be completed by validated expert;
i. Screening/Baseline: Corneometer measurement on lips;
j. Verification of inclusion/exclusion criteria for final eligibility;
k. At baseline, eligible subjects will participate in the following procedures:
   a) The front side of face photo captured by VISIA-CR (at least N=30);
l. Subjects will apply the test product by themselves in the clinic under make-up expert's instruction and supervision, the dosage of single use will be weight and recorded in CRF;
m. At immediate (15min after product application), subjects will participate in the following procedure:
   a) The front side of face photo captured by VISIA-CR (at least N=30);
   b) Subjective assessment will be answered by each subject;
n. At T6h (6-hour after product application), subjects will participate in the following procedure:
   a) The front side of face photo captured by VISIA-CR (at least N=30);
   b) Subjective assessment will be answered by each subject;
o. At T8h (8-hour after product application), subjects will participate in the following procedure:
   a) The front side of face photo captured by VISIA-CR (at least N=30);
   b) Subjective assessment will be answered by each subject;
p. At T12h (12-hour after product application), subjects will participate in the following procedures:
   a) The front side of face photo captured by VISIA-CR (at least N=30);
   b) Wipe the assigned test area 2 times and then Corneometer measurement on lips;
   c) Subjective assessment will be answered by each subject;
q. Adverse Events/Local Intolerance will be checked and recorded;
r. The end of study.

Note: All photograph gradings (fading, color true, feathering, smudging) will be conducted after all images were captured, 4 days after the study visit day.

3. STUDIED PRODUCT

3.1. Product Information

Product Description	Sponsor Test product Number	Color & Product Form	Batch number	Expiration date	Unit Size	Number of Units
Liquid Lip	MT#4229543	201	D0075	7/23/2028	6mL	9 PICS
Liquid Lip	MT#4229543	202	D0095	7/23/2028	6mL	9 PICS
Liquid Lip	MT#4229543	203	D0095	7/23/2028	6mL	9 PICS

The product has the photo shown as listed in the ***Appendix C.***

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

3.2. Usage of product

For application process on lips will be done by makeup expert on-site:

- The shade of investigational liquid lip will be even assigned by make-up expert based on the randomization table ***(Appendix G)***;
- The test product will be applied by subject herself in the clinic under make-up expert's instruction and supervision;
- On the upper lip, the liquid lip will be applied from the middle to each corner for multiple strokes; on the lower lip, the liquid lip will be applied from one corner to the other for multiple strokes;
- The make-up expert will check the quality of application to make sure the liquid lip is applied evenly.

3.3. Storage

Study products must be stored in sealed plastic containers at room temperature. All used and unused study products will be appropriately inventoried by China-Norm.

3.4. Treatment assignment and compliance

Product weight will be checked. Any misses will be documented as a protocol deviation and the subject will be re-instructed on proper product usage or be dropped from the study at the PI's discretion. Any deviations relating to subject non-compliance will be assessed by PI or designee to determine the termination of the subject's participation in the study or not.

3.5. Breaking the Code in an Emergency

Premature code breaking should only happen when there is a (1) product(s) related SAE or (2) subject with or without SAE need emergency medical interventions which need knowledge of the study products received. CRO/Study coordinator should inform PI and sponsor/monitor of the code break case and result. In these circumstances, PI will open and sign on the code break envelope. Once the code is broken, the subject should be withdrawn from the study and if the code broken is under the condition of product related SAE, this subject's data would not be analyzed for efficacy. Details should then be recorded on CRF and withdrawal form. AE and SAE management should refer to Adverse Event Reporting and Handling SOPs. If SAE is determined not related to study products, code break would not be necessary.

4. DATA MANAGEMENT

4.1. Data Entry and Check

Double entry in Excel and data logic check will be done before the statistics procedure.

4.2. Descriptive Analysis

Descriptive statistics will be provided by one treatment group according to criteria nature:

- For photo-grading and instrumental measurement: Number of observed values (nobs), mean, standard deviation (SD), standard error (SE), median, minimum, and maximum, mean change from baseline and mean change% from baseline;
- For subjective assessment questionnaire: The percentage of ratings from 4 to 5 ("Top 2 box %") will be reported

Descriptive statistics will be performed on per protocol population and will be provided for all demographic and baseline characteristics:

- Age

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

- Gender
- Photo grading (fading, color true, feathering, smudging)
- Instrumental Measurement (hydration by Corneometer)

4.3. Efficacy Verification

4.3.1. Comparison

For Corneometer measurement on lips, the mean value will be calculated at the assigned time point is T12h. And the mean of the change from baseline (defined as post-baseline value minus baseline value) will be calculated at applicable post-baseline time points; the null hypothesis, that the mean change from baseline is zero, will be tested using methods described subsequently; and using Paired T test, an increase indicates an improvement of hydration on lips.

For photo-grading of fading color true, feathering and smudging, the mean value will be calculated at the assigned timepoints are Timm (15min after application), T6h (6-hour after application), T8h (8-hour after application) and T12h (12-hour after application). The mean values <=3 means pass.

For the questionnaires, the data of completing subjects will be analyzed. Questionnaire response options will be in the form of a 5-point semi-structured scale, ranging from one (1) to (5), where the score of one (1) will be the most negative rating and the score of five (5) will be the most positive rating the product can receive (the scale will also include a mid-point label “neither agree nor disagree”). The percentage of ratings from 4 to 5 (“top 2 box %”) will be reported.

Use the one-side Binomial test to analysis the difference between positive and negative option; If the positive option significantly higher than negative option and the proportion of positive answer is significantly superior to 50%, the level of significance is set at 5%, the product shows the better performance.

All statistical tests will be 2-tailed at significance level alpha=0.05
Comparison of instrumental measurement:
- Time comparison for Corneometer value on lip (T12h versus T0);

5. ADVERSE EVENT

5.1. Adverse Event (AE)

In this study, an alight or tolerant sensation of tightness is regarded as a normal sensation after the test product application. Undesirable or Adverse Event is a human adverse health event which is voluntarily reported by a subject/consumer, healthcare professional, Competent Authority, or any other individual to have occurred during or after normal or reasonably foreseeable use of a cosmetic product. but is not necessarily attributable to the product use.

An undesirable event is distinct from anecdotal subject/consumer complaints of a non- specific nature or reports of sensorial perceptions that can be expected from the normal and reasonably foreseeable use of a specific cosmetic product. Undesirable Events typically include, but are not limited to, irritant or allergic reactions that can affect the skin, eyes, or mouth;

An Adverse Event, whether or not related to the investigational product, was recorded in the "Adverse Event form” together with the chronology of event (date of the onset, still in progress, finished), the duration of symptoms, the severity of very slight (VSL), slight (S), moderate (M), strong (S), very strong (VST), the relationship to the investigational product (none, unlikely, possible, probable, definite), the sequelae and medical decision (whenever a medication is

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

prescribed in relation with an Adverse Event, it was recorded in the "Adverse Event form" with the reason for treatment. Additional information may be requested when necessary). Forms must be carefully and completely filled in with as much details as possible.
When an adverse event persists at the end of the study, the investigator will ensure that the subject is followed up until resolution of the adverse event.

If the severity of the expected symptoms justifies withdrawal of the subject from the study, at the subject's request or that of the investigator, an "Adverse Event form" was completed.

Depending on the nature and seriousness of the event, copies of the medical records of the subject may be requested as well as the results of laboratory analyses. In the case of hospitalization of the subject, a copy of the hospital records was sent to the Sponsor as soon as possible, if available. In certain cases, the investigator may be requested to provide a letter summarizing the events related to this case. Under all circumstances, the investigator must follow-up the subject until the outcome of the event is known.

5.2. Serious Adverse Event (SAE)

A Serious Adverse Event is defined as:

- Death due to any cause, whether or not it is felt to be related to the study;
- A life-threatening event in which the panelist was, in the view of the Investigator, at immediate risk of death from the event as it occurred;
- Any event that is disabling or incapacitating;
- An event that requires inpatient hospitalization [Note: In general hospitalization signifies that the panelist has been admitted to the hospital overnight, for observation and/or treatment that would not have been appropriate in the physician's office or out-patient setting]. Hospitalization for elective treatment of a pre-existing condition is not considered a "serious" AE.
- A congenital anomaly/birth defect.

Recording, documentation and follow up of such Serious Adverse Event was realized in the same way as for an Adverse Event.

5.3. Handling Adverse Event and Serious Adverse Event

Unexpected or unusual medical events or clinical symptoms are documented in an adverse event form (***Appendix D***). The subjects are instructed to immediately contact the test site to be examined by the investigator and/or designee. If this event is a medical condition that is not part of the subject's medical history, it is documented.

The investigator or designee will notify the sponsor representative of any adverse events (within 12 hours) or any severe adverse events (immediately) or any events that are related to study participation.

5.4. Notification to the Sponsor

Any adverse event was reported by the investigator to the Sponsor within 48h following its confirmation by the investigator on a case-by-case basis depending on the nature of the adverse event. The corresponding "Adverse Event form" was sent to the Sponsor in a timely manner.
A Serious Adverse Event must be communicated immediately by the investigator to the Sponsor (within 12 hours). Any additional information requested by the Sponsor must be provided within a period of 5 days following receipt of the form.

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

6. QUALITY CONTROL AND QUALITY ASSURANCE

Quality assurance and quality control systems with written Standard Operating Procedures will be used to ensure that the study is conducted and data generated, documented (recorded), and reported in compliance with the protocol, GCP, and the applicable regulatory requirements. The study may be monitored by Quality Assurance / Sponsor representative. All protocol, data and reports will be reviewed by Quality Assurance.

7. CLINICAL STUDY REPORTING

The clinical study report will include (but is not limited to) the following information: study design and protocol, subject population demographics, statistical methods used, results, description of AEs (if any), protocol deviations, figures, and conclusions. The draft report will be prepared by the Investigator and the draft report will be submitted to the Sponsor for review and changes may be made at the Sponsor's request. Upon Sponsor's approval, the report will be finalized and forwarded to the Sponsor.

8. PROTOCOL AMENDMENT/DEVIATION

Any protocol amendment or deviation (***Appendix E***) signed by mutual agreement is documented.

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

SIGNATURE PAGE

Writer：

Yanwen Jiang
Principal Investigator
Shanghai China-Norm Quality Technical Service Co., Ltd.

Yanwen Jiang 2025.11.10 21:31:34 +09'00' 2024.002.20895

Signature

Date

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPROVAL

Approve:

Carmen YANG
Sponsor
Estee Lauder Companies Innovation R&D (China) Co., Ltd

Signed by:
Carmen Yang

Signature

Signer Name: Carmen Yang
Signing Reason: I approve this document
Signing Time: 10-Nov-2025 | 3:48:10 AM EST
3C8AA1973E46427BAF0589D595B6A5DF

Date

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX LIST

APPENDIX A. Photo-grading Atlas

APPENDIX B. Subjective Assessment Questionnaire

APPENDIX C. Product List

APPENDIX D. Adverse Event Form

APPENDIX E. Protocol Amendment/Deviation Form

APPENDIX F. End of Study Form

APPENDIX G. Randomization Table

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX A. Photo-grading Atlas

- ***Fading (0 to 9 scale) –lip***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference points are both the baseline and immediate.

China norm Grade	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	9
Level	No fading	Minimal fading	Minimal to mild fading	Mild fading	Mild to moderate fading	Somewhat moderate fading	Moderate fading	Moderate to severe fading	Severe fading	Very/Heavy fading

- ***Color True (0 to 9 scale) –lip***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate.

China norm Grade	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	9
Level	No color change	Minimal color change	Minimal to mild color change	Mild color change	Mild to moderate color change	Somewhat moderate color change	Moderate color change	Moderate to severe color change	Severe color change	Very/Heavy color change

- ***Feathering (0 to 9 scale) –lip***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate

China norm Grade	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	9
Level	No feathering	Minimal feathering	Minimal to mild feathering	Mild feathering	Mild to moderate feathering	Somewhat moderate feathering	Moderate feathering	Moderate to severe feathering	Severe feathering	Very/Heavy feathering

- ***Smudging (0 to 9 scale) –lip***

Evaluation under Standard 2 light sources photo by VISIA-CR and the evaluated reference point is immediate

China norm Grade	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	9
Description	No smudging	Minimal smudging	Minimal to mild smudging	Mild smudging	Mild to moderate smudging	Somewhat moderate smudging	Moderate smudging	Moderate to severe smudging	Severe smudging	Very/heavy smudging

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

- ***Lip fullness (1 to 9 scale)***

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX B. Subjective Assessment Questionnaire

Timm 自评问卷
Liquid Lip
Immediate Self-Assessment Questionnaire
Test #: IS 25-0331

ID#: _____ **Date:** _____

Please fill out this questionnaire shading in the box next to your answer.
请填写本问卷，在您所选答案旁的方框内勾选。

1. How would you rate the effectiveness of the product for each of the following attributes?
您如何评价该产品在以下描述上的有效性？

SELECT ONE ANSWER ON EACH LINE ACROSS. 每行选择一个答案。

	Extremely Effective Value = 5 5 分 极其有效	**Very Effective Value = 4** 4 分 非常有效	**Somewhat Effective Value = 3** 3 分 有一定效果	**Slightly Effective Value = 2** 2 分 稍有效果	**Not At All Effective Value = 1** 1 分 没有效果
Leaving lips feeling smooth upon application 涂抹后嘴唇感觉平滑	❑	❑	❑	❑	❑
Applying smoothly 涂抹产品时感觉很顺滑	❑	❑	❑	❑	❑
Feeling comfortable on lips 这款产品涂在嘴唇上感觉很舒适	❑	❑	❑	❑	❑

2. Please indicate how much you agree or disagree with the following statement.
请说明您对以下描述的认同或不认同的程度。

SELECT ONE ANSWER.选择一个答案。

	Strongly Agree Value = 5 5 分 非常认同	**Agree Value = 4** 4 分 认同	**Neither Agree Nor Disagree Value = 3** 3 分 既不认同也不反对	**Disagree Value = 2** 2 分 不认同	**Strongly Disagree Value = 1** 1 分 非常不认同
The product texture is smooth 该产品质地顺滑	❑	❑	❑	❑	❑

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

T6h 自评问卷
Liquid Lip
6HR Self-Assessment Questionnaire
Test #: IS 25-0331

ID#: _____ **Date:** _____

Please fill out this questionnaire shading in the box next to your answer.
请填写本问卷，在您所选答案旁的方框内勾选。

1. How would you rate the effectiveness of the product for each of the following attributes?
您如何评价该产品在以下描述上的有效性？

SELECT ONE ANSWER ON EACH LINE ACROSS. 每行选择一个答案。

	Extremely Effective Value = 5 5 分 极其有效	**Very Effective Value = 4** 4 分 非常有效	**Somewhat Effective Value = 3** 3 分 有一定效果	**Slightly Effective Value = 2** 2 分 稍有效果	**Not At All Effective Value = 1** 1 分 没有效果
Leaving lips feeling smooth 让嘴唇感觉平滑	❑	❑	❑	❑	❑
Leaving lips feeling comfortable 让嘴唇感觉舒适	❑	❑	❑	❑	❑

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

T8h 自评问卷
Liquid Lip
8HR Self-Assessment Questionnaire
Test #: IS 25-0331

ID#: _____ **Date:** _____

Please fill out this questionnaire shading in the box next to your answer.
请填写本问卷，在您所选答案旁的方框内勾选。

1. How would you rate the effectiveness of the product for each of the following attributes?
您如何评价该产品在以下描述上的有效性？

SELECT ONE ANSWER ON EACH LINE ACROSS. 每行选择一个答案。

	Extremely Effective Value = 5 5 分 极其有效	**Very Effective Value = 4** 4 分 非常有效	**Somewhat Effective Value = 3** 3 分 有点有效	**Slightly Effective Value = 2** 2 分 稍有效果	**Not At All Effective Value = 1** 1 分 没有效果
Leaving lips feeling smooth 让嘴唇感觉平滑	❑	❑	❑	❑	❑
Leaving lips feeling comfortable 让嘴唇感觉舒适	❑	❑	❑	❑	❑

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

T12h 自评问卷
Liquid Lip
12HR Self-Assessment Questionnaire
Test #: IS 25-0331

ID#: _____ **Date:** _____

Please fill out this questionnaire shading in the box next to your answer.
请填写本问卷，在您所选答案旁的方框内勾选。

1. How would you rate this product on an overall basis? SELECT ONE ANSWER ONLY.
您对这款产品的整体评价是? 请单选

- ❑ **Excellent (Value = 5)**
  5 分-极其好
- ❑ **Very Good (Value = 4)**
  4 分-非常好
- ❑ **Good (Value = 3)**
  3 分-好
- ❑ **Fair (Value = 2)**
  2 分-一般
- ❑ **Poor (Value = 1)**
  1 分-差

2. How would you rate the effectiveness of the product for each of the following attributes?
您如何评价该产品在以下描述上的有效性？

SELECT ONE ANSWER ON EACH LINE ACROSS. 每行选择一个答案。

	Extremely Effective Value = 5 5 分 极其有效	**Very Effective Value = 4** 4 分 非常有效	**Somewhat Effective Value = 3** 3 分 有一定效果	**Slightly Effective Value = 2** 2 分 稍有效果	**Not At All Effective Value = 1** 1 分 没有效果
Leaving lips feeling smooth 让嘴唇感觉平滑	❑	❑	❑	❑	❑
Leaving lips feeling comfortable 让嘴唇感觉舒适	❑	❑	❑	❑	❑

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX C. Product list

Product Name	Photo
Liquid Lip (MT# 4229543) Shade 201	
Liquid Lip (MT# 4229543) Shade 202	
Liquid Lip (MT# 4229543) Shade 203	

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX D. Adverse Event Form

Study Number: 研究项目编号: _____ Date: 日期: _____	**ADVERSE EVENTS / UNCOMFORTABLE SENSATIONS** **不良事件/不适感受记录表**	

Panelist Number受试者编号：_____ Initial受试者姓名首字母：_____ Ethnicity种族：_____ Skin Type皮肤类型 _____

Description of Symptom 症状描述	Location of Symptom 症状发生位置	Intensity 严重程度	Onset Day# 开始日期	Onset Time after application 产品使用后的发作时间	Duration of Symptom 症状持续时间	Frequency 发作频率	Consecutively 是否持续	Relationship 相关性	Action Taken 采取的措施	Follow Up 追踪	Recorded By 记录者

Experienced Before? Y or N Explain:
以前是否经历过? 是/否 解释说明:_____

If occurs with usual product this was: ☐less than with their usual product ☐the same as their usual product ☐more than with their usual product
若在使用日常产品时发生过类似经历，那么本次反应: ☐不如日常产品明显 ☐跟日常产品差不多 ☐比使用日常产品更明显

(Professional Service studies only): Would the panelist receive the service again? Y or N
(仅限专业服务研究): 受试者是否再次接受服务？ 是/否

Usual Products:
日常产品:

Comment:
备注: _____

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

	Intensity (self-perceived) 严重程度（自我感知） VSL= Very slight非常轻微 SLT=Slight轻微 M=Moderate中度 ST=Strong重度 VST=Very Strong非常严重	Relationship To Test Product 与测试产品的相关性 1=None不相关 2=Unlikely不太可能 3=Possible可能 4=Probable很可能 5=Definite肯定	Action Taken 采取的措施 1=None无 2=Modify test product use变更产品的用法 3=Medication/Seek Medical Attention寻求药物/医疗护理 4=Discontinue终止（使用）	Follow-up 追踪 1=No follow-up necessary不需要追踪 2=Panelist will call if condition worsens若情况恶化，受试者将致电 3=Panelist will see a doctor受试者就医 4= Follow-up with panelist追踪受试者	

Study Investigator Signature & Date: 研究者签名及日期: _____	Outcome Assigned by Study Investigator (Circle below): 研究者指定结果 (以下圈选): 1= Resolved解决 3=Panelist lost to follow-up失访 2=Stabilized稳定 4=Otherwise explained其他阐述

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

（接续前一页）的具体备注:

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX E. Protocol Amendment/Deviation Form

STUDY INFORMATION:

STUDY TITLE:	
STUDY NUMBER:	
AGENCY STUDY NUMBER:	
SPONSOR:	
PRINCIPAL INVESTIGATOR:	
VERSION / DATE	

CONTENT

NO.	ORIGINAL CONTENT	REVISED CONTENT	TYPE
1			
2			

SIGNATURE OF PRINCIPAL INVESTIGATOR:

DATE:

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX F. End of Study Form

END OF STUDY FORM 研究中止/完成证明

Subject Number 受试者编号：_____

Subject Initial 受试者姓名首字母缩写：_____

Drop-out 研究中止：

Reason for Dropping out 中止原因:
_____
_____
_____

Date of Drop-out 中止日期_____

End of Study 研究完成：_____

Date of completion of study 研究完成日期 _____

It has been explained to me that I may be contacted by the investigator whenever new information is needed to be imparted to me as a result to taking part of this study. I also understand that I may be asked for further information, if needed. 此份证明已向我解释并且我已清楚和同意在如果需要的情况下，接受研究人员进一步联系并提供更多与研究相关的材料。

Subject's Initials and signature 受试者姓名首字母及签名：_____ | _____

Date 日期 ：_____

Signature of Investigator or designee 研究人员或授权代表签名：_____

Date 日期 ：_____

Docusign Envelope ID: E63F739A-D19A-419D-BD9A-53438B6F9109

APPENDIX G. Randomization Table

Subject ID	Shade
RD001	203
RD002	203
RD003	201
RD004	202
RD005	203
RD006	202
RD007	201
RD008	202
RD009	201
RD010	203
RD011	202
RD012	203
RD013	201
RD014	201
RD015	202
RD016	201
RD017	201
RD018	203
RD019	201
RD020	203
RD021	201
RD022	202
RD023	202
RD024	203
RD025	202