SoccerGMR SI-Bind: Detailed Component Ablation Study (E1 to E7)

Fine-grained ablation across mechanisms: Mechanism A (Binding & Residual), Mechanism B (Slot Innovation), and Mechanism C (Dominance Refresh) on Standard Test (1,036 queries) and Full Test (2,970 queries).

		Standard Test Split (1,036 queries)				Full-Decodable Test Split (2,970 queries)			
Backbone	**Ablation Method / Configuration**	**mAP (%)**	**Orc-Gap (%)**	**Rej-F1@.5 (%)**	**AUROC (%)**	**mAP (%)**	**Orc-Gap (%)**	**Rej-F1@.5 (%)**	**AUROC (%)**
Moment-DETR	1. E1: Binding-only (Interlayer Anchor)	12.32	**18.82**	**75.18**	**75.96**	10.34	**17.98**	78.49	**82.38**
	2. E2: Lite Binding + Residual Stream	11.85	22.41	72.40	71.55	10.14	21.20	76.11	80.14
	3. E3: E2 + Slot-Private Innovation (B)	**15.60**	24.26	66.22	73.17	**13.30**	23.02	67.12	80.91
	4. E4: E2 + Uniform Random Refresh (C Control)	12.35	24.02	60.18	75.53	12.13	22.83	61.91	81.77
	5. E5: E2 + Dominance-Aware Refresh (C)	7.95	21.56	75.00	68.32	6.47	21.06	**78.77**	77.80
	6. E6: E2 + Innovation (B) + Dominance (C)	15.21	23.66	65.52	74.32	12.58	22.21	68.83	81.86
	7. E7: E6 - Binding (bind_coef=0 Ablation)	15.21	23.66	65.52	74.32	12.58	22.21	68.83	81.86
BM-DETR	2. E2: Lite Binding + Residual Stream	6.36	18.84	**75.00**	68.63	5.68	18.46	78.80	78.79
	3. E3: E2 + Slot-Private Innovation (B)	**7.88**	21.63	72.74	**71.55**	**7.08**	20.95	76.91	**79.45**
	4. E4: E2 + Uniform Random Refresh (C Control)	6.48	20.60	**75.00**	69.37	5.95	19.98	**78.91**	79.18
	5. E5: E2 + Dominance-Aware Refresh (C)	7.16	**15.26**	**75.00**	69.37	6.93	**15.16**	78.14	78.92
	6. E6: E2 + Innovation (B) + Dominance (C)	7.72	20.91	73.40	70.18	7.03	20.30	77.47	79.27
	7. E7: E6 - Binding (bind_coef=0 Ablation)	7.72	20.91	73.40	70.18	7.03	20.30	77.47	79.27
UVCOM	1. E1: Binding-only (Interlayer Anchor)	15.31	18.42	74.94	77.68	14.60	17.55	73.74	78.58
	2. E2: Lite Binding + Residual Stream	20.31	**14.46**	72.79	77.04	20.02	**14.54**	70.95	76.70
	3. E3: E2 + Slot-Private Innovation (B)	**20.87**	18.11	69.84	77.23	**20.95**	16.99	69.72	76.14
	4. E4: E2 + Uniform Random Refresh (C Control)	17.30	16.39	74.17	77.79	16.34	15.66	**73.78**	**78.94**
	5. E5: E2 + Dominance-Aware Refresh (C)	20.49	17.55	69.48	**78.13**	19.76	16.74	68.12	75.69
	6. E6: E2 + Innovation (B) + Dominance (C)	18.99	16.30	**75.40**	76.91	17.74	15.55	73.11	75.20
	7. E7: E6 - Binding (bind_coef=0 Ablation)		--				--		
CG-DETR	2. E2: Lite Binding + Residual Stream	14.99	23.42	72.77	73.86	12.68	22.41	75.71	**81.67**
	3. E3: E2 + Slot-Private Innovation (B)	16.29	24.97	64.69	75.17	14.54	23.68	65.94	80.57
	4. E4: E2 + Uniform Random Refresh (C Control)	14.47	**20.87**	75.19	74.40	13.00	**19.67**	**78.33**	81.20
	5. E5: E2 + Dominance-Aware Refresh (C)	13.80	21.77	**75.72**	75.42	13.96	21.14	77.43	81.33
	6. E6: E2 + Innovation (B) + Dominance (C)	**17.38**	22.89	70.85	**75.92**	**15.54**	21.61	73.14	80.94
	7. E7: E6 - Binding (bind_coef=0 Ablation)	**17.38**	22.89	70.85	**75.92**	**15.54**	21.61	73.14	80.94
QD-DETR	**6. E6: E2 + Innovation (B) + Dominance (C)**	16.30	20.65	73.71	76.63	13.20	19.84	75.91	82.47

Note: E1 = Binding only (identity across layers); E2 = Lite Binding + Residual; E3 = E2 + Slot-Private Innovation (B); E4 = E2 + Uniform Random Refresh (C Control); E5 = E2 + Dominance Refresh (C); E6 = E2+B+C (Champion Triad); E7 = E6 - Binding.
Bold numbers indicate best performance among ablation variants within the same backbone. Oracle Gap: lower is better.