

GTOS Detailed Volume - Volume 12

Platform Architecture

GTOS Enterprise Engineering Handbook - Final Edition 1.0

Source Chapters

- Platform Architecture Introduction
- API Gateway
- Service Discovery
- Configuration Service
- Event Bus Service
- Workflow Engine Service
- MCP Layer
- Observability Service
- Vault and Secret Platform
- Report Service
- Operator Backend
- WebSocket Gateway
- Self-Healing Service
- Cache Invalidation Subscriber
- Shared Contracts and Libraries
- Developer Platform
- Volume 12 Conformance and Evidence Matrix

Platform Architecture Introduction

Metadata	Value
Volume	12
Chapter ID	V12-00
Subject	PlatformArchitectureIntroduction
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Platform Architecture Introduction**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
PlatformArchitectureIntroduction	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PlatformArchitectureIntroductionVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PlatformArchitectureIntroductionDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PlatformArchitectureIntroductionEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PlatformArchitectureIntroductionException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
PlatformArchitectureIntroduction {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreatePlatformArchitectureIntroduction
- ValidatePlatformArchitectureIntroduction
- ApprovePlatformArchitectureIntroduction
- ActivatePlatformArchitectureIntroduction
- SuspendPlatformArchitectureIntroduction
- CorrectPlatformArchitectureIntroduction
- RetirePlatformArchitectureIntroduction

Reference Events:

- PlatformArchitectureIntroductionCreated
- PlatformArchitectureIntroductionValidated
- PlatformArchitectureIntroductionApproved
- PlatformArchitectureIntroductionActivated
- PlatformArchitectureIntroductionSuspended
- PlatformArchitectureIntroductionCorrected
- PlatformArchitectureIntroductionRetired

Reference queries:

- GetPlatformArchitectureIntroduction
- ListPlatformArchitectureIntroductionRecords
- GetPlatformArchitectureIntroductionTimeline
- GetPlatformArchitectureIntroductionEvidence
- GetPlatformArchitectureIntroductionDecisionPackage
- GetPlatformArchitectureIntroductionExceptions
- GetPlatformArchitectureIntroductionAuditTrail

Reference API surface:

```

POST /api/v1/platformarchitectureintroduction/commands
GET  /api/v1/platformarchitectureintroduction/{id}
GET  /api/v1/platformarchitectureintroduction/{id}/timeline
GET  /api/v1/platformarchitectureintroduction/{id}/evidence
GET  /api/v1/platformarchitectureintroduction/{id}/decisions
POST /api/v1/platformarchitectureintroduction/{id}/exceptions
POST /api/v1/platformarchitectureintroduction/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
platformarchitectureintroduction_aggregate	authoritative subject
platformarchitectureintroduction_version	immutable submitted, approved, issued, or signed versions
platformarchitectureintroduction_relationship	governed relationships
platformarchitectureintroduction_decision	binding Decisions and rationale
platformarchitectureintroduction_evidence_link	provenance and evidence relationships
platformarchitectureintroduction_event_outbox	transactional Event publication
platformarchitectureintroduction_idempotency	duplicate-write protection
platformarchitectureintroduction_exception	exception, claim, dispute, or hold
platformarchitectureintroduction_correction	correction and supersession lineage
platformarchitectureintroduction_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Platform Architecture Introduction is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

API Gateway

Metadata	Value
Volume	12
Chapter ID	V12-01
Subject	APIGateway
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for API Gateway**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
APIGateway	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIGatewayVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIGatewayDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIGatewayEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIGatewayException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
APIGateway {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateAPIGateway
- ValidateAPIGateway
- ApproveAPIGateway
- ActivateAPIGateway
- SuspendAPIGateway
- CorrectAPIGateway
- RetireAPIGateway

Reference Events:

- APIGatewayCreated
- APIGatewayValidated
- APIGatewayApproved
- APIGatewayActivated
- APIGatewaySuspended
- APIGatewayCorrected
- APIGatewayRetired

Reference queries:

- GetAPIGateway
- ListAPIGatewayRecords
- GetAPIGatewayTimeline
- GetAPIGatewayEvidence
- GetAPIGatewayDecisionPackage
- GetAPIGatewayExceptions
- GetAPIGatewayAuditTrail

Reference API surface:

```

POST /api/v1/apigateway/commands
GET  /api/v1/apigateway/{id}
GET  /api/v1/apigateway/{id}/timeline
GET  /api/v1/apigateway/{id}/evidence
GET  /api/v1/apigateway/{id}/decisions
POST /api/v1/apigateway/{id}/exceptions
POST /api/v1/apigateway/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
apigateway_aggregate	authoritative subject
apigateway_version	immutable submitted, approved, issued, or signed versions
apigateway_relationship	governed relationships
apigateway_decision	binding Decisions and rationale
apigateway_evidence_link	provenance and evidence relationships
apigateway_event_outbox	transactional Event publication
apigateway_idempotency	duplicate-write protection
apigateway_exception	exception, claim, dispute, or hold
apigateway_correction	correction and supersession lineage
apigateway_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- API Gateway is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Service Discovery

Metadata	Value
Volume	12
Chapter ID	V12-02
Subject	ServiceDiscovery
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Service Discovery**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ServiceDiscovery	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceDiscoveryVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceDiscoveryDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceDiscoveryEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceDiscoveryException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ServiceDiscovery {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateServiceDiscovery
- ValidateServiceDiscovery
- ApproveServiceDiscovery
- ActivateServiceDiscovery
- SuspendServiceDiscovery
- CorrectServiceDiscovery
- RetireServiceDiscovery

Reference Events:

- ServiceDiscoveryCreated
- ServiceDiscoveryValidated
- ServiceDiscoveryApproved
- ServiceDiscoveryActivated
- ServiceDiscoverySuspended
- ServiceDiscoveryCorrected
- ServiceDiscoveryRetired

Reference queries:

- GetServiceDiscovery
- ListServiceDiscoveryRecords
- GetServiceDiscoveryTimeline
- GetServiceDiscoveryEvidence
- GetServiceDiscoveryDecisionPackage
- GetServiceDiscoveryExceptions
- GetServiceDiscoveryAuditTrail

Reference API surface:

```

POST /api/v1/servicediscovery/commands
GET  /api/v1/servicediscovery/{id}
GET  /api/v1/servicediscovery/{id}/timeline
GET  /api/v1/servicediscovery/{id}/evidence
GET  /api/v1/servicediscovery/{id}/decisions
POST /api/v1/servicediscovery/{id}/exceptions
POST /api/v1/servicediscovery/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
servicediscovery_aggregate	authoritative subject
servicediscovery_version	immutable submitted, approved, issued, or signed versions
servicediscovery_relationship	governed relationships
servicediscovery_decision	binding Decisions and rationale
servicediscovery_evidence_link	provenance and evidence relationships
servicediscovery_event_outbox	transactional Event publication
servicediscovery_idempotency	duplicate-write protection
servicediscovery_exception	exception, claim, dispute, or hold
servicediscovery_correction	correction and supersession lineage
servicediscovery_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Service Discovery is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Configuration Service

Metadata	Value
Volume	12
Chapter ID	V12-03
Subject	ConfigurationService
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Configuration Service**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ConfigurationService	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ConfigurationServiceVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ConfigurationServiceDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ConfigurationServiceEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ConfigurationServiceException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ConfigurationService {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateConfigurationService
- ValidateConfigurationService
- ApproveConfigurationService
- ActivateConfigurationService
- SuspendConfigurationService
- CorrectConfigurationService
- RetireConfigurationService

Reference Events:

- ConfigurationServiceCreated
- ConfigurationServiceValidated
- ConfigurationServiceApproved
- ConfigurationServiceActivated
- ConfigurationServiceSuspended
- ConfigurationServiceCorrected
- ConfigurationServiceRetired

Reference queries:

- GetConfigurationService
- ListConfigurationServiceRecords
- GetConfigurationServiceTimeline
- GetConfigurationServiceEvidence
- GetConfigurationServiceDecisionPackage
- GetConfigurationServiceExceptions
- GetConfigurationServiceAuditTrail

Reference API surface:

```

POST /api/v1/configurationservice/commands
GET  /api/v1/configurationservice/{id}
GET  /api/v1/configurationservice/{id}/timeline
GET  /api/v1/configurationservice/{id}/evidence
GET  /api/v1/configurationservice/{id}/decisions
POST /api/v1/configurationservice/{id}/exceptions
POST /api/v1/configurationservice/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
configurationservice_aggregate	authoritative subject
configurationservice_version	immutable submitted, approved, issued, or signed versions
configurationservice_relationship	governed relationships
configurationservice_decision	binding Decisions and rationale
configurationservice_evidence_link	provenance and evidence relationships
configurationservice_event_outbox	transactional Event publication
configurationservice_idempotency	duplicate-write protection
configurationservice_exception	exception, claim, dispute, or hold
configurationservice_correction	correction and supersession lineage
configurationservice_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Configuration Service is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Event Bus Service

Metadata	Value
Volume	12
Chapter ID	V12-04
Subject	EventBusService
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Event Bus Service**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
EventBusService	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventBusServiceVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventBusServiceDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventBusServiceEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventBusServiceException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```

EventBusService {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}

```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```



```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateEventBusService
- ValidateEventBusService
- ApproveEventBusService
- ActivateEventBusService
- SuspendEventBusService
- CorrectEventBusService
- RetireEventBusService

Reference Events:

- EventBusServiceCreated
- EventBusServiceValidated
- EventBusServiceApproved
- EventBusServiceActivated
- EventBusServiceSuspended
- EventBusServiceCorrected
- EventBusServiceRetired

Reference queries:

- GetEventBusService
- ListEventBusServiceRecords
- GetEventBusServiceTimeline
- GetEventBusServiceEvidence
- GetEventBusServiceDecisionPackage
- GetEventBusServiceExceptions
- GetEventBusServiceAuditTrail

Reference API surface:

```

POST /api/v1/eventbuservice/commands
GET  /api/v1/eventbuservice/{id}
GET  /api/v1/eventbuservice/{id}/timeline
GET  /api/v1/eventbuservice/{id}/evidence
GET  /api/v1/eventbuservice/{id}/decisions
POST /api/v1/eventbuservice/{id}/exceptions
POST /api/v1/eventbuservice/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
eventbuservice_aggregate	authoritative subject
eventbuservice_version	immutable submitted, approved, issued, or signed versions
eventbuservice_relationship	governed relationships
eventbuservice_decision	binding Decisions and rationale
eventbuservice_evidence_link	provenance and evidence relationships
eventbuservice_event_outbox	transactional Event publication
eventbuservice_idempotency	duplicate-write protection
eventbuservice_exception	exception, claim, dispute, or hold
eventbuservice_correction	correction and supersession lineage
eventbuservice_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Event Bus Service is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Workflow Engine Service

Metadata	Value
Volume	12
Chapter ID	V12-05
Subject	WorkflowEngineService
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Workflow Engine Service.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
WorkflowEngineService	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowEngineServiceVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowEngineServiceDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowEngineServiceEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowEngineServiceException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
WorkflowEngineService {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateWorkflowEngineService
- ValidateWorkflowEngineService
- ApproveWorkflowEngineService
- ActivateWorkflowEngineService
- SuspendWorkflowEngineService
- CorrectWorkflowEngineService
- RetireWorkflowEngineService

Reference Events:

- WorkflowEngineServiceCreated
- WorkflowEngineServiceValidated
- WorkflowEngineServiceApproved
- WorkflowEngineServiceActivated
- WorkflowEngineServiceSuspended
- WorkflowEngineServiceCorrected
- WorkflowEngineServiceRetired

Reference queries:

- GetWorkflowEngineService
- ListWorkflowEngineServiceRecords
- GetWorkflowEngineServiceTimeline
- GetWorkflowEngineServiceEvidence
- GetWorkflowEngineServiceDecisionPackage
- GetWorkflowEngineServiceExceptions
- GetWorkflowEngineServiceAuditTrail

Reference API surface:

```

POST /api/v1/workflowengineservice/commands
GET  /api/v1/workflowengineservice/{id}
GET  /api/v1/workflowengineservice/{id}/timeline
GET  /api/v1/workflowengineservice/{id}/evidence
GET  /api/v1/workflowengineservice/{id}/decisions
POST /api/v1/workflowengineservice/{id}/exceptions
POST /api/v1/workflowengineservice/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```



```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
workflowengineservice_aggregate	authoritative subject
workflowengineservice_version	immutable submitted, approved, issued, or signed versions
workflowengineservice_relationship	governed relationships
workflowengineservice_decision	binding Decisions and rationale
workflowengineservice_evidence_link	provenance and evidence relationships
workflowengineservice_event_outbox	transactional Event publication
workflowengineservice_idempotency	duplicate-write protection
workflowengineservice_exception	exception, claim, dispute, or hold
workflowengineservice_correction	correction and supersession lineage
workflowengineservice_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Workflow Engine Service is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

MCP Layer

Metadata	Value
Volume	12
Chapter ID	V12-06
Subject	MCPLayer
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for MCP Layer.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
MCPlayer	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
MCPlayerVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
MCPlayerDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
MCPlayerEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
MCPlayerException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
MCPlayer {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateMCPLayer
- ValidateMCPLayer
- ApproveMCPLayer
- ActivateMCPLayer
- SuspendMCPLayer
- CorrectMCPLayer
- RetireMCPLayer

Reference Events:

- MCPLayerCreated
- MCPLayerValidated
- MCPLayerApproved
- MCPLayerActivated
- MCPLayerSuspended
- MCPLayerCorrected
- MCPLayerRetired

Reference queries:

- GetMCPLayer
- ListMCPLayerRecords
- GetMCPLayerTimeline
- GetMCPLayerEvidence
- GetMCPLayerDecisionPackage
- GetMCPLayerExceptions
- GetMCPLayerAuditTrail

Reference API surface:

```

POST /api/v1/mcplayer/commands
GET  /api/v1/mcplayer/{id}
GET  /api/v1/mcplayer/{id}/timeline
GET  /api/v1/mcplayer/{id}/evidence
GET  /api/v1/mcplayer/{id}/decisions
POST /api/v1/mcplayer/{id}/exceptions
POST /api/v1/mcplayer/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
mcplayer_aggregate	authoritative subject
mcplayer_version	immutable submitted, approved, issued, or signed versions
mcplayer_relationship	governed relationships
mcplayer_decision	binding Decisions and rationale
mcplayer_evidence_link	provenance and evidence relationships
mcplayer_event_outbox	transactional Event publication
mcplayer_idempotency	duplicate-write protection
mcplayer_exception	exception, claim, dispute, or hold
mcplayer_correction	correction and supersession lineage
mcplayer_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- MCP Layer is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Observability Service

Metadata	Value
Volume	12
Chapter ID	V12-07
Subject	ObservabilityService
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Observability Service**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ObservabilityService	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityServiceVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityServiceDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityServiceEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityServiceException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ObservabilityService {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateObservabilityService
- ValidateObservabilityService
- ApproveObservabilityService
- ActivateObservabilityService
- SuspendObservabilityService
- CorrectObservabilityService
- RetireObservabilityService

Reference Events:

- ObservabilityServiceCreated
- ObservabilityServiceValidated
- ObservabilityServiceApproved
- ObservabilityServiceActivated
- ObservabilityServiceSuspended
- ObservabilityServiceCorrected
- ObservabilityServiceRetired

Reference queries:

- GetObservabilityService
- ListObservabilityServiceRecords
- GetObservabilityServiceTimeline
- GetObservabilityServiceEvidence
- GetObservabilityServiceDecisionPackage
- GetObservabilityServiceExceptions
- GetObservabilityServiceAuditTrail

Reference API surface:

```

POST /api/v1/observabilityservice/commands
GET  /api/v1/observabilityservice/{id}
GET  /api/v1/observabilityservice/{id}/timeline
GET  /api/v1/observabilityservice/{id}/evidence
GET  /api/v1/observabilityservice/{id}/decisions
POST /api/v1/observabilityservice/{id}/exceptions
POST /api/v1/observabilityservice/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
observabilityservice_aggregate	authoritative subject
observabilityservice_version	immutable submitted, approved, issued, or signed versions
observabilityservice_relationship	governed relationships
observabilityservice_decision	binding Decisions and rationale
observabilityservice_evidence_link	provenance and evidence relationships
observabilityservice_event_outbox	transactional Event publication
observabilityservice_idempotency	duplicate-write protection
observabilityservice_exception	exception, claim, dispute, or hold
observabilityservice_correction	correction and supersession lineage
observabilityservice_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Observability Service is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Vault and Secret Platform

Metadata	Value
Volume	12
Chapter ID	V12-08
Subject	VaultandSecretPlatform
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Vault and Secret Platform.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
VaultandSecretPlatform	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
VaultandSecretPlatformVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
VaultandSecretPlatformDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
VaultandSecretPlatformEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
VaultandSecretPlatformException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
VaultandSecretPlatform {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateVaultandSecretPlatform
- ValidateVaultandSecretPlatform
- ApproveVaultandSecretPlatform
- ActivateVaultandSecretPlatform
- SuspendVaultandSecretPlatform
- CorrectVaultandSecretPlatform
- RetireVaultandSecretPlatform

Reference Events:

- VaultandSecretPlatformCreated
- VaultandSecretPlatformValidated
- VaultandSecretPlatformApproved
- VaultandSecretPlatformActivated
- VaultandSecretPlatformSuspended
- VaultandSecretPlatformCorrected
- VaultandSecretPlatformRetired

Reference queries:

- GetVaultandSecretPlatform
- ListVaultandSecretPlatformRecords
- GetVaultandSecretPlatformTimeline
- GetVaultandSecretPlatformEvidence
- GetVaultandSecretPlatformDecisionPackage
- GetVaultandSecretPlatformExceptions
- GetVaultandSecretPlatformAuditTrail

Reference API surface:

```

POST /api/v1/vaultandsecretplatform/commands
GET  /api/v1/vaultandsecretplatform/{id}
GET  /api/v1/vaultandsecretplatform/{id}/timeline
GET  /api/v1/vaultandsecretplatform/{id}/evidence
GET  /api/v1/vaultandsecretplatform/{id}/decisions
POST /api/v1/vaultandsecretplatform/{id}/exceptions
POST /api/v1/vaultandsecretplatform/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
vaultandsecretplatform_aggregate	authoritative subject
vaultandsecretplatform_version	immutable submitted, approved, issued, or signed versions
vaultandsecretplatform_relationship	governed relationships
vaultandsecretplatform_decision	binding Decisions and rationale
vaultandsecretplatform_evidence_link	provenance and evidence relationships
vaultandsecretplatform_event_outbox	transactional Event publication
vaultandsecretplatform_idempotency	duplicate-write protection
vaultandsecretplatform_exception	exception, claim, dispute, or hold
vaultandsecretplatform_correction	correction and supersession lineage
vaultandsecretplatform_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Vault and Secret Platform is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Report Service

Metadata	Value
Volume	12
Chapter ID	V12-09
Subject	ReportService
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Report Service.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ReportService	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReportServiceVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReportServiceDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReportServiceEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReportServiceException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ReportService {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateReportService
- ValidateReportService
- ApproveReportService
- ActivateReportService
- SuspendReportService
- CorrectReportService
- RetireReportService

Reference Events:

- ReportServiceCreated
- ReportServiceValidated
- ReportServiceApproved
- ReportServiceActivated
- ReportServiceSuspended
- ReportServiceCorrected
- ReportServiceRetired

Reference queries:

- GetReportService
- ListReportServiceRecords
- GetReportServiceTimeline
- GetReportServiceEvidence
- GetReportServiceDecisionPackage
- GetReportServiceExceptions
- GetReportServiceAuditTrail

Reference API surface:

```

POST /api/v1/reportservice/commands
GET  /api/v1/reportservice/{id}
GET  /api/v1/reportservice/{id}/timeline
GET  /api/v1/reportservice/{id}/evidence
GET  /api/v1/reportservice/{id}/decisions
POST /api/v1/reportservice/{id}/exceptions
POST /api/v1/reportservice/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
reportservice_aggregate	authoritative subject
reportservice_version	immutable submitted, approved, issued, or signed versions
reportservice_relationship	governed relationships
reportservice_decision	binding Decisions and rationale
reportservice_evidence_link	provenance and evidence relationships
reportservice_event_outbox	transactional Event publication
reportservice_idempotency	duplicate-write protection
reportservice_exception	exception, claim, dispute, or hold
reportservice_correction	correction and supersession lineage
reportservice_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Report Service is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Operator Backend

Metadata	Value
Volume	12
Chapter ID	V12-10
Subject	OperatorBackend
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Operator Backend**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
OperatorBackend	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperatorBackendVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperatorBackendDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperatorBackendEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperatorBackendException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
OperatorBackend {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateOperatorBackend
- ValidateOperatorBackend
- ApproveOperatorBackend
- ActivateOperatorBackend
- SuspendOperatorBackend
- CorrectOperatorBackend
- RetireOperatorBackend

Reference Events:

- OperatorBackendCreated
- OperatorBackendValidated
- OperatorBackendApproved
- OperatorBackendActivated
- OperatorBackendSuspended
- OperatorBackendCorrected
- OperatorBackendRetired

Reference queries:

- GetOperatorBackend
- ListOperatorBackendRecords
- GetOperatorBackendTimeline
- GetOperatorBackendEvidence
- GetOperatorBackendDecisionPackage
- GetOperatorBackendExceptions
- GetOperatorBackendAuditTrail

Reference API surface:

```

POST /api/v1/operatorbackend/commands
GET  /api/v1/operatorbackend/{id}
GET  /api/v1/operatorbackend/{id}/timeline
GET  /api/v1/operatorbackend/{id}/evidence
GET  /api/v1/operatorbackend/{id}/decisions
POST /api/v1/operatorbackend/{id}/exceptions
POST /api/v1/operatorbackend/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
operatorbackend_aggregate	authoritative subject
operatorbackend_version	immutable submitted, approved, issued, or signed versions
operatorbackend_relationship	governed relationships
operatorbackend_decision	binding Decisions and rationale
operatorbackend_evidence_link	provenance and evidence relationships
operatorbackend_event_outbox	transactional Event publication
operatorbackend_idempotency	duplicate-write protection
operatorbackend_exception	exception, claim, dispute, or hold
operatorbackend_correction	correction and supersession lineage
operatorbackend_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Operator Backend is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

WebSocket Gateway

Metadata	Value
Volume	12
Chapter ID	V12-11
Subject	WebSocketGateway
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for WebSocket Gateway**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
WebSocketGateway	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WebSocketGatewayVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WebSocketGatewayDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WebSocketGatewayEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WebSocketGatewayException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```

WebSocketGateway {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}

```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateWebSocketGateway
- ValidateWebSocketGateway
- ApproveWebSocketGateway
- ActivateWebSocketGateway
- SuspendWebSocketGateway
- CorrectWebSocketGateway
- RetireWebSocketGateway

Reference Events:

- WebSocketGatewayCreated
- WebSocketGatewayValidated
- WebSocketGatewayApproved
- WebSocketGatewayActivated
- WebSocketGatewaySuspended
- WebSocketGatewayCorrected
- WebSocketGatewayRetired

Reference queries:

- GetWebSocketGateway
- ListWebSocketGatewayRecords
- GetWebSocketGatewayTimeline
- GetWebSocketGatewayEvidence
- GetWebSocketGatewayDecisionPackage
- GetWebSocketGatewayExceptions
- GetWebSocketGatewayAuditTrail

Reference API surface:

```

POST /api/v1/websocketgateway/commands
GET  /api/v1/websocketgateway/{id}
GET  /api/v1/websocketgateway/{id}/timeline
GET  /api/v1/websocketgateway/{id}/evidence
GET  /api/v1/websocketgateway/{id}/decisions
POST /api/v1/websocketgateway/{id}/exceptions
POST /api/v1/websocketgateway/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
websocketgateway_aggregate	authoritative subject
websocketgateway_version	immutable submitted, approved, issued, or signed versions
websocketgateway_relationship	governed relationships
websocketgateway_decision	binding Decisions and rationale
websocketgateway_evidence_link	provenance and evidence relationships
websocketgateway_event_outbox	transactional Event publication
websocketgateway_idempotency	duplicate-write protection
websocketgateway_exception	exception, claim, dispute, or hold
websocketgateway_correction	correction and supersession lineage
websocketgateway_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- WebSocket Gateway is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Self-Healing Service

Metadata	Value
Volume	12
Chapter ID	V12-12
Subject	Self-HealingService
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Self-Healing Service**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
Self-HealingService	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Self-HealingServiceVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Self-HealingServiceDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Self-HealingServiceEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Self-HealingServiceException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
Self-HealingService {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```



```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateSelf-HealingService
- ValidateSelf-HealingService
- ApproveSelf-HealingService
- ActivateSelf-HealingService
- SuspendSelf-HealingService
- CorrectSelf-HealingService
- RetireSelf-HealingService

Reference Events:

- Self-HealingServiceCreated
- Self-HealingServiceValidated
- Self-HealingServiceApproved
- Self-HealingServiceActivated
- Self-HealingServiceSuspended
- Self-HealingServiceCorrected
- Self-HealingServiceRetired

Reference queries:

- GetSelf-HealingService
- ListSelf-HealingServiceRecords
- GetSelf-HealingServiceTimeline
- GetSelf-HealingServiceEvidence
- GetSelf-HealingServiceDecisionPackage
- GetSelf-HealingServiceExceptions
- GetSelf-HealingServiceAuditTrail

Reference API surface:

```

POST /api/v1/self_healingservice/commands
GET  /api/v1/self_healingservice/{id}
GET  /api/v1/self_healingservice/{id}/timeline
GET  /api/v1/self_healingservice/{id}/evidence
GET  /api/v1/self_healingservice/{id}/decisions
POST /api/v1/self_healingservice/{id}/exceptions
POST /api/v1/self_healingservice/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
self_healingservice_aggregate	authoritative subject
self_healingservice_version	immutable submitted, approved, issued, or signed versions
self_healingservice_relationship	governed relationships
self_healingservice_decision	binding Decisions and rationale
self_healingservice_evidence_link	provenance and evidence relationships
self_healingservice_event_outbox	transactional Event publication
self_healingservice_idempotency	duplicate-write protection
self_healingservice_exception	exception, claim, dispute, or hold
self_healingservice_correction	correction and supersession lineage
self_healingservice_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Self-Healing Service is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Cache Invalidation Subscriber

Metadata	Value
Volume	12
Chapter ID	V12-13
Subject	CacheInvalidationSubscriber
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Cache Invalidation Subscriber**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
CacheInvalidationSubscriber	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CacheInvalidationSubscriberVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CacheInvalidationSubscriberDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CacheInvalidationSubscriberEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CacheInvalidationSubscriberException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
CacheInvalidationSubscriber {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateCacheInvalidationSubscriber
- ValidateCacheInvalidationSubscriber
- ApproveCacheInvalidationSubscriber
- ActivateCacheInvalidationSubscriber
- SuspendCacheInvalidationSubscriber
- CorrectCacheInvalidationSubscriber
- RetireCacheInvalidationSubscriber

Reference Events:

- CacheInvalidationSubscriberCreated
- CacheInvalidationSubscriberValidated
- CacheInvalidationSubscriberApproved
- CacheInvalidationSubscriberActivated
- CacheInvalidationSubscriberSuspended
- CacheInvalidationSubscriberCorrected
- CacheInvalidationSubscriberRetired

Reference queries:

- GetCacheInvalidationSubscriber
- ListCacheInvalidationSubscriberRecords
- GetCacheInvalidationSubscriberTimeline
- GetCacheInvalidationSubscriberEvidence
- GetCacheInvalidationSubscriberDecisionPackage
- GetCacheInvalidationSubscriberExceptions
- GetCacheInvalidationSubscriberAuditTrail

Reference API surface:

```

POST /api/v1/cacheinvalidationsubscriber/commands
GET  /api/v1/cacheinvalidationsubscriber/{id}
GET  /api/v1/cacheinvalidationsubscriber/{id}/timeline
GET  /api/v1/cacheinvalidationsubscriber/{id}/evidence
GET  /api/v1/cacheinvalidationsubscriber/{id}/decisions
POST /api/v1/cacheinvalidationsubscriber/{id}/exceptions
POST /api/v1/cacheinvalidationsubscriber/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```



```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
cacheinvalidationsubscriber_aggregate	authoritative subject
cacheinvalidationsubscriber_version	immutable submitted, approved, issued, or signed versions
cacheinvalidationsubscriber_relationship	governed relationships
cacheinvalidationsubscriber_decision	binding Decisions and rationale
cacheinvalidationsubscriber_evidence_link	provenance and evidence relationships
cacheinvalidationsubscriber_event_outbox	transactional Event publication
cacheinvalidationsubscriber_idempotency	duplicate-write protection
cacheinvalidationsubscriber_exception	exception, claim, dispute, or hold
cacheinvalidationsubscriber_correction	correction and supersession lineage
cacheinvalidationsubscriber_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Cache Invalidation Subscriber is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Shared Contracts and Libraries

Metadata	Value
Volume	12
Chapter ID	V12-14
Subject	SharedContractsandLibraries
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Shared Contracts and Libraries**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
SharedContractsandLibraries	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedContractsandLibrariesVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedContractsandLibrariesDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedContractsandLibrariesEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedContractsandLibrariesException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
SharedContractsandLibraries {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateSharedContractsandLibraries
- ValidateSharedContractsandLibraries
- ApproveSharedContractsandLibraries
- ActivateSharedContractsandLibraries
- SuspendSharedContractsandLibraries
- CorrectSharedContractsandLibraries
- RetireSharedContractsandLibraries

Reference Events:

- SharedContractsandLibrariesCreated
- SharedContractsandLibrariesValidated
- SharedContractsandLibrariesApproved
- SharedContractsandLibrariesActivated
- SharedContractsandLibrariesSuspended
- SharedContractsandLibrariesCorrected
- SharedContractsandLibrariesRetired

Reference queries:

- GetSharedContractsandLibraries
- ListSharedContractsandLibrariesRecords
- GetSharedContractsandLibrariesTimeline
- GetSharedContractsandLibrariesEvidence
- GetSharedContractsandLibrariesDecisionPackage
- GetSharedContractsandLibrariesExceptions
- GetSharedContractsandLibrariesAuditTrail

Reference API surface:

```

POST /api/v1/sharedcontractsandlibraries/commands
GET  /api/v1/sharedcontractsandlibraries/{id}
GET  /api/v1/sharedcontractsandlibraries/{id}/timeline
GET  /api/v1/sharedcontractsandlibraries/{id}/evidence
GET  /api/v1/sharedcontractsandlibraries/{id}/decisions
POST /api/v1/sharedcontractsandlibraries/{id}/exceptions
POST /api/v1/sharedcontractsandlibraries/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
sharedcontractsandlibraries_aggregate	authoritative subject
sharedcontractsandlibraries_version	immutable submitted, approved, issued, or signed versions
sharedcontractsandlibraries_relationship	governed relationships
sharedcontractsandlibraries_decision	binding Decisions and rationale
sharedcontractsandlibraries_evidence_link	provenance and evidence relationships
sharedcontractsandlibraries_event_outbox	transactional Event publication
sharedcontractsandlibraries_idempotency	duplicate-write protection
sharedcontractsandlibraries_exception	exception, claim, dispute, or hold
sharedcontractsandlibraries_correction	correction and supersession lineage
sharedcontractsandlibraries_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Shared Contracts and Libraries is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Developer Platform

Metadata	Value
Volume	12
Chapter ID	V12-15
Subject	DeveloperPlatform
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Developer Platform**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
DeveloperPlatform	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DeveloperPlatformVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DeveloperPlatformDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DeveloperPlatformEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DeveloperPlatformException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
DeveloperPlatform {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateDeveloperPlatform
- ValidateDeveloperPlatform
- ApproveDeveloperPlatform
- ActivateDeveloperPlatform
- SuspendDeveloperPlatform
- CorrectDeveloperPlatform
- RetireDeveloperPlatform

Reference Events:

- DeveloperPlatformCreated
- DeveloperPlatformValidated
- DeveloperPlatformApproved
- DeveloperPlatformActivated
- DeveloperPlatformSuspended
- DeveloperPlatformCorrected
- DeveloperPlatformRetired

Reference queries:

- GetDeveloperPlatform
- ListDeveloperPlatformRecords
- GetDeveloperPlatformTimeline
- GetDeveloperPlatformEvidence
- GetDeveloperPlatformDecisionPackage
- GetDeveloperPlatformExceptions
- GetDeveloperPlatformAuditTrail

Reference API surface:

```

POST /api/v1/developerplatform/commands
GET  /api/v1/developerplatform/{id}
GET  /api/v1/developerplatform/{id}/timeline
GET  /api/v1/developerplatform/{id}/evidence
GET  /api/v1/developerplatform/{id}/decisions
POST /api/v1/developerplatform/{id}/exceptions
POST /api/v1/developerplatform/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
developerplatform_aggregate	authoritative subject
developerplatform_version	immutable submitted, approved, issued, or signed versions
developerplatform_relationship	governed relationships
developerplatform_decision	binding Decisions and rationale
developerplatform_evidence_link	provenance and evidence relationships
developerplatform_event_outbox	transactional Event publication
developerplatform_idempotency	duplicate-write protection
developerplatform_exception	exception, claim, dispute, or hold
developerplatform_correction	correction and supersession lineage
developerplatform_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Developer Platform is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Volume 12 Conformance and Evidence Matrix

Metadata	Value
Volume	12
Chapter ID	V12-SYNTH
Subject	Volume12ConformanceMatrix
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Platform Architecture Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **trace every requirement in Volume 12 to owner, repository source, configuration, deployment, runtime evidence, tests, runbooks, exceptions and review status.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome
≠ Observation
≠ Claim
≠ derived Perspective
≠ Prediction
≠ Recommendation
≠ authorized Decision
≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Platform Architecture Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;

- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
Volume12ConformanceMatrix	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume12ConformanceMatrixVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume12ConformanceMatrixDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume12ConformanceMatrixEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume12ConformanceMatrixException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
Volume12ConformanceMatrix {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage

- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
```

```

decisionType
subjectRef
sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateVolume12ConformanceMatrix
- ValidateVolume12ConformanceMatrix
- ApproveVolume12ConformanceMatrix
- ActivateVolume12ConformanceMatrix
- SuspendVolume12ConformanceMatrix
- CorrectVolume12ConformanceMatrix
- RetireVolume12ConformanceMatrix

Reference Events:

- Volume12ConformanceMatrixCreated
- Volume12ConformanceMatrixValidated
- Volume12ConformanceMatrixApproved
- Volume12ConformanceMatrixActivated
- Volume12ConformanceMatrixSuspended
- Volume12ConformanceMatrixCorrected
- Volume12ConformanceMatrixRetired

Reference queries:

- GetVolume12ConformanceMatrix
- ListVolume12ConformanceMatrixRecords
- GetVolume12ConformanceMatrixTimeline
- GetVolume12ConformanceMatrixEvidence
- GetVolume12ConformanceMatrixDecisionPackage
- GetVolume12ConformanceMatrixExceptions
- GetVolume12ConformanceMatrixAuditTrail

Reference API surface:

```

POST /api/v1/volume12conformancematrix/commands
GET  /api/v1/volume12conformancematrix/{id}
GET  /api/v1/volume12conformancematrix/{id}/timeline
GET  /api/v1/volume12conformancematrix/{id}/evidence
GET  /api/v1/volume12conformancematrix/{id}/decisions
POST /api/v1/volume12conformancematrix/{id}/exceptions
POST /api/v1/volume12conformancematrix/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B

```

```

C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
volume12conformancematrix_aggregate	authoritative subject
volume12conformancematrix_version	immutable submitted, approved, issued, or signed versions
volume12conformancematrix_relationship	governed relationships
volume12conformancematrix_decision	binding Decisions and rationale
volume12conformancematrix_evidence_link	provenance and evidence relationships
volume12conformancematrix_event_outbox	transactional Event publication
volume12conformancematrix_idempotency	duplicate-write protection
volume12conformancematrix_exception	exception, claim, dispute, or hold
volume12conformancematrix_correction	correction and supersession lineage
volume12conformancematrix_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions

- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- This chapter is a repository-review specification. Exact executable implementation has not been inspected for every target behavior.
- Registered modules, catalog entries, README claims, frontend contracts, or plans are not proof of complete implementation.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.