

GTOS Detailed Volume - Volume 15 Engineering Handbook

GTOS Enterprise Engineering Handbook - Final Edition 1.0

Source Chapters

- Engineering Handbook Introduction
- Repository Standards
- Java 21 Standards
- Spring Boot Standards
- TypeScript Standards
- Next.js Standards
- Shared UI and Design System
- Domain Modeling
- API Implementation
- Event Implementation
- Workflow Implementation
- Database Migration Standards
- Testing Strategy
- CI CD
- Dependency Management
- Feature Flags
- Observability Implementation
- Code Review
- Architecture Tests
- Definition of Done and Documentation as Code
- Volume 15 Conformance and Evidence Matrix

Engineering Handbook Introduction

Metadata	Value
Volume	15
Chapter ID	V15-00
Subject	EngineeringHandbookIntroduction
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Engineering Handbook Introduction.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
EngineeringHandbookIntroduction	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EngineeringHandbookIntroductionVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EngineeringHandbookIntroductionDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EngineeringHandbookIntroductionEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EngineeringHandbookIntroductionException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
EngineeringHandbookIntroduction {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateEngineeringHandbookIntroduction
- ValidateEngineeringHandbookIntroduction
- ApproveEngineeringHandbookIntroduction
- ActivateEngineeringHandbookIntroduction
- SuspendEngineeringHandbookIntroduction
- CorrectEngineeringHandbookIntroduction
- RetireEngineeringHandbookIntroduction

Reference Events:

- EngineeringHandbookIntroductionCreated
- EngineeringHandbookIntroductionValidated
- EngineeringHandbookIntroductionApproved
- EngineeringHandbookIntroductionActivated
- EngineeringHandbookIntroductionSuspended
- EngineeringHandbookIntroductionCorrected
- EngineeringHandbookIntroductionRetired

Reference queries:

- GetEngineeringHandbookIntroduction
- ListEngineeringHandbookIntroductionRecords
- GetEngineeringHandbookIntroductionTimeline
- GetEngineeringHandbookIntroductionEvidence
- GetEngineeringHandbookIntroductionDecisionPackage
- GetEngineeringHandbookIntroductionExceptions
- GetEngineeringHandbookIntroductionAuditTrail

Reference API surface:

```

POST /api/v1/engineeringhandbookintroduction/commands
GET  /api/v1/engineeringhandbookintroduction/{id}
GET  /api/v1/engineeringhandbookintroduction/{id}/timeline
GET  /api/v1/engineeringhandbookintroduction/{id}/evidence
GET  /api/v1/engineeringhandbookintroduction/{id}/decisions
POST /api/v1/engineeringhandbookintroduction/{id}/exceptions
POST /api/v1/engineeringhandbookintroduction/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
engineeringhandbookintroduction_aggregate	authoritative subject
engineeringhandbookintroduction_version	immutable submitted, approved, issued, or signed versions
engineeringhandbookintroduction_relationship	governed relationships
engineeringhandbookintroduction_decision	binding Decisions and rationale
engineeringhandbookintroduction_evidence_link	provenance and evidence relationships
engineeringhandbookintroduction_event_outbox	transactional Event publication
engineeringhandbookintroduction_idempotency	duplicate-write protection
engineeringhandbookintroduction_exception	exception, claim, dispute, or hold
engineeringhandbookintroduction_correction	correction and supersession lineage
engineeringhandbookintroduction_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Engineering Handbook Introduction is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Repository Standards

Metadata	Value
Volume	15
Chapter ID	V15-01
Subject	RepositoryStandards
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Repository Standards**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
RepositoryStandards	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RepositoryStandardsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RepositoryStandardsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RepositoryStandardsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RepositoryStandardsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
RepositoryStandards {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateRepositoryStandards
- ValidateRepositoryStandards
- ApproveRepositoryStandards
- ActivateRepositoryStandards
- SuspendRepositoryStandards
- CorrectRepositoryStandards
- RetireRepositoryStandards

Reference Events:

- RepositoryStandardsCreated
- RepositoryStandardsValidated
- RepositoryStandardsApproved
- RepositoryStandardsActivated
- RepositoryStandardsSuspended
- RepositoryStandardsCorrected
- RepositoryStandardsRetired

Reference queries:

- GetRepositoryStandards
- ListRepositoryStandardsRecords
- GetRepositoryStandardsTimeline
- GetRepositoryStandardsEvidence
- GetRepositoryStandardsDecisionPackage
- GetRepositoryStandardsExceptions
- GetRepositoryStandardsAuditTrail

Reference API surface:

```

POST /api/v1/repositorystandards/commands
GET  /api/v1/repositorystandards/{id}
GET  /api/v1/repositorystandards/{id}/timeline
GET  /api/v1/repositorystandards/{id}/evidence
GET  /api/v1/repositorystandards/{id}/decisions
POST /api/v1/repositorystandards/{id}/exceptions
POST /api/v1/repositorystandards/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
repositorystandards_aggregate	authoritative subject
repositorystandards_version	immutable submitted, approved, issued, or signed versions
repositorystandards_relationship	governed relationships
repositorystandards_decision	binding Decisions and rationale
repositorystandards_evidence_link	provenance and evidence relationships
repositorystandards_event_outbox	transactional Event publication
repositorystandards_idempotency	duplicate-write protection
repositorystandards_exception	exception, claim, dispute, or hold
repositorystandards_correction	correction and supersession lineage
repositorystandards_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Repository Standards is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Java 21 Standards

Metadata	Value
Volume	15
Chapter ID	V15-02
Subject	Java21Standards
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Java 21 Standards**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
Java21Standards	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Java21StandardsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Java21StandardsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Java21StandardsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Java21StandardsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
Java21Standards {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateJava21Standards
- ValidateJava21Standards
- ApproveJava21Standards
- ActivateJava21Standards
- SuspendJava21Standards
- CorrectJava21Standards
- RetireJava21Standards

Reference Events:

- Java21StandardsCreated
- Java21StandardsValidated
- Java21StandardsApproved
- Java21StandardsActivated
- Java21StandardsSuspended
- Java21StandardsCorrected
- Java21StandardsRetired

Reference queries:

- GetJava21Standards
- ListJava21StandardsRecords
- GetJava21StandardsTimeline
- GetJava21StandardsEvidence
- GetJava21StandardsDecisionPackage
- GetJava21StandardsExceptions
- GetJava21StandardsAuditTrail

Reference API surface:

```

POST /api/v1/java21standards/commands
GET  /api/v1/java21standards/{id}
GET  /api/v1/java21standards/{id}/timeline
GET  /api/v1/java21standards/{id}/evidence
GET  /api/v1/java21standards/{id}/decisions
POST /api/v1/java21standards/{id}/exceptions
POST /api/v1/java21standards/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
java21standards_aggregate	authoritative subject
java21standards_version	immutable submitted, approved, issued, or signed versions
java21standards_relationship	governed relationships
java21standards_decision	binding Decisions and rationale
java21standards_evidence_link	provenance and evidence relationships
java21standards_event_outbox	transactional Event publication
java21standards_idempotency	duplicate-write protection
java21standards_exception	exception, claim, dispute, or hold
java21standards_correction	correction and supersession lineage
java21standards_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Java 21 Standards is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Spring Boot Standards

Metadata	Value
Volume	15
Chapter ID	V15-03
Subject	SpringBootStandards
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Spring Boot Standards**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
SpringBootStandards	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SpringBootStandardsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SpringBootStandardsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SpringBootStandardsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SpringBootStandardsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
SpringBootStandards {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateSpringBootStandards
- ValidateSpringBootStandards
- ApproveSpringBootStandards
- ActivateSpringBootStandards
- SuspendSpringBootStandards
- CorrectSpringBootStandards
- RetireSpringBootStandards

Reference Events:

- SpringBootStandardsCreated
- SpringBootStandardsValidated
- SpringBootStandardsApproved
- SpringBootStandardsActivated
- SpringBootStandardsSuspended
- SpringBootStandardsCorrected
- SpringBootStandardsRetired

Reference queries:

- GetSpringBootStandards
- ListSpringBootStandardsRecords
- GetSpringBootStandardsTimeline
- GetSpringBootStandardsEvidence
- GetSpringBootStandardsDecisionPackage
- GetSpringBootStandardsExceptions
- GetSpringBootStandardsAuditTrail

Reference API surface:

```

POST /api/v1/springbootstandards/commands
GET  /api/v1/springbootstandards/{id}
GET  /api/v1/springbootstandards/{id}/timeline
GET  /api/v1/springbootstandards/{id}/evidence
GET  /api/v1/springbootstandards/{id}/decisions
POST /api/v1/springbootstandards/{id}/exceptions
POST /api/v1/springbootstandards/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
springbootstandards_aggregate	authoritative subject
springbootstandards_version	immutable submitted, approved, issued, or signed versions
springbootstandards_relationship	governed relationships
springbootstandards_decision	binding Decisions and rationale
springbootstandards_evidence_link	provenance and evidence relationships
springbootstandards_event_outbox	transactional Event publication
springbootstandards_idempotency	duplicate-write protection
springbootstandards_exception	exception, claim, dispute, or hold
springbootstandards_correction	correction and supersession lineage
springbootstandards_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Spring Boot Standards is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

TypeScript Standards

Metadata	Value
Volume	15
Chapter ID	V15-04
Subject	TypeScriptStandards
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for TypeScript Standards**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
TypeScriptStandards	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TypeScriptStandardsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TypeScriptStandardsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TypeScriptStandardsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TypeScriptStandardsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
TypeScriptStandards {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateTypeScriptStandards
- ValidateTypeScriptStandards
- ApproveTypeScriptStandards
- ActivateTypeScriptStandards
- SuspendTypeScriptStandards
- CorrectTypeScriptStandards
- RetireTypeScriptStandards

Reference Events:

- TypeScriptStandardsCreated
- TypeScriptStandardsValidated
- TypeScriptStandardsApproved
- TypeScriptStandardsActivated
- TypeScriptStandardsSuspended
- TypeScriptStandardsCorrected
- TypeScriptStandardsRetired

Reference queries:

- GetTypeScriptStandards
- ListTypeScriptStandardsRecords
- GetTypeScriptStandardsTimeline
- GetTypeScriptStandardsEvidence
- GetTypeScriptStandardsDecisionPackage
- GetTypeScriptStandardsExceptions
- GetTypeScriptStandardsAuditTrail

Reference API surface:

```

POST /api/v1/typescriptstandards/commands
GET  /api/v1/typescriptstandards/{id}
GET  /api/v1/typescriptstandards/{id}/timeline
GET  /api/v1/typescriptstandards/{id}/evidence
GET  /api/v1/typescriptstandards/{id}/decisions
POST /api/v1/typescriptstandards/{id}/exceptions
POST /api/v1/typescriptstandards/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
typescriptstandards_aggregate	authoritative subject
typescriptstandards_version	immutable submitted, approved, issued, or signed versions
typescriptstandards_relationship	governed relationships
typescriptstandards_decision	binding Decisions and rationale
typescriptstandards_evidence_link	provenance and evidence relationships
typescriptstandards_event_outbox	transactional Event publication
typescriptstandards_idempotency	duplicate-write protection
typescriptstandards_exception	exception, claim, dispute, or hold
typescriptstandards_correction	correction and supersession lineage
typescriptstandards_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- TypeScript Standards is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Next.js Standards

Metadata	Value
Volume	15
Chapter ID	V15-05
Subject	Next.jsStandards
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Next.js Standards**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
Next.jsStandards	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Next.jsStandardsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Next.jsStandardsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Next.jsStandardsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Next.jsStandardsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
Next.jsStandards {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateNext.jsStandards
- ValidateNext.jsStandards
- ApproveNext.jsStandards
- ActivateNext.jsStandards
- SuspendNext.jsStandards
- CorrectNext.jsStandards
- RetireNext.jsStandards

Reference Events:

- Next.jsStandardsCreated
- Next.jsStandardsValidated
- Next.jsStandardsApproved
- Next.jsStandardsActivated
- Next.jsStandardsSuspended
- Next.jsStandardsCorrected
- Next.jsStandardsRetired

Reference queries:

- GetNext.jsStandards
- ListNext.jsStandardsRecords
- GetNext.jsStandardsTimeline
- GetNext.jsStandardsEvidence
- GetNext.jsStandardsDecisionPackage
- GetNext.jsStandardsExceptions
- GetNext.jsStandardsAuditTrail

Reference API surface:

```

POST /api/v1/next_jsstandards/commands
GET  /api/v1/next_jsstandards/{id}
GET  /api/v1/next_jsstandards/{id}/timeline
GET  /api/v1/next_jsstandards/{id}/evidence
GET  /api/v1/next_jsstandards/{id}/decisions
POST /api/v1/next_jsstandards/{id}/exceptions
POST /api/v1/next_jsstandards/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
next_jsstandards_aggregate	authoritative subject
next_jsstandards_version	immutable submitted, approved, issued, or signed versions
next_jsstandards_relationship	governed relationships
next_jsstandards_decision	binding Decisions and rationale
next_jsstandards_evidence_link	provenance and evidence relationships
next_jsstandards_event_outbox	transactional Event publication
next_jsstandards_idempotency	duplicate-write protection
next_jsstandards_exception	exception, claim, dispute, or hold
next_jsstandards_correction	correction and supersession lineage
next_jsstandards_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Next.js Standards is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Shared UI and Design System

Metadata	Value
Volume	15
Chapter ID	V15-06
Subject	SharedUIandDesignSystem
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Shared UI and Design System.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
SharedUIandDesignSystem	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedUIandDesignSystemVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedUIandDesignSystemDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedUIandDesignSystemEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SharedUIandDesignSystemException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
SharedUIandDesignSystem {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateSharedUIandDesignSystem
- ValidateSharedUIandDesignSystem
- ApproveSharedUIandDesignSystem
- ActivateSharedUIandDesignSystem
- SuspendSharedUIandDesignSystem
- CorrectSharedUIandDesignSystem
- RetireSharedUIandDesignSystem

Reference Events:

- SharedUIandDesignSystemCreated
- SharedUIandDesignSystemValidated
- SharedUIandDesignSystemApproved
- SharedUIandDesignSystemActivated
- SharedUIandDesignSystemSuspended
- SharedUIandDesignSystemCorrected
- SharedUIandDesignSystemRetired

Reference queries:

- GetSharedUIandDesignSystem
- ListSharedUIandDesignSystemRecords
- GetSharedUIandDesignSystemTimeline
- GetSharedUIandDesignSystemEvidence
- GetSharedUIandDesignSystemDecisionPackage
- GetSharedUIandDesignSystemExceptions
- GetSharedUIandDesignSystemAuditTrail

Reference API surface:

```

POST /api/v1/shareduianddesignsystem/commands
GET  /api/v1/shareduianddesignsystem/{id}
GET  /api/v1/shareduianddesignsystem/{id}/timeline
GET  /api/v1/shareduianddesignsystem/{id}/evidence
GET  /api/v1/shareduianddesignsystem/{id}/decisions
POST /api/v1/shareduianddesignsystem/{id}/exceptions
POST /api/v1/shareduianddesignsystem/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
shareduianddesignsystem_aggregate	authoritative subject
shareduianddesignsystem_version	immutable submitted, approved, issued, or signed versions
shareduianddesignsystem_relationship	governed relationships
shareduianddesignsystem_decision	binding Decisions and rationale
shareduianddesignsystem_evidence_link	provenance and evidence relationships
shareduianddesignsystem_event_outbox	transactional Event publication
shareduianddesignsystem_idempotency	duplicate-write protection
shareduianddesignsystem_exception	exception, claim, dispute, or hold
shareduianddesignsystem_correction	correction and supersession lineage
shareduianddesignsystem_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Shared UI and Design System is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Domain Modeling

Metadata	Value
Volume	15
Chapter ID	V15-07
Subject	DomainModeling
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Domain Modeling**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
DomainModeling	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DomainModelingVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DomainModelingDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DomainModelingEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DomainModelingException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
DomainModeling {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateDomainModeling
- ValidateDomainModeling
- ApproveDomainModeling
- ActivateDomainModeling
- SuspendDomainModeling
- CorrectDomainModeling
- RetireDomainModeling

Reference Events:

- DomainModelingCreated
- DomainModelingValidated
- DomainModelingApproved
- DomainModelingActivated
- DomainModelingSuspended
- DomainModelingCorrected
- DomainModelingRetired

Reference queries:

- GetDomainModeling
- ListDomainModelingRecords
- GetDomainModelingTimeline
- GetDomainModelingEvidence
- GetDomainModelingDecisionPackage
- GetDomainModelingExceptions
- GetDomainModelingAuditTrail

Reference API surface:

```

POST /api/v1/domainmodeling/commands
GET  /api/v1/domainmodeling/{id}
GET  /api/v1/domainmodeling/{id}/timeline
GET  /api/v1/domainmodeling/{id}/evidence
GET  /api/v1/domainmodeling/{id}/decisions
POST /api/v1/domainmodeling/{id}/exceptions
POST /api/v1/domainmodeling/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
domainmodeling_aggregate	authoritative subject
domainmodeling_version	immutable submitted, approved, issued, or signed versions
domainmodeling_relationship	governed relationships
domainmodeling_decision	binding Decisions and rationale
domainmodeling_evidence_link	provenance and evidence relationships
domainmodeling_event_outbox	transactional Event publication
domainmodeling_idempotency	duplicate-write protection
domainmodeling_exception	exception, claim, dispute, or hold
domainmodeling_correction	correction and supersession lineage
domainmodeling_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Domain Modeling is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

API Implementation

Metadata	Value
Volume	15
Chapter ID	V15-08
Subject	APIImplementation
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for API Implementation**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
APIImplementation	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIImplementationVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIImplementationDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIImplementationEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
APIImplementationException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
APIImplementation {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateAPIImplementation
- ValidateAPIImplementation
- ApproveAPIImplementation
- ActivateAPIImplementation
- SuspendAPIImplementation
- CorrectAPIImplementation
- RetireAPIImplementation

Reference Events:

- APIImplementationCreated
- APIImplementationValidated
- APIImplementationApproved
- APIImplementationActivated
- APIImplementationSuspended
- APIImplementationCorrected
- APIImplementationRetired

Reference queries:

- GetAPIImplementation
- ListAPIImplementationRecords
- GetAPIImplementationTimeline
- GetAPIImplementationEvidence
- GetAPIImplementationDecisionPackage
- GetAPIImplementationExceptions
- GetAPIImplementationAuditTrail

Reference API surface:

```

POST /api/v1/apiimplementation/commands
GET  /api/v1/apiimplementation/{id}
GET  /api/v1/apiimplementation/{id}/timeline
GET  /api/v1/apiimplementation/{id}/evidence
GET  /api/v1/apiimplementation/{id}/decisions
POST /api/v1/apiimplementation/{id}/exceptions
POST /api/v1/apiimplementation/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
apiimplementation_aggregate	authoritative subject
apiimplementation_version	immutable submitted, approved, issued, or signed versions
apiimplementation_relationship	governed relationships
apiimplementation_decision	binding Decisions and rationale
apiimplementation_evidence_link	provenance and evidence relationships
apiimplementation_event_outbox	transactional Event publication
apiimplementation_idempotency	duplicate-write protection
apiimplementation_exception	exception, claim, dispute, or hold
apiimplementation_correction	correction and supersession lineage
apiimplementation_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- API Implementation is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Event Implementation

Metadata	Value
Volume	15
Chapter ID	V15-09
Subject	EventImplementation
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Event Implementation**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
EventImplementation	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventImplementationVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventImplementationDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventImplementationEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
EventImplementationException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
EventImplementation {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateEventImplementation
- ValidateEventImplementation
- ApproveEventImplementation
- ActivateEventImplementation
- SuspendEventImplementation
- CorrectEventImplementation
- RetireEventImplementation

Reference Events:

- EventImplementationCreated
- EventImplementationValidated
- EventImplementationApproved
- EventImplementationActivated
- EventImplementationSuspended
- EventImplementationCorrected
- EventImplementationRetired

Reference queries:

- GetEventImplementation
- ListEventImplementationRecords
- GetEventImplementationTimeline
- GetEventImplementationEvidence
- GetEventImplementationDecisionPackage
- GetEventImplementationExceptions
- GetEventImplementationAuditTrail

Reference API surface:

```

POST /api/v1/eventimplementation/commands
GET  /api/v1/eventimplementation/{id}
GET  /api/v1/eventimplementation/{id}/timeline
GET  /api/v1/eventimplementation/{id}/evidence
GET  /api/v1/eventimplementation/{id}/decisions
POST /api/v1/eventimplementation/{id}/exceptions
POST /api/v1/eventimplementation/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
eventimplementation_aggregate	authoritative subject
eventimplementation_version	immutable submitted, approved, issued, or signed versions
eventimplementation_relationship	governed relationships
eventimplementation_decision	binding Decisions and rationale
eventimplementation_evidence_link	provenance and evidence relationships
eventimplementation_event_outbox	transactional Event publication
eventimplementation_idempotency	duplicate-write protection
eventimplementation_exception	exception, claim, dispute, or hold
eventimplementation_correction	correction and supersession lineage
eventimplementation_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Event Implementation is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Workflow Implementation

Metadata	Value
Volume	15
Chapter ID	V15-10
Subject	WorkflowImplementation
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Workflow Implementation.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
WorkflowImplementation	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowImplementationVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowImplementationDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowImplementationEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
WorkflowImplementationException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
WorkflowImplementation {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateWorkflowImplementation
- ValidateWorkflowImplementation
- ApproveWorkflowImplementation
- ActivateWorkflowImplementation
- SuspendWorkflowImplementation
- CorrectWorkflowImplementation
- RetireWorkflowImplementation

Reference Events:

- WorkflowImplementationCreated
- WorkflowImplementationValidated
- WorkflowImplementationApproved
- WorkflowImplementationActivated
- WorkflowImplementationSuspended
- WorkflowImplementationCorrected
- WorkflowImplementationRetired

Reference queries:

- GetWorkflowImplementation
- ListWorkflowImplementationRecords
- GetWorkflowImplementationTimeline
- GetWorkflowImplementationEvidence
- GetWorkflowImplementationDecisionPackage
- GetWorkflowImplementationExceptions
- GetWorkflowImplementationAuditTrail

Reference API surface:

```

POST /api/v1/workflowimplementation/commands
GET  /api/v1/workflowimplementation/{id}
GET  /api/v1/workflowimplementation/{id}/timeline
GET  /api/v1/workflowimplementation/{id}/evidence
GET  /api/v1/workflowimplementation/{id}/decisions
POST /api/v1/workflowimplementation/{id}/exceptions
POST /api/v1/workflowimplementation/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
workflowimplementation_aggregate	authoritative subject
workflowimplementation_version	immutable submitted, approved, issued, or signed versions
workflowimplementation_relationship	governed relationships
workflowimplementation_decision	binding Decisions and rationale
workflowimplementation_evidence_link	provenance and evidence relationships
workflowimplementation_event_outbox	transactional Event publication
workflowimplementation_idempotency	duplicate-write protection
workflowimplementation_exception	exception, claim, dispute, or hold
workflowimplementation_correction	correction and supersession lineage
workflowimplementation_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Workflow Implementation is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Database Migration Standards

Metadata	Value
Volume	15
Chapter ID	V15-11
Subject	DatabaseMigrationStandards
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Database Migration Standards**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
DatabaseMigrationStandards	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DatabaseMigrationStandardsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DatabaseMigrationStandardsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DatabaseMigrationStandardsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DatabaseMigrationStandardsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
DatabaseMigrationStandards {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateDatabaseMigrationStandards
- ValidateDatabaseMigrationStandards
- ApproveDatabaseMigrationStandards
- ActivateDatabaseMigrationStandards
- SuspendDatabaseMigrationStandards
- CorrectDatabaseMigrationStandards
- RetireDatabaseMigrationStandards

Reference Events:

- DatabaseMigrationStandardsCreated
- DatabaseMigrationStandardsValidated
- DatabaseMigrationStandardsApproved
- DatabaseMigrationStandardsActivated
- DatabaseMigrationStandardsSuspended
- DatabaseMigrationStandardsCorrected
- DatabaseMigrationStandardsRetired

Reference queries:

- GetDatabaseMigrationStandards
- ListDatabaseMigrationStandardsRecords
- GetDatabaseMigrationStandardsTimeline
- GetDatabaseMigrationStandardsEvidence
- GetDatabaseMigrationStandardsDecisionPackage
- GetDatabaseMigrationStandardsExceptions
- GetDatabaseMigrationStandardsAuditTrail

Reference API surface:

```

POST /api/v1/databasemigrationstandards/commands
GET  /api/v1/databasemigrationstandards/{id}
GET  /api/v1/databasemigrationstandards/{id}/timeline
GET  /api/v1/databasemigrationstandards/{id}/evidence
GET  /api/v1/databasemigrationstandards/{id}/decisions
POST /api/v1/databasemigrationstandards/{id}/exceptions
POST /api/v1/databasemigrationstandards/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
databasemigrationstandards_aggregate	authoritative subject
databasemigrationstandards_version	immutable submitted, approved, issued, or signed versions
databasemigrationstandards_relationship	governed relationships
databasemigrationstandards_decision	binding Decisions and rationale
databasemigrationstandards_evidence_link	provenance and evidence relationships
databasemigrationstandards_event_outbox	transactional Event publication
databasemigrationstandards_idempotency	duplicate-write protection
databasemigrationstandards_exception	exception, claim, dispute, or hold
databasemigrationstandards_correction	correction and supersession lineage
databasemigrationstandards_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Database Migration Standards is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Testing Strategy

Metadata	Value
Volume	15
Chapter ID	V15-12
Subject	TestingStrategy
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Testing Strategy**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
TestingStrategy	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TestingStrategyVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TestingStrategyDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TestingStrategyEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
TestingStrategyException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
TestingStrategy {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateTestingStrategy
- ValidateTestingStrategy
- ApproveTestingStrategy
- ActivateTestingStrategy
- SuspendTestingStrategy
- CorrectTestingStrategy
- RetireTestingStrategy

Reference Events:

- TestingStrategyCreated
- TestingStrategyValidated
- TestingStrategyApproved
- TestingStrategyActivated
- TestingStrategySuspended
- TestingStrategyCorrected
- TestingStrategyRetired

Reference queries:

- GetTestingStrategy
- ListTestingStrategyRecords
- GetTestingStrategyTimeline
- GetTestingStrategyEvidence
- GetTestingStrategyDecisionPackage
- GetTestingStrategyExceptions
- GetTestingStrategyAuditTrail

Reference API surface:

```

POST /api/v1/testingstrategy/commands
GET  /api/v1/testingstrategy/{id}
GET  /api/v1/testingstrategy/{id}/timeline
GET  /api/v1/testingstrategy/{id}/evidence
GET  /api/v1/testingstrategy/{id}/decisions
POST /api/v1/testingstrategy/{id}/exceptions
POST /api/v1/testingstrategy/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
testingstrategy_aggregate	authoritative subject
testingstrategy_version	immutable submitted, approved, issued, or signed versions
testingstrategy_relationship	governed relationships
testingstrategy_decision	binding Decisions and rationale
testingstrategy_evidence_link	provenance and evidence relationships
testingstrategy_event_outbox	transactional Event publication
testingstrategy_idempotency	duplicate-write protection
testingstrategy_exception	exception, claim, dispute, or hold
testingstrategy_correction	correction and supersession lineage
testingstrategy_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Testing Strategy is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

CI CD

Metadata	Value
Volume	15
Chapter ID	V15-13
Subject	CICD
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for CI CD.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
CICD	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CICDVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CICDDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CICDEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CICDException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
CICD {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateCICD
- ValidateCICD
- ApproveCICD
- ActivateCICD
- SuspendCICD
- CorrectCICD
- RetireCICD

Reference Events:

- CICDCreated
- CICDValidated
- CICDApproved
- CICDActivated
- CICDSuspended
- CICDCorrected
- CICDRetired

Reference queries:

- GetCICD
- ListCICDRecords
- GetCICDTimeline
- GetCICDEvidence
- GetCICDDecisionPackage
- GetCICDExceptions
- GetCICDAuditTrail

Reference API surface:

```

POST /api/v1/cicd/commands
GET  /api/v1/cicd/{id}
GET  /api/v1/cicd/{id}/timeline
GET  /api/v1/cicd/{id}/evidence
GET  /api/v1/cicd/{id}/decisions
POST /api/v1/cicd/{id}/exceptions
POST /api/v1/cicd/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
cicd_aggregate	authoritative subject
cicd_version	immutable submitted, approved, issued, or signed versions
cicd_relationship	governed relationships
cicd_decision	binding Decisions and rationale
cicd_evidence_link	provenance and evidence relationships
cicd_event_outbox	transactional Event publication
cicd_idempotency	duplicate-write protection
cicd_exception	exception, claim, dispute, or hold
cicd_correction	correction and supersession lineage
cicd_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- CI CD is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Dependency Management

Metadata	Value
Volume	15
Chapter ID	V15-14
Subject	DependencyManagement
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Dependency Management**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
DependencyManagement	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DependencyManagementVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DependencyManagementDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DependencyManagementEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DependencyManagementException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
DependencyManagement {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateDependencyManagement
- ValidateDependencyManagement
- ApproveDependencyManagement
- ActivateDependencyManagement
- SuspendDependencyManagement
- CorrectDependencyManagement
- RetireDependencyManagement

Reference Events:

- DependencyManagementCreated
- DependencyManagementValidated
- DependencyManagementApproved
- DependencyManagementActivated
- DependencyManagementSuspended
- DependencyManagementCorrected
- DependencyManagementRetired

Reference queries:

- GetDependencyManagement
- ListDependencyManagementRecords
- GetDependencyManagementTimeline
- GetDependencyManagementEvidence
- GetDependencyManagementDecisionPackage
- GetDependencyManagementExceptions
- GetDependencyManagementAuditTrail

Reference API surface:

```

POST /api/v1/dependencymanagement/commands
GET  /api/v1/dependencymanagement/{id}
GET  /api/v1/dependencymanagement/{id}/timeline
GET  /api/v1/dependencymanagement/{id}/evidence
GET  /api/v1/dependencymanagement/{id}/decisions
POST /api/v1/dependencymanagement/{id}/exceptions
POST /api/v1/dependencymanagement/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
dependencymanagement_aggregate	authoritative subject
dependencymanagement_version	immutable submitted, approved, issued, or signed versions
dependencymanagement_relationship	governed relationships
dependencymanagement_decision	binding Decisions and rationale
dependencymanagement_evidence_link	provenance and evidence relationships
dependencymanagement_event_outbox	transactional Event publication
dependencymanagement_idempotency	duplicate-write protection
dependencymanagement_exception	exception, claim, dispute, or hold
dependencymanagement_correction	correction and supersession lineage
dependencymanagement_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Dependency Management is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Feature Flags

Metadata	Value
Volume	15
Chapter ID	V15- 15
Subject	FeatureFlags
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Feature Flags**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
FeatureFlags	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
FeatureFlagsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
FeatureFlagsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
FeatureFlagsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
FeatureFlagsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
FeatureFlags {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateFeatureFlags
- ValidateFeatureFlags
- ApproveFeatureFlags
- ActivateFeatureFlags
- SuspendFeatureFlags
- CorrectFeatureFlags
- RetireFeatureFlags

Reference Events:

- FeatureFlagsCreated
- FeatureFlagsValidated
- FeatureFlagsApproved
- FeatureFlagsActivated
- FeatureFlagsSuspended
- FeatureFlagsCorrected
- FeatureFlagsRetired

Reference queries:

- GetFeatureFlags
- ListFeatureFlagsRecords
- GetFeatureFlagsTimeline
- GetFeatureFlagsEvidence
- GetFeatureFlagsDecisionPackage
- GetFeatureFlagsExceptions
- GetFeatureFlagsAuditTrail

Reference API surface:

```

POST /api/v1/featureflags/commands
GET  /api/v1/featureflags/{id}
GET  /api/v1/featureflags/{id}/timeline
GET  /api/v1/featureflags/{id}/evidence
GET  /api/v1/featureflags/{id}/decisions
POST /api/v1/featureflags/{id}/exceptions
POST /api/v1/featureflags/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
featureflags_aggregate	authoritative subject
featureflags_version	immutable submitted, approved, issued, or signed versions
featureflags_relationship	governed relationships
featureflags_decision	binding Decisions and rationale
featureflags_evidence_link	provenance and evidence relationships
featureflags_event_outbox	transactional Event publication
featureflags_idempotency	duplicate-write protection
featureflags_exception	exception, claim, dispute, or hold
featureflags_correction	correction and supersession lineage
featureflags_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Feature Flags is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Observability Implementation

Metadata	Value
Volume	15
Chapter ID	V15-16
Subject	ObservabilityImplementation
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Observability Implementation.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ObservabilityImplementation	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityImplementationVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityImplementationDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityImplementationEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ObservabilityImplementationException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ObservabilityImplementation {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateObservabilityImplementation
- ValidateObservabilityImplementation
- ApproveObservabilityImplementation
- ActivateObservabilityImplementation
- SuspendObservabilityImplementation
- CorrectObservabilityImplementation
- RetireObservabilityImplementation

Reference Events:

- ObservabilityImplementationCreated
- ObservabilityImplementationValidated
- ObservabilityImplementationApproved
- ObservabilityImplementationActivated
- ObservabilityImplementationSuspended
- ObservabilityImplementationCorrected
- ObservabilityImplementationRetired

Reference queries:

- GetObservabilityImplementation
- ListObservabilityImplementationRecords
- GetObservabilityImplementationTimeline
- GetObservabilityImplementationEvidence
- GetObservabilityImplementationDecisionPackage
- GetObservabilityImplementationExceptions
- GetObservabilityImplementationAuditTrail

Reference API surface:

```

POST /api/v1/observabilityimplementation/commands
GET  /api/v1/observabilityimplementation/{id}
GET  /api/v1/observabilityimplementation/{id}/timeline
GET  /api/v1/observabilityimplementation/{id}/evidence
GET  /api/v1/observabilityimplementation/{id}/decisions
POST /api/v1/observabilityimplementation/{id}/exceptions
POST /api/v1/observabilityimplementation/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
observabilityimplementation_aggregate	authoritative subject
observabilityimplementation_version	immutable submitted, approved, issued, or signed versions
observabilityimplementation_relationship	governed relationships
observabilityimplementation_decision	binding Decisions and rationale
observabilityimplementation_evidence_link	provenance and evidence relationships
observabilityimplementation_event_outbox	transactional Event publication
observabilityimplementation_idempotency	duplicate-write protection
observabilityimplementation_exception	exception, claim, dispute, or hold
observabilityimplementation_correction	correction and supersession lineage
observabilityimplementation_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Observability Implementation is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Code Review

Metadata	Value
Volume	15
Chapter ID	V15-17
Subject	CodeReview
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Code Review**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
CodeReview	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CodeReviewVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CodeReviewDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CodeReviewEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CodeReviewException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
CodeReview {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateCodeReview
- ValidateCodeReview
- ApproveCodeReview
- ActivateCodeReview
- SuspendCodeReview
- CorrectCodeReview
- RetireCodeReview

Reference Events:

- CodeReviewCreated
- CodeReviewValidated
- CodeReviewApproved
- CodeReviewActivated
- CodeReviewSuspended
- CodeReviewCorrected
- CodeReviewRetired

Reference queries:

- GetCodeReview
- ListCodeReviewRecords
- GetCodeReviewTimeline
- GetCodeReviewEvidence
- GetCodeReviewDecisionPackage
- GetCodeReviewExceptions
- GetCodeReviewAuditTrail

Reference API surface:

```

POST /api/v1/codereview/commands
GET  /api/v1/codereview/{id}
GET  /api/v1/codereview/{id}/timeline
GET  /api/v1/codereview/{id}/evidence
GET  /api/v1/codereview/{id}/decisions
POST /api/v1/codereview/{id}/exceptions
POST /api/v1/codereview/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
codereview_aggregate	authoritative subject
codereview_version	immutable submitted, approved, issued, or signed versions
codereview_relationship	governed relationships
codereview_decision	binding Decisions and rationale
codereview_evidence_link	provenance and evidence relationships
codereview_event_outbox	transactional Event publication
codereview_idempotency	duplicate-write protection
codereview_exception	exception, claim, dispute, or hold
codereview_correction	correction and supersession lineage
codereview_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Code Review is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Architecture Tests

Metadata	Value
Volume	15
Chapter ID	V15-18
Subject	ArchitectureTests
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Architecture Tests**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ArchitectureTests	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ArchitectureTestsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ArchitectureTestsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ArchitectureTestsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ArchitectureTestsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ArchitectureTests {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateArchitectureTests
- ValidateArchitectureTests
- ApproveArchitectureTests
- ActivateArchitectureTests
- SuspendArchitectureTests
- CorrectArchitectureTests
- RetireArchitectureTests

Reference Events:

- ArchitectureTestsCreated
- ArchitectureTestsValidated
- ArchitectureTestsApproved
- ArchitectureTestsActivated
- ArchitectureTestsSuspended
- ArchitectureTestsCorrected
- ArchitectureTestsRetired

Reference queries:

- GetArchitectureTests
- ListArchitectureTestsRecords
- GetArchitectureTestsTimeline
- GetArchitectureTestsEvidence
- GetArchitectureTestsDecisionPackage
- GetArchitectureTestsExceptions
- GetArchitectureTestsAuditTrail

Reference API surface:

```

POST /api/v1/architecturetests/commands
GET  /api/v1/architecturetests/{id}
GET  /api/v1/architecturetests/{id}/timeline
GET  /api/v1/architecturetests/{id}/evidence
GET  /api/v1/architecturetests/{id}/decisions
POST /api/v1/architecturetests/{id}/exceptions
POST /api/v1/architecturetests/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
architecturetests_aggregate	authoritative subject
architecturetests_version	immutable submitted, approved, issued, or signed versions
architecturetests_relationship	governed relationships
architecturetests_decision	binding Decisions and rationale
architecturetests_evidence_link	provenance and evidence relationships
architecturetests_event_outbox	transactional Event publication
architecturetests_idempotency	duplicate-write protection
architecturetests_exception	exception, claim, dispute, or hold
architecturetests_correction	correction and supersession lineage
architecturetests_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Architecture Tests is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Definition of Done and Documentation as Code

Metadata	Value
Volume	15
Chapter ID	V15-19
Subject	Definition of Done and Documentation as Code
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Definition of Done and Documentation as Code.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome
≠ Observation
≠ Claim
≠ derived Perspective
≠ Prediction
≠ Recommendation
≠ authorized Decision
≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;

- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
DefinitionofDoneandDocumentationasCode	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DefinitionofDoneandDocumentationasCodeVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DefinitionofDoneandDocumentationasCodeDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DefinitionofDoneandDocumentationasCodeEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DefinitionofDoneandDocumentationasCodeException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
DefinitionofDoneandDocumentationasCode {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage

- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
```

```

decisionType
subjectRef
sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateDefinitionofDoneandDocumentationasCode
- ValidateDefinitionofDoneandDocumentationasCode
- ApproveDefinitionofDoneandDocumentationasCode
- ActivateDefinitionofDoneandDocumentationasCode
- SuspendDefinitionofDoneandDocumentationasCode
- CorrectDefinitionofDoneandDocumentationasCode
- RetireDefinitionofDoneandDocumentationasCode

Reference Events:

- DefinitionofDoneandDocumentationasCodeCreated
- DefinitionofDoneandDocumentationasCodeValidated
- DefinitionofDoneandDocumentationasCodeApproved
- DefinitionofDoneandDocumentationasCodeActivated
- DefinitionofDoneandDocumentationasCodeSuspended
- DefinitionofDoneandDocumentationasCodeCorrected
- DefinitionofDoneandDocumentationasCodeRetired

Reference queries:

- GetDefinitionofDoneandDocumentationasCode
- ListDefinitionofDoneandDocumentationasCodeRecords
- GetDefinitionofDoneandDocumentationasCodeTimeline
- GetDefinitionofDoneandDocumentationasCodeEvidence
- GetDefinitionofDoneandDocumentationasCodeDecisionPackage
- GetDefinitionofDoneandDocumentationasCodeExceptions
- GetDefinitionofDoneandDocumentationasCodeAuditTrail

Reference API surface:

```

POST /api/v1/definitionofdoneanddocumentationascode/commands
GET  /api/v1/definitionofdoneanddocumentationascode/{id}
GET  /api/v1/definitionofdoneanddocumentationascode/{id}/timeline
GET  /api/v1/definitionofdoneanddocumentationascode/{id}/evidence
GET  /api/v1/definitionofdoneanddocumentationascode/{id}/decisions
POST /api/v1/definitionofdoneanddocumentationascode/{id}/exceptions
POST /api/v1/definitionofdoneanddocumentationascode/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C[Policy and evidence gates pass?]
C -- No --> D[Open exception or request correction]
D --> B

```

```

C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
definitionofdoneanddocumentationascode_aggregate	authoritative subject
definitionofdoneanddocumentationascode_version	immutable submitted, approved, issued, or signed versions
definitionofdoneanddocumentationascode_relationship	governed relationships
definitionofdoneanddocumentationascode_decision	binding Decisions and rationale
definitionofdoneanddocumentationascode_evidence_link	provenance and evidence relationships
definitionofdoneanddocumentationascode_event_outbox	transactional Event publication
definitionofdoneanddocumentationascode_idempotency	duplicate-write protection
definitionofdoneanddocumentationascode_exception	exception, claim, dispute, or hold
definitionofdoneanddocumentationascode_correction	correction and supersession lineage
definitionofdoneanddocumentationascode_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Definition of Done and Documentation as Code is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.

- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Volume 15 Conformance and Evidence Matrix

Metadata	Value
Volume	15
Chapter ID	V15-SYNTH
Subject	Volume15ConformanceMatrix
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	Engineering Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **trace every requirement in Volume 15 to owner, repository source, configuration, deployment, runtime evidence, tests, runbooks, exceptions and review status.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome
≠ Observation
≠ Claim
≠ derived Perspective
≠ Prediction
≠ Recommendation
≠ authorized Decision
≠ execution Intent

1.1 Accountable ownership

The accountable owner is **Engineering Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;

- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
Volume15ConformanceMatrix	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume15ConformanceMatrixVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume15ConformanceMatrixDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume15ConformanceMatrixEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume15ConformanceMatrixException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
Volume15ConformanceMatrix {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage

- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
```

```

decisionType
subjectRef
sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateVolume15ConformanceMatrix
- ValidateVolume15ConformanceMatrix
- ApproveVolume15ConformanceMatrix
- ActivateVolume15ConformanceMatrix
- SuspendVolume15ConformanceMatrix
- CorrectVolume15ConformanceMatrix
- RetireVolume15ConformanceMatrix

Reference Events:

- Volume15ConformanceMatrixCreated
- Volume15ConformanceMatrixValidated
- Volume15ConformanceMatrixApproved
- Volume15ConformanceMatrixActivated
- Volume15ConformanceMatrixSuspended
- Volume15ConformanceMatrixCorrected
- Volume15ConformanceMatrixRetired

Reference queries:

- GetVolume15ConformanceMatrix
- ListVolume15ConformanceMatrixRecords
- GetVolume15ConformanceMatrixTimeline
- GetVolume15ConformanceMatrixEvidence
- GetVolume15ConformanceMatrixDecisionPackage
- GetVolume15ConformanceMatrixExceptions
- GetVolume15ConformanceMatrixAuditTrail

Reference API surface:

```

POST /api/v1/volume15conformancematrix/commands
GET  /api/v1/volume15conformancematrix/{id}
GET  /api/v1/volume15conformancematrix/{id}/timeline
GET  /api/v1/volume15conformancematrix/{id}/evidence
GET  /api/v1/volume15conformancematrix/{id}/decisions
POST /api/v1/volume15conformancematrix/{id}/exceptions
POST /api/v1/volume15conformancematrix/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C[Policy and evidence gates pass?]
C -- No --> D[Open exception or request correction]
D --> B

```

```

C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
volume15conformancematrix_aggregate	authoritative subject
volume15conformancematrix_version	immutable submitted, approved, issued, or signed versions
volume15conformancematrix_relationship	governed relationships
volume15conformancematrix_decision	binding Decisions and rationale
volume15conformancematrix_evidence_link	provenance and evidence relationships
volume15conformancematrix_event_outbox	transactional Event publication
volume15conformancematrix_idempotency	duplicate-write protection
volume15conformancematrix_exception	exception, claim, dispute, or hold
volume15conformancematrix_correction	correction and supersession lineage
volume15conformancematrix_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions

- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- This chapter is a repository-review specification. Exact executable implementation has not been inspected for every target behavior.
- Registered modules, catalog entries, README claims, frontend contracts, or plans are not proof of complete implementation.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.