

GTOS Detailed Volume - Volume 16

Operations Sre

GTOS Enterprise Engineering Handbook - Final Edition 1.0

Source Chapters

- SRE Handbook Introduction
- Service Ownership
- SLI SLO and Error Budgets
- On-Call
- Runbook Standard
- Incident Command
- Change Management
- Release and Rollback
- Backup and Restore
- Recovery and Reconciliation
- Capacity Management
- Cost Management
- Security Incident Operations
- AI Incident Operations
- Partner and Provider Outage Handling
- Data Incident Operations
- Business Continuity
- Post-Incident Learning
- Operational Readiness Review
- Executive Operational Reporting
- Volume 16 Conformance and Evidence Matrix

SRE Handbook Introduction

Metadata	Value
Volume	16
Chapter ID	V16-00
Subject	SREHandbookIntroduction
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for SRE Handbook Introduction.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
SREHandbookIntroduction	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SREHandbookIntroductionVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SREHandbookIntroductionDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SREHandbookIntroductionEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SREHandbookIntroductionException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
SREHandbookIntroduction {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateSREHandbookIntroduction
- ValidateSREHandbookIntroduction
- ApproveSREHandbookIntroduction
- ActivateSREHandbookIntroduction
- SuspendSREHandbookIntroduction
- CorrectSREHandbookIntroduction
- RetireSREHandbookIntroduction

Reference Events:

- SREHandbookIntroductionCreated
- SREHandbookIntroductionValidated
- SREHandbookIntroductionApproved
- SREHandbookIntroductionActivated
- SREHandbookIntroductionSuspended
- SREHandbookIntroductionCorrected
- SREHandbookIntroductionRetired

Reference queries:

- GetSREHandbookIntroduction
- ListSREHandbookIntroductionRecords
- GetSREHandbookIntroductionTimeline
- GetSREHandbookIntroductionEvidence
- GetSREHandbookIntroductionDecisionPackage
- GetSREHandbookIntroductionExceptions
- GetSREHandbookIntroductionAuditTrail

Reference API surface:

```

POST /api/v1/srehandbookintroduction/commands
GET  /api/v1/srehandbookintroduction/{id}
GET  /api/v1/srehandbookintroduction/{id}/timeline
GET  /api/v1/srehandbookintroduction/{id}/evidence
GET  /api/v1/srehandbookintroduction/{id}/decisions
POST /api/v1/srehandbookintroduction/{id}/exceptions
POST /api/v1/srehandbookintroduction/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
srehandbookintroduction_aggregate	authoritative subject
srehandbookintroduction_version	immutable submitted, approved, issued, or signed versions
srehandbookintroduction_relationship	governed relationships
srehandbookintroduction_decision	binding Decisions and rationale
srehandbookintroduction_evidence_link	provenance and evidence relationships
srehandbookintroduction_event_outbox	transactional Event publication
srehandbookintroduction_idempotency	duplicate-write protection
srehandbookintroduction_exception	exception, claim, dispute, or hold
srehandbookintroduction_correction	correction and supersession lineage
srehandbookintroduction_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- SRE Handbook Introduction is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Service Ownership

Metadata	Value
Volume	16
Chapter ID	V16-01
Subject	ServiceOwnership
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Service Ownership.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ServiceOwnership	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceOwnershipVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceOwnershipDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceOwnershipEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ServiceOwnershipException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ServiceOwnership {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateServiceOwnership
- ValidateServiceOwnership
- ApproveServiceOwnership
- ActivateServiceOwnership
- SuspendServiceOwnership
- CorrectServiceOwnership
- RetireServiceOwnership

Reference Events:

- ServiceOwnershipCreated
- ServiceOwnershipValidated
- ServiceOwnershipApproved
- ServiceOwnershipActivated
- ServiceOwnershipSuspended
- ServiceOwnershipCorrected
- ServiceOwnershipRetired

Reference queries:

- GetServiceOwnership
- ListServiceOwnershipRecords
- GetServiceOwnershipTimeline
- GetServiceOwnershipEvidence
- GetServiceOwnershipDecisionPackage
- GetServiceOwnershipExceptions
- GetServiceOwnershipAuditTrail

Reference API surface:

```

POST /api/v1/serviceownership/commands
GET  /api/v1/serviceownership/{id}
GET  /api/v1/serviceownership/{id}/timeline
GET  /api/v1/serviceownership/{id}/evidence
GET  /api/v1/serviceownership/{id}/decisions
POST /api/v1/serviceownership/{id}/exceptions
POST /api/v1/serviceownership/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
serviceownership_aggregate	authoritative subject
serviceownership_version	immutable submitted, approved, issued, or signed versions
serviceownership_relationship	governed relationships
serviceownership_decision	binding Decisions and rationale
serviceownership_evidence_link	provenance and evidence relationships
serviceownership_event_outbox	transactional Event publication
serviceownership_idempotency	duplicate-write protection
serviceownership_exception	exception, claim, dispute, or hold
serviceownership_correction	correction and supersession lineage
serviceownership_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Service Ownership is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

SLI SLO and Error Budgets

Metadata	Value
Volume	16
Chapter ID	V16-02
Subject	SLISLOandErrorBudgets
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for SLI SLO and Error Budgets.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
SLISL0andErrorBudgets	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SLISL0andErrorBudgetsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SLISL0andErrorBudgetsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SLISL0andErrorBudgetsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SLISL0andErrorBudgetsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
SLISL0andErrorBudgets {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateSLISLOandErrorBudgets
- ValidateSLISLOandErrorBudgets
- ApproveSLISLOandErrorBudgets
- ActivateSLISLOandErrorBudgets
- SuspendSLISLOandErrorBudgets
- CorrectSLISLOandErrorBudgets
- RetireSLISLOandErrorBudgets

Reference Events:

- SLISLOandErrorBudgetsCreated
- SLISLOandErrorBudgetsValidated
- SLISLOandErrorBudgetsApproved
- SLISLOandErrorBudgetsActivated
- SLISLOandErrorBudgetsSuspended
- SLISLOandErrorBudgetsCorrected
- SLISLOandErrorBudgetsRetired

Reference queries:

- GetSLISLOandErrorBudgets
- ListSLISLOandErrorBudgetsRecords
- GetSLISLOandErrorBudgetsTimeline
- GetSLISLOandErrorBudgetsEvidence
- GetSLISLOandErrorBudgetsDecisionPackage
- GetSLISLOandErrorBudgetsExceptions
- GetSLISLOandErrorBudgetsAuditTrail

Reference API surface:

```

POST /api/v1/slisloanderrorbudgets/commands
GET  /api/v1/slisloanderrorbudgets/{id}
GET  /api/v1/slisloanderrorbudgets/{id}/timeline
GET  /api/v1/slisloanderrorbudgets/{id}/evidence
GET  /api/v1/slisloanderrorbudgets/{id}/decisions
POST /api/v1/slisloanderrorbudgets/{id}/exceptions
POST /api/v1/slisloanderrorbudgets/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
slisloanderrorbudgets_aggregate	authoritative subject
slisloanderrorbudgets_version	immutable submitted, approved, issued, or signed versions
slisloanderrorbudgets_relationship	governed relationships
slisloanderrorbudgets_decision	binding Decisions and rationale
slisloanderrorbudgets_evidence_link	provenance and evidence relationships
slisloanderrorbudgets_event_outbox	transactional Event publication
slisloanderrorbudgets_idempotency	duplicate-write protection
slisloanderrorbudgets_exception	exception, claim, dispute, or hold
slisloanderrorbudgets_correction	correction and supersession lineage
slisloanderrorbudgets_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- SLI SLO and Error Budgets is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

On-Call

Metadata	Value
Volume	16
Chapter ID	V16-03
Subject	On-Call
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for On-Call**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
On-Call	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
On-CallVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
On-CallDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
On-CallEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
On-CallException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
On-Call {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateOn-Call
- ValidateOn-Call
- ApproveOn-Call
- ActivateOn-Call
- SuspendOn-Call
- CorrectOn-Call
- RetireOn-Call

Reference Events:

- On-CallCreated
- On-CallValidated
- On-CallApproved
- On-CallActivated
- On-CallSuspended
- On-CallCorrected
- On-CallRetired

Reference queries:

- GetOn-Call
- ListOn-CallRecords
- GetOn-CallTimeline
- GetOn-CallEvidence
- GetOn-CallDecisionPackage
- GetOn-CallExceptions
- GetOn-CallAuditTrail

Reference API surface:

```

POST /api/v1/on_call/commands
GET  /api/v1/on_call/{id}
GET  /api/v1/on_call/{id}/timeline
GET  /api/v1/on_call/{id}/evidence
GET  /api/v1/on_call/{id}/decisions
POST /api/v1/on_call/{id}/exceptions
POST /api/v1/on_call/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
on_call_aggregate	authoritative subject
on_call_version	immutable submitted, approved, issued, or signed versions
on_call_relationship	governed relationships
on_call_decision	binding Decisions and rationale
on_call_evidence_link	provenance and evidence relationships
on_call_event_outbox	transactional Event publication
on_call_idempotency	duplicate-write protection
on_call_exception	exception, claim, dispute, or hold
on_call_correction	correction and supersession lineage
on_call_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- On-Call is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Runbook Standard

Metadata	Value
Volume	16
Chapter ID	V16-04
Subject	RunbookStandard
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Runbook Standard**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
RunbookStandard	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RunbookStandardVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RunbookStandardDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RunbookStandardEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RunbookStandardException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
RunbookStandard {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```



```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateRunbookStandard
- ValidateRunbookStandard
- ApproveRunbookStandard
- ActivateRunbookStandard
- SuspendRunbookStandard
- CorrectRunbookStandard
- RetireRunbookStandard

Reference Events:

- RunbookStandardCreated
- RunbookStandardValidated
- RunbookStandardApproved
- RunbookStandardActivated
- RunbookStandardSuspended
- RunbookStandardCorrected
- RunbookStandardRetired

Reference queries:

- GetRunbookStandard
- ListRunbookStandardRecords
- GetRunbookStandardTimeline
- GetRunbookStandardEvidence
- GetRunbookStandardDecisionPackage
- GetRunbookStandardExceptions
- GetRunbookStandardAuditTrail

Reference API surface:

```

POST /api/v1/runbookstandard/commands
GET  /api/v1/runbookstandard/{id}
GET  /api/v1/runbookstandard/{id}/timeline
GET  /api/v1/runbookstandard/{id}/evidence
GET  /api/v1/runbookstandard/{id}/decisions
POST /api/v1/runbookstandard/{id}/exceptions
POST /api/v1/runbookstandard/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
runbookstandard_aggregate	authoritative subject
runbookstandard_version	immutable submitted, approved, issued, or signed versions
runbookstandard_relationship	governed relationships
runbookstandard_decision	binding Decisions and rationale
runbookstandard_evidence_link	provenance and evidence relationships
runbookstandard_event_outbox	transactional Event publication
runbookstandard_idempotency	duplicate-write protection
runbookstandard_exception	exception, claim, dispute, or hold
runbookstandard_correction	correction and supersession lineage
runbookstandard_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Runbook Standard is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Incident Command

Metadata	Value
Volume	16
Chapter ID	V16-05
Subject	IncidentCommand
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Incident Command**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
IncidentCommand	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
IncidentCommandVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
IncidentCommandDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
IncidentCommandEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
IncidentCommandException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
IncidentCommand {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateIncidentCommand
- ValidateIncidentCommand
- ApproveIncidentCommand
- ActivateIncidentCommand
- SuspendIncidentCommand
- CorrectIncidentCommand
- RetireIncidentCommand

Reference Events:

- IncidentCommandCreated
- IncidentCommandValidated
- IncidentCommandApproved
- IncidentCommandActivated
- IncidentCommandSuspended
- IncidentCommandCorrected
- IncidentCommandRetired

Reference queries:

- GetIncidentCommand
- ListIncidentCommandRecords
- GetIncidentCommandTimeline
- GetIncidentCommandEvidence
- GetIncidentCommandDecisionPackage
- GetIncidentCommandExceptions
- GetIncidentCommandAuditTrail

Reference API surface:

```

POST /api/v1/incidentcommand/commands
GET  /api/v1/incidentcommand/{id}
GET  /api/v1/incidentcommand/{id}/timeline
GET  /api/v1/incidentcommand/{id}/evidence
GET  /api/v1/incidentcommand/{id}/decisions
POST /api/v1/incidentcommand/{id}/exceptions
POST /api/v1/incidentcommand/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```



```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
incidentcommand_aggregate	authoritative subject
incidentcommand_version	immutable submitted, approved, issued, or signed versions
incidentcommand_relationship	governed relationships
incidentcommand_decision	binding Decisions and rationale
incidentcommand_evidence_link	provenance and evidence relationships
incidentcommand_event_outbox	transactional Event publication
incidentcommand_idempotency	duplicate-write protection
incidentcommand_exception	exception, claim, dispute, or hold
incidentcommand_correction	correction and supersession lineage
incidentcommand_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Incident Command is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Change Management

Metadata	Value
Volume	16
Chapter ID	V16-06
Subject	ChangeManagement
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Change Management**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ChangeManagement	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ChangeManagementVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ChangeManagementDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ChangeManagementEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ChangeManagementException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ChangeManagement {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateChangeManagement
- ValidateChangeManagement
- ApproveChangeManagement
- ActivateChangeManagement
- SuspendChangeManagement
- CorrectChangeManagement
- RetireChangeManagement

Reference Events:

- ChangeManagementCreated
- ChangeManagementValidated
- ChangeManagementApproved
- ChangeManagementActivated
- ChangeManagementSuspended
- ChangeManagementCorrected
- ChangeManagementRetired

Reference queries:

- GetChangeManagement
- ListChangeManagementRecords
- GetChangeManagementTimeline
- GetChangeManagementEvidence
- GetChangeManagementDecisionPackage
- GetChangeManagementExceptions
- GetChangeManagementAuditTrail

Reference API surface:

```

POST /api/v1/changemanagement/commands
GET  /api/v1/changemanagement/{id}
GET  /api/v1/changemanagement/{id}/timeline
GET  /api/v1/changemanagement/{id}/evidence
GET  /api/v1/changemanagement/{id}/decisions
POST /api/v1/changemanagement/{id}/exceptions
POST /api/v1/changemanagement/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
changemanagement_aggregate	authoritative subject
changemanagement_version	immutable submitted, approved, issued, or signed versions
changemanagement_relationship	governed relationships
changemanagement_decision	binding Decisions and rationale
changemanagement_evidence_link	provenance and evidence relationships
changemanagement_event_outbox	transactional Event publication
changemanagement_idempotency	duplicate-write protection
changemanagement_exception	exception, claim, dispute, or hold
changemanagement_correction	correction and supersession lineage
changemanagement_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Change Management is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Release and Rollback

Metadata	Value
Volume	16
Chapter ID	V16-07
Subject	ReleaseandRollback
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Release and Rollback.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;

- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ReleaseandRollback	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReleaseandRollbackVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReleaseandRollbackDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReleaseandRollbackEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ReleaseandRollbackException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ReleaseandRollback {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
    sourceVersionRefs[]
    knowledgeCutoff
    evidenceSetRef
}
```

```

policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateReleaseandRollback
- ValidateReleaseandRollback
- ApproveReleaseandRollback
- ActivateReleaseandRollback
- SuspendReleaseandRollback
- CorrectReleaseandRollback
- RetireReleaseandRollback

Reference Events:

- ReleaseandRollbackCreated
- ReleaseandRollbackValidated
- ReleaseandRollbackApproved
- ReleaseandRollbackActivated
- ReleaseandRollbackSuspended
- ReleaseandRollbackCorrected
- ReleaseandRollbackRetired

Reference queries:

- GetReleaseandRollback
- ListReleaseandRollbackRecords
- GetReleaseandRollbackTimeline
- GetReleaseandRollbackEvidence
- GetReleaseandRollbackDecisionPackage
- GetReleaseandRollbackExceptions
- GetReleaseandRollbackAuditTrail

Reference API surface:

```

POST /api/v1/releaseandrollback/commands
GET  /api/v1/releaseandrollback/{id}
GET  /api/v1/releaseandrollback/{id}/timeline
GET  /api/v1/releaseandrollback/{id}/evidence
GET  /api/v1/releaseandrollback/{id}/decisions
POST /api/v1/releaseandrollback/{id}/exceptions
POST /api/v1/releaseandrollback/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]

```

```

G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
releaseandrollback_aggregate	authoritative subject
releaseandrollback_version	immutable submitted, approved, issued, or signed versions
releaseandrollback_relationship	governed relationships
releaseandrollback_decision	binding Decisions and rationale
releaseandrollback_evidence_link	provenance and evidence relationships
releaseandrollback_event_outbox	transactional Event publication
releaseandrollback_idempotency	duplicate-write protection
releaseandrollback_exception	exception, claim, dispute, or hold
releaseandrollback_correction	correction and supersession lineage
releaseandrollback_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Release and Rollback is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW

Area	Classification
behavior proven in another repository-grounded chapter contradictory ownership or path claims	retain that chapter's evidence and classification CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED IMPLEMENTED_WITH_GAP	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION REFERENCE_ARCHITECTURE PLANNED_NOT_IMPLEMENTED DOCUMENTATION_ONLY_CLAIM	Only part of the target capability is evidenced. Normative target behavior; no claim that it exists today. Explicitly planned but not evidenced as executable. Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION REQUIRES_REPOSITORY_REVIEW	Sources disagree and no final owner has been established. Necessary executable evidence has not yet been inspected.

Backup and Restore

Metadata	Value
Volume	16
Chapter ID	V16-08
Subject	BackupandRestore
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Backup and Restore.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
BackupandRestore	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BackupandRestoreVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BackupandRestoreDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BackupandRestoreEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BackupandRestoreException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
BackupandRestore {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateBackupandRestore
- ValidateBackupandRestore
- ApproveBackupandRestore
- ActivateBackupandRestore
- SuspendBackupandRestore
- CorrectBackupandRestore
- RetireBackupandRestore

Reference Events:

- BackupandRestoreCreated
- BackupandRestoreValidated
- BackupandRestoreApproved
- BackupandRestoreActivated
- BackupandRestoreSuspended
- BackupandRestoreCorrected
- BackupandRestoreRetired

Reference queries:

- GetBackupandRestore
- ListBackupandRestoreRecords
- GetBackupandRestoreTimeline
- GetBackupandRestoreEvidence
- GetBackupandRestoreDecisionPackage
- GetBackupandRestoreExceptions
- GetBackupandRestoreAuditTrail

Reference API surface:

```

POST /api/v1/backupandrestore/commands
GET  /api/v1/backupandrestore/{id}
GET  /api/v1/backupandrestore/{id}/timeline
GET  /api/v1/backupandrestore/{id}/evidence
GET  /api/v1/backupandrestore/{id}/decisions
POST /api/v1/backupandrestore/{id}/exceptions
POST /api/v1/backupandrestore/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
backupandrestore_aggregate	authoritative subject
backupandrestore_version	immutable submitted, approved, issued, or signed versions
backupandrestore_relationship	governed relationships
backupandrestore_decision	binding Decisions and rationale
backupandrestore_evidence_link	provenance and evidence relationships
backupandrestore_event_outbox	transactional Event publication
backupandrestore_idempotency	duplicate-write protection
backupandrestore_exception	exception, claim, dispute, or hold
backupandrestore_correction	correction and supersession lineage
backupandrestore_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Backup and Restore is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Recovery and Reconciliation

Metadata	Value
Volume	16
Chapter ID	V16-09
Subject	RecoveryandReconciliation
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Recovery and Reconciliation.**

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
RecoveryandReconciliation	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RecoveryandReconciliationVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RecoveryandReconciliationDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RecoveryandReconciliationEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
RecoveryandReconciliationException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
RecoveryandReconciliation {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateRecoveryandReconciliation
- ValidateRecoveryandReconciliation
- ApproveRecoveryandReconciliation
- ActivateRecoveryandReconciliation
- SuspendRecoveryandReconciliation
- CorrectRecoveryandReconciliation
- RetireRecoveryandReconciliation

Reference Events:

- RecoveryandReconciliationCreated
- RecoveryandReconciliationValidated
- RecoveryandReconciliationApproved
- RecoveryandReconciliationActivated
- RecoveryandReconciliationSuspended
- RecoveryandReconciliationCorrected
- RecoveryandReconciliationRetired

Reference queries:

- GetRecoveryandReconciliation
- ListRecoveryandReconciliationRecords
- GetRecoveryandReconciliationTimeline
- GetRecoveryandReconciliationEvidence
- GetRecoveryandReconciliationDecisionPackage
- GetRecoveryandReconciliationExceptions
- GetRecoveryandReconciliationAuditTrail

Reference API surface:

```

POST /api/v1/recoveryandreconciliation/commands
GET  /api/v1/recoveryandreconciliation/{id}
GET  /api/v1/recoveryandreconciliation/{id}/timeline
GET  /api/v1/recoveryandreconciliation/{id}/evidence
GET  /api/v1/recoveryandreconciliation/{id}/decisions
POST /api/v1/recoveryandreconciliation/{id}/exceptions
POST /api/v1/recoveryandreconciliation/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
recoveryandreconciliation_aggregate	authoritative subject
recoveryandreconciliation_version	immutable submitted, approved, issued, or signed versions
recoveryandreconciliation_relationship	governed relationships
recoveryandreconciliation_decision	binding Decisions and rationale
recoveryandreconciliation_evidence_link	provenance and evidence relationships
recoveryandreconciliation_event_outbox	transactional Event publication
recoveryandreconciliation_idempotency	duplicate-write protection
recoveryandreconciliation_exception	exception, claim, dispute, or hold
recoveryandreconciliation_correction	correction and supersession lineage
recoveryandreconciliation_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Recovery and Reconciliation is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Capacity Management

Metadata	Value
Volume	16
Chapter ID	V16-10
Subject	CapacityManagement
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Capacity Management**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
CapacityManagement	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CapacityManagementVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CapacityManagementDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CapacityManagementEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CapacityManagementException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
CapacityManagement {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateCapacityManagement
- ValidateCapacityManagement
- ApproveCapacityManagement
- ActivateCapacityManagement
- SuspendCapacityManagement
- CorrectCapacityManagement
- RetireCapacityManagement

Reference Events:

- CapacityManagementCreated
- CapacityManagementValidated
- CapacityManagementApproved
- CapacityManagementActivated
- CapacityManagementSuspended
- CapacityManagementCorrected
- CapacityManagementRetired

Reference queries:

- GetCapacityManagement
- ListCapacityManagementRecords
- GetCapacityManagementTimeline
- GetCapacityManagementEvidence
- GetCapacityManagementDecisionPackage
- GetCapacityManagementExceptions
- GetCapacityManagementAuditTrail

Reference API surface:

```

POST /api/v1/capacitymanagement/commands
GET  /api/v1/capacitymanagement/{id}
GET  /api/v1/capacitymanagement/{id}/timeline
GET  /api/v1/capacitymanagement/{id}/evidence
GET  /api/v1/capacitymanagement/{id}/decisions
POST /api/v1/capacitymanagement/{id}/exceptions
POST /api/v1/capacitymanagement/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
capacitymanagement_aggregate	authoritative subject
capacitymanagement_version	immutable submitted, approved, issued, or signed versions
capacitymanagement_relationship	governed relationships
capacitymanagement_decision	binding Decisions and rationale
capacitymanagement_evidence_link	provenance and evidence relationships
capacitymanagement_event_outbox	transactional Event publication
capacitymanagement_idempotency	duplicate-write protection
capacitymanagement_exception	exception, claim, dispute, or hold
capacitymanagement_correction	correction and supersession lineage
capacitymanagement_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Capacity Management is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Cost Management

Metadata	Value
Volume	16
Chapter ID	V16-11
Subject	CostManagement
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Cost Management**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
CostManagement	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CostManagementVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CostManagementDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CostManagementEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
CostManagementException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
CostManagement {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateCostManagement
- ValidateCostManagement
- ApproveCostManagement
- ActivateCostManagement
- SuspendCostManagement
- CorrectCostManagement
- RetireCostManagement

Reference Events:

- CostManagementCreated
- CostManagementValidated
- CostManagementApproved
- CostManagementActivated
- CostManagementSuspended
- CostManagementCorrected
- CostManagementRetired

Reference queries:

- GetCostManagement
- ListCostManagementRecords
- GetCostManagementTimeline
- GetCostManagementEvidence
- GetCostManagementDecisionPackage
- GetCostManagementExceptions
- GetCostManagementAuditTrail

Reference API surface:

```

POST /api/v1/costmanagement/commands
GET  /api/v1/costmanagement/{id}
GET  /api/v1/costmanagement/{id}/timeline
GET  /api/v1/costmanagement/{id}/evidence
GET  /api/v1/costmanagement/{id}/decisions
POST /api/v1/costmanagement/{id}/exceptions
POST /api/v1/costmanagement/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
costmanagement_aggregate	authoritative subject
costmanagement_version	immutable submitted, approved, issued, or signed versions
costmanagement_relationship	governed relationships
costmanagement_decision	binding Decisions and rationale
costmanagement_evidence_link	provenance and evidence relationships
costmanagement_event_outbox	transactional Event publication
costmanagement_idempotency	duplicate-write protection
costmanagement_exception	exception, claim, dispute, or hold
costmanagement_correction	correction and supersession lineage
costmanagement_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
stale-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Cost Management is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Security Incident Operations

Metadata	Value
Volume	16
Chapter ID	V16-12
Subject	SecurityIncidentOperations
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Security Incident Operations**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
SecurityIncidentOperations	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SecurityIncidentOperationsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SecurityIncidentOperationsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SecurityIncidentOperationsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
SecurityIncidentOperationsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
SecurityIncidentOperations {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```



```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateSecurityIncidentOperations
- ValidateSecurityIncidentOperations
- ApproveSecurityIncidentOperations
- ActivateSecurityIncidentOperations
- SuspendSecurityIncidentOperations
- CorrectSecurityIncidentOperations
- RetireSecurityIncidentOperations

Reference Events:

- SecurityIncidentOperationsCreated
- SecurityIncidentOperationsValidated
- SecurityIncidentOperationsApproved
- SecurityIncidentOperationsActivated
- SecurityIncidentOperationsSuspended
- SecurityIncidentOperationsCorrected
- SecurityIncidentOperationsRetired

Reference queries:

- GetSecurityIncidentOperations
- ListSecurityIncidentOperationsRecords
- GetSecurityIncidentOperationsTimeline
- GetSecurityIncidentOperationsEvidence
- GetSecurityIncidentOperationsDecisionPackage
- GetSecurityIncidentOperationsExceptions
- GetSecurityIncidentOperationsAuditTrail

Reference API surface:

```

POST /api/v1/securityincidentoperations/commands
GET  /api/v1/securityincidentoperations/{id}
GET  /api/v1/securityincidentoperations/{id}/timeline
GET  /api/v1/securityincidentoperations/{id}/evidence
GET  /api/v1/securityincidentoperations/{id}/decisions
POST /api/v1/securityincidentoperations/{id}/exceptions
POST /api/v1/securityincidentoperations/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
securityincidentoperations_aggregate	authoritative subject
securityincidentoperations_version	immutable submitted, approved, issued, or signed versions
securityincidentoperations_relationship	governed relationships
securityincidentoperations_decision	binding Decisions and rationale
securityincidentoperations_evidence_link	provenance and evidence relationships
securityincidentoperations_event_outbox	transactional Event publication
securityincidentoperations_idempotency	duplicate-write protection
securityincidentoperations_exception	exception, claim, dispute, or hold
securityincidentoperations_correction	correction and supersession lineage
securityincidentoperations_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Security Incident Operations is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

AI Incident Operations

Metadata	Value
Volume	16
Chapter ID	V16-13
Subject	AIIncidentOperations
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for AI Incident Operations**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
AIIncidentOperations	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
AIIncidentOperationsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
AIIncidentOperationsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
AIIncidentOperationsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
AIIncidentOperationsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
AIIncidentOperations {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateAIIncidentOperations
- ValidateAIIncidentOperations
- ApproveAIIncidentOperations
- ActivateAIIncidentOperations
- SuspendAIIncidentOperations
- CorrectAIIncidentOperations
- RetireAIIncidentOperations

Reference Events:

- AIIncidentOperationsCreated
- AIIncidentOperationsValidated
- AIIncidentOperationsApproved
- AIIncidentOperationsActivated
- AIIncidentOperationsSuspended
- AIIncidentOperationsCorrected
- AIIncidentOperationsRetired

Reference queries:

- GetAIIncidentOperations
- ListAIIncidentOperationsRecords
- GetAIIncidentOperationsTimeline
- GetAIIncidentOperationsEvidence
- GetAIIncidentOperationsDecisionPackage
- GetAIIncidentOperationsExceptions
- GetAIIncidentOperationsAuditTrail

Reference API surface:

```

POST /api/v1/aiincidentoperations/commands
GET  /api/v1/aiincidentoperations/{id}
GET  /api/v1/aiincidentoperations/{id}/timeline
GET  /api/v1/aiincidentoperations/{id}/evidence
GET  /api/v1/aiincidentoperations/{id}/decisions
POST /api/v1/aiincidentoperations/{id}/exceptions
POST /api/v1/aiincidentoperations/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```



```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
aiincidentoperations_aggregate	authoritative subject
aiincidentoperations_version	immutable submitted, approved, issued, or signed versions
aiincidentoperations_relationship	governed relationships
aiincidentoperations_decision	binding Decisions and rationale
aiincidentoperations_evidence_link	provenance and evidence relationships
aiincidentoperations_event_outbox	transactional Event publication
aiincidentoperations_idempotency	duplicate-write protection
aiincidentoperations_exception	exception, claim, dispute, or hold
aiincidentoperations_correction	correction and supersession lineage
aiincidentoperations_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- AI Incident Operations is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Partner and Provider Outage Handling

Metadata	Value
Volume	16
Chapter ID	V16-14
Subject	PartnerandProviderOutageHandling
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Partner and Provider Outage Handling**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
PartnerandProviderOutageHandling	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PartnerandProviderOutageHandlingVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PartnerandProviderOutageHandlingDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PartnerandProviderOutageHandlingEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
PartnerandProviderOutageHandlingException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
PartnerandProviderOutageHandling {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions

- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

- A conformant design distinguishes:
- the natural person acting;
 - the service or AI identity invoking a Tool;
 - the organization or principal represented;
 - the role or relationship granting context;
 - the mandate or delegation granting action authority;
 - the Policy and jurisdiction limiting the action;
 - the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
  decisionId
  decisionType
  subjectRef
  sourceVersionRefs[]
  knowledgeCutoff
  evidenceSetRef
  policyVersionRefs[]
  recommendationRefs[]
  principalId
  representedOrganizationId
  mandateRef
  rationale
  outcome
  decidedAt
  effectiveAt
  correctionOf?
}
```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreatePartnerandProviderOutageHandling
- ValidatePartnerandProviderOutageHandling
- ApprovePartnerandProviderOutageHandling
- ActivatePartnerandProviderOutageHandling
- SuspendPartnerandProviderOutageHandling
- CorrectPartnerandProviderOutageHandling
- RetirePartnerandProviderOutageHandling

Reference Events:

- PartnerandProviderOutageHandlingCreated
- PartnerandProviderOutageHandlingValidated
- PartnerandProviderOutageHandlingApproved
- PartnerandProviderOutageHandlingActivated
- PartnerandProviderOutageHandlingSuspended
- PartnerandProviderOutageHandlingCorrected
- PartnerandProviderOutageHandlingRetired

Reference queries:

- GetPartnerandProviderOutageHandling
- ListPartnerandProviderOutageHandlingRecords
- GetPartnerandProviderOutageHandlingTimeline
- GetPartnerandProviderOutageHandlingEvidence
- GetPartnerandProviderOutageHandlingDecisionPackage
- GetPartnerandProviderOutageHandlingExceptions
- GetPartnerandProviderOutageHandlingAuditTrail

Reference API surface:

```
POST /api/v1/partnerandprovideroutagehandling/commands
GET  /api/v1/partnerandprovideroutagehandling/{id}
GET  /api/v1/partnerandprovideroutagehandling/{id}/timeline
GET  /api/v1/partnerandprovideroutagehandling/{id}/evidence
GET  /api/v1/partnerandprovideroutagehandling/{id}/decisions
POST /api/v1/partnerandprovideroutagehandling/{id}/exceptions
POST /api/v1/partnerandprovideroutagehandling/{id}/corrections
```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```
A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]
```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
partnerandprovideroutagehandling_aggregate	authoritative subject
partnerandprovideroutagehandling_version	immutable submitted, approved, issued, or signed versions
partnerandprovideroutagehandling_relationship	governed relationships
partnerandprovideroutagehandling_decision	binding Decisions and rationale
partnerandprovideroutagehandling_evidence_link	provenance and evidence relationships
partnerandprovideroutagehandling_event_outbox	transactional Event publication
partnerandprovideroutagehandling_idempotency	duplicate-write protection
partnerandprovideroutagehandling_exception	exception, claim, dispute, or hold
partnerandprovideroutagehandling_correction	correction and supersession lineage
partnerandprovideroutagehandling_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Partner and Provider Outage Handling is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected. Executable behavior exists with a material governance or completeness gap.
IMPLEMENTED_WITH_GAP	
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Data Incident Operations

Metadata	Value
Volume	16
Chapter ID	V16-15
Subject	DataIncidentOperations
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Data Incident Operations**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
DataIncidentOperations	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DataIncidentOperationsVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DataIncidentOperationsDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DataIncidentOperationsEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
DataIncidentOperationsException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
DataIncidentOperations {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateDataIncidentOperations
- ValidateDataIncidentOperations
- ApproveDataIncidentOperations
- ActivateDataIncidentOperations
- SuspendDataIncidentOperations
- CorrectDataIncidentOperations
- RetireDataIncidentOperations

Reference Events:

- DataIncidentOperationsCreated
- DataIncidentOperationsValidated
- DataIncidentOperationsApproved
- DataIncidentOperationsActivated
- DataIncidentOperationsSuspended
- DataIncidentOperationsCorrected
- DataIncidentOperationsRetired

Reference queries:

- GetDataIncidentOperations
- ListDataIncidentOperationsRecords
- GetDataIncidentOperationsTimeline
- GetDataIncidentOperationsEvidence
- GetDataIncidentOperationsDecisionPackage
- GetDataIncidentOperationsExceptions
- GetDataIncidentOperationsAuditTrail

Reference API surface:

```

POST /api/v1/dataincidentoperations/commands
GET  /api/v1/dataincidentoperations/{id}
GET  /api/v1/dataincidentoperations/{id}/timeline
GET  /api/v1/dataincidentoperations/{id}/evidence
GET  /api/v1/dataincidentoperations/{id}/decisions
POST /api/v1/dataincidentoperations/{id}/exceptions
POST /api/v1/dataincidentoperations/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
dataincidentoperations_aggregate	authoritative subject
dataincidentoperations_version	immutable submitted, approved, issued, or signed versions
dataincidentoperations_relationship	governed relationships
dataincidentoperations_decision	binding Decisions and rationale
dataincidentoperations_evidence_link	provenance and evidence relationships
dataincidentoperations_event_outbox	transactional Event publication
dataincidentoperations_idempotency	duplicate-write protection
dataincidentoperations_exception	exception, claim, dispute, or hold
dataincidentoperations_correction	correction and supersession lineage
dataincidentoperations_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Data Incident Operations is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Business Continuity

Metadata	Value
Volume	16
Chapter ID	V16-16
Subject	BusinessContinuity
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Business Continuity**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
BusinessContinuity	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BusinessContinuityVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BusinessContinuityDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BusinessContinuityEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
BusinessContinuityException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
BusinessContinuity {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateBusinessContinuity
- ValidateBusinessContinuity
- ApproveBusinessContinuity
- ActivateBusinessContinuity
- SuspendBusinessContinuity
- CorrectBusinessContinuity
- RetireBusinessContinuity

Reference Events:

- BusinessContinuityCreated
- BusinessContinuityValidated
- BusinessContinuityApproved
- BusinessContinuityActivated
- BusinessContinuitySuspended
- BusinessContinuityCorrected
- BusinessContinuityRetired

Reference queries:

- GetBusinessContinuity
- ListBusinessContinuityRecords
- GetBusinessContinuityTimeline
- GetBusinessContinuityEvidence
- GetBusinessContinuityDecisionPackage
- GetBusinessContinuityExceptions
- GetBusinessContinuityAuditTrail

Reference API surface:

```

POST /api/v1/businesscontinuity/commands
GET  /api/v1/businesscontinuity/{id}
GET  /api/v1/businesscontinuity/{id}/timeline
GET  /api/v1/businesscontinuity/{id}/evidence
GET  /api/v1/businesscontinuity/{id}/decisions
POST /api/v1/businesscontinuity/{id}/exceptions
POST /api/v1/businesscontinuity/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
businesscontinuity_aggregate	authoritative subject
businesscontinuity_version	immutable submitted, approved, issued, or signed versions
businesscontinuity_relationship	governed relationships
businesscontinuity_decision	binding Decisions and rationale
businesscontinuity_evidence_link	provenance and evidence relationships
businesscontinuity_event_outbox	transactional Event publication
businesscontinuity_idempotency	duplicate-write protection
businesscontinuity_exception	exception, claim, dispute, or hold
businesscontinuity_correction	correction and supersession lineage
businesscontinuity_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Business Continuity is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Post-Incident Learning

Metadata	Value
Volume	16
Chapter ID	V16-17
Subject	Post-IncidentLearning
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Post-Incident Learning**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
Post-IncidentLearning	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Post-IncidentLearningVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Post-IncidentLearningDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Post-IncidentLearningEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Post-IncidentLearningException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
Post-IncidentLearning {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreatePost-IncidentLearning
- ValidatePost-IncidentLearning
- ApprovePost-IncidentLearning
- ActivatePost-IncidentLearning
- SuspendPost-IncidentLearning
- CorrectPost-IncidentLearning
- RetirePost-IncidentLearning

Reference Events:

- Post-IncidentLearningCreated
- Post-IncidentLearningValidated
- Post-IncidentLearningApproved
- Post-IncidentLearningActivated
- Post-IncidentLearningSuspended
- Post-IncidentLearningCorrected
- Post-IncidentLearningRetired

Reference queries:

- GetPost-IncidentLearning
- ListPost-IncidentLearningRecords
- GetPost-IncidentLearningTimeline
- GetPost-IncidentLearningEvidence
- GetPost-IncidentLearningDecisionPackage
- GetPost-IncidentLearningExceptions
- GetPost-IncidentLearningAuditTrail

Reference API surface:

```

POST /api/v1/post_incidentlearning/commands
GET  /api/v1/post_incidentlearning/{id}
GET  /api/v1/post_incidentlearning/{id}/timeline
GET  /api/v1/post_incidentlearning/{id}/evidence
GET  /api/v1/post_incidentlearning/{id}/decisions
POST /api/v1/post_incidentlearning/{id}/exceptions
POST /api/v1/post_incidentlearning/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
post_incidentlearning_aggregate	authoritative subject
post_incidentlearning_version	immutable submitted, approved, issued, or signed versions
post_incidentlearning_relationship	governed relationships
post_incidentlearning_decision	binding Decisions and rationale
post_incidentlearning_evidence_link	provenance and evidence relationships
post_incidentlearning_event_outbox	transactional Event publication
post_incidentlearning_idempotency	duplicate-write protection
post_incidentlearning_exception	exception, claim, dispute, or hold
post_incidentlearning_correction	correction and supersession lineage
post_incidentlearning_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Post-Incident Learning is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Operational Readiness Review

Metadata	Value
Volume	16
Chapter ID	V16-18
Subject	OperationalReadinessReview
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Operational Readiness Review**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
OperationalReadinessReview	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperationalReadinessReviewVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperationalReadinessReviewDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperationalReadinessReviewEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
OperationalReadinessReviewException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
OperationalReadinessReview {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateOperationalReadinessReview
- ValidateOperationalReadinessReview
- ApproveOperationalReadinessReview
- ActivateOperationalReadinessReview
- SuspendOperationalReadinessReview
- CorrectOperationalReadinessReview
- RetireOperationalReadinessReview

Reference Events:

- OperationalReadinessReviewCreated
- OperationalReadinessReviewValidated
- OperationalReadinessReviewApproved
- OperationalReadinessReviewActivated
- OperationalReadinessReviewSuspended
- OperationalReadinessReviewCorrected
- OperationalReadinessReviewRetired

Reference queries:

- GetOperationalReadinessReview
- ListOperationalReadinessReviewRecords
- GetOperationalReadinessReviewTimeline
- GetOperationalReadinessReviewEvidence
- GetOperationalReadinessReviewDecisionPackage
- GetOperationalReadinessReviewExceptions
- GetOperationalReadinessReviewAuditTrail

Reference API surface:

```

POST /api/v1/operationalreadinessreview/commands
GET  /api/v1/operationalreadinessreview/{id}
GET  /api/v1/operationalreadinessreview/{id}/timeline
GET  /api/v1/operationalreadinessreview/{id}/evidence
GET  /api/v1/operationalreadinessreview/{id}/decisions
POST /api/v1/operationalreadinessreview/{id}/exceptions
POST /api/v1/operationalreadinessreview/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
operationalreadinessreview_aggregate	authoritative subject
operationalreadinessreview_version	immutable submitted, approved, issued, or signed versions
operationalreadinessreview_relationship	governed relationships
operationalreadinessreview_decision	binding Decisions and rationale
operationalreadinessreview_evidence_link	provenance and evidence relationships
operationalreadinessreview_event_outbox	transactional Event publication
operationalreadinessreview_idempotency	duplicate-write protection
operationalreadinessreview_exception	exception, claim, dispute, or hold
operationalreadinessreview_correction	correction and supersession lineage
operationalreadinessreview_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Operational Readiness Review is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Executive Operational Reporting

Metadata	Value
Volume	16
Chapter ID	V16-19
Subject	ExecutiveOperationalReporting
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **define the target architecture, implementation standard, evidence, security, reliability, operations, tests, migration and conformance requirements for Executive Operational Reporting**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome

- ≠ Observation
- ≠ Claim
- ≠ derived Perspective
- ≠ Prediction
- ≠ Recommendation
- ≠ authorized Decision
- ≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;
- direct cross-Domain database writes;

- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
ExecutiveOperationalReporting	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ExecutiveOperationalReportingVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ExecutiveOperationalReportingDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ExecutiveOperationalReportingEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
ExecutiveOperationalReportingException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
ExecutiveOperationalReporting {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage
- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
 - require exact expected version where concurrent change matters;
 - record actor, represented principal, mandate, Policy, reason, and Evidence;
 - use an idempotency key for retried writes;
 - publish a completed-fact Event after durable state change;
 - expose Outcome Unknown for unresolved external completion;
 - preserve original and corrected states in historical reconstruction.
-

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
    decisionType
    subjectRef
}
```

```

sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateExecutiveOperationalReporting
- ValidateExecutiveOperationalReporting
- ApproveExecutiveOperationalReporting
- ActivateExecutiveOperationalReporting
- SuspendExecutiveOperationalReporting
- CorrectExecutiveOperationalReporting
- RetireExecutiveOperationalReporting

Reference Events:

- ExecutiveOperationalReportingCreated
- ExecutiveOperationalReportingValidated
- ExecutiveOperationalReportingApproved
- ExecutiveOperationalReportingActivated
- ExecutiveOperationalReportingSuspended
- ExecutiveOperationalReportingCorrected
- ExecutiveOperationalReportingRetired

Reference queries:

- GetExecutiveOperationalReporting
- ListExecutiveOperationalReportingRecords
- GetExecutiveOperationalReportingTimeline
- GetExecutiveOperationalReportingEvidence
- GetExecutiveOperationalReportingDecisionPackage
- GetExecutiveOperationalReportingExceptions
- GetExecutiveOperationalReportingAuditTrail

Reference API surface:

```

POST /api/v1/executiveoperationalreporting/commands
GET  /api/v1/executiveoperationalreporting/{id}
GET  /api/v1/executiveoperationalreporting/{id}/timeline
GET  /api/v1/executiveoperationalreporting/{id}/evidence
GET  /api/v1/executiveoperationalreporting/{id}/decisions
POST /api/v1/executiveoperationalreporting/{id}/exceptions
POST /api/v1/executiveoperationalreporting/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C{Policy and evidence gates pass?}
C -- No --> D[Open exception or request correction]
D --> B
C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]

```

```

F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
executiveoperationalreporting_aggregate	authoritative subject
executiveoperationalreporting_version	immutable submitted, approved, issued, or signed versions
executiveoperationalreporting_relationship	governed relationships
executiveoperationalreporting_decision	binding Decisions and rationale
executiveoperationalreporting_evidence_link	provenance and evidence relationships
executiveoperationalreporting_event_outbox	transactional Event publication
executiveoperationalreporting_idempotency	duplicate-write protection
executiveoperationalreporting_exception	exception, claim, dispute, or hold
executiveoperationalreporting_correction	correction and supersession lineage
executiveoperationalreporting_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions
- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- Executive Operational Reporting is part of the target GTOS handbook scope.
- Exact implementation, configuration, deployment, tests and runtime evidence require repository and environment inspection.
- Plans and infrastructure manifests are classified separately from observed runtime behavior.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.

Volume 16 Conformance and Evidence Matrix

Metadata	Value
Volume	16
Chapter ID	V16-SYNTH
Subject	Volumel6ConformanceMatrix
Status	Generated First-Draft Architecture Skeleton - Domain-Specific Expansion Required
Content maturity	TEMPLATE_DERIVED_REFERENCE_SKELETON unless repository citations prove otherwise
Default implementation classification	REFERENCE_ARCHITECTURE / REQUIRES_REPOSITORY_REVIEW
Accountable owner	SRE Council
Evidence rule	No implementation claim without inspected executable evidence
Repository	chinair88-prog/allinb2c

1. Executive Orientation

This chapter defines how GTOS shall **trace every requirement in Volume 16 to owner, repository source, configuration, deployment, runtime evidence, tests, runbooks, exceptions and review status**.

The specification separates reality, observations, knowledge, Decisions, Intent, execution, and outcomes. A component name, database row, UI label, AI answer, or workflow state does not acquire authority merely because it is visible or technically convenient.

Reality or external outcome
≠ Observation
≠ Claim
≠ derived Perspective
≠ Prediction
≠ Recommendation
≠ authorized Decision
≠ execution Intent

1.1 Accountable ownership

The accountable owner is **SRE Council**. Supporting applications, shared infrastructure, integration adapters, analytics, and AI coordinate or present the capability but shall not silently own its authoritative propositions.

1.2 Scope

- create and identify the subject
- validate evidence and policy
- make authorized Decisions
- execute typed Commands
- publish completed-fact Events
- query current and historical perspectives
- correct and reconcile outcomes

1.3 Non-goals

- treating a registered Gradle module, catalog record, README, frontend route, migration plan, or generated report as proof of end-to-end implementation;

- direct cross-Domain database writes;
- generic status values that combine lifecycle, approval, provider, document, payment, dispute, and correction state;
- silent replacement of history;
- AI-created authority or fabricated external outcomes.

2. Ubiquitous Language and Subject Model

Subject	Required interpretation
Volume16ConformanceMatrix	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume16ConformanceMatrixVersion	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume16ConformanceMatrixDecision	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume16ConformanceMatrixEvidenceSet	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit
Volume16ConformanceMatrixException	Independent identified subject, governed subordinate entity, or qualified perspective; ownership must be explicit

Reference aggregate:

```
Volume16ConformanceMatrix {
  subjectId
  tenantId
  organizationContext
  sourceIdentityRefs[]
  sourceVersionRefs[]
  lifecycleState
  relationshipRefs[]
  decisionRefs[]
  intentRefs[]
  evidenceSetRef
  knowledgeCutoff
  policyRefs[]
  authorityRef
  jurisdictionRefs[]
  createdAt
  effectiveAt
  updatedAt
  version
  correctionOf?
  correlationId
}
```

2.1 Core invariants

- Stable identity precedes relationship, state, and cross-system correlation.
- Effective time and recorded time remain distinct where business truth changes over time.
- Recommendation, Decision, Intent, execution, and outcome are separate concepts.
- No Portal, report, search index, cache, workflow, or AI Agent becomes a shadow owner of Domain truth.
- Binding submitted, approved, issued, accepted, or signed versions are immutable.
- Corrections append governed facts and preserve the original record.
- External authority and provider outcomes retain their source and qualification.
- Tenant and represented-principal context come from trusted authentication and mandate evaluation.
- Retried writes are idempotent and concurrency guarded.
- Outcome Unknown is explicit and reconciled before risky duplicate execution.

2.2 Required standards

- stable identifiers
- typed contracts
- immutable binding versions
- transactional outbox
- idempotent Commands
- explicit Outcome Unknown
- correction lineage

- machine-verifiable conformance

3. Actors, Roles, and Authority

A conformant design distinguishes:

- the natural person acting;
- the service or AI identity invoking a Tool;
- the organization or principal represented;
- the role or relationship granting context;
- the mandate or delegation granting action authority;
- the Policy and jurisdiction limiting the action;
- the reviewer or approver responsible for a binding Decision.

Authority is evaluated at action time. Authentication alone does not grant business authority. Cached permissions and browser-supplied tenant headers are insufficient for high-impact actions.

4. Lifecycle and State Model

State	Semantics
PROPOSED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
VALIDATION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
APPROVAL_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
ACTIVE	Distinct governed condition with entry, exit, timeout, correction and authority semantics
SUSPENDED	Distinct governed condition with entry, exit, timeout, correction and authority semantics
CORRECTION_PENDING	Distinct governed condition with entry, exit, timeout, correction and authority semantics
RETIRED	Distinct governed condition with entry, exit, timeout, correction and authority semantics

```
stateDiagram-v2
    [*] --> PROPOSED
    PROPOSED --> VALIDATION_PENDING
    VALIDATION_PENDING --> APPROVAL_PENDING
    APPROVAL_PENDING --> ACTIVE
    ACTIVE --> SUSPENDED
    SUSPENDED --> CORRECTION_PENDING
    CORRECTION_PENDING --> RETIRED
```

The diagram is a primary reading path. Real implementations may add parallel review, amendment, appeal, timeout, suspension, partial completion, reconciliation, correction, and terminal failure without collapsing their meaning.

4.1 Transition rules

- transition through a typed, authorized Command;
- require exact expected version where concurrent change matters;
- record actor, represented principal, mandate, Policy, reason, and Evidence;
- use an idempotency key for retried writes;
- publish a completed-fact Event after durable state change;
- expose Outcome Unknown for unresolved external completion;
- preserve original and corrected states in historical reconstruction.

5. Decision, Evidence, and Knowledge Cutoff

Reference Decision:

```
Decision {
    decisionId
```



```

decisionType
subjectRef
sourceVersionRefs[]
knowledgeCutoff
evidenceSetRef
policyVersionRefs[]
recommendationRefs[]
principalId
representedOrganizationId
mandateRef
rationale
outcome
decidedAt
effectiveAt
correctionOf?
}

```

Evidence records identify issuer or observer, subject, version, observed time, received time, effective interval, integrity, confidence, qualification, contradiction, correction, retention, residency, and access class. A recommendation may assist the Decision but cannot promote itself to the Decision.

6. Commands, Events, Queries, and Contracts

Reference Commands:

- CreateVolume16ConformanceMatrix
- ValidateVolume16ConformanceMatrix
- ApproveVolume16ConformanceMatrix
- ActivateVolume16ConformanceMatrix
- SuspendVolume16ConformanceMatrix
- CorrectVolume16ConformanceMatrix
- RetireVolume16ConformanceMatrix

Reference Events:

- Volume16ConformanceMatrixCreated
- Volume16ConformanceMatrixValidated
- Volume16ConformanceMatrixApproved
- Volume16ConformanceMatrixActivated
- Volume16ConformanceMatrixSuspended
- Volume16ConformanceMatrixCorrected
- Volume16ConformanceMatrixRetired

Reference queries:

- GetVolume16ConformanceMatrix
- ListVolume16ConformanceMatrixRecords
- GetVolume16ConformanceMatrixTimeline
- GetVolume16ConformanceMatrixEvidence
- GetVolume16ConformanceMatrixDecisionPackage
- GetVolume16ConformanceMatrixExceptions
- GetVolume16ConformanceMatrixAuditTrail

Reference API surface:

```

POST /api/v1/volumel6conformancematrix/commands
GET  /api/v1/volumel6conformancematrix/{id}
GET  /api/v1/volumel6conformancematrix/{id}/timeline
GET  /api/v1/volumel6conformancematrix/{id}/evidence
GET  /api/v1/volumel6conformancematrix/{id}/decisions
POST /api/v1/volumel6conformancematrix/{id}/exceptions
POST /api/v1/volumel6conformancematrix/{id}/corrections

```

These endpoints are reference contracts, not claims that exact routes exist.

7. Workflow, Failure, and Compensation

flowchart TD

```

A[Validate identity version and authority] --> B[Collect required evidence]
B --> C[Policy and evidence gates pass?]
C -- No --> D[Open exception or request correction]
D --> B

```

```

C -- Yes --> E[Record Decision or execution Intent]
E --> F[Execute Domain command or external request]
F --> G{Outcome known?}
G -- Success --> H[Record fact and publish Event]
G -- Failure --> I[Record failure and compensation options]
G -- Unknown --> J[Enter Outcome Unknown]
J --> K[Query source or wait for verified callback]
K --> G
H --> L[Update projections and downstream workflow]

```

Representative failure modes:

- stale or wrong source version
- duplicate submission or replay
- external timeout after possible success
- contradictory source observations
- lost Event after committed state
- approval or mandate revoked during execution
- downstream action before a mandatory gate
- partial completion across multiple subjects
- evidence later retracted or corrected
- tenant, facility, channel or jurisdiction mismatch

Recovery shall query the authoritative source before duplicate execution, preserve partial success, use compensating Intent rather than destructive rewrite, publish corrections, quarantine high-impact ambiguity, and record affected downstream subjects.

8. Data and Persistence Architecture

Reference table families:

Table family	Purpose
volumel6conformancematrix_aggregate	authoritative subject
volumel6conformancematrix_version	immutable submitted, approved, issued, or signed versions
volumel6conformancematrix_relationship	governed relationships
volumel6conformancematrix_decision	binding Decisions and rationale
volumel6conformancematrix_evidence_link	provenance and evidence relationships
volumel6conformancematrix_event_outbox	transactional Event publication
volumel6conformancematrix_idempotency	duplicate-write protection
volumel6conformancematrix_exception	exception, claim, dispute, or hold
volumel6conformancematrix_correction	correction and supersession lineage
volumel6conformancematrix_audit	privileged action evidence

The owning service controls schema and migration. Cross-Domain references use stable identifiers or contracts. Analytics, reports, caches, search, and vector indexes remain projections. Backup, restore, retention, legal hold, privacy, residency, and decommissioning requirements are explicit.

9. Portal and Experience Requirements

- Primary participant Portal: initiate, review exact versions, supply evidence, and respond to required actions.
- Operator Portal: inspect exceptions, correlation, source responses, retries, compensation, and downstream impact.
- Executive or oversight view: consume governed metrics without becoming a source of Domain truth.

Every Portal displays exact version, owner, state, freshness, required action, and uncertainty. It supports loading, empty, partial, stale, denied, error, timeout, and Outcome Unknown states; accessibility; locale, currency, unit, date, and RTL/LTR correctness; evidence audit; safe retry; and correction history.

10. AI Participation and Tool Governance

Permitted AI tasks:

- extract and classify evidence
- detect anomalies and missing fields
- summarize timelines and contradictions

- recommend next actions with sources and uncertainty

AI shall not own Domain records, grant itself authority, suppress contradictions, silently edit approved versions, fabricate external outcomes, or execute high-impact actions outside typed Tools, policy, approval, idempotency, sandbox, and outcome observation.

Every Agent Run records source context, prompt/model/tool versions, structured output, confidence and limitations, Policy result, approval, Tool calls, provider responses, final outcome, and recovery actions.

11. Security, Privacy, and Trust Boundaries

- least privilege and separation of duties
- tenant, organization, facility, channel and jurisdiction isolation
- integrity protection for binding evidence
- verified external callbacks and anti-replay controls

Additional controls include secret isolation, callback signature verification, audit of privileged action, emergency-access review, sensitive-data minimization, purpose limitation, and threat models for impersonation, tampering, replay, confused deputy, fraud, prompt injection, and exfiltration.

12. Reliability, SLOs, and Operations

SLI	Reference objective
authoritative read availability	99.9% monthly unless a stricter tier applies
acknowledged Command durability	no acknowledged write may be silently lost
Event publication	99.9% within five minutes after committed fact
duplicate prevention	100% for same tenant, Command class, and idempotency key
binding Decision audit completeness	100%
state-state detection	bounded by business deadline

Dashboards and runbooks cover backlog, error budget, dependency failure, retry budget, DLQ, workflow stall, provider outage, reconciliation, capacity, backup/restore, release/rollback, incident command, and post-incident correction.

13. Testing and Continuous Conformance

- aggregate invariant and transition tests
- authorization, delegation, separation-of-duties and tenant-isolation tests
- idempotency and optimistic-concurrency tests
- database migration, key, constraint and rollback tests
- contract, outbox/inbox, duplicate, replay and DLQ tests
- workflow restart, timeout and compensation tests
- Portal E2E tests for success, partial, stale, denied, error and Outcome Unknown states
- accessibility, locale, currency, unit and RTL/LTR tests
- security adversarial, fraud and data-exfiltration tests
- AI evaluation, prompt-injection, policy-bypass and unauthorized-tool tests
- historical reconstruction, correction and audit-completeness tests
- performance, capacity, recovery and operational exercise tests

Release evidence links each invariant and control to the test, environment, input data, result, owner, and artifact proving it. Generated test counts never replace semantic coverage.

14. Repository Review Boundary

- This chapter is a repository-review specification. Exact executable implementation has not been inspected for every target behavior.
- Registered modules, catalog entries, README claims, frontend contracts, or plans are not proof of complete implementation.

Area	Classification
target aggregate, API, tables, state and workflow in this chapter	REFERENCE_ARCHITECTURE
registered module or catalog claim	DOCUMENTATION_ONLY_CLAIM until source inspection
uninspected integration	REQUIRES_REPOSITORY_REVIEW
behavior proven in another repository-grounded chapter	retain that chapter's evidence and classification
contradictory ownership or path claims	CONFLICT_REQUIRES_CANONICALIZATION

No statement upgrades implementation status merely because a file, directory, module name, frontend contract, database entry, plan, or report exists.

15. Worked Conformance Scenario

An authorized principal initiates a Command against an exact subject version. The service validates identity, tenant, mandate, Policy, Evidence, and idempotency. It records the state transition and outbox entry atomically. If an external dependency participates, timeout produces Outcome Unknown; reconciliation queries the source or waits for a verified callback instead of repeating the action blindly.

Portals show source, freshness, version, required action, and uncertainty. AI may extract, compare, summarize, detect anomalies, and recommend through typed Tools, but cannot own the subject or fabricate success. Later correction appends new facts, identifies affected projections and workflows, and preserves the historical Decision context.

16. Conformance Checklist

- ☐ stable identity and proposition ownership are explicit;
- ☐ authority and mandate are evaluated at action time;
- ☐ state, Recommendation, Decision, Intent, execution, and outcome remain distinct;
- ☐ Commands are typed, authorized, idempotent, and version guarded;
- ☐ Events describe completed facts;
- ☐ Evidence includes provenance, time, integrity, qualification, and correction;
- ☐ external outcomes retain their authority source;
- ☐ Portals show freshness and uncertainty;
- ☐ AI is bounded by typed Tools, Policy, approval, and outcome observation;
- ☐ security, tenant, facility, channel, and jurisdiction boundaries are enforced;
- ☐ Outcome Unknown and reconciliation exist where needed;
- ☐ corrections preserve history;
- ☐ tests prove invariants and recovery;
- ☐ implementation status is not upgraded without executable evidence.

17. Status Vocabulary

Status	Meaning
VERIFIED_IMPLEMENTED	Executable source and relevant behavior were inspected.
IMPLEMENTED_WITH_GAP	Executable behavior exists with a material governance or completeness gap.
PARTIAL_IMPLEMENTATION	Only part of the target capability is evidenced.
REFERENCE_ARCHITECTURE	Normative target behavior; no claim that it exists today.
PLANNED_NOT_IMPLEMENTED	Explicitly planned but not evidenced as executable.
DOCUMENTATION_ONLY_CLAIM	Documentation or client contract claims behavior without verified backend evidence.
CONFLICT_REQUIRES_CANONICALIZATION	Sources disagree and no final owner has been established.
REQUIRES_REPOSITORY_REVIEW	Necessary executable evidence has not yet been inspected.