# TEST REPORT



**Applicant :** Yongkang Stwadd Houseware Co., Ltd

**Address:** Qianjin Industry #8, Gushan Town, Yongkang City, Jinhua City, Zhejiang Province

The following sample(s) and sample information was/were submitted and identified by client as:

**Sample Name:** Electric water boiler

**Model :** DS344，DS345，DS341，DS342，DS343

**Receiving Date:** Sep 8,2025;Sep 17,2025

**Test Period:** From Sep 8,2025 to Sep 18,2025

**Add Information:** -

## Test Summary：

| # | Test Item(s) | Conclusion |
|---|---|---|
| 1 | Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP and DIBP<br>EU RoHS Directive 2011/65/EU and its amendment directives (EU)2015/863,(EU)2017/2102,(EU)2022/1632 (RoHS 2.0) | **PASS** |

**********Please refer to the following page for detailed results**********

Authorized Signatory

Mark Mai
(Technical Director)

广州市德普华检测技术有限公司 GUANGZHOU DEPUHUA TEST SERVICES CO.,LTD. 检验检测专用章 Inspection & Testing Services

## Result:

### 1.1 EU RoHS Directive 2011/65/EU and its amendment directives(EU)2015/863,(EU)2017/2102,(EU)2022/1632 (RoHS 2.0) on XRF

**IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)**

| Seq. No. | Tested Part(s) | Results | | | | |
|---|---|---|---|---|---|---|
| | | Pb | Cd | Hg | Cr | Br |
| 1 | Black plastic,handle | BL | BL | BL | BL | BL |
| 2 | White plastic,button | BL | BL | BL | BL | BL |
| 3 | Black coating,cover | BL | BL | BL | BL | BL |
| 4 | Bright black plastic,shell | BL | BL | BL | BL | BL |
| 5 | Multicolor printed transparent plastic,sticker | BL | BL | BL | BL | BL |
| 6 | White coating,cover | BL | BL | BL | BL | BL |
| 7 | Translucent dark red plastic,cover | BL | BL | BL | BL | BL |
| 8 | Translucent green plastic,cover | BL | BL | BL | BL | BL |
| 9 | Translucent red plastic,button | BL | BL | BL | BL | BL |
| 10 | Laminate multicolor printed white paper,sticker | BL | BL | BL | BL | BL |
| 11 | Black printed silvery plastic,sticker | BL | BL | BL | BL | BL |
| 12 | Black printed white paper,sticker | BL | BL | BL | BL | BL |
| 13 | Silvery metal,screw | BL | BL | BL | X | NA |
| 14 | Silvery metal,long screw | BL | BL | BL | X | NA |
| 15 | Silvery metal,big screw | BL | BL | BL | X | NA |
| 16 | Silvery metal,cover | BL | BL | BL | BL | NA |
| 17 | Silvery metal,pot inwall | BL | BL | BL | BL | NA |
| 18 | Silvery metal,screw | BL | BL | BL | X | NA |
| 19 | Silvery metal,ring | BL | BL | BL | BL | NA |
| 20 | Silvery metal,plate | BL | BL | BL | BL | NA |
| 21 | Silvery metal,nut | BL | BL | BL | BL | NA |
| 22 | Black soft plastic,ring | BL | BL | BL | BL | BL |
| 23 | White textile with glue | BL | BL | BL | BL | BL |
| 24 | Translucent white plastic,shell | BL | BL | BL | BL | BL |

| | | | | | | |
|---|---|---|---|---|---|---|
| 25 | Silvery metal,holder plate | BL | X | BL | BL | NA |
| 26 | White printed black soft plastic,cover | BL | BL | BL | BL | BL |
| 27 | Silvery metal,contact plate | BL | BL | BL | BL | NA |
| 28 | Silvery metal,contact ring | BL | BL | BL | BL | NA |
| 29 | Blue soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 30 | Brown soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 31 | Yellow/green soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 32 | Coppery metal,wire | BL | BL | BL | BL | NA |
| 33 | Black soft plastic,cover | BL | BL | BL | BL | BL |
| 34 | Silvery metal,contact plate | BL | BL | BL | BL | NA |
| 35 | Black soft plastic,holder | BL | BL | BL | BL | BL |
| 36 | Black plastic,holder | BL | BL | BL | BL | BL |
| 37 | Silvery metal,contact pin | X | BL | BL | BL | NA |
| 38 | Black plastic,shell | BL | BL | BL | BL | BL |
| 39 | Golden metal,contact plate | BL | BL | BL | BL | NA |
| 40 | Silvery metal,contact plate | BL | BL | BL | BL | NA |
| 41 | Coppery plated silvery metal,contactor | BL | BL | BL | BL | NA |
| 42 | Transparent glass,LED | BL | BL | BL | BL | BL |
| 43 | Translucent white soft plastic,tube | BL | BL | BL | BL | BL |
| 44 | Translucent white soft plastic,thick ring | BL | BL | BL | BL | BL |
| 45 | Translucent white soft plastic,ring | BL | BL | BL | BL | BL |
| 46 | Coppery plated silvery metal,ball contactor | BL | BL | BL | BL | NA |
| 47 | Coppery plated silvery metal,contactor | BL | BL | BL | BL | NA |
| 48 | White printed black soft plastic,cover | BL | BL | BL | BL | BL |
| 49 | Translucent white soft plastic,cover | BL | BL | BL | BL | BL |
| 50 | Red plastic,LED | BL | BL | BL | BL | X |
| 51 | Transparent plastic,LED | BL | BL | BL | BL | X |
| 52 | Coppery metal,contact plate | BL | BL | BL | BL | NA |
| 53 | Golden metal,holder plate | BL | BL | BL | BL | NA |
| 54 | Red soft plastic,wire jacket | BL | X | BL | BL | BL |

| | | | | | | |
|---|---|---|---|---|---|---|
| 55 | Green soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 56 | Black soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 57 | Coppery plated silvery metal,plate | BL | BL | BL | X | NA |
| 58 | White ceramic,stick | BL | BL | BL | BL | NA |
| 59 | White ceramic,cover | BL | BL | BL | BL | NA |
| 60 | Coppery metal,contact plate | BL | BL | BL | BL | NA |
| 61 | Coppery plated silvery metal,contactor | BL | BL | BL | BL | NA |
| 62 | Black printed white soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 63 | White soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 64 | Black printed white soft plastic,thin wire jacket | BL | BL | BL | BL | BL |
| 65 | Light brown ceramic | BL | BL | BL | BL | NA |
| 66 | Silvery metal,contact plate | BL | X | BL | BL | NA |
| 67 | White ceramic,shell | BL | BL | BL | BL | NA |
| 68 | White ceramic | BL | BL | BL | BL | NA |
| 69 | Silvery metal,contact plate | BL | BL | BL | X | NA |
| 70 | Silvery metal,contact pin | BL | X | BL | X | NA |
| 71 | Black soft plastic,wire jacket | BL | BL | BL | BL | BL |
| 72 | Translucent white soft plastic,small tube | BL | BL | BL | BL | BL |
| 73 | Silvery metal,contactor | BL | BL | BL | X | NA |
| 74 | Golden metal,contact plate | BL | BL | BL | BL | NA |
| 75 | White ceramic | BL | BL | BL | BL | NA |
| 76 | Golden metal,big holder plate | BL | BL | BL | BL | NA |
| 77 | White soft plastic,tube | BL | BL | BL | BL | BL |
| 78 | Silvery metal,contact plate | BL | BL | BL | BL | NA |
| 79 | Silvery metal,cover | BL | BL | BL | BL | NA |
| 80 | Silvery metal,shell | BL | BL | BL | BL | NA |

Remark:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

| Element | Unit | Polymers | Metal | Composite material |
|---|---|---|---|---|
| Cd | mg/kg | BL≤70-3σ< X <130+3σ≤OL | BL≤70-3σ< X <130+3σ≤OL | BL≤50-3σ< X <150+3σ≤OL |
| Pb | mg/kg | BL≤700-3σ< X <1300+3σ≤OL | BL≤700-3σ< X <1300+3σ≤ OL | BL≤500-3σ< X <1500+3σ≤OL |
| Hg | mg/kg | BL≤700-3σ< X <1300+3σ≤OL | BL≤700-3σ< X <1300+3σ≤OL | BL≤500-3σ< X <1500+3σ≤OL |
| Cr | mg/kg | BL≤700-3σ< X | BL≤700-3σ< X | BL≤500-3σ< X |
| Br | mg/kg | BL≤300-3σ< X | -- | BL≤250-3σ< X |

Note:

BL = Below Limit

OL = Over Limit

X = Inconclusive

NA = Not Applicable

(2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment directives(EU)2015/863,(EU)2017/2102,(EU)2022/1632 (RoHS 2.0):

| RoHS Restricted Substances | Maximum Concentration Value (mg/kg) (by weight in homogenous Results) |
|---|---|
| Cadmium (Cd) | 100 |
| Lead (Pb) | 1000 |
| Mercury (Hg) | 1000 |
| Hexavalent Chromium (Cr(VI)) | 1000 |
| Polybrominated biphenyls (PBBs) | 1000 |
| Polybrominated diphenyl ethers (PBDEs) | 1000 |

(4) Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect(e.g. plastic, rubber, metal, glass,

ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

(5) The selection of test portions was recommended by the client and the conclusion of chemical test is only for the selected portions.

(6) Materials #22，#26,#33,#35,#48 and #49 are the test results of the resubmitted sample

## 1.2 Lead Content (Pb)

**IEC62321-5:2013, acid digested and determined by AAS**

| Test Item(s) | | Result | Limit (mg/kg) | MDL (mg/kg) |
|---|---|---|---|---|
| | | 37 | | |
| 1 | Lead (Pb) | 26574 | 1000 | 10 |
| - | **Conclusion** | **PASS*** | - | - |

Remark(s): (a) mg/kg: milligrams per kilogram
(b) MDL: Method detected limit
(c) N.D.: Not detected (result is less than MDL)
(d) *: Copper alloy containing up to 4% lead by weight

## 1.3 Cadmium Content (Cd)

**IEC62321-5:2013, acid digested and determined by AAS**

| Test Item(s) | | Result | | | | Limit (mg/kg) | MDL (mg/kg) |
|---|---|---|---|---|---|---|---|
| | | 25 | 54 | 66 | 70 | | |
| 1 | Cadmium (Cd) | N.D. | N.D. | N.D. | N.D. | 100 | 10 |
| - | **Conclusion** | **PASS** | **PASS** | **PASS** | **PASS** | - | - |

Remark(s): (a)mg/kg: milligrams per kilogram
(b)MDL: Method detected limit
(c)N.D.: Not detected (result is less than MDL)

## 1.4 Hexavalent Chromium (Cr(VI))

**Metal: IEC 62321-7-1:2015, extracted by boiling water and analyzed by UV-Vis**
**Non-metal: IEC 62321-7-2:2017, alkaline digested and analyzed by UV-Vis**

| Test Item(s) | | Result | | | | Limit | MDL |
|---|---|---|---|---|---|---|---|
| | | 13 | 14 | 15 | 18 | | |
| 1 | Hexavalent Chromium (Cr(VI)) | Negative | Negative | Negative | Negative | # | - |
| - | **Conclusion** | **PASS** | **PASS** | **PASS** | **PASS** | - | - |

| Test Item(s) | | Result | | | | Limit | MDL |
|---|---|---|---|---|---|---|---|
| | | 57 | 69 | 70 | 73 | | |
| 1 | Hexavalent Chromium (Cr(VI)) | Negative | Negative | Negative | Negative | # | - |
| - | **Conclusion** | **PASS** | **PASS** | **PASS** | **PASS** | - | - |

Remark(s) (a) ug/cm$^2$: microgram per square centimeter
(b) MDL: Method detected limit
(c) Negative = Sample Cr(VI) concentration is less than 0.10 ug/cm$^2$
Positive = Sample Cr(VI) concentration is greater than 0.13 ug/cm$^2$
(d) # = Positive indicates the presence of Cr(VI) on the tested areas and result be regarded as conflict with RoHS requirement.
Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as no conflict with RoHS requirement.

## 1.5 Polybrominated Biphenyls and Polybrominated Diphenyl Ethers (PBBs and PBDEs)

**IEC 62321-6:2015, solvent extract and determined by GC-MS**

| Test Item(s) | | Result | | Limit (mg/kg) | MDL (mg/kg) |
|---|---|---|---|---|---|
| | | 50 | 51 | | |
| 1 | Monobromo biphenyl | N.D. | N.D. | - | 50 |
| 2 | Dibromo biphenyl | N.D. | N.D. | - | 50 |
| 3 | Tribromo biphenyl | N.D. | N.D. | - | 50 |
| 4 | Tetrabromo biphenyl | N.D. | N.D. | - | 50 |
| 5 | Pentabromo biphenyl | N.D. | N.D. | - | 50 |
| 6 | Hexabromo biphenyl | N.D. | N.D. | - | 50 |
| 7 | Heptabromo biphenyl | N.D. | N.D. | - | 50 |
| 8 | Octabromo biphenyl | N.D. | N.D. | - | 50 |

| | | | | | |
|---|---|---|---|---|---|
| 9 | Nonabromo biphenyl | N.D. | N.D. | - | 50 |
| 10 | Decabromo biphenyl | N.D. | N.D. | - | 50 |
| 11 | Monobromo diphenyl ether | N.D. | N.D. | - | 50 |
| 12 | Dibromo diphenyl ether | N.D. | N.D. | - | 50 |
| 13 | Tribromo diphenyl ether | N.D. | N.D. | - | 50 |
| 14 | Tetrabromo diphenyl ether | N.D. | N.D. | - | 50 |
| 15 | Pentabromo diphenyl ether | N.D. | N.D. | - | 50 |
| 16 | Hexabromo diphenyl ether | N.D. | N.D. | - | 50 |
| 17 | Heptabromo diphenyl ether | N.D. | N.D. | - | 50 |
| 18 | Octabromo diphenyl ether | N.D. | N.D. | - | 50 |
| 19 | Nonabromo diphenyl ether | N.D. | N.D. | - | 50 |
| 20 | Decabromo diphenyl ether | N.D. | N.D. | - | 50 |
| - | Sum of PBBs | N.D. | N.D. | 1000 | - |
| - | Sum of PBDEs | N.D. | N.D. | 1000 | - |
| - | **Conclusion** | **PASS** | **PASS** | - | - |

Remark(s): (a) mg/kg: milligram per kilogram
(b) MDL: Method detected limit
(c) N.D.: Not detected (result is less than MDL)

## 1.6 Phthalates – (DBP, BBP, DEHP, DIBP)

**IEC 62321-8:2017, Solvent extract and determined by GC-MS**

| Test Item(s) | | | Result | | | | Limit (%) | MDL(%) |
|---|---|---|---|---|---|---|---|---|
| | | | 22+26+33 | 29+30+31 | 35+48+49 | 50 | | |
| 1 | DBP | Dibutylphthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 2 | BBP | Benzylbutylphthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 3 | DEHP | Diethylhexylphthalate CAS# 117-81-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 4 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |

| - | Conclusion | PASS | PASS | PASS | PASS | - | - |
|---|---|---|---|---|---|---|---|

| Test Item(s) | | | Result | | | | Limit (%) | MDL(%) |
|---|---|---|---|---|---|---|---|---|
| | | | 51 | 54+55+56 | 62+63+64 | 71 | | |
| 1 | DBP | Dibutylphthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | 0.011 | 0.1 | 0.005 |
| 2 | BBP | Benzylbutylphthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 3 | DEHP | Diethylhexylphthalate CAS# 117-81-7 | N.D. | N.D. | 0.015 | N.D. | 0.1 | 0.005 |
| 4 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| - | Conclusion | | PASS | PASS | PASS | PASS | - | - |

| Test Item(s) | | | Result | | | | Limit (%) | MDL(%) |
|---|---|---|---|---|---|---|---|---|
| | | | 43+44+45 | 72+77 | 1+2+4 | 3+6 | | |
| 1 | DBP | Dibutylphthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 2 | BBP | Benzylbutylphthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 3 | DEHP | Diethylhexylphthalate CAS# 117-81-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 4 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| - | Conclusion | | PASS | PASS | PASS | PASS | - | - |

| Test Item(s) | | | Result | | | | Limit (%) | MDL(%) |
|---|---|---|---|---|---|---|---|---|
| | | | 5 | 7+8+9 | 10 | 11 | | |
| 1 | DBP | Dibutylphthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 2 | BBP | Benzylbutylphthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 3 | DEHP | Diethylhexylphthalate CAS# 117-81-7 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 4 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| - | Conclusion | | PASS | PASS | PASS | PASS | - | - |

| Test Item(s) | | | Result | | | Limit (%) | MDL(%) |
|---|---|---|---|---|---|---|---|
| | | | 12 | 23 | 24+36+38 | | |
| 1 | DBP | Dibutylphthalate CAS# 84-74-2 | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 2 | BBP | Benzylbutylphthalate CAS# 85-68-7 | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 3 | DEHP | Diethylhexylphthalate CAS# 117-81-7 | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| 4 | DIBP | Diisobutyl phthalate CAS# 84-69-5 | N.D. | N.D. | N.D. | 0.1 | 0.005 |
| - | **Conclusion** | | **PASS** | **PASS** | **PASS** | - | - |


Remark(s): (a) MDL: Method detected limit
(b) N.D.: Not detected (result is less than MDL)


## Photo(s):














1
3
4
2



5
7 9
8
6



10
11





| | |
|---|---|
|  14<br>12<br>13 |  16<br>15 |
|  17 |  18-20<br>21 |



22
23
24-25
26-27
28



33
29
30
31-32



34
37
35
36



38
39
40


| | |
|---|---|
|  41<br>52<br>65 |  42<br>46<br>47 |
|  43 |  44<br>45 |



49-50
48
51



53



54
55
56






57
58
59
61
60



62
63
64


66
67


68
71


69-70

| | |
|---|---|
|  72 |  73 |
|  74 |  77<br>76 75 |







Product Photo





Photo provided by client，For reference only

**<<<<<< END OF REPORT >>>>>>**

# 声明
# Statement

1. 广州市德普华检测技术有限公司(以下简称[DPHTL])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务,下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。
   All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "DPHTL") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
2. 由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其它人出示或提交。除非相关政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。
   Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it. or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.
3. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。
   Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
4. 本检测报告首页所列信息中除样品来源、接样日期、检测日期、检测结果和检测结论外，均由委托方提供，委托方对样品的代表性和资料的真实性负责，本实验室不承担任何相关责任。
   The information as listed on the first page of this test report was all provided by the client except the sample from, date received, test period, test results and test conclusion. The client shall be responsible for the representativeness of sample and authenticity of materials, for which DPHTL shall bear no responsibilities.
5. 本检测报告以实测值进行符合性判定，未考虑不确定度所带来的风险，特别约定、标准或规范中有明确规定的除外。此种判定方式所带来的风险由客户自行承担，本实验室不承担相关责任。
   The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by the judgment method, and DPHTL shall not bear related responsibilities.
6. 检测报告无批准人签字及“检验检测专用章”无效，未经本实验室书面同意，不得整体或部分复制本报告。
   The test report is effective only with both signature and specialized stamp. Without written approval of DPHTL, this report can’t be reproduced in full or in part.
7. 除非本公司进行抽样,并已在报告中说明,否则报告中适用于送测的样品(样品信息为客户提供),不适用于批量。
   The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
8. 本检测报告的检测结果仅对送测样品负责，未加盖资质认定标志的检测报告不对社会具有公证证明作用，对于检测数据、结果的使用，所产生的直接或间接损失及一切法律后果，本实验室不承担任何经济和法律责任。
   This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society, and DPHTL is not responsible for any economic and legal responsibility for the use of the test data, the direct or indirect losses resulting from the use of the test and all legal consequences.
9. 如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。
   In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
10. 除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。
    The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
11. 若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。
    Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
12. 该测试报告的支持数据和信息本公司保存 6 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。
    Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of 6 years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.