异常日志: No data or no sasl data in the

stream

问题描述

```
HiveServer2服务在运行时经常抛出如下异常日志:
[HiveServer2-Handler-Pool: Thread-53]: Error occurred during processing of message.
java. lang. RuntimeException: org. apache. thrift. transport. TSaslTransportException: No data or no sasl data in the stream
    at
    org. apache. thrift. transport. TSaslServerTransport$Factory. getTransport(TSaslServerTransport. java:219)
    at org. apache. thrift. server. TThreadPoolServer$WorkerProcess. run(TThreadPoolServer. java:269)
    at java. util. concurrent. ThreadPoolExecutor. runWorker(ThreadPoolExecutor. java:1142)
    at java. util. concurrent. ThreadPoolExecutor$Worker. run(ThreadPoolExecutor. java:617)
    at java. lang. Thread. run(Thread. java:748)

Caused by: org. apache. thrift. transport. TSaslTransportException: No data or no sasl data in the stream
    at org. apache. thrift. transport. TSaslTransport. open(TSaslTransport. java:328)
    at org. apache. thrift. transport. TSaslServerTransport. open(TSaslServerTransport. java:41)
    at
    org. apache. thrift. transport. TSaslServerTransport. open(TSaslServerTransport. java:41)
    at
```

解决方法

... 4 more

CDH5中

在搜索栏搜"HiveServer2 日志记录高级配置代码段(安全阀)",添加如下配置:

```
log4j. appender. RFA. filter. 1=org. apache. log4j. filter. ExpressionFilter log4j. appender. RFA. filter. 1. Expression=EXCEPTION ~= org. apache. thrift. transport. TSaslTransportException log4j. appender. RFA. filter. 1. AcceptOnMatch=false
```

参考

https://cloud.tencent.com/developer/article/1176657

CDH6中

logger.TSasl.name = org.apache.thrift.server.TThreadPoolServer

logger.TSasl.level = off