

1.INTRODUCTION

Online Booking System is a platform that enables users to schedule appointments or services in real-time, providing a hassle-free and convenient experience. It allows users to browse available time slots, select a service, and confirm their bookings instantly, all from the comfort of their own homes. The system is designed to be intuitive and simple, ensuring that users can easily navigate through the booking process without facing any difficulties.

For users, this system offers the convenience of booking at any time and from any location, eliminating the need to call or visit service providers. With a range of services available, the system simplifies the process of securing appointments quickly and efficiently. The instant booking confirmation ensures that users have peace of mind knowing their appointment is set.

For service providers, the online booking system offers an efficient way to manage appointments. It minimizes the risk of manual errors and makes it easier to handle scheduling, freeing up staff for other tasks. Additionally, it helps providers expand their reach to a broader audience, offering visibility and opportunities for growth while maintaining a smooth flow of operations.

In the current scenario, online booking systems are becoming essential tools across various industries. Tech-savvy users appreciate the ease and efficiency of these platforms, while service providers benefit from optimized management and enhanced customer satisfaction. The system is designed to handle secure transactions and maintain user data protection, ensuring a reliable and efficient booking process for all involved.

1.1 ABOUT THE ORGANIZATION

Online Booking System offers a convenient, around-the-clock service, allowing users to browse options and book appointments whenever needed. From scheduling vaccinations to selecting preferred time slots, the system provides a streamlined, user-centered experience.

Focused on simplifying user interactions with service providers, the platform combines easy navigation with fast booking capabilities, eliminating long waits and complicated steps. Instant confirmations enable users to secure appointments quickly and confidently.

For healthcare providers, the platform supports effective appointment management by connecting directly with hospitals and clinics, helping prevent overbooking and reducing patient waiting times. This organized approach creates a smoother and more efficient system, benefiting both users and providers.

With an accessible and efficient booking experience, the system bridges the gap between users and healthcare providers, fostering an organized and responsive process for all.

1.2 ABOUT THE PROJECT

Vaccine On Time offers an innovative online booking system designed to simplify and streamline the process of scheduling vaccinations. The platform is available 24/7, allowing users to explore the website as guests and register at their convenience to access full features. Once registered, users can log in and book their vaccination by choosing from categories such as children, adolescents, or adults.

The website enables users to easily select nearby hospitals offering the chosen vaccine, with the ability to browse available timeslots, locations, and other preferences. This provides a flexible and hassle-free booking experience, eliminating the need for long waiting times or complex procedures.

The system confirms appointments instantly upon booking, and users receive an email with a unique token from the chosen hospital. This token acts as a digital pass, which can be presented upon arrival for vaccination. Should plans change, users also have the option to cancel their appointment, ensuring flexibility throughout the process.

Designed to enhance the user experience, the platform also supports hospitals in managing their schedules efficiently, offering a well-organized solution for both users and providers. With real-time updates, users are kept informed about their appointments, and assistance is readily available to address any queries.

Vaccine On Time leverages modern technology to ensure that scheduling a vaccination is fast, reliable, and accessible. The system empowers individuals to stay on top of their healthcare needs with ease and convenience.

.

2. SYSTEM ANALYSIS AND DESIGN

2.1 SYSTEM STUDY

The process of gathering information, diagnosing the problems, then interpreting facts is known as System analysis. It also includes recommending system improvements needed, based on the same data.

The system is observed as a whole, the inputs need to be identified first before running them and then the system is subjected to study as a whole to identify the problem areas.

Although tuning any system as a whole is a complex procedure, but tuning individual statements is not the best as something that is correct for one input may hurt another input's performance.

The solutions are given as a proposal. The suggestion is revised on user request and optimal changes are made. This loop terminates as soon as the user is gratified with the proposal. So, on the whole, system analysis is done to improve the system performance by monitoring it and obtaining the best throughput possible from it.

Therefore, system analysis plays a crucial role in designing any system. For the Vaccine On Time project, it is essential to identify and address various components, such as user registration, vaccination selection, and appointment scheduling. By conducting a thorough study, we can ensure that users experience a smooth and efficient process, from selecting their vaccine category to booking an appointment at a nearby hospital.

In addition, the system study also focuses on the integration of features such as real-time hospital availability, payment processing, and email token generation for appointment confirmation. This comprehensive approach allows us to pinpoint any potential issues, optimizing the system's performance to deliver a better user experience.

2.1.1 EXISTING SYSTEM

The present scenario for booking vaccinations involves visiting hospitals or healthcare centers in person to inquire about vaccine availability and then scheduling an appointment manually. This often requires individuals to physically visit or call multiple places, which is both time-consuming and inconvenient.

This system is not very user-friendly, as individuals must rely on the availability of hospital staff to provide information and handle appointment bookings. There is also limited access to comprehensive details about the vaccines being offered, such as descriptions, dosage, and side effects, which may leave individuals uninformed about their choices.

Additionally, most hospitals or clinics only accept payments in person, often in cash. Many individuals do not have access to convenient digital payment methods, and this traditional approach limits their ability to book and pay for appointments online.

For this type of service, individuals need to invest a significant amount of time and effort to visit hospitals, make inquiries, and schedule their vaccination. This can be challenging, particularly when hospitals are not conveniently located or when vaccine availability is limited.

The proposed system, seeks to overcome these challenges by allowing users to book their vaccination appointments online, select from nearby hospitals, and receive confirmation digitally. This system also introduces a more convenient and efficient approach to managing vaccine appointments.

DRAWBACKS OF EXISTING SYSTEM

1. Time Consuming
2. Lack of Centralized Information
3. Inconvenient Payment Methods
4. Limited Hospital Options
5. No Digital Confirmation
6. Difficult Rescheduling and Cancellations

2.1.2 PROPOSED SYSTEM

In the proposed system, users need not visit hospitals in person to book vaccination appointments. They can book the vaccine they wish to receive through the website or application on their smartphone.

Advantages or benefits of proposed system

1. Choose vaccinations easily from different categories in one place.
2. Save time by booking appointments without traveling to the hospital.
3. Receive real-time email alerts and booking confirmation.
4. Booking records can be saved for future references.

2.2 FEASIBILITY STUDY

Feasibility Study is a study to evaluate feasibility of proposed project or system. Feasibility study is one of stage among important four stages of Software Project Management Process. As name suggests feasibility study is the feasibility analysis or it is a measure of the software product in terms of how much beneficial product development will be for the organization in a practical point of view. Feasibility study is carried out based on many purposes to analyze whether software product will be right in terms of development, implantation, contribution of project to the organization etc.

- 1) Economic Feasibility
- 2) Technical Feasibility
- 3) Behavioural Feasibility
- 4) Operational Feasibility
- 5) Software Feasibility

The system that are proposed will be examined by these feasibility studies. The newly computerized system should analyze to check whether it is feasible or not.

1.ECONOMIC FEASIBILITY

Economic analysis is mostly frequently used method for evaluating effectiveness of the proposed system. Most commonly known as cost-benefit analysis. This procedure determines the benefits and savings that are expected from the proposed system and compared with the cost of the existing system.

As this system works as a computer-based system, reduces a lot of manual effort and thus manpower cost. It also introduces faith and goodwill and can be measured as an intangible benefit. From the system study we understood that several works were done manually. It is very time consuming and need manual effort. The proposed system will reduce the manual effort and makes it easier to enter the details. As we are generated a computer-based system it reduces cost and time and naturally error prone as compare to manual typewriter.

Even after development updating or maintenance of the proposed system does not have very high-priced concern. There the system is economically feasible too.

2.TECHNICAL FEASIBILITY

This studies centers, on the design and development department hardware, software and to what extent it can support the proposed system. As the department is having the required hardware and software there is no question of increasing the cost of implementing the proposed system considering the above-mentioned criteria, the proposed system is technically feasible and the proposed system can be developed with the existing facility and minimum expenditure. We can strongly say that it is technically feasible, since there will not be much difficulty in getting the required resources for the development and for the maintenance of the system as well. We get all the resources for developing this software. Since all the systems use Pentium IV processors and above the systems need not be upgraded. All the other resources needed for the development for the software as well as the maintenance of the same is available in the organization. Here we are utilizing the resources, which are available already.

3.BEHAVIOURAL FEASIBILITY

People are inherently resistant to changes and computer is known for facilitating the changes. An estimate should be made of how strongly the user reacts towards the developments of the computerized system.

In the existing system more manpower is required and time factor is more. In the proposed system, both manpower and time factors are reduced and also unnecessary burden is reduced. Thus, the system is behaviorally feasible.

4.OPERATIONAL FEASIBILITY

One of the primary focus areas of this project is to achieve more work done with lesser amount of time. The performance of the system makes an impact on both these factors.

Proposed projects are beneficial only if they can be turned into information system that will meet the organizations operating requirements. Simply stated, this test of feasibility asks if the system will work when it is developed and installed. Are there major barriers to implementation? Here are questions that will help test the operational feasibility of a project. Since the proposed system was to help reduce the hardships encountered. In the existing manual system, the new system was considered to be operational feasible with lesser amount of time. The performance of the system makes an impact on both these factors.

5. SOFTWARE FEASIBILITY

Even though software is developed in a very high software environment, it will be supported by many other platforms and environments with minimum changes.

3.SOFTWARE AND HARDWARE SPECIFICATION

3.1 OPERATING SYSTEM

WINDOWS 11

Windows 11 is the latest major release of Microsoft's Windows NT operating system, released on October 5, 2021. It succeeded Windows 10 (2015) and is available for free for any Windows 10 devices that meet the new Windows 11 system requirements.

Windows 11 features major changes to the Windows shell influenced by the cancelled Windows 10X, including a redesigned Start menu, the replacement of its "live tiles" with a separate "Widgets" panel on the taskbar, the ability to create tiled sets of windows that can be minimized and restored from the taskbar as a group, and new gaming technologies inherited from Xbox Series X and Series S such as Auto HDR and Direct Storage on compatible hardware. Internet Explorer (IE) has been replaced by the Chromium-based Microsoft Edge as the default web browser, like its predecessor, Windows 10, and Microsoft Teams is integrated into the Windows shell. Microsoft also announced plans to allow more flexibility in software that can be distributed via the Microsoft Store and to support Android apps on Windows 11 (including a partnership with Amazon to make its app store available for the function).

Citing security considerations, the system requirements for Windows 11 were increased over Windows 10. Microsoft only officially supports the operating system on devices using an eighth-generation Intel Core CPU or newer (with some minor exceptions), a second-generation AMD Ryzen CPU or newer, or a Qualcomm Snapdragon 850 ARM system-on-chip or newer, with UEFI and Trusted Platform Module (TPM) 2.0 supported and enabled (although Microsoft may provide exceptions to the TPM 2.0 requirement for OEMs). While the OS can be installed on unsupported processors, Microsoft does not guarantee the availability of updates. Windows 11 removed support for 32-bit x86 and 32-bit ARM CPUs and devices that use BIOS firmware.

Windows 11 has received a mostly positive reception. Pre-release coverage of the operating system focused on its stricter hardware requirements, with discussions over whether they were legitimately intended to improve the security of Windows or as a ploy to upsell customers to newer devices and over the e-waste associated with the changes. Upon release,

it was praised for its improved visual design, window management, and stronger focus on security, but was criticized for various modifications to aspects of its user interface that were seen as worse than its predecessor; some were seen as an attempt to dissuade users from switching to competing applications.

Windows 11 ships with the Chromium-based Microsoft Edge web browser (for compatibility with Google Chrome web browser), and does not include or support Internet Explorer. Its rendering engine MSHTML (Trident) is still included with the operating system for backwards compatibility reasons, and Edge can be configured with Group Policy to render whitelisted websites in "IE Mode" (which still uses IE's rendering engine MSHTML, instead of Blink layout engine). Windows 11 is the first version of Windows since the original retail release of Windows 95 to not ship with Internet Explorer.

3.2 FRONT END PHP

The PHP Hypertext pre-processor (PHP) is a programming language that allows web developers to create dynamic content that interacts with databases. PHP is basically used for developing web-based software applications. This tutorial helps you to build your base with PHP.

PHP started out as a small open-source project that evolved as more and more people found out how useful it was. Rasmus Lerdorf unleashed the first version of PHP way back in 1994.

□ PHP is a recursive acronym for “PHP: Hypertext Preprocessor”.

- PHP is a server-side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.
- It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL server.
- PHP is pleasingly zippy in its execution, especially when compiled as an Apache module on the Unix side. The MySQL server, once started, executes even very complex queries with huge result sets in record-setting time.

- PHP supports a large number of major protocols such as POP3, IMAP and LDAP. PHP4 added support for Java and distributed object architectures (COM and CORBA), making n-tier development a possibility for the first time.
- PHP is forgiving: PHP language tries to be as forgiving as possible.
- PHP Syntax is C-Like.

Common Uses Of PHP

- PHP performs system functions, i.e., from files on a system it can create, open, read, write and close them.
- PHP can handle forms, i.e., gather data from files, save data to a file, through email you can send data, return data to the user.
- You add, delete, modify elements within your database through PHP.
- Access cookies variables and set cookies.
- Using PHP, you can restrict users to access some pages of your website.
- It can encrypt data.

Characteristics Of PHP

Five important characteristics make PHP's practical nature possible.

1. Simplicity
2. Efficiency
3. Security
4. Flexibility
5. Familiarity

Hypertext Markup Language

HTML or Hyper Text Mark-up Language is a simple scripting language that is interpreted with in a web browser. HTML helps to make web pages. HTML is the basis behind (almost) all web pages. Some tags in an HTML document determine the way certain text, such as titles, will be formatted. Other tags cue the computer to respond to the user's actions on the keyboard or mouse. An important tag is a link, which may contain the Uniform Resource Locator (URL) of another document. The URL can be compared to an address where a particular document resides.

The document may be stored on the same computer as the parent document or on any computer connected to the World Wide Web. The user can navigate from document to document simply by clicking on these links. HTML also includes mark ups for forms, which let the user fill out information and electronically send, or e-mail, the data to the document author and initiate sophisticated searches of information on the internet, or order goods and services.

3.3BACKEND

MySQL

MySQL is a fast, easy-to-use RDBMS being used for many small and big businesses. MySQL is developed, marketed, and supported by MySQL AB, which is a Swedish company. MySQL is becoming so popular because of many good reasons:

- MySQL is released under an open-source license. So you have nothing to pay to use it.
- MySQL is a very powerful program in its own right. It handles a large subset of the functionality of the most expensive and powerful database packages.
- MySQL uses a standard form of the well-known SQL data language.
- MySQL works on many operating systems and with many languages including PHP, PERL, C, C++, JAVA, etc.
- MySQL works very quickly and works well even with large data sets.

- MySQL is very friendly to PHP, the most appreciated language for web development.
- MySQL supports large databases, up to 50 million rows or more in a table. The default file size limit for a table is 4GB, but you can increase this (if your operating system can handle it) to a theoretical limit of 8 million terabytes (TB).
- MySQL is customizable. The open-source GPL license allows programmers to modify the MySQL software to fit their own specific environments.

3.4 SOFTWARE AND HARDWARE SPECIFICATION

Selection of hardware configuration is very important task related to the software development. The processor should be powerful to handle all the operations. The hard disk should have the sufficient capacity to solve the database and the application.

- Minimum Requirements:

Processor : AMD RYZEN

Hard disk: 1 GB Hard Disk.

RAM : Client Level-Minimum 1 GB.

- Recommended Requirements:

Processor : AMD RYZEN 3 running at 3.5 GHz or faster

RAM : Client Level-Minimum 512 MB.

Display Type: SVGA Color Monitor.

Keyboard : PS/2-2 Button.

Software specification

Software selection is critical aspect of system development. One reason is that, the amount of software in the market is experiencing a geometric progression. To choose the best from many alternatives has provided to be a problem. This project is development in the most powerful environment with PHP and HTML as the front end and 'Microsoft SQL Server as a backend.

- Operating System: Windows 11
- Front End:PHP, HTML
- Back End: MySQL
- Platform: Windows server 2022.
- Browser: Google Chrome, Microsoft Edge,Mozilla Firefox.

4. SYSTEM DESIGN

Design is the first step into the development phase for any engineered product or system. Design is a creative process. A good design is the key to effective system. The term “design” is defined as “the process of applying various techniques and principles for the purpose of defining a process or a system in sufficient detail to permit its physical realization”. It may be defined as a process of applying various techniques and principles for the purpose of defining a device, a process or a system in sufficient detail to permit its physical realization. Software design sits at the technical kernel of the software engineering process and is applied regardless of the development paradigm that is used.

The system design develops the architectural detail required to build a system or product. As in the case of any systematic approach, this software too has undergone the best possible design phase fine tuning all efficiency, performance and accuracy levels. The design phase is a transition from a user-oriented document to a document to the programmers or database personnel. System design goes through two phases of development: Logical and Physical Design.

BASIC MODULES

Modularization is the breaking of project into different smaller units. Modularization help in debugging of the modules involve in the project and also helps in reuse of the code. This helps in faster development, implementation and maintenance of the software.

Admin Module

Administrator has the full authority over the website. He can view all the registered hospitals and have the power to reject them. He can edit the web pages and update them. He can view all the details also.

User Module

A user can register himself. After registration, he will be directed to his homepage. Here he can update his profile, change password and see the vaccination details and all.

Hospital Module

The module allows a hospital to access its dashboard, where it can manage its profile, vaccination availability. Hospitals can also view user bookings and update inventory in real-time.

4.1 INPUT DESIGN

Inaccurate input data are the most cause of errors in data processing. Errors by data entry operators can be controlled by input validation. Input design is the process of converting user-oriented inputs to a computer-based format. Input design is a part of an overall system design, which makes the system user friendly. The input design is the link between the information system and users. It comprises developing specifications and those steps that are necessary to put transaction data into a usable form for processing data entry. The activity of putting data into the computer for processing can be achieved by instructing the computer to read data from a written or printed document or it can occur by having people key data directly into the system. The design of input focuses on controlling the amount of inputs required, controlling errors, avoiding delay, avoiding extra steps and keeping the process simple.

System analyst decides the following input design details:

- What data to input.
- What medium to use.
- How the data should be arranged or coded?
- The dialogue to guide the users in providing input.

Methods for performing input validations and steps to follow when an error occur. The input screens are displayed in a way that the user can understand entries very easily. Proper validation and controlling of input data will reduce the chance of errors. All major operations are done only after checking the results of confirmation messages. This makes the system more reliable and user friendly.

4.2 OUTPUT DESIGN

Efficient and transport output design improves the system relationship with the user and help him to understand faster. A complicated output design contributes nothing to the system but leave the user confused. For a successful system it is a must that it maintains a clear output design. The output form is system is the justification for its existence. If the outputs are inadequate in any way, the system itself is inadequate. The basic requirements of this content medium and layout for its intended purpose. Hence it is necessary to design output so that the objectives of system are met in the best possible manner. The output is in the form of reports. The various of output required by the system are:

- External output, whose destination is outside the concern and requires special attention.
- Internal output, whose destination is within the concern and requires careful design because they are the user's main interface within the computer.
- Operational output, whose use is purely within the computer department, e.g., program listing, usage statistics etc.
- Interactive output, which involves the user in communicating directly with computers.

Output design is a process that in valves designing necessary output in the form of reports that should be given to the users according to the requirements. While designing the output, the following steps are to be considered:

- Determine what information to be presented to the user.
- Arrange the presentation of information in an acceptable format.
- Decide how to distribute the output to the intended recipients.

4.3 DATABASE DESIGN

The general theme behind the database is to handle information as an integrated whole. A database is a collection of inter related data stored with minimum redundancy to serve many quickly and effectively. It is a collection of stored data organized in such a way that all the data requirements are satisfied by the database. The aim of database design is to improve the existing system situation. A number of database files were designed to hold the data requirements for running their system. The following tables are used:

1. tbl_admin
2. tbl_district
3. tbl_place
4. tbl_category
5. tbl_newuser
6. tbl_center
7. tbl_vaccine
8. tbl_hospitalvaccine
9. tbl_slot
10. tbl_stock
11. tbl_booking
12. tbl_complaint
13. tbl_feedback

4.3.1 TABLE DESIGN

The database is a collection of interrelated data. The data are stored in the form of table using Structured Query Language (SQL) as back end. The table consists of primary keys; as unique fields data are retrieved by comparing the primary key. While designing the database several factors have to be considered to make the system as an efficient one. The key factor is the consideration of the data type. Proper data types have to be provided for the appropriate data. The types may be varchar or numeric.

Tables are database objects that contain all the data in a database. A table definition is a collection of columns. In tables, data is organized in a row-and-column format similar to a spreadsheet. Each row represents a unique record, and each column represents a field within the record. In “Vaccine On Time”, there are mainly 13 tables for data insertion and retrieval.

Normalization

The process of normalization is concerned with the transformation of the conceptual schema to a computer represent able form. Normalization reduces the redundancies and anomalies.

First Normal Form

First normal form does not allow multi valued and composite valued attributes. It states that the domain of any attribute in a tuple must be single value of any attribute in a tuple must be single value from the domain of that attribute.

Second Normal Form

In second normal form, for the relations where primary key contains multiple attributes, non-key attributes should not be functionally dependent on a part of the primary key.

Third Normal Form

In third normal form, relation should not have a non-key attribute functionally determined by another non-key attribute. That is there should be no transitive dependency of a non-key attribute on the primary key. Database contains following tables.

TABLE DESIGN

1. Table Name: tbl_admin

Primary key: admin_id

Description: details of admin

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
admin_name	Varchar (50)	Name of admin
admin_email	Varchar (50)	Email of admin
admin_password	Varchar (50)	Password of admin

2. Table Name: tbl_district

Primary key: district_id

Description: details of district

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
district_name	Varchar (50)	Name of district

3. Table Name: tbl_place

Primary key: place_id

Foreign key: district_id

Description: details of place

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
place_name	Varchar (50)	Name of place

4. Table Name: tbl_category
 Primary key: category_id
 Description: details of category

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
category_name	Varchar (50)	Name of category

5. Table Name: tbl_newuser
 Primary key: user_id
 Foreign key: place_id
 Description: details of user

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
user_name	Varchar (50)	Name of user
user_gender	Varchar (50)	Gender of user
user_email	Varchar (50)	Email of user
user_password	Varchar (50)	Password of user
user_address	Varchar (50)	Address of user
user_contact	Varchar (50)	Contact of user
user_photo	Varchar (50)	Photo of user
user_proof	Varchar (50)	Proof of user

6. Table Name: tbl_center

Primary key: center_id

Foreign key: place_id

Description: details of center

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
center_name	Varchar (50)	Name of center
center_email	Varchar (50)	Email of center
center_password	Varchar (50)	Password of center
center_address	Varchar (50)	Address of center
center_contact	Varchar (50)	Contact of center
center_photo	Varchar (50)	Photo of center
center_proof	Varchar (50)	Proof of center

7. Table Name: tbl_vaccine

Primary key: vaccine_id

Foreign key: category_id

Description: details of vaccine

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
vaccine_name	Varchar (50)	Name of vaccine

8. Table Name: tbl_hospitalvaccine
 Primary key: hospitalvaccine_id
 Foreign key: vaccine_id, center_id
 Description: details of hospital vaccines

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
hospitalvaccine_amount	Varchar (50)	Price of vaccine

9. Table Name: tbl_slot
 Primary key: slot_id
 Foreign key: center_id
 Description: details of slot

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
slot_from	Varchar (50)	Start of timeslot
slot_to	Varchar (50)	End of timeslot
slot_count	Varchar (50)	Slot number

10. Table Name: tbl_stock
 Primary key: stock_id
 Foreign key: hospitalvaccine_id
 Description: details of stock

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
stock_quantity	Varchar (50)	Quantity of stock vaccine
stock_date	Varchar (50)	Date of adding stock

11. Table Name: tbl_booking

Primary key: booking_id

Foreign key: user_id, slot_id, hospitalvaccine_id

Description: details of booking

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
booking_date	Varchar (50)	Date of booking
booking_slot	Varchar (50)	Slot of booking
booking_status	Varchar (50)	Status of booking
booking_fordate	Varchar (50)	Booking date
booking_amount	Varchar (50)	Amount of booking

12. Table Name: tbl_complaint

Primary key: complaint_id

Foreign key: user_id, center_id

Description: details of complaints

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
complaint title	Varchar (50)	Title of complaint
complaint_content	Varchar (50)	Content of complaint
complaint_reply	Varchar (50)	Reply of complaint
complaint_status	Varchar (50)	Status of complaint
complaint_date	Varchar (50)	Date of complaint

13. Table Name: tbl_feedback
Primary key: feedback_id
Foreign key: user_id
Description: details of feedback

FIELD NAME	DATATYPE&SIZE	DESCRIPTION
feedback_content	Varchar (50)	Content of feedback

4.4 PROCESS DESIGN

Database Management System

Database Management System consists of a collection of interrelated data and a set of programs to access that data is referred to as database. The database management system has different goals. A Database Management System (DBMS) serves as the bridge between raw data and meaningful information by organizing, storing, and managing large sets of data efficiently. It provides a systematic way to create, retrieve, update, and manage data across various applications, ensuring that data is consistent, accurate, and accessible. By controlling data redundancy and enforcing data integrity, DBMS ensures that users can interact with a single source of truth. Additionally, a DBMS allows multiple users to access data simultaneously without conflict, enabling collaborative work environments while maintaining the security and privacy of sensitive information. The database management system has different goals.

Goals Of Database Management System

The primary goal of data base management system is to provide an environment that is both conventional and efficient to use in retrieving information from and storing information into database.

Data Model

A model is an abstraction process that hides superfluous details while highlighting details pertinent to application at hand. A data models is a mechanism that provides this abstraction for the storage of this data. There are many data models that are available for the storage of data. Most models provide mechanisms to structure data for the entities being modelled and allows asset of operations to be defined on them. The models can also enforce a set of constraints to maintain the high integrity of data. Some models are mentioned below.

Entity Relationship Model

The entity relationship models (E-R model) is based on perception of real world, which consists of a set of basic objects called entities and relationships among these objects. It was developed in order to facilitate database design by allowing the specification of an enterprise scheme. Such a scheme represents the overall logical structure of database.

Network Model

The network model was formulated in the 1960's by the database task group of the conference on data system language. In network model, data is represented by collection of records and the relationship among the data represented by links.

Hierarchical Model

The hierarchical model is similar to the normal model in the sense that data and relationship are as records and links respectively. The hierarchical model differs from the network model. In that records are organized as collection of trees rather than arbitrary graphs. In process design, the overall structure of the design is carried out using top-down strategy. First the major modules are identified then they are rewarded in the sub modules at the lower level and are addressed as a single function of the whole system.

Modules:

- Admin
- User
- Center

1.Admin

- Basic data Management
- Center Verification
- Manage vaccine
- Manage Complaint
- View Bookings and Payment

2.User

- Profile Management
- Book Vaccine
- Give Complaint
- Give Review

3.Center

- Profile management
- Add Hospital Vaccine
- Add Stock
- Add slot
- Post Complaint

4.4.1 DATA FLOW DIAGRAM

A Data Flow Diagram (DFD) or a bubble chart is a graphical tool for structured analysis. It was De Macro in 1978 and Gene and Carson in 1979 who introduced DFD. DFD models a system transforms the data and creates, output data-flows which go by suing external entities from which data flows to a process which to other processes or external entities or files. Data in files many also flow to processes as inputs.

There are various symbols used in DFD. Bubbles represent the process. Named arrows indicate the dataflow. External entities are represented by rectangles and are outside the system such as vendors or customers with whom the system interacts. They either supply or consume data. Entities supplying data are known as sources and those that consume data are called sinks. Data are stored in a data store by a process in the system. Each component in a DFD is labelled in with a descriptive name. Process names are further identified with a number.

DFD can be hierarchically organized, which help in partitioning and analyzing large systems. As a first step, one Data Flow Diagram can depict an entire system. Which gives the system overview? It is called Context Diagram of level 0 DFD. The context diagram can be further expanded. The successive expansion of the DFD from the context diagram that giving more details is known as levelling of DFD. Thus, of top-down approach is used, starting with an overview and then working out the details.

The main merit of DFD is that it can provide an overview of what data a system would process, what transformation of data are done, what files are used, and where the result flow. The data flow diagram of Post Office Management System has been represented as a hierarchical DFD context level DFD was drawn first. Then the processes were decomposed into several elementary levels and are represented in the order of importance.


BASIC DFD SYMBOLS

Square:




A source or sink is a person or part of an organization, which enters or receives information from the system, but is considered to be outside the context of data flow model.

Arrow:



A data flow is a route, which enables packets of data to travel from one point to another. Data may flow from a source to a processor and from data store or process. An arrow lines depicts the flow, with arrowhead pointing in the direction of flow.

Circle:



A Process represents transformation where incoming data flows are changed into outgoing data flows.

Open rectangle:





A data is a repository of data that is to be stored for use by one or more process may be as simple as buffer or queue or sophisticated as relational database. They should have clear names. If a process merely uses the content of store and doesn't alter it, the arrowhead goes only from the store to the process. If process alters the details in the store, then a double headed arrow is used.

Rules for drawing Data Flow Diagram


Establish the context of the data flow diagram by identifying all of the net input and output data flows.

- Select a starting point for drawing the data flow diagram.
- Give meaningful labels to all data flow lines.
- Label all processes with action verbs that relate input and output data flows.
- Omit insignificant functions routinely handled in the programming process.
- Don't include control or flow of control information.
- Don't try to put too much information in one data flow diagram. Try to plan for the number of levels. Be prepared to start over.


Level 0 – Context Level

Level 1 – Admin level


Level 1 – Center level



Level 1 – User level



ER DIAGRAM



5.SYSTEM TESTING AND IMPLEMENTATION

Implementation is the stage of the project when the theoretical design is turned into a working system. At this stage the main workload and the major impact of an existing practices shift to the user department. If the implementation stage is not carefully controlled and planned, it can cause loss. Thus, it can be considered to be the most crucial stage in achieving a successful new system and in giving the users confidence that the new system will be effective. Before implementing the system, you must test the system and check the quality of the system very carefully.

5.1 SYSTEM TESTING

System testing is the stage of implementation, which is aimed at ensuring that the system works accurately and efficiently before live operation commences. Testing is vital to the success of the system. An elaborate testing of data is prepared and the system is tested using this test data. While testing, errors are noted and corrections are made. The users are trained to operate the developed system. Both hardware and software securities are made to run the developed system successfully in future.

In our project testing is done from the beginning. That is from each module of the project. At each module we have checked whether it satisfies customer needs and make sure that our project is highly reliable. It will make available that, the project is tested at each step to make it more advantageous to the customer while providing the bill.

The following are the attributes of the good test:

- A good test has high probability of finding an error.
- A good test is not redundant.
- A good test is neither too simple nor too complex.

TYPES OF TESTING

1. Unit Testing
2. Integration Testing
3. Validation Testing
4. Output Testing
5. User Acceptance Testing

Unit Testing

Unit testing focuses verification efforts on the smallest unit of software design, the module. This is also known as “Module Testing”. The modules are separately. This testing is carried out during programming stage itself. In this testing step each module is found to be working satisfactorily as regard to the expected output from the module.

Integration Testing

Integration testing is a systematic technique for constructing tests to uncover errors associated interface. In this project, all the modules combined. And then entire program is tested as a whole, thus in the integration testing step, all the errors uncovered for the next testing steps.

Validation Testing

Validation testing is where requirements established as a part of software requirement analysis is validated against the software that has been constructed. This test provides the final assurance that the software meets all functional, behavioral and performance requirements.

The errors, which are uncovered during integration testing, are corrected during this phase.

Output Testing

After performing the validation testing, the next step is output testing of the proposed system since no system could be useful if it does not produce the required output in the specific format. The output generated or displayed by the system under consideration is tested asking the users about the format required by them. Here, the output is considered in two ways: one is on the screen and the other is printed format.

The output format on the screen is found to be correct as the format designed according to the user needs. For the hard copy also, the output comes out as specified by the user. Hence output testing doesn't result in any connection in the system.

User Acceptance Testing

User acceptance of a system is the key factor for the success of any system. The under consideration is tested for user acceptance by constantly keeping in touch with the prospective system users at a time of developing and making of Vaccine On Time. The testing of the software began along with coding. Since the design was fully object oriented, first the interfaces were developed and tested. Then unit testing was done for every module in the software for various inputs, such that each line of code is once executed.

After all modules were coded the integration test were carried out. Some minor errors were found in the output at the earlier stage and each of them was corrected. In the implementation of user interface part, no major errors were found. After the software was completely developed, the testing was done. The output of the software was correct and accurate during the time of demonstration, after that no errors were reported.

5.2 SYSTEM IMPLEMENTATION

Implementation is the stage in the project where theoretical design is turned into a working system and is giving confidence on the new system for the users, which will work efficiently and effectively. It involves careful planning, investigation of the current system ,

its constraints on implementations, design of methods to achieve the changeover, an evaluation, of change over methods. Apart from planning major task of preparing the implementation are education and training of users.

The major complex system being implemented the more evolved will be the system analysis and the design effort required just for implementation. An implementation coordinating committee based on policies of individual organization has been appointed. The implementation process begins with preparing a plan for the implementation of the system. According to this plan, the activities are to be carried out discussions made regarding the equipment and resources and the additional equipment has to be acquired to implement the new system.

Implementation is the final and important phase. The most critical stage in achieving a successful new system and in giving the users confidence that the new system will work and be effective. The system can be implemented only after thorough testing is done and if it found to working according to the specification. This method also offers the greatest security since the old system can take over if the errors are found or inability to handle certain type of transaction while using the new system.

Implementation Procedures

The main aspects of implementation are:

- 1. Conversion**
- 2. Post Implementation**
- 3. Software Implementation**

Implementation of a computer system to replace a manual system involve converting files, training users, creating accurate files and verifying printers for integrity.

1. Conversion

Conversion means changing from one system to another. The objective is to put the tested system into operation while holding costs, risks and personnel irritation to a minimum. It involves

- Creating computer compatible files
- Training the operating staff
- Installing terminals and hardware

2. Post Implementation

A post implementation review measures the systems performance against predefined requirements. It determines how well the system continues to meet performance specifications. It also provides information to determine whether major redesign is necessary. A post Implementation review is an evaluation a system in terms of the extent to which the system accomplishes stated objectives and project costs exceed initial estimates. It is usually a review of major problems that need inverting and those that surfaced during the implementation phase. An overall plan covers the following area inverting and those that surfaced during the implementation phase.

3. Software Maintenance

Maintenance is the enigma of software development. It holds the software industry captive, tying up programming resources. It is perceived as requiring neither skill nor experience. Maintenance covers wide range of activities, including correcting, coding and design errors, updating documentation and test data, and upgrading user support.

5.3 MAINTENANCE

Maintenance of the software is one of the major steps in the project. Software which is developed which is developed by the admin level staffs should undergo maintenance process in regular interval of time goes on new problems arise and it must be corrected accordingly. Maintenance and enhancement are a long-term process.

Proper testing and documentation should significantly reduce the frequency and extend of required maintenance. The results obtained from the evaluation process help the organization to determine whether its information systems are effective or otherwise. The Process of changing a system after it has been delivered and while still in use is called maintenance. The change may involve simple change to correct coding error, and more extensive change to correct design error. Like any system there is an ageing process that requires periodic maintenance of hardware and software. If the new information is inconsistent with the design specification, maintenance is need.

In this project, the maintenance is carried over by the staff concern. Since they are the key persons to develop this project, they know clearly about the project and coding structure. So, they will change the coding whenever required. Regarding the project maintenance that can beclassified into:

Corrective Maintenance:

The first maintenance activity occurs since it is unreasonable to assume that the software testing will uncover all errors in a large software system. The process of including the diagnosisand correction of one or more errors called corrective maintenance. It is concerned with fixingreported errors in the software. Coding errors are usually relatively cheap to correct. Design errors are more expensive as they may involve the rewriting of several program components.

Requirement errors are the most expensive to repair because of the extensive system redesignthat may be necessary.

Adaptive Maintenance

This activity that contributes to the definition of maintenance occurs since rapid change is encountered in every aspect of computing. Therefore, adaptive maintenance modifies software to properly interface with the changing environment.

Perceptive Maintenance:

This activity involves recommendation for new capability modifications to the existing functions and general enhancements when software is used. To satisfy these requests, perceptive maintenance is performed. Maintenance covers a wide range of activities including the correction of code and design errors, updating the documentation and testing the data.

6. FUTURE ENHANCEMENT

The demand for online healthcare services is poised to expand rapidly in the coming years, with digital health platforms playing a crucial role in connecting people to essential services, such as vaccinations. Recognizing this trend, major health and tech companies are making strides in digital healthcare, investing significantly to increase accessibility and convenience in the healthcare sector.

Indian healthcare leaders and providers are increasingly incorporating online booking systems, especially for vaccinations, to extend their services beyond major urban areas. Many providers are now piloting online-offline integration, which combines digital appointment systems with in-person healthcare access to maximize convenience and reach for patients. Prominent global technology companies, in partnership with health organizations, have initiated programs aimed at increasing digital access, especially in underserved areas. For instance, efforts to expand internet penetration and digital literacy in rural India, such as the Saathi program, have been instrumental in fostering access to health services online.

The Government of India is further supporting these advancements through its flagship Digital India and Ayushman Bharat initiatives, which provide incentives to healthcare startups, digital healthcare projects, and telemedicine hubs. These initiatives create a favourable environment for platforms like ours to grow and reach more communities across the country. India's online health services market is expected to scale rapidly, with experts projecting the country to be a global leader in digital healthcare by the early 2030s. Currently, there are thousands of digital healthcare startups in India, and this number is expected to multiply as the market expands. Our vaccination booking system, developed using PHP and MySQL, is structured with scalability in mind, allowing for a range of future enhancements.

Potential upgrades include real-time vaccine stock monitoring, integration with government health databases for automatic immunization records, multilingual support to reach diverse populations, and user-friendly appointment reminders through SMS and email. These additions will make our platform even more accessible, efficient, and flexible for users, ensuring an effective booking experience and encouraging timely vaccinations for individuals across the country.

7. CONCLUSION

Vaccine On Time offers a streamlined and accessible platform for users to schedule their vaccinations with ease. By simplifying the process of finding, selecting, and booking appointments at nearby hospitals, the system saves users time and promotes a digital-first approach to healthcare access. This user-friendly platform enables individuals to manage their vaccination needs efficiently, ensuring they stay informed and protected. Designed with a focus on convenience and accessibility, the platform contributes to a healthier, more connected community.

8. BIBLIOGRAPHY

BOOKS:

- Jalotte Pankaj, “Software Engineering”, Third edition, spring publishers, Naros PublishingHouse.
- Peterrob, Thomson Leaning, “Database Systems Design and Management”, Fifth edition, McGraw-Hill Professional Publications.
- Raghuramakrishnan and Johannes, “Database Management System”, Third edition, McGrawHill Professional Publications.
- Elias M. Awad, “System Analysis and Design”, Second edition, McGraw-Hill Professional Publications.
- Kevin Yank,” PHP & MySQL Novice to Ninja.


Websites:

- www.codeguru.com
- <https://codepen.io>
- <https://chatgpt.com>
- www.wikipedia.en.in
- www.google.com

9.APPENDIX


9.1 Screenshots

1: HOME PAGE OR INDEX PAGE(GUEST)



2: REGISTRATION PAGE(USER)


2: REGISTRATION PAGE(CENTER)



The image shows a 'Hospital Registration' form with the following fields and values:

Field	Value
Name	Renai Medicity
Email	ananthu2004@gmail.com
Password	*****
Confirm Password	*****
Address	Pallimukku Kochi Ernakulam District Kerala
District	Ernakulam
Place	Kochi
Contact	9495838977
Photo	Choose File No file chosen

3: LOGIN PAGE




The image shows a login page with the following elements:

- Login** (Title)
-
-
- Login** (Button)
- [Forgot password?](#)
- [New User / New Centre](#)

On the right side of the login form, there is a promotional image with the text: "We are determined for your future Let's get connected."


4: SEARCH VACCINE CENTER



The screenshot shows the 'Vaccine On Time' web application interface. At the top, there is a navigation bar with the logo and the text 'Vaccine On Time', and a menu with links: Home, My Profile, My Bookings, and Review. The main content area is titled 'Search Vaccination Center'. It contains a form with four dropdown menus: Category (set to 'Childrens'), Vaccine (set to 'DTP Booster 1'), District (set to 'Ernakulam'), and Place (set to 'Kochi'). Below these is a green 'Search' button.

Search Vaccination Center	
Category	Childrens
Vaccine	DTP Booster 1
District	Ernakulam
Place	Kochi
<button>Search</button>	


5: VIEW SLOT



The screenshot shows the 'Vaccine On Time' web application interface. At the top, there is a navigation bar with the logo and the text 'Vaccine On Time', and a menu with links: Home, My Profile, My Bookings, and Review. The main content area is titled 'Book a Slot'. It contains a form with three input fields: 'For Date' (set to '09-11-2024'), 'Slot' (set to '09:00 - 10:00'), and 'Amount' (set to '800'). Below these is a green 'Book' button.


Book a Slot	
For Date	09-11-2024
Slot	09:00 - 10:00
Amount	800
<button>Book</button>	

6: CHECKOUT PAGE



The image shows a 'Payment Gateway' form. It includes an 'Account' section with a user named 'Sarath'. The 'Payment Details' section has two tabs: 'Credit Card' (selected) and 'Debit Card'. Below the tabs, there is a card number field containing '1278 9334 5477 8878', an expiry date field showing '12 / 58', and a 'PAY NOW' button.

7: ADMIN DASHBORAD



The image shows an 'ADMIN' dashboard. The top left has a sidebar with a menu: HOME (Dashboard), ACTIONS (District, Place, Category, Vaccines, New Center List, Booking List, View Center Complaints, View Center Replis). The top right shows a user profile and 'Log out'. The main content area says 'Welcome, Admin' and 'Manage your vaccination booking system efficiently'. Below this are three summary cards: 'Total Bookings 17', 'Registered Users 6', and 'Centers Available 10'. At the bottom, there is a 'Quick Actions' section with four buttons: 'Manage Vaccines', 'View Appointments', 'User Complaints', and 'View Replies'.

5.2 SOURCE CODE

1.REGISTRATION

```

<?php
include('../Assets/connection/connection.php');

if(isset($_POST["btn_submit"]))
{
    $Name=$_POST['txt_name'];
    $Gender=$_POST['radio'];
    $DOB=$_POST['txt_dob'];
    $Address=$_POST['txt_address'];
    $Contact=$_POST['txt_contact'];
    $Email=$_POST['txt_email'];
    $Password=$_POST['txt_password'];
    $Confirm_password=$_POST['txt_confirmpassword'];
    $Photo=$_FILES['file_photo']['name'];
    $path=$_FILES['file_photo']['tmp_name'];
    move_uploaded_file($path,'../Assets/File/User/'.$Photo);
    $Proof=$_FILES['file_proof']['name'];
    $path=$_FILES['file_proof']['tmp_name'];

    move_uploaded_file($path,'../Assets/File/User/'.$Proof);
    $Place=$_POST['sel_place'];
    if($Password==$Confirm_password)
    {
        $insQry="insert into
tbl_newuser(user_name,user_gender,user_dob,user_address,user_contact,user_email,user
r_password,user_photo,user_proof,place_id)values('".$Name."','".$Gender."','".$DOB."','".$
Address."','".$Contact."','".$Email."','".$Password."','".$Photo."','".$Proof."','".$Place."
')";
        if($con->query($insQry))
        {
            ?>
            <script>
            alert("inserted")
            window.location="Login.php"
            </script>
            <?php
            }
        else

```

```
{
  ?>
  <script>
  alert("password mismatch")
  </script>
  <?php
  }
}

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>User Registration Form</title>
<style>
  body {
    font-family: 'Arial', sans-serif;
    background-color: #D1F2EB;
    margin: 0;
    padding: 0;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
    background-image: url('../Assets/Templates/Main/img/Happy.jpg');
    background-size: cover;
    background-position: center;
    position: relative;
  }

  .overlay {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background: rgba(0, 0, 0, 0.5);
    z-index: 1;
  }

  form {
```

```
background-color: #fff;
padding: 20px;
border-radius: 10px;
box-shadow: 0 8px 20px rgba(0, 0, 0, 0.2);
width: 650px;
max-width: 100%;
max-height: 85vh;
overflow-y: auto;
position: relative;
z-index: 2;
}
```

```
h2 {
  text-align: center;
  font-size: 24px;
  margin-bottom: 15px;
  color: #333;
}
```

```
table {
  width: 100%;
  border-collapse: collapse;
}
```

```
td {
  padding: 8px;
  border: none;
}
```

```
label {
  display: block;
  font-size: 14px;
  margin-bottom: 5px;
  font-weight: bold;
  color: #555;
}
```

```
input[type="text"],
input[type="password"],
input[type="file"],
textarea,
input[type="email"],
select {
  width: 100%;
```

```
padding: 10px;
border: 1px solid #ccc;
border-radius: 8px;
font-size: 14px;
box-sizing: border-box;
background-color: #f9f9f9;
box-shadow: inset 0 1px 2px rgba(0, 0, 0, 0.1);
}
```

```
input[type="text"]::placeholder,
input[type="password"]::placeholder,
textarea::placeholder,
input[type="email"]::placeholder {
  color: #aaa;
}
```

```
input[type="radio"] {
  margin-right: 8px;
}
```

```
textarea {
  resize: none;
}
```

```
input[type="submit"],
input[type="reset"] {
  background-color: #007b83;
  color: white;
  border: none;
  padding: 10px 20px;
  border-radius: 5px;
  cursor: pointer;
  font-size: 14px;
  font-weight: bold;
  transition: background-color 0.3s ease;
}
```

```
input[type="submit"]:hover {
  background-color: #005f61;
}
```

```
input[type="reset"] {
  background-color: #e0e0e0;
  color: #007b83;
}
```

```

        margin-left: 8px;
    }

    input[type="reset"]:hover {
        background-color: #b0bec5;
    }

    .gender-options {
        display: flex;
        align-items: center;
        gap: 15px;
    }

    .submit-buttons {
        text-align: center;
        padding-top: 10px;
    }
</style>
</head>

<body>
    <div class="overlay"></div>
    <form action="" method="post" enctype="multipart/form-data" name="form1"
id="form1">
        <h2>User Registration</h2>
        <table>
            <tr>
                <td><label for="sel_district">District</label></td>
                <td>
                    <select name="sel_district" id="sel_district"
onChange="getPlace(this.value)"required>
                        <option>--Select--</option>
                        <?php
                            $sel="select * from tbl_district";
                            $row=$con->query($sel);
                            while($data=$row->fetch_assoc()) {
                                ?>
                                <option value="<?php echo $data['district_id'] ?>"><?php echo
$data['district_name']?></option>
                                <?php
                                    }
                                ?>
                            </select>
                        </td>

```

```

</tr>
<tr>
  <td><label for="sel_place">Place</label></td>
  <td>
    <select name="sel_place" id="sel_place">
      <option>--Select--</option>
    </select>
  </td>
</tr>
<tr>
  <td><label for="txt_name">Name</label></td>
  <td><input required type="text" name="txt_name" id="txt_name"
placeholder="Enter your name" title="Name Allows Only Alphabets,Spaces and First
Letter Must Be Capital Letter" pattern="^[A-Z]+[a-zA-Z ]*$"/></td>
</tr>
<tr>
  <td><label>Gender</label></td>
  <td class="gender-options">
    <input type="radio" required name="radio" id="rbl_gender"
value="Male">Male
    <input type="radio" required name="radio" id="rdl_gender"
value="Female">Female
  </td>
</tr>
<tr>
  <td><label for="txt_dob">DOB</label></td>
  <td><input type="date" required name="txt_dob" id="txt_dob"
placeholder="Enter your date of birth" /></td>
</tr>
<tr>
  <td><label for="txt_address">Address</label></td>
  <td><textarea name="txt_address" id="txt_address" cols="45" rows="3"
placeholder="Enter your address" required></textarea></td>
</tr>
<tr>
  <td><label for="txt_contact">Contact</label></td>
  <td><input type="text" required name="txt_contact" id="txt_contact"
placeholder="Enter your contact number" pattern="[7-9]{1}[0-9]{9}" title="Phone
number with 7-9 and remainig 9 digit with 0-9" /></td>
</tr>
<tr>
  <td><label for="txt_email">Email</label></td>
  <td><input type="email" required name="txt_email" id="txt_email"
placeholder="Enter your email" /></td>

```

```

        </tr>
        <tr>
            <td><label for="txt_password">Password</label></td>
            <td><input type="password" required name="txt_password"
id="txt_password" placeholder="Enter your password" pattern="(?=.*\d)(?=.*[a-
z])(?=.*[A-Z]).{8,}" title="Must contain at least one number and one uppercase and
lowercase letter, and at least 8 or more characters"/></td>
        </tr>
        <tr>
            <td><label for="txt_confirmpassword">Confirm Password</label></td>
            <td><input type="password" required name="txt_confirmpassword"
id="txt_confirmpassword" placeholder="Confirm your password" /></td>
        </tr>
        <tr>
            <td><label for="file_photo">Photo</label></td>
            <td><input type="file" name="file_photo" id="file_photo" required /></td>
        </tr>
        <tr>
            <td><label for="file_proof">Proof</label></td>
            <td><input type="file" name="file_proof" id="file_proof"required /></td>
        </tr>
        <tr>
            <td colspan="2" class="submit-buttons">
                <input type="submit" name="btn_submit" id="btn_submit" value="Submit"
/>
                <input type="reset" name="btn_cancel" id="btn_cancel" value="Cancel" />
            </td>
        </tr>
    </table>
</form>

<script src="../Assets/JQ/jquery.js"></script>
<script>
    function getPlace(did) {
        $.ajax({
            url: "../Assets/AjaxPages/AjaxPlace.php?did=" + did,
            success: function(result) {
                $("#sel_place").html(result);
            }
        });
    }
</script>
</body>
</html>

```

2. LOGIN

```
<?php
session_start();
include('../Assets/connection/connection.php');
if(isset($_POST["btn_login"]))
{
    $Email=$_POST['txt_email'];
    $Password=$_POST['txt_pwd'];

    $user="select * from tbl_newuser where user_email='".$Email.'"and
user_password='".$Password.'";
    $rowuser=$con->query($user);

    $admin="select * from tbl_admin where admin_email='".$Email.'"and
admin_password='".$Password.'";
    $rowadmin=$con->query($admin);

    $center="select * from tbl_center where center_email='".$Email.'"and
center_password='".$Password.'";
    $rowcenter=$con->query($center);

    if($datauser=$rowuser->fetch_assoc())
    {
        $_SESSION['uid']=$datauser['user_id'];
        $_SESSION['uname']=$datauser['user_name'];
        header('location:../Users/Homepage.php');
    }
    else if($dataadmin=$rowadmin->fetch_assoc())
    {
        $_SESSION['aid']=$dataadmin['admin_id'];
        $_SESSION['aname']=$dataadmin['admin_name'];
        header('location:../Admin/Homepage.php');
    }
    else if($datacenter=$rowcenter->fetch_assoc())
    {
        $_SESSION['cid']=$datacenter['center_id'];
        $_SESSION['cname']=$datacenter['center_name'];
        header('location:../VaccineCenter/Homepage.php');
    }

    else
    {
```

```
?>
<script>
alert("Invalid");
window.location="login.php";
</script>
<?php

}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login</title>

  <!-- Google Fonts -->
  <link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600&display=swap"
rel="stylesheet">

<style>
  body {
    margin: 0;
    padding: 0;
    font-family: 'Poppins', sans-serif; /* Updated font */
    background-color: #dceefb; /* Calm light blue background */
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
  }
  .container {
    display: flex;
    width: 800px; /* Total width of the form and image combined */
    background-color: white;
    border-radius: 10px;
    box-shadow: 0px 5px 15px rgba(0, 0, 0, 0.2);
    overflow: hidden;
  }
  .login-box {
    width: 50%; /* Half the width for the login form */
    padding: 40px;
```

```
        box-sizing: border-box;
    }
    .login-box h3 {
        text-align: center;
        color: #333;
        margin-bottom: 20px;
        font-weight: 600; /* Bold font for heading */
        font-size: 24px;
    }
    .login-box input[type="text"], .login-box input[type="password"] {
        width: 100%;
        padding: 12px;
        margin: 12px 0;
        border: 1px solid #ccc;
        border-radius: 5px;
        font-size: 16px;
        font-family: 'Poppins', sans-serif; /* Apply font to inputs */
    }
    .login-box input[type="submit"] {
        width: 100%;
        padding: 12px;
        background-color: #007b83; /* Calming teal button */
        color: white;
        border: none;
        border-radius: 5px;
        font-size: 18px; /* Larger, bold font */
        font-weight: 600;
        cursor: pointer;
        font-family: 'Poppins', sans-serif; /* Apply font to button */
    }
    .login-box input[type="submit"]:hover {
        background-color: #005f61;
    }
    .login-box .extra-links {
        text-align: center;
        margin-top: 10px;
        font-size: 14px; /* Slightly smaller text */
    }
    .login-box .extra-links a {
        color: #007b83;
        text-decoration: none;
        font-weight: 500;
    }
    .login-box .extra-links a:hover {
```

```

        text-decoration: underline;
    }
    .side-image {
        width: 50%; /* Half the width for the image */
        background-image: url('../Assets/Templates/Main/img/why book.jpg'); /* Replace
with your image path */
        background-size: cover;
        background-position: center;
        display: flex;
        justify-content: center;
        align-items: center;
        position: relative;
    }
    /* Adding a semi-transparent overlay */
    .overlay {
        position: absolute;
        top: 0;
        left: 0;
        width: 100%;
        height: 100%;
        background-color: rgba(0, 0, 0, 0.5); /* Semi-transparent black */
        display: flex;
        justify-content: center;
        align-items: center;
    }
    .overlay p {
        color: white;
        font-size: 22px; /* Slightly larger text */
        font-weight: 500;
        text-align: center;
        padding: 20px;
        font-family: 'Poppins', sans-serif; /* Apply new font to text */
    }
</style>
</head>
<body>
    <div class="container">
        <div class="login-box">
            <h3>Login</h3>
            <form id="form1" name="form1" method="post" action="">
                <input type="text" name="txt_email" id="txt_email" placeholder="Enter your
email" />
                <input type="password" name="txt_pwd" id="txt_pwd" placeholder="Enter
your password" />
            </form>
        </div>
    </div>

```

```

        <input type="submit" name="btn_login" id="btn_login" value="Login" />
    </form>
    <div class="extra-links">
        <a href="ForgotPass.php">Forgot password?</a><br />
        <a href="NewUser.php">New User</a> / <a href="NewCentre.php">New
Centre</a>
    </div>
</div>
<div class="side-image">
    <div class="overlay">
        <p><b>We are determined</b><br><b> for your future</b><br><b>Let's get
connected.</b></p>
    </div>
</div>
</div>
</body>
</html>

```

3.VIEW VACCINATION CENTER

```

<?php
include('../Assets/connection/connection.php');
include('header.php');

?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>View Center</title>
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Poppins', sans-serif;

```

```
background-color: #e0f7fa; /* Light teal background */
min-height: 100vh;
display: flex;
flex-direction: column;
justify-content: center;
/* align-items: center; */
}

header, footer {
background-color: #004d40; /* Dark teal for header and footer */
color: white;
padding: 10px 20px;
text-align: center;
width: 100%;
}

.view-center-container {
background-color: #ffffff;
border-radius: 15px;
box-shadow: 0 10px 35px rgba(0, 0, 0, 0.15); /* Softer, deeper shadow */
width: 90%;
max-width: 800px; /* Slightly larger for more content space */
padding: 40px;
margin: 40px auto;
text-align: center;
flex-grow: 1;
transition: all 0.3s ease-in-out;
}

/* Heading for View Center */
.view-center-container h1.heading {
font-size: 32px;
color: #00796b; /* Dark teal */
margin-bottom: 40px;
font-weight: bold;
border-bottom: 3px solid #00796b;
padding-bottom: 15px;
}

.view-center-container table {
width: 100%;
margin-top: 30px;
border-collapse: separate;
border-spacing: 0 15px; /* Adds space between rows */
}
```

```
table-layout: fixed; /* Ensures cells don't stretch beyond available space */
overflow-x: auto; /* Allows horizontal scroll if content overflows */
}

.view-center-container td {
padding: 14px 20px; /* Increased padding for larger touch area */
font-size: 15px;
background-color: #f1f8f9; /* Subtle background for table cells */
border-radius: 10px; /* Rounded corners for table cells */
box-shadow: 0 3px 10px rgba(0, 0, 0, 0.05); /* Soft shadow for each cell */
}

.view-center-container select {
width: 100%;
padding: 12px;
border: 2px solid #e0e0e0;
border-radius: 8px;
font-size: 14px;
color: #333;
background-color: #fafafa; /* Slight background for inputs */
transition: all 0.3s ease-in-out;
}

.view-center-container select:focus {
border-color: #00796b;
box-shadow: 0 0 8px rgba(0, 121, 107, 0.3);
background-color: #ffffff; /* Bright background on focus */
}

#search h1 {
color: #00796b;
font-size: 26px;
margin-top: 40px;
text-align: left;
}

footer {
position: relative;
bottom: 0;
left: 0;
right: 0;
width: 100%;
padding: 15px 20px;
}
```

```
    footer p {
        margin: 0;
        font-size: 14px;
        color: #ffffff;
    }

    /* Add subtle hover effects */
    .view-center-container td:hover {
        transform: scale(1.03);
        box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
        background-color: #ffffff;
    }

    /* Styling for the search button */
    .view-center-container button {
        background-color: #00796b; /* Teal color */
        color: white; /* Text color */
        padding: 10px 20px;
        border: none;
        border-radius: 8px;
        font-size: 16px;
        cursor: pointer;
        transition: background-color 0.3s ease;
    }

    .view-center-container button:hover {
        background-color: #004d40; /* Darker teal on hover */
    }

</style>
</head>

<body>

<div class="view-center-container">
    <h1 class="heading">Search Vaccination Center</h1>

    <form id="form1" name="form1" method="post" action="javascript:void(0);">
        <table>
            <tr>
                <td>Category</td>
                <td>
                    <select name="sel_cat" id="sel_cat" onChange="getVaccine(this.value)">
```

```

        <option>--SELECT--</option>
        <?php
        $sel = "select * from tbl_category";
        $row = $con->query($sel);
        while ($data = $row->fetch_assoc()) {
            ?>
            <option value="<?php echo $data['category_id'] ?>"><?php echo
            $data['category_name'] ?></option>
            <?php
            }
            ?>
        </select>
    </td>
</tr>
<tr>
    <td>Vaccine</td>
    <td>
        <select name="sel_vaccine" id="sel_vaccine">
            <option>--SELECT--</option>
        </select>
    </td>
</tr>
<tr>
    <td>District</td>
    <td>
        <select name="sel_dis" id="sel_dis" onChange="getPlace(this.value)">
            <option>--Select--</option>
            <?php
            $sel = "select * from tbl_district";
            $row = $con->query($sel);
            while ($data = $row->fetch_assoc()) {
                ?>
                <option value="<?php echo $data['district_id'] ?>"><?php echo
                $data['district_name'] ?></option>
                <?php
                }
                ?>
            </select>
        </td>
</tr>
<tr>
    <td>Place</td>
    <td>
        <select name="sel_place" id="sel_place">

```

```
        <option>--Select--</option>
    </select>
</td>
</tr>
<tr>
    <td colspan="2" align="center">
        <button type="button" onclick="searchHospitals()">Search</button>
    </td>
</tr>
</table>
</form>

<div id="search">
    <h1>Available Hospitals</h1>
    <!-- Hospitals data dynamically populated here -->
</div>
</div>

<?php
include('footer.php');
?>

<script src="../../Assets/JQ/jquery.js"></script>
<script>
    function getVaccine(vid) {
        $.ajax({
            url: "../../Assets/AjaxPages/AjaxVaccine.php?vid=" + vid,
            success: function (result) {
                $("#sel_vaccine").html(result);
            }
        });
    }

    function getPlace(did) {
        $.ajax({
            url: "../../Assets/AjaxPages/AjaxPlace.php?did=" + did,
            success: function (result) {
                $("#sel_place").html(result);
            }
        });
    }

    function searchHospitals() {
        var pid = $("#sel_place").val();
```

```

        var vid = $("#sel_vaccine").val();

        $.ajax({
            url: "../Assets/AjaxPages/AjaxSearch.php?pid=" + pid + "&vid=" + vid,
            success: function (result) {
                $("#search").html(result);
            }
        });
    }
</script>

</body>
</html>

```

4. VIEW SLOT

```

<?php
include('../Assets/connection/connection.php');

// session_start();
include('header.php');
if(isset($_POST["btn_book"]))
{
    $Slot = $_POST["sel_slot"];
    $Fordate = $_POST["txt_date"];
    $amount = $_POST['txt_amt'];

    // Get the maximum slot number for the selected date and slot
    $selSlot = "SELECT MAX(booking_slot) AS slot FROM tbl_booking WHERE
booking_fordate = '$Fordate' AND slot_id = '$Slot'";
    $resSlot = $con->query($selSlot);
    $dataSlot = $resSlot->fetch_assoc();

    $slot = ($dataSlot['slot'] == NULL) ? 1 : $dataSlot['slot'] + 1;

    // Insert booking into the database
    $insqry = "INSERT INTO tbl_booking(slot_id, booking_fordate, hospitalvaccine_id,
booking_slot, user_id, booking_amount, booking_date)
VALUES('$Slot', '$Fordate', '".$_GET['hid']."', '$slot', '".$_SESSION['uid']."',
'$amount', CURDATE())";

    if($con->query($insqry))
    {

```

```
// Get the last inserted booking ID
$booking_id = $con->insert_id;

// Set session variables
$_SESSION['slot_number'] = $slot;
$_SESSION['fordate'] = $Fordate;
$_SESSION['amount'] = $amount;
$_SESSION['hid'] = $_GET['hid'];

// Redirect to Payment.php with booking ID
?>
<script>
    window.location = "Payment.php?booking_id=<?php echo $booking_id; ?>";
</script>
<?php
}
}

$selat="select * from tbl_hospitalvaccine where hospitalvaccine_id=".$_GET['hid'];
$row=$con->query($selat);
$data=$row->fetch_assoc();
$amount=$data['hospitalvaccine_amount']

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Your Document Title</title>
    <link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600&display=swap"
rel="stylesheet">
    <style>
        /* Same styles as before */
    </style>

</head>

<body>
    <div class="container">
```

```

<h3>Book a Slot</h3>
<form id="form1" name="form1" method="post">
  <table>
    <tr>
      <td>For Date</td>
      <td>
        <input type="date" name="txt_date" id="txt_date" min="<?php echo date('Y-m-
d')?>" required />
      </td>
    </tr>
    <tr>
      <td>Slot</td>
      <td>
        <select name="sel_slot" id="sel_slot">
          <option>--SELECT--</option>
        </select>
      </td>
    </tr>
    <tr>
      <td>Amount</td>
      <td>
        <?php
          $selat = "SELECT * FROM tbl_hospitalvaccine WHERE hospitalvaccine_id=" .
$_GET['hid'] . " ";
          $row = $con->query($selat);
          $data = $row->fetch_assoc();
          $amount = $data['hospitalvaccine_amount'];
          ?>
        <input type="text" name="txt_amt" value="<?php echo $amount ?>" readonly>
      </td>
    </tr>
    <tr>
      <td colspan="2">
        <div align="center">
          <input type="submit" name="btn_book" id="btn_book" value="Book" />
        </div>
      </td>
    </tr>
  </table>
</form>
</div>
</body>
</html>

```

```

<script src="../../Assets/JQ/jquery.js"></script>
<script>
    $(document).ready(function(){
        $('#txt_date').change(function(){
            var selectedDate = $(this).val();
            var hospitalVaccineId = '<?php echo $_GET["hid"]; ?>'; // Passing
hospitalvaccine_id through GET
            if(selectedDate != "") {
                $.ajax({
                    url: '../../Assets/AjaxPages/Slot.php', // PHP file to process the slot availability
                    method: 'POST',
                    data: {fordate: selectedDate, hid: hospitalVaccineId},
                    success: function(data){
                        $('#sel_slot').html(data); // Update the slot dropdown with available slots
                    }
                });
            } else {
                $('#sel_slot').html('<option>--SELECT--</option>'); // Reset if no date is selected
            }
        });
    });
</script>

<?php
include('footer.php');
?>

```

5. PAYMENT

```

<?php

include("../../Assets/Connection/Connection.php");
session_start();
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;

require '../../Assets/phpMail/src/Exception.php';
require '../../Assets/phpMail/src/PHPMailer.php';
require '../../Assets/phpMail/src/SMTP.php';

if (isset($_POST["btn_pay"])) {
    $booking = "SELECT MAX(booking_id) as id ,user_id FROM tbl_booking WHERE
booking_status=0 AND user_id=" . $_SESSION['uid'];
    $result = $con->query($booking);
}

```

```
$data = $result->fetch_assoc();
$id = $data['id'];

$a = "UPDATE tbl_booking SET booking_status=1 WHERE booking_id=" .
$_GET['booking_id'];
if ($con->query($a)) {
    // Fetch user and center details for the email
    $s = "SELECT * FROM tbl_newuser WHERE user_id=" . $_SESSION['uid'];
    $res = $con->query($s);
    $d = $res->fetch_assoc();

    $selCenter = "
    SELECT *
    FROM tbl_hospitalvaccine AS hv
    INNER JOIN tbl_center AS c ON hv.center_id = c.center_id
    WHERE hv.hospitalvaccine_id = " . $_SESSION['hid'];
    $res=$con->query($selCenter);
    $centerData=$res->fetch_assoc();

    $userEmail = $d['user_email'];
    $userName = $d['user_name']; // Assuming user_name field exists
    $centerName = $centerData['center_name']; // Assuming hospitalvaccine_name
    field exists

    // Send confirmation email
    $mail = new PHPMailer();

    $mail->isSMTP();
    $mail->Host = 'smtp.gmail.com';
    $mail->SMTPAuth = true;
    $mail->Username = 'vaccineontime76@gmail.com'; // Your gmail
    $mail->Password = 'hldv nrrm xiau rfbv'; // Your gmail app password
    $mail->SMTPSecure = 'ssl';
    $mail->Port = 465;

    $mail->setFrom('vaccineontime76@gmail.com'); // Your gmail
    $mail->addAddress($userEmail);

    $mail->isHTML(true);
    $mail->Subject = "Vaccine Slot Booking Confirmation";

    // Formal email content
    $mail->Body = "
        Dear " . $userName . ",<br><br>
```

```

        Your vaccine slot has been successfully booked at <strong>" . $centerName .
    "</strong>.<br><br>
        <strong>Booking Details:</strong><br>
        Slot Number: " . $_SESSION['slot_number'] . "<br>
        Date: " . $_SESSION['fordate'] . "<br>
        Amount: $" . $_SESSION['amount'] . "<br><br>
        Thank you for choosing our service.<br><br>
        Best Regards,<br>
        Vaccine On Time";

    // Send the email
    if ($mail->send()) {
        echo "<script>alert('Confirmation email has been sent.');";
    } else {
        echo "<script>alert('Slot booked, but email failed to send.');";
    }

    // Redirect to success page
    echo "<script>window.location='Success.html';</script>";
} else {
    echo "<script>alert('Failed to update booking status.');";
}
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            background-color: #f5f5f5;
            font-family: Arial, Helvetica, sans-serif;
        }

        .wrapper {
            background-color: #fff;
            width: 500px;

```

```
padding: 25px;
margin: 25px auto 0;
box-shadow: 0px 20px rgba(0, 0, 0, 0.5);
}
```

```
.wrapper h2 {
background-color: #fcfcfc;
color: #7ed321;
font-size: 24px;
padding: 10px;
margin-bottom: 20px;
text-align: center;
border: 1px dotted #333;
}
```

```
h4 {
padding-bottom: 5px;
color: #7ed321;
}
```

```
.input-group {
margin-bottom: 8px;
width: 100%;
position: relative;
display: flex;
flex-direction: row;
padding: 5px 0;
}
```

```
.input-box {
width: 100%;
margin-right: 12px;
position: relative;
}
```

```
.input-box:last-child {
margin-right: 0;
}
```

```
.name {
padding: 14px 10px 14px 50px;
width: 100%;
background-color: #fcfcfc;
border: 1px solid #00000033;
```

```
outline: none;
letter-spacing: 1px;
transition: 0.3s;
border-radius: 3px;
color: #333;
}

.name:focus,
.dob:focus {
  -webkit-box-shadow: 0 0 2px 1px #7ed32180;
  -moz-box-shadow: 0 0 2px 1px #7ed32180;
  box-shadow: 0 0 2px 1px #7ed32180;
  border: 1px solid #7ed321;
}

.input-box .icon {
  width: 48px;
  display: flex;
  justify-content: center;
  position: absolute;
  padding: 15px;
  top: 0px;
  left: 0px;
  bottom: 0px;
  color: #333;
  background-color: #f1f1f1;
  border-radius: 2px 0 0 2px;
  transition: 0.3s;
  font-size: 20px;
  pointer-events: none;
  border: 1px solid #000000033;
  border-right: none;
}

.name:focus+.icon {
  background-color: #7ed321;
  color: #fff;
  border-right: 1px solid #7ed321;
  border-right: none;
  transition: 1s;
}

.radio:checked+label {
  background-color: #7ed321;
```

```
color: #fcfcfc;
border-right: 1px solid #7ed321;
border-right: none;
transition: 1s;
}

.dob {
width: 30%;
padding: 14px;
text-align: center;
background-color: #fcfcfc;
transition: 0.3s;
outline: none;
border: 1px solid #c0bfbf;
border-radius: 3px;
}

.radio {
display: none;
}

.input-box label {
width: 50%;
padding: 13px;
background-color: #fcfcfc;
display: inline-block;
float: left;
text-align: center;
border: 1px solid #c0bfbf;
}

.input-box label:first-of-type {
border-top-left-radius: 3px;
border-bottom-left-radius: 3px;
border-right: none;
}

.input-box label:last-of-type {
border-top-left-radius: 3px;
border-bottom-left-radius: 3px;
}

.radio:checked {
background-color: green;
```

```

        color: #fff;
    }

    input[type=submit] {
        width: 100%;
        background: transparent;
        border: none;
        background: #7ed321;
        color: #fff;
        padding: 15px;
        border-radius: 4px;
        font-size: 16px;
        transition: all 0.35s ease;
    }

    input[type=submit]:hover {
        cursor: pointer;
        background: #5eb105;
    }
</style>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,initial-scale=1.0">
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.4.2/css/all.css">
<title>PSST - Payment Gateway</title>
</head>

<body>
    <div class="wrapper">
        <h2>Payment Gateway</h2>
        <form method="POST">
            <h4>Account</h4>
            <div class="input-group">
                <div class="input-box">
                    <input class="name" type="text" name="txtname" id="txtname"
placeholder="First Name" required
                    autocomplete="off">

                    <i class="fa fa-user icon" aria-hidden="true"></i>
                </div>

            </div>

            <div class="input-group">
                <div class="input-box">

```

```

        <h4>Payment Details</h4>
        <input type="radio" name="rdbpay" id="cc" checked class="radio">
        <label for="cc">
            <span><i class="fa fa-cc-visa" aria-hidden="true"></i>Credit
Card</span>
        </label>
        <input type="radio" name="rdbpay" id="dc" class="radio">
        <label for="dc">
            <span><i class="fa fa-cc-visa" aria-hidden="true"></i>Debit
Card</span>
        </label>
    </div>
</div>
<div class="input-group">
    <div class="input-box">
        <input class="name" type="tel" id="txtcardno" name="txtcardno" required
            data-mask="0000 0000 0000 0000" placeholder="Card Number">
        <i class="fa fa-credit-card icon" aria-hidden="true"></i>
    </div>
</div>
<div class="input-group">
    <div class="input-box">
        <input class="name" type="text" name="txtcvc" id="txtcvc" data-
mask="000" placeholder="CVC"
            required>
        <i class="fa fa-user icon" aria-hidden="true"></i>
    </div>
    <div class="input-box">
        <input class="name" type="text" name="txtdate" id="txtdate" data-
mask="00 / 00"
            placeholder="EXP DATE" required>
        <i class="fa fa-calendar icon" aria-hidden="true"></i>
    </div>
</div>

    <div class="input-group">
        <div class="input-box">
            <input type="submit" name="btn_pay" value="PAY NOW">
        </div>
    </div>
</form>
</div>

</body>

```

```
<script src='https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js'></script>  
<script  
src='https://cdnjs.cloudflare.com/ajax/libs/jquery.mask/1.14.15/jquery.mask.min.js'></sc  
ript>  
  
</html>
```