








Implemented CSS audit C











Slice C · 120 Implemented properties · font-family "Liberation Sans" · local images









IMPLEMENTED-PROPS-C













Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.

#	Property	What it should do	Effect (live)
1	margin-inline-end longhand · CSS Logical Properties and Values	With <code>`margin-inline-end: 10px`</code> the outer margin should be 10px.	
2	margin-inline-start longhand · CSS Logical Properties and Values	With <code>`margin-inline-start: 10px`</code> the outer margin should be 10px.	
3	margin-left longhand · CSS Anchor Positioning	With <code>`margin-left: 10px`</code> the outer margin should be 10px.	
4	margin-right longhand · CSS Anchor Positioning	With <code>`margin-right: 10px`</code> the outer margin should be 10px.	
5	margin-top longhand · CSS Anchor Positioning	With <code>`margin-top: 10px`</code> the outer margin should be 10px.	
6	margin-trim longhand · CSS Box Model	With <code>`margin-trim: block`</code> the outer margin should be block.	
7	max-block-size longhand · CSS Logical Properties and Values	With <code>`max-block-size: 72px`</code> the box sizing should be 72px.	
8	max-height longhand · CSS Box Sizing	With <code>`max-height: 72px`</code> the box sizing should be 72px.	
9	max-inline-size longhand · CSS Logical Properties and Values	With <code>`max-inline-size: 72px`</code> the box sizing should be 72px.	
10	max-lines longhand · CSS Overflow	With <code>`max-lines: 2`</code> the box sizing should be 2.	
11	max-width longhand · CSS Box Sizing	With <code>`max-width: 72px`</code> the box sizing should be 72px.	
12	min-block-size longhand · CSS Logical Properties and Values	With <code>`min-block-size: 72px`</code> the box sizing should be 72px.	
13	min-height longhand · CSS Box Sizing	With <code>`min-height: 72px`</code> the box sizing should be 72px.	
14	min-inline-size longhand · CSS Logical Properties and Values	With <code>`min-inline-size: 72px`</code> the box sizing should be 72px.	
15	min-width longhand · CSS Box Sizing	With <code>`min-width: 72px`</code> the box sizing should be 72px.	

#	Property	What it should do	Effect (live)
16	mix-blend-mode longhand · Compositing and Blending	Partial: multiply blends emitted operations; full element-group backdrop semantics are deferred.	
17	object-view-box longhand · CSS Images	With `object-view-box: inherit` the effect should match inherit.	
18	opacity longhand · CSS Color	With `opacity: 0.45` the chip looks faded against the page (compare to a solid neighbor).	
19	order longhand · CSS Display	With `order: 1px solid #336` the flex items should be arranged as 1px solid #336.	
20	orphans longhand · CSS Fragmentation	With `orphans: inherit` the effect should match inherit.	
21	outline shorthand · CSS Basic User Interface	With `outline: 3px solid #c40` the outline outside the border should be 3px solid #c40.	
22	outline-color longhand · CSS Basic User Interface	With `outline-color: #c40` the outline outside the border should be #c40.	
23	outline-offset longhand · CSS Basic User Interface	With `outline-offset: 4px` the outline outside the border should be 4px.	
24	outline-style longhand · CSS Basic User Interface	With `outline-style: solid` the outline outside the border should be solid.	
25	outline-width longhand · CSS Basic User Interface	With `outline-width: 3px` the outline outside the border should be 3px.	
26	overflow shorthand · CSS Overflow	With `overflow: hidden` overflowing content should be clipped as hidden.	
27	overflow-clip-margin shorthand · CSS Overflow	With `overflow:clip` and `overflow-clip-margin:8px`, overflowing paint stays visible up to 8px past the border on all sides (red halo).	
28	overflow-clip-margin-block shorthand · (ungrouped)	With `overflow:clip` and `overflow-clip-margin-block:8px`, overflowing paint stays visible 8px past the top and bottom edges.	
29	overflow-clip-margin-block-end longhand · (ungrouped)	With `overflow:clip` and `overflow-clip-margin-block-end:8px`, overflowing paint stays visible 8px past the bottom edge.	
30	overflow-clip-margin-block-start longhand · (ungrouped)	With `overflow:clip` and `overflow-clip-margin-block-start:8px`, overflowing paint stays visible 8px past the top edge.	
31	overflow-clip-margin-bottom longhand · (ungrouped)	With `overflow:clip` and `overflow-clip-margin-bottom:8px`, overflowing paint stays visible 8px past the bottom edge.	

#	Property	What it should do	Effect (live)
32	<code>overflow-clip-margin-inline</code> shorthand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-inline:8px`</code> , overflowing paint stays visible 8px past the left and right edges.	
33	<code>overflow-clip-margin-inline-end</code> longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-inline-end:8px`</code> , overflowing paint stays visible 8px past the right edge.	
34	<code>overflow-clip-margin-inline-start</code> longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-inline-start:8px`</code> , overflowing paint stays visible 8px past the left edge.	
35	<code>overflow-clip-margin-left</code> longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-left:8px`</code> , overflowing paint stays visible 8px past the left edge.	
36	<code>overflow-clip-margin-right</code> longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-right:8px`</code> , overflowing paint stays visible 8px past the right edge.	
37	<code>overflow-clip-margin-top</code> longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-top:8px`</code> , overflowing paint stays visible 8px past the top edge (red halo in the gray stage).	
38	<code>overflow-wrap</code> longhand · CSS Text	With <code>`overflow-wrap:anywhere`</code> , long words break mid-word so they fit the box width.	supercalifragilistic w rapping-hyphenatio n sample
39	<code>overflow-x</code> longhand · CSS Overflow	With <code>`overflow-x: hidden`</code> overflowing content should be clipped as hidden.	XXXX horizontal clip YYYY
40	<code>overflow-y</code> longhand · CSS Overflow	With <code>`overflow-y: hidden`</code> overflowing content should be clipped as hidden.	line1 line2 line3 clipped
41	<code>padding</code> shorthand · CSS Box Model	With <code>`padding: 10px`</code> the inner padding should be 10px.	
42	<code>padding-block</code> shorthand · CSS Logical Properties and Values	With <code>`padding-block: 10px`</code> the inner padding should be 10px.	
43	<code>padding-block-end</code> longhand · CSS Logical Properties and Values	With <code>`padding-block-end: 10px`</code> the inner padding should be 10px.	
44	<code>padding-block-start</code> longhand · CSS Logical Properties and Values	With <code>`padding-block-start: 10px`</code> the inner padding should be 10px.	
45	<code>padding-bottom</code> longhand · CSS Box Model	With <code>`padding-bottom: 10px`</code> the inner padding should be 10px.	
46	<code>padding-inline</code> shorthand · CSS Logical Properties and Values	With <code>`padding-inline: 10px`</code> the inner padding should be 10px.	

#	Property	What it should do	Effect (live)
47	padding-inline-end longhand · CSS Logical Properties and Values	With `padding-inline-end: 10px` the inner padding should be 10px.	
48	padding-inline-start longhand · CSS Logical Properties and Values	With `padding-inline-start: 10px` the inner padding should be 10px.	
49	padding-left longhand · CSS Box Model	With `padding-left: 10px` the inner padding should be 10px.	
50	padding-right longhand · CSS Box Model	With `padding-right: 10px` the inner padding should be 10px.	
51	padding-top longhand · CSS Box Model	With `padding-top: 10px` the inner padding should be 10px.	
52	page longhand · CSS Paged Media	With `page: auto` the effect should match auto.	
53	page-break-after longhand · CSS Paged Media	With `page-break-after: auto` the effect should match auto.	
54	page-break-before longhand · CSS Paged Media	With `page-break-before: auto` the effect should match auto.	
55	page-break-inside longhand · CSS Paged Media	With `page-break-inside: avoid` the effect should match avoid.	
56	place-content shorthand · CSS Box Alignment	With `place-content: center` the alignment should place items as center.	
57	place-items shorthand · CSS Box Alignment	With `place-items: center` each grid item shrinks to its content and sits in the middle of its cell.	
58	place-self shorthand · CSS Box Alignment	With `place-self: end` on A, A shrinks and sits at the bottom-end of its cell; B still stretches in the other column.	
59	position longhand · CSS Positioned Layout	With `position: relative` the positioned box should be offset relative.	
60	print-color-adjust longhand · CSS Color	With `print-color-adjust: inherit` the effect should match inherit.	
61	quotes longhand · CSS Generated Content	With `quotes: none` the effect should match none.	list/content demo
62	right longhand · CSS Anchor Positioning	With `right: 4px` the positioned box should be offset 4px.	
63	rotate longhand · CSS Transforms	With `rotate: 12deg` the orange chip rotates inside the centered stage.	

#	Property	What it should do	Effect (live)
64	row-gap longhand · CSS Box Alignment	With `row-gap: 12px` the flex items should be arranged as 12px.	
65	scale longhand · CSS Transforms	With `scale: 1.15` the orange chip grows inside the centered stage.	
66	string-set longhand · (ungrouped)	With `string-set: inherit` the effect should match inherit.	
67	stroke longhand · Scalable Vector Graphics	With `stroke: #c40` the effect should match #c40.	
68	stroke-opacity longhand · Scalable Vector Graphics	With `stroke-opacity: 0.5` the element should look faded as 0.5.	
69	stroke-width longhand · Scalable Vector Graphics	With `stroke-width: 2px` the effect should match 2px.	
70	tab-size longhand · CSS Text	With `tab-size: 4` the effect should match 4.	
71	table-layout longhand · CSS Table	With `table-layout: fixed` equal columns keep equal width even when cell text lengths differ; caption is centered.	
72	text-align shorthand · CSS Text	With `text-align: center` the text should be aligned center.	
73	text-align-all longhand · (ungrouped)	With `text-align-all: center` the text should be aligned center.	
74	text-align-last longhand · CSS Text	With `text-align-last: center` the text should be aligned center.	
75	text-combine-upright longhand · CSS Writing Modes	With `text-combine-upright: inherit` the effect should match inherit.	
76	text-decoration shorthand · CSS Text Decoration	With `text-decoration: underline` the text gets an underline.	
77	text-decoration-color longhand · CSS Text Decoration	With `text-decoration-color: #c00` the underline is drawn in red.	
78	text-decoration-inset longhand · CSS Text Decoration	With `text-decoration-inset: 3px` the underline is inset by 3px from the glyph edge.	
79	text-decoration-line longhand · CSS Text Decoration	With `text-decoration-line: line-through` a strike runs through the text.	
80	text-decoration-skip shorthand · CSS Text Decoration	With `text-decoration-skip: objects` underline still paints on plain text.	

#	Property	What it should do	Effect (live)
81	text-decoration-skip-box longhand · (ungrouped)	With <code>text-decoration-skip-box: none</code> underline is not skipped across the box.	<u>decorated</u>
82	text-decoration-skip-ink longhand · CSS Text Decoration	Side-by-side: <code>skip-ink: auto</code> gaps the underline at descenders (p/y); <code>none</code> draws through them.	<u>paying auto</u> <u>paying none</u>
83	text-decoration-skip-self longhand · (ungrouped)	With <code>text-decoration-skip-self: none</code> this element keeps its own underline.	<u>decorated</u>
84	text-decoration-skip-spaces longhand · (ungrouped)	With <code>text-decoration-skip-spaces: none</code> underline continues through spaces.	<u>de co rated</u>
85	text-decoration-style longhand · CSS Text Decoration	With <code>text-decoration-style: wavy</code> the underline is wavy.	<u>decorated</u>
86	text-decoration-thickness longhand · CSS Text Decoration	With <code>text-decoration-thickness: 3px</code> the underline is thicker.	<u>decorated</u>
87	text-emphasis shorthand · CSS Text Decoration	With <code>text-emphasis: filled dot</code> emphasis dots mark each character.	•••••••• decorated
88	text-emphasis-color longhand · CSS Text Decoration	With <code>text-emphasis-color: #c00</code> emphasis marks are red.	•••••••• decorated
89	text-emphasis-position longhand · CSS Text Decoration	With <code>text-emphasis-position: under</code> emphasis marks sit below the text.	decorated ••••••••
90	text-emphasis-skip longhand · (ungrouped)	With <code>text-emphasis-skip: spaces</code> emphasis marks skip spaces between words.	•• •• de co
91	text-emphasis-style longhand · CSS Text Decoration	With <code>text-emphasis-style: open sesame</code> open sesame marks appear above the text.	◻◻◻◻◻◻◻◻ decorated
92	text-indent longhand · CSS Text	With <code>text-indent: 24px</code> the first line should be indented 24px.	Indented first line of a short paragraph.
93	text-justify longhand · CSS Text	With <code>text-justify: inherit</code> the effect should match inherit.	text-justify applied
94	text-orientation longhand · CSS Writing Modes	With <code>text-orientation: normal</code> the effect should match normal.	ABC 123
95	text-overflow longhand · CSS Overflow	With <code>text-overflow: ellipsis</code> overflowing content should be clipped as ellipsis.	ellipsis clips this...
96	text-shadow longhand · CSS Text Decoration	With <code>text-shadow: 3px 3px 0 #888</code> a lighter gray copy sits down-right of the text.	shadow
97	text-transform longhand · CSS Text	With <code>text-transform: uppercase</code> the text should be uppercase.	UPPER DEMO
98	text-underline-offset longhand · CSS Text Decoration	With <code>text-underline-offset: 2px</code> the effect should match 2px.	<u>decorated</u>
99	text-underline-position longhand · CSS Text Decoration	With <code>text-underline-position: under</code> the underline sits under the text.	<u>decorated</u>

#	Property	What it should do	Effect (live)
100	text-wrap shorthand · CSS Text	With `text-wrap: inherit` the effect should match inherit.	text-wrap applied
101	text-wrap-mode longhand · CSS Text	With `text-wrap-mode: inherit` the effect should match inherit.	text-wrap-mode applied
102	text-wrap-style longhand · CSS Text	With `text-wrap-style: inherit` the effect should match inherit.	text-wrap-style applied
103	top longhand · CSS Anchor Positioning	With `top: 4px` the positioned box should be offset 4px.	pos
104	transform longhand · CSS Transforms	With `transform: rotate(8deg) translate(4px,2px)` the orange chip rotates and shifts inside the centered stage.	xf
105	transform-box longhand · CSS Transforms	With `transform-box: border-box` plus rotate, the orange chip rotates about its border box inside the stage.	box
106	transform-origin longhand · CSS Transforms	With `transform-origin: left bottom` the orange chip rotates about its lower-left corner inside the stage.	orig
107	translate longhand · CSS Transforms	With `translate: 10px 4px` the orange chip shifts down-right inside the centered stage.	mv
108	unicode-bidi longhand · CSS Writing Modes	With `unicode-bidi: normal` the effect should match normal.	ABC 123
109	vertical-align shorthand · CSS Inline	With `vertical-align: inherit` the layout should be inherit.	vertical-align applied
110	visibility longhand · CSS Display	With `visibility: hidden` the layout should be hidden.	(space kept)
111	white-space shorthand · CSS Text	With `white-space: pre-wrap` the layout should be pre-wrap.	supercalifragilistic wrapping-hyphenation sample
112	white-space-collapse longhand · CSS Text	With `white-space-collapse: pre-wrap` the effect should match pre-wrap.	supercalifragilistic wrapping-hyphenation sample
113	white-space-trim longhand · (ungrouped)	With `white-space-trim: pre-wrap` the effect should match pre-wrap.	supercalifragilistic wrapping-hyphenation sample
114	widows longhand · CSS Fragmentation	With `widows: inherit` the effect should match inherit.	widows applied
115	width longhand · CSS Box Sizing	With `width: 72px` the box sizing should be 72px.	size

116	word-break longhand · CSS Text	With `word-break: break-word` the layout should be break-word.	supercalifragilistic wrapping-hyphenation sample
117	word-spacing longhand · CSS Text	With `word-spacing: 0.6em` the effect should match 0.6em.	line spacing sample text that wraps a little
118	word-wrap legacy-alias · CSS Text	With `word-wrap: break-word` the effect should match break-word.	supercalifragilistic wrapping-hyphenation sample
119	writing-mode longhand · CSS Writing Modes	With `writing-mode: vertical-rl` text stacks top-to-bottom (right); horizontal-tb stays left for contrast.	ABC 123 ABC 123
120	z-index longhand · CSS Positioned Layout	With overlapping boxes, higher `z-index` paints in front (orange over blue).	b front