



font-feature-settings to counter-set

Properties 1-72 · font-family "Liberation Sans" · local images · Chrome support from MDN BCD

NEXT-72-PROPS








Each row names one property from font-feature-settings through counter-set. Implemented rows use side-by-side or precondition-rich Effect demos so the gowk PDF shows a visible change. The property meta line is kind · group · Chrome yes/no (MDN browser-compat-data). If Chrome says no, the Effect cell will often look unchanged in Chrome; that is expected. Generate with `--font-path testdata/fonts/implemented-audit`.





#	Property	What it should do	Effect (live)
1	font-feature-settings longhand · CSS Fonts · Chrome yes (since 48)	With <code>`font-feature-settings: 'smcp' 1`</code> OpenType small-caps features should engage when available.	off Ag smcp on Ag pair: features off vs on (Liberation may share glyphs)
2	font-kerning longhand · CSS Fonts · Chrome yes (since 33)	With <code>`font-kerning: none`</code> letter-pair kerning should stay off.	AV To kern AV To none
3	font-optical-sizing longhand · CSS Fonts · Chrome yes (since 79)	With <code>`font-optical-sizing: auto`</code> at a large size, a variable face opsz axis should match used font-size. <code>`none`</code> keeps the default optical size.	none auto pair: Gowk Var opsz off vs auto at 36pt
4	font-palette longhand · CSS Fonts · Chrome yes (since 101)	With <code>`font-palette: dark`</code> on the Palette Demo COLR/CPAL face, the solid CPAL fill should differ from <code>`normal`</code> (CSS color).	Ag normal Ag dark pair: CPAL lite fill via Palette Demo face
5	font-size-adjust longhand · CSS Fonts · Chrome yes (since 127)	With <code>`font-size-adjust: 0.5`</code> the effect should match 0.5.	Aa plain Aa adj 0.2
6	font-stretch legacy-alias · CSS Fonts · Chrome yes (since 60)	A/B <code>`font-stretch: normal`</code> vs <code>`condensed`</code> . Condensed should look narrower after the font-width advance-scale consumer (legacy alias).	Ag fi 0123 normal Ag fi 0123 condensed condensed advances should look narrower
7	font-synthesis shorthand · CSS Fonts · Chrome yes (since 97)	With <code>`font-synthesis: none`</code> the effect should match none.	Bold synth allowed Bold synth none uses weight 700; none gates fake-bold when no bold face
8	font-synthesis-position longhand · CSS Fonts · Chrome no (not supported)	Pair <code>`font-variant-position: sub`</code> with <code>`font-synthesis-position: auto`</code> vs <code>`none`</code> on digit 2. Auto synthesizes a smaller/lower 2 when no real sub glyphs exist; none keeps the digit full-size. Chrome does not support this property, so the Effect cell may look unchanged in Chrome.	H₂O sub + auto H2O sub + none auto should look smaller/lower; none stays baseline size Chrome: no render expected
9	font-synthesis-small-caps longhand · CSS Fonts · Chrome yes (since 97)	Pair <code>`font-variant-caps: small-caps`</code> with <code>`font-synthesis-small-caps: auto`</code> vs <code>`none`</code> on Ag. Auto geometrically scales uppercase when the face lacks smcp; none leaves Ag unchanged.	AG SMCP + AUTO Ag smcp + none auto may look like AG scaled; none keeps mixed case

#	Property	What it should do	Effect (live)
10	font-synthesis-style longhand · CSS Fonts · Chrome yes (since 97)	On upright-only face `Cactus Classical Serif`, pair `font-style: italic` with `font-synthesis-style: auto` vs `none`. Auto applies FakeOblique; none stays upright.	<i>Italic Ag</i> auto (oblique) Italic Ag none (upright) Cactus Classical Serif has no italic master
11	font-synthesis-weight longhand · CSS Fonts · Chrome yes (since 97)	With `font-synthesis-weight: none` the effect should match none.	700 auto 700 none
12	font-variant shorthand · CSS Fonts · Chrome yes (since 1)	With `font-variant: small-caps` the sample text should render in small caps.	Normal Ag SMALL-CAPS AG
13	font-variant-alternates longhand · CSS Fonts · Chrome yes (since 111)	A/B `font-variant-alternates: historical-forms` (hist) and `stylistic(1)` (salt) vs `normal`. Tags reach the shaper. Liberation often no-ops; DejaVu salt substitutes a to a in tests.	Ag fi historical-forms Ag a stylistic(1) Ag fi normal hist/salt tags applied; Liberation GSUB often empty
14	font-variant-caps longhand · CSS Fonts · Chrome yes (since 52)	With `font-variant-caps: small-caps` the effect should match small-caps.	Caps Off CAPS ON
15	font-variant-east-asian longhand · CSS Fonts · Chrome yes (since 63)	With `font-variant-east-asian: jis78` the effect should match jis78.	漢字 jis78 CJK face via Cactus Classical Serif subset
16	font-variant-emoji longhand · CSS Fonts · Chrome yes (since 131)	With `font-variant-emoji: text` vs `emoji`, ☺ should differ: text keeps CSS color; emoji uses U+FE0F presentation fill and at least 1em advance.	☺ text ☺ emoji pair: text vs emoji presentation (U+FE0E / U+FE0F semantics)
17	font-variant-ligatures longhand · CSS Fonts · Chrome yes (since 34)	With `font-variant-ligatures: no-common-ligatures` the effect should match no-common-ligatures.	office fillet office fillet left allows liga; right disables
18	font-variant-numeric longhand · CSS Fonts · Chrome yes (since 52)	With `font-variant-numeric: tabular-nums` the effect should match tabular-nums.	1111 0000 1111 0000
19	font-variant-position longhand · CSS Fonts · Chrome yes (since 117)	With `font-variant-position: sub` the effect should match sub.	H₂ O and x_i
20	font-variation-settings longhand · CSS Fonts · Chrome yes (since 62)	With `font-variation-settings: 'wght' 900` a variable face should paint a heavier, wider A than `normal`.	normal wght 900 pair: Gowk Var default vs wght 900
21	font-width longhand · CSS Fonts · Chrome no (not supported)	A/B `font-width: normal` vs `condensed`. Condensed should look narrower after the advance-scale consumer. Chrome does not support this property, so the Effect cell may look unchanged in Chrome.	Ag fi 0123 normal Ag fi 0123 condensed condensed advances should look narrower Chrome: no render expected
22	border-block-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-block-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected

#	Property	What it should do	Effect (live)
23	border-block-end-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-block-end-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
24	border-block-start-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-block-start-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
25	border-bottom-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-bottom-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
26	border-boundary longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-boundary`. Effect is an honesty panel only (no live boundary effect). Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
27	border-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
28	border-inline-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-inline-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
29	border-inline-end-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-inline-end-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
30	border-inline-start-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-inline-start-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
31	border-left-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-left-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected

#	Property	What it should do	Effect (live)
32	border-limit longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-limit`. Demo value `3` is not a live limit; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
33	border-right-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-right-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
34	border-shape longhand · CSS Backgrounds and Borders · Chrome yes (since 147)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-shape`. Demo value `bevel` is invalid (needs <basic-shape>, e.g. inset()/circle()); Effect is an honesty panel only.	gowk Unsupported (87.7 defer) baseline border only
35	border-top-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-top-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected
36	text-autospace longhand · CSS Text · Chrome yes (since 140)	With `text-autospace: ideograph-alpha` the effect should match ideograph-alpha.	汉A汉A汉 汉 A 汉 A 汉 right inserts ideograph-alpha gap
37	text-box longhand · CSS Inline · Chrome yes (since 133)	With `text-box: trim-both cap alphabetic` the effect should match trim-both cap alphabetic.	Aa Bb right trims half-leading
38	text-box-edge longhand · CSS Inline · Chrome yes (since 133)	With `text-box-edge: cap alphabetic` the effect should match cap alphabetic.	edge default edge cap/alph
39	text-box-trim longhand · CSS Inline · Chrome yes (since 133)	With `text-box-trim: trim-both` half-leading above and below the text box should be removed.	no trim Yy trim-bot h Yy
40	text-fit longhand · CSS Text · Chrome yes (since 150)	With `text-fit: scale` the effect should match scale.	The quick 汉字 Latin wrap sample.
41	text-group-align longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `text-group-align: center` the effect should match center. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	Hi short line centered in wide box Chrome: no render expected
42	text-spacing shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	With `text-spacing: trim-start` the effect should match trim-start. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	「AB 「AB right hangs 「 past the red rule

#	Property	What it should do	Effect (live)
43	text-spacing-trim longhand · CSS Text · Chrome yes (since 123)	With `text-spacing-trim: space-all` the effect should match space-all.	 trim-start hangs leading ⏏
44	grid-auto-columns longhand · CSS Grid Layout · Chrome yes (since 57)	With `grid-auto-columns: 40px` each implicit column should be 40px wide.	 col1=24px explicit; col2/3=48px auto-columns
45	grid-auto-rows longhand · CSS Grid Layout · Chrome yes (since 57)	With `grid-auto-rows: 24px` each implicit row should be 24px tall.	 implicit row height locked to 28px
46	grid-column-gap legacy-alias · CSS Grid Layout · Chrome yes (since 1)	With `grid-column-gap: 12px` columns should be separated by 12px.	 16px column gap between A and B
47	grid-gap legacy-alias · CSS Grid Layout · Chrome yes (since 57)	With `grid-gap: 8px 12px` row and column gaps should be 8px and 12px.	
48	grid-row-gap legacy-alias · CSS Grid Layout · Chrome yes (since 47)	With `grid-row-gap: 8px` rows should be separated by 8px.	 14px row gap
49	hanging-punctuation longhand · CSS Text · Chrome no (not supported)	With `hanging-punctuation: first` opening punctuation may hang outside the start edge. Chrome does not support this property (not supported), so the Effect cell may look unchanged in Chrome.	 Hang the opening quote outside the measure. Chrome: no render expected
50	hyphenate-limit-chars longhand · CSS Text · Chrome yes (since 109)	With `hyphenate-limit-chars: 6 3 3` hyphenation should need 6/3/3 character counts.	 SHY only when 3+ chars each side
51	hyphenate-limit-last longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `hyphenate-limit-last: always` the effect should match always. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
52	hyphenate-limit-lines longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `hyphenate-limit-lines: 2` the effect should match 2. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 at most 2 hyphenated lines Chrome: no render expected
53	hyphenate-limit-zone longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `hyphenate-limit-zone: 8%` the effect should match 8%. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected

#	Property	What it should do	Effect (live)
63	initial-letter-align longhand · CSS Inline · Chrome no (no MDN BCD entry)	With `initial-letter: 3; initial-letter-align: hanging` the drop cap should sit on a distinct hanging metric versus alphabetic. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	alphabetic alphabetic drop cap hangs from the first-line cap height across three lines of body copy here. hanging hanging drop cap uses a higher hanging baseline so the letter Y shifts versus alphabetic. pair: alphabetic vs hanging (needs initial-letter:3) Chrome: no render expected
64	initial-letter-wrap longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `initial-letter: 3; initial-letter-wrap: all` overlapping lines should shorten beside the letter; `none` does not side-wrap. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	none none keeps later lines' width with no side wrap beside the letter. all all shortens every overlapping line beside the rectangular letter box. pair: wrap none vs all (needs initial-letter:3) Chrome: no render expected
65	column-height longhand · CSS Box Sizing · Chrome yes (since 145)	With `column-height: 80px` the effect should match 80px.	One. Two. Three. Four. Five. Six. Seven. Eight. Nine. Ten. Eleven. Twelve. Thirteen. Fourteen. Fifteen. 80px-ish cap forces extra columns/rows
66	column-wrap longhand · CSS Box Sizing · Chrome yes (since 145)	With `column-wrap: wrap` vs `nowrap` and a set `column-height`, overflow should open a second row only for wrap.	wrap A1 aa A3 cc A2 bb A4 dd A5 ee A6 ff A7 gg A8 hh nowrap B1 aa B3 cc B2 bb B4 dd B5 ee wrap opens a second row; nowrap stays one row
67	object-fit longhand · CSS Images · Chrome yes (since 32)	With `object-fit: cover` the replaced image should cover the box and crop overflow.	 wide image covered into short box
68	object-position longhand · CSS Images · Chrome yes (since 32)	With `object-position: right bottom` the replaced image should align to the right bottom of the box.	 10x10 pinned to right bottom
69	overflow-block longhand · CSS Overflow · Chrome yes (since 135)	With `overflow-block: hidden` block-axis overflow should clip.	LINE1 only 14px tall: only LINE1 should paint
70	overflow-inline longhand · CSS Overflow · Chrome yes (since 135)	With `overflow-inline: hidden` inline-axis overflow should clip.	XXXXXXXXXXXXXXXXXXTOOLONG inline axis clips the XXX run

#	Property	What it should do	Effect (live)
71	aspect-ratio longhand · CSS Box Sizing · Chrome yes (since 88)	With `aspect-ratio: 1 / 1` the box should keep a square width/height ratio.	1:1 no-ar
72	counter-set longhand · CSS Lists and Counters · Chrome yes (since 85)	With `counter-set: item 5` the named counter should be set to 5 before later increments. Labels should read 6. / 7. after increment.	6. alpha 7. beta expect 6. alpha / 7. beta