

Font Resolution Showcase

Ten pages of exact @font - face faces (TTF + WOFF2), CSS generics, and metric-alias stacks for the v0.2.5 resolver and v0.2.6 WOFF2 / opt-in aliases work.

What this fixture proves

Surface	How to exercise it
Exact @font - face	Local TTF/WOFF2 under testdata/fonts
Metric aliases	--use-metric-font-aliases + discovered Gelasio/Cousine/Arimo/Tinos
System discovery	--use-system-fonts (faces also in ~/.local/share/fonts/gowk-fixture57)
Samples	make samples and make samples-metric-aliases

Needle text for golden checks: FONTSHOW.

Exact @font-face gallery

WOFF2 · WOFF2

Liberation Sans delivered as WOFF2.

LiberationSans-Regular.woff2

DISPLAY · ABRIL

Abril Fatface for mastheads.

AbrilFatface-Regular.ttf

SANS · ACME

Acme for compact labels.

Acme-Regular.ttf

SANS · ARIMO

Arimo is metric-friendly with Arial.

Arimo-Regular.ttf

SERIF · TINOS

Tinos stands in for Times New Roman.

Tinos-Regular.ttf

SERIF · GELASIO

Gelasio stands in for Georgia.

Gelasio-Regular.ttf

Exact @font-face gallery · continued

MONO · COUSINE

Cousine stands in for
Courier New.

Cousine-Regular.ttf

DISPLAY · BEBAS

BEBAS NEUE FOR POSTERS

BebasNeue-Regular.ttf

DISPLAY · ANTON

Anton packs a heavy punch.

Anton-Regular.ttf

DISPLAY · BLACKOPS

Black Ops One for titles.

BlackOpsOne-Regular.ttf

DISPLAY · AUDIOWIDE

Audiowide Feels Futuristic.

Audiowide-Regular.ttf

DISPLAY · ALFASLAB

Alfa Slab One is bold slab.

AlfaSlabOne-Regular.ttf

Exact @font-face gallery · continued

SCRIPT · GREATVIBES

GreatVibes for invitations.

GreatVibes-Regular.ttf

SCRIPT · PARISIENNE

Parisienne keeps it elegant.

Parisienne-Regular.ttf

HAND · MARKER

PERMANENT MARKER NOTES.

PermanentMarker-Regular.ttf

SCRIPT · YELLOWTAIL

Yellowtail signature line.

Yellowtail-Regular.ttf

PIXEL · PRESSSTART

PRESS START 2P

PressStart2P-Regular.ttf

PIXEL · VT323

VT323 terminal readout

VT323-Regular.ttf

Exact @font-face gallery · continued

MONO · ANONYMOUSPRO

Anonymous Pro for code.

AnonymousPro-Regular.ttf

SERIF · ALICE

Alice softens long text.

Alice-Regular.ttf

SLAB · ZILLA

Zilla Slab for UI chrome.

ZillaSlab-Regular.ttf

SERIF · VOLKHOV

Volkhov for editorial body.

Volkhov-Regular.ttf

SERIF · YOUNG SERIF

Young Serif for pull quotes.

YoungSerif-Regular.ttf

DISPLAY · ARCHIVOBLACK

Archivo Black headlines.

ArchivoBlack-Regular.ttf

Exact @font-face gallery · continued

SANS · TITILLIUM	SANS · TOMORROW
Titillium Web for UI copy.	Tomorrow looks geometric.
TitilliumWeb-Regular.ttf	Tomorrow-Regular.ttf
FUN · LUCKIEST	
LUCKIEST GUY FOR STICKERS.	
LuckiestGuy-Regular.ttf	

Exact @font-face gallery · continued

FUN · MONOTON

MONOTONNEON SIGN

Monoton-Regular.ttf

FUN · FASCINATE

Fascinate decorative caps.

Fascinate-Regular.ttf

FUN · GLITCH

Rubik Glitch broken type.

RubikGlitch-Regular.ttf

Metric-alias CSS stacks

With `--use-metric-font-aliases / UseMetricFontAliases` and substitutes in the registry, these stacks pick Gelasio / Cousine / Arimo / Tinos. Without the flag they continue to generics / Liberation.

CSS stack	Sample	Opt-in face
Georgia, "Times New Roman", serif	Northline brief set in a Georgia stack.	Gelasio
"Courier New", monospace	mono payload: ORDER-57-ALIAS	Cousine
Arial, Helvetica, sans-serif	Sans stack aimed at Arimo when present.	Arimo
"Times New Roman", Times, serif	Serif stack aimed at Tinos when present.	Tinos

Exact substitute families (also via `@font-face`)

GELASIO EXACT

Gelasio loaded from testdata/fonts.

COUSINE EXACT

Cousine loaded from testdata/fonts.

ARIMO EXACT

Arimo loaded from testdata/fonts.

TINOS EXACT

Tinos loaded from testdata/fonts.

CSS generics (bundled Liberation / DejaVu)

SERIF

Generic serif → Liberation Serif.

SANS-SERIF

Generic sans → Liberation Sans.

MONOSPACE

Generic mono → Liberation Mono.

Operator recipes

Goal	Flags / API
Deterministic default	No font flags
Load showcase faces + WOFF2	<code>--font-path testdata/fonts</code> or <code>FontPaths</code>
Host discovery	<code>--use-system-fonts</code> / <code>UseSystemFonts</code>
WeasyPrint-style substitutes	<code>--use-metric-font-aliases</code> / <code>UseMetricFontAliases</code>
Sample folders	<code>make samples</code> · <code>make samples-metric-aliases</code>

Variable fonts (fvar), EOT, and data: @font-face stay rejected/skipped. Exact matches beat aliases.

Mixed composition

One page mixing display, script, mono, and alias stacks.

BEBAS MASTHEAD

Signed with Great Vibes

SCORE 5700 · PRESS START

Georgia-stack paragraph for body copy comparison against WeasyPrint.

Courier New stack: SKU-57-MIXED-CLOSE

Volkhov for a calmer editorial closing line on FONTSHOW.