



Implemented CSS audit B

Slice B · 118 Implemented properties · font-family "Liberation Sans" · local images

IMPLEMENTED-PROPS-B

Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.

#	Property	What it should do	Effect (live)
1	border-top-radius shorthand · (ungrouped)	Controls corner rounding on the indicated corner(s) or axis. The 12px rounding in Effect should make the box's corners appear curved.	
2	border-top-right-radius longhand · CSS Backgrounds and Borders	Controls corner rounding on the indicated corner(s) or axis. The 12px rounding in Effect should make the box's corners appear curved.	
3	border-top-style longhand · CSS Backgrounds and Borders	Border longhand/shorthand: width, style, and/or color on the indicated side(s). The border in Effect should appear with the specified width/style/color.	box
4	border-top-width longhand · CSS Backgrounds and Borders	Border longhand/shorthand: width, style, and/or color on the indicated side(s). The border in Effect should appear with the specified width/style/color.	box
5	border-width shorthand · CSS Backgrounds and Borders	Border longhand/shorthand: width, style, and/or color on the indicated side(s). The border in Effect should appear with the specified width/style/color.	box
6	bottom longhand · CSS Anchor Positioning	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
7	box-decoration-break longhand · CSS Fragmentation	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: box-decoration-break
8	box-shadow shorthand · CSS Backgrounds and Borders	Draws outer/inner shadows around the border box. The Effect cell shows the property applied; the rendered box should reflect the specified value.	shadow
9	box-shadow-blur longhand · (ungrouped)	Implemented `box-shadow-blur` ((ungrouped)). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	shadow
10	box-shadow-color longhand · (ungrouped)	Implemented `box-shadow-color` ((ungrouped)). Effect cell shows the property applied. The text/border in Effect should appear in the specified color.	shadow
11	box-shadow-offset longhand · (ungrouped)	Implemented `box-shadow-offset` ((ungrouped)). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	shadow
12	box-shadow-position longhand · (ungrouped)	Implemented `box-shadow-position` ((ungrouped)). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	shadow

#	Property	What it should do	Effect (live)		
13	box-shadow-spread longhand · (ungrouped)	Implemented `box-shadow-spread` ((ungrouped)). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	shadow		
14	box-sizing longhand · CSS Box Sizing	content-box vs border-box size calculation. The Effect cell shows the property applied; the rendered box should reflect the specified value.	box		
15	break-after longhand · CSS Fragmentation	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: break-after		
16	break-before longhand · CSS Fragmentation	Modern fragmentation break before the box. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: break-before		
17	break-inside longhand · CSS Fragmentation	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: break-inside		
18	caption-side longhand · CSS Table	Places table caption top or bottom. The Effect cell shows the property applied; the rendered box should reflect the specified value.	<table><tr><td>td</td><td>td</td></tr></table> cap	td	td
td	td				
19	clear longhand · CSS Positioned Layout	Pushes the box below preceding floats. The Effect cell shows the property applied; the rendered box should reflect the specified value.	F following text wraps beside the float.		
20	color longhand · CSS Color	Sets the foreground text color (and currentColor). The text/border in Effect should appear in the specified color.	colored text		
21	color-adjust shorthand · (ungrouped)	Shorthand ((ungrouped)). Expands into longhands; Effect cell applies a representative value.	color-adjust applied		
22	color-scheme longhand · CSS Color	Implemented `color-scheme` (CSS Color). Effect cell shows the property applied. The text/border in Effect should appear in the specified color.	color-scheme applied		
23	column-count longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span). The Effect cell shows the property applied; the rendered box should reflect the specified value.			
24	column-fill longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span). The Effect cell shows the property applied; the rendered box should reflect the specified value.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
25	column-gap longhand · CSS Box Alignment	Multi-column layout control (count, width, gap, rule, fill, span). The Effect cell shows the property applied; the rendered box should reflect the specified value.	123		
26	column-rule shorthand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span). The Effect cell shows the property applied; the rendered box should reflect the specified value.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		

#	Property	What it should do	Effect (live)
27	column-rule-color longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span). The text/border in Effect should appear in the specified color.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.
28	column-rule-style longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span). The Effect cell shows the property applied; the rendered box should reflect the specified value.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.
29	column-rule-width longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span). The sizing in Effect should constrain the box as specified.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.
30	column-span longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span). The Effect cell shows the property applied; the rendered box should reflect the specified value.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.
31	column-width longhand · CSS Box Sizing	Multi-column layout control (count, width, gap, rule, fill, span). The sizing in Effect should constrain the box as specified.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.
32	columns shorthand · CSS Multi-column Layout	Shorthand enabling multi-column flow. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
33	contain longhand · CSS Containment	Implemented `contain` (CSS Containment). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	contain applied
34	contain-intrinsic-block-size longhand · CSS Box Sizing	Implemented `contain-intrinsic-block-size` (CSS Box Sizing). Effect cell shows the property applied. The sizing in Effect should constrain the box as specified.	size
35	contain-intrinsic-height longhand · CSS Box Sizing	Implemented `contain-intrinsic-height` (CSS Box Sizing). Effect cell shows the property applied. The sizing in Effect should constrain the box as specified.	contain-intrinsic-height applied
36	contain-intrinsic-inline-size longhand · CSS Box Sizing	Implemented `contain-intrinsic-inline-size` (CSS Box Sizing). Effect cell shows the property applied. The sizing in Effect should constrain the box as specified.	size
37	contain-intrinsic-size shorthand · CSS Box Sizing	Shorthand (CSS Box Sizing). Expands into longhands; Effect cell applies a representative value.	size
38	contain-intrinsic-width longhand · CSS Box Sizing	Implemented `contain-intrinsic-width` (CSS Box Sizing). Effect cell shows the property applied. The sizing in Effect should constrain the box as specified.	contain-intrinsic-width applied
39	container shorthand · CSS Conditional Rules	Shorthand (CSS Conditional Rules). Expands into longhands; Effect cell applies a representative value.	container applied
40	container-name longhand · CSS Conditional Rules	Implemented `container-name` (CSS Conditional Rules). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	container-name applied

#	Property	What it should do	Effect (live)
41	container-type longhand · CSS Conditional Rules	Implemented `container-type` (CSS Conditional Rules). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	container-type applied
42	content longhand · CSS Generated Content	Generated content for ::before/::after. The Effect cell shows the property applied; the rendered box should reflect the specified value.	list/content demo
43	content-visibility longhand · CSS Containment	Implemented `content-visibility` (CSS Containment). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	content-visibility applied
44	counter-increment longhand · CSS Lists and Counters	Implemented `counter-increment` (CSS Lists and Counters). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	list/content demo
45	counter-reset longhand · CSS Lists and Counters	Implemented `counter-reset` (CSS Lists and Counters). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	list/content demo
46	direction longhand · CSS Writing Modes	ltr/rtl base direction. The Effect cell shows the property applied; the rendered box should reflect the specified value.	ABC 123
47	display longhand · CSS Display	Changes layout mode of the box (block, inline, flex, none, etc.). The display type in Effect should change the layout as specified.	A B
48	dynamic-range-limit longhand · CSS Color	Implemented `dynamic-range-limit` (CSS Color). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	dynamic-range-limit applied
49	fill longhand · Scalable Vector Graphics	SVG presentation property honored for applicable content/paint paths. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
50	fill-opacity longhand · Scalable Vector Graphics	SVG presentation property honored for applicable content/paint paths. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
51	filter longhand · Filter Effects	CSS filter effects (engine may honor a subset such as opacity). The Effect cell shows the property applied; the rendered box should reflect the specified value.	fx
52	flex shorthand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute. The flex layout in Effect should arrange items as specified.	1 2 3
53	flex-basis longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute. The flex layout in Effect should arrange items as specified.	1 2 3

#	Property	What it should do	Effect (live)
54	flex-direction longhand · CSS Flexible Box Layout	Main axis direction for flex containers. The flex layout in Effect should arrange items as specified.	1 2 3
55	flex-flow shorthand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute. The flex layout in Effect should arrange items as specified.	1 2 3
56	flex-grow longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute. The flex layout in Effect should arrange items as specified.	1 2 3
57	flex-shrink longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute. The flex layout in Effect should arrange items as specified.	1 2 3
58	flex-wrap longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute. The flex layout in Effect should arrange items as specified.	1 2 3
59	float longhand · CSS Positioned Layout	Pulls the box to the left/right; following content wraps. The Effect cell shows the property applied; the rendered box should reflect the specified value.	F following text wraps beside the float.
60	font shorthand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features. The font property in Effect should change the text appearance as specified.	<i>Serif italic bold Aa</i>
61	font-family longhand · CSS Fonts	Chooses the typeface stack; Liberation Sans is pinned via --font-path. The font property in Effect should change the text appearance as specified.	Serif stack Aa Bb vs Mono
62	font-language-override longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features. The font property in Effect should change the text appearance as specified.	lang override normal Aa
63	font-optical-sizing longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features. The font property in Effect should change the text appearance as specified.	optical auto Aa
64	font-palette longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features. The font property in Effect should change the text appearance as specified.	palette normal Aa
65	font-size longhand · CSS Fonts	Sets the used size of text (pt/px/em/%). The font property in Effect should change the text appearance as specified.	9pt 16pt Aa
66	font-style longhand · CSS Fonts	italic/oblique vs normal. The font property in Effect should change the text appearance as specified.	normal / <i>italic Aa</i>
67	font-variation-settings longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features. The font property in Effect should change the text appearance as specified.	variation normal Aa

#	Property	What it should do	Effect (live)
68	font-weight longhand · CSS Fonts	Sets boldness (numeric or keyword). The font property in Effect should change the text appearance as specified.	400 / 700 bold Aa
69	footnote-display longhand · (ungrouped)	Implemented `footnote-display` ((ungrouped)). Effect cell shows the property applied. The display type in Effect should change the layout as specified.	footnote-display applied
70	footnote-policy longhand · (ungrouped)	Implemented `footnote-policy` ((ungrouped)). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	footnote-policy applied
71	forced-color-adjust longhand · CSS Color	Implemented `forced-color-adjust` (CSS Color). Effect cell shows the property applied. The text/border in Effect should appear in the specified color.	forced-color-adjust applied
72	gap shorthand · CSS Box Alignment	Gutters between flex/grid items. The Effect cell shows the property applied; the rendered box should reflect the specified value.	1 2 3
73	grid shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
74	grid-area shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
75	grid-auto-flow longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
76	grid-column shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
77	grid-column-end longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
78	grid-column-start longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
79	grid-row shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B

#	Property	What it should do	Effect (live)
80	grid-row-end longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
81	grid-row-start longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
82	grid-template shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
83	grid-template-areas longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
84	grid-template-columns longhand · CSS Grid Layout	Defines column tracks of a grid container. The grid in Effect should place items as specified.	A B
85	grid-template-rows longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell. The grid in Effect should place items as specified.	A B
86	height longhand · CSS Box Sizing	Sets vertical size. The sizing in Effect should constrain the box as specified.	size
87	hyphenate-character longhand · CSS Text	Implemented `hyphenate-character` (CSS Text). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrapping-hyphenation sample
88	hyphens longhand · CSS Text	Implemented `hyphens` (CSS Text). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrapping-hyphenation sample
89	image-orientation longhand · CSS Images	Implemented `image-orientation` (CSS Images). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	image-orientation applied
90	image-resolution longhand · CSS Images	Implemented `image-resolution` (CSS Images). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	image-resolution applied
91	inline-size longhand · CSS Logical Properties and Values	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	size

#	Property	What it should do	Effect (live)
92	inset shorthand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
93	inset-block shorthand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
94	inset-block-end longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
95	inset-block-start longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
96	inset-inline shorthand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
97	inset-inline-end longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
98	inset-inline-start longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
99	isolation longhand · Compositing and Blending	Implemented `isolation` (Compositing and Blending). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fx
100	justify-content longhand · CSS Box Alignment	Distributes flex/grid items along the main/inline axis. The Effect cell shows the property applied; the rendered box should reflect the specified value.	1 2 3
101	justify-items longhand · CSS Box Alignment	Grid/alignment control. Tracks or item placement should change in the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	1 2 3
102	justify-self longhand · CSS Box Alignment	Grid/alignment control. Tracks or item placement should change in the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	1 2 3
103	left longhand · CSS Anchor Positioning	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos

#	Property	What it should do	Effect (live)
104	letter-spacing longhand · CSS Text	Adds tracking between glyphs. The Effect cell shows the property applied; the rendered box should reflect the specified value.	TRACKING Aa Bb Cc
105	line-break longhand · CSS Text	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrapping-hyphenatio n sample
106	line-clamp shorthand · CSS Overflow	Shorthand (CSS Overflow). Expands into longhands; Effect cell applies a representative value.	Line one keeps. Line two keeps. Line three and four .
107	line-height longhand · CSS Inline	Controls inter-line spacing of inline content. The sizing in Effect should constrain the box as specified.	Tall leading line one. Tall leading line two. Tall leading line three.
108	list-style shorthand · CSS Lists and Counters	Shorthand (CSS Lists and Counters). Expands into longhands; Effect cell applies a representative value.	list/content demo
109	list-style-image longhand · CSS Lists and Counters	Implemented `list-style-image` (CSS Lists and Counters). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	list/content demo
110	list-style-position longhand · CSS Lists and Counters	Implemented `list-style-position` (CSS Lists and Counters). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	list/content demo
111	list-style-type longhand · CSS Lists and Counters	Marker style for list items (disc, decimal, .). The Effect cell shows the property applied; the rendered box should reflect the specified value.	list/content demo
112	margin shorthand · CSS Box Model	Outer gap around the border box. The spacing in Effect should reflect the specified margin/padding.	all-side s 12px
113	margin-block shorthand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	block 14px
114	margin-block-end longhand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	block-end 16px
115	margin-block-start longhand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	block-start 16px
116	margin-bottom longhand · CSS Anchor Positioning	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	bottom 18px

117	margin-break longhand · (ungrouped)	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	break:keep (+top)	
118	margin-inline shorthand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	inli ne 14p x	