



Implemented CSS audit C

Slice C · 120 Implemented properties · font-family "Liberation Sans" · local images

IMPLEMENTED-PROPS-C







Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit.`

#	Property	What it should do	Effect (live)
1	margin-inline-end longhand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	
2	margin-inline-start longhand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	
3	margin-left longhand · CSS Anchor Positioning	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	
4	margin-right longhand · CSS Anchor Positioning	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	
5	margin-top longhand · CSS Anchor Positioning	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	
6	margin-trim longhand · CSS Box Model	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border. The spacing in Effect should reflect the specified margin/padding.	
7	max-block-size longhand · CSS Logical Properties and Values	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	
8	max-height longhand · CSS Box Sizing	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	
9	max-inline-size longhand · CSS Logical Properties and Values	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	
10	max-lines longhand · CSS Overflow	Sizing constraint on the content/border box (physical or logical). The Effect cell shows the property applied; the rendered box should reflect the specified value.	
11	max-width longhand · CSS Box Sizing	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	
12	min-block-size longhand · CSS Logical Properties and Values	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	

#	Property	What it should do	Effect (live)
13	min-height longhand · CSS Box Sizing	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	size
14	min-inline-size longhand · CSS Logical Properties and Values	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	size
15	min-width longhand · CSS Box Sizing	Sizing constraint on the content/border box (physical or logical). The sizing in Effect should constrain the box as specified.	size
16	mix-blend-mode longhand · Compositing and Blending	Implemented `mix-blend-mode` (Compositing and Blending). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fx
17	object-view-box longhand · CSS Images	Implemented `object-view-box` (CSS Images). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	object-view-box applied
18	opacity longhand · CSS Color	Multiplies alpha of the element and its descendants. The Effect cell shows the property applied; the rendered box should reflect the specified value.	opacity demo
19	order longhand · CSS Display	Flexible box item/container control. Flex row demo should redistribute. The Effect cell shows the property applied; the rendered box should reflect the specified value.	B C A
20	orphans longhand · CSS Fragmentation	Implemented `orphans` (CSS Fragmentation). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	orphans applied
21	outline shorthand · CSS Basic User Interface	Non-layout outline around the box. The Effect cell shows the property applied; the rendered box should reflect the specified value.	box
22	outline-color longhand · CSS Basic User Interface	Outline width/style/color/offset outside the border edge (does not affect layout). The text/border in Effect should appear in the specified color.	box
23	outline-offset longhand · CSS Basic User Interface	Outline width/style/color/offset outside the border edge (does not affect layout). The Effect cell shows the property applied; the rendered box should reflect the specified value.	box
24	outline-style longhand · CSS Basic User Interface	Outline width/style/color/offset outside the border edge (does not affect layout). The Effect cell shows the property applied; the rendered box should reflect the specified value.	box
25	outline-width longhand · CSS Basic User Interface	Outline width/style/color/offset outside the border edge (does not affect layout). The sizing in Effect should constrain the box as specified.	box
26	overflow shorthand · CSS Overflow	Clips or scrolls overflowing content (print: clip/hidden matter). The Effect cell shows the property applied; the rendered box should reflect the specified value.	CLIP overflowing content XXXXXXXYYYY

#	Property	What it should do	Effect (live)
27	overflow-clip-margin shorthand · CSS Overflow	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
28	overflow-clip-margin-block shorthand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
29	overflow-clip-margin-block-end longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
30	overflow-clip-margin-block-start longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
31	overflow-clip-margin-bottom longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
32	overflow-clip-margin-inline shorthand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
33	overflow-clip-margin-inline-end longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
34	overflow-clip-margin-inline-start longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
35	overflow-clip-margin-left longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
36	overflow-clip-margin-right longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
37	overflow-clip-margin-top longhand · (ungrouped)	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The spacing in Effect should reflect the specified margin/padding.	clip-margin pad XXXXXXX
38	overflow-wrap longhand · CSS Text	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic w rapping-hyphenatio n sample
39	overflow-x longhand · CSS Overflow	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The Effect cell shows the property applied; the rendered box should reflect the specified value.	XXXX horizontal clip YYYY
40	overflow-y longhand · CSS Overflow	Overflow handling on the indicated axis (visible/hidden/clip/auto/scroll). The Effect cell shows the property applied; the rendered box should reflect the specified value.	line1 line2 line3 clipped
41	padding shorthand · CSS Box Model	Inner gap between border and content. The spacing in Effect should reflect the specified margin/padding.	padding
42	padding-block shorthand · CSS Logical Properties and Values	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding

#	Property	What it should do	Effect (live)
43	padding-block-end longhand · CSS Logical Properties and Values	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
44	padding-block-start longhand · CSS Logical Properties and Values	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
45	padding-bottom longhand · CSS Box Model	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
46	padding-inline shorthand · CSS Logical Properties and Values	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
47	padding-inline-end longhand · CSS Logical Properties and Values	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
48	padding-inline-start longhand · CSS Logical Properties and Values	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
49	padding-left longhand · CSS Box Model	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
50	padding-right longhand · CSS Box Model	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
51	padding-top longhand · CSS Box Model	Sets inner padding. Look for space inside the demo border before the content. The spacing in Effect should reflect the specified margin/padding.	padding
52	page longhand · CSS Paged Media	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: page
53	page-break-after longhand · CSS Paged Media	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: page-break-after
54	page-break-before longhand · CSS Paged Media	CSS2 page break control before the box (print). The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: page-break-before
55	page-break-inside longhand · CSS Paged Media	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	fragmentation: page-break-inside
56	place-content shorthand · CSS Box Alignment	Grid/alignment control. Tracks or item placement should change in the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	1 2
57	place-items shorthand · CSS Box Alignment	Grid/alignment control. Tracks or item placement should change in the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	A B

#	Property	What it should do	Effect (live)
58	place-self shorthand · CSS Box Alignment	Grid/alignment control. Tracks or item placement should change in the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
59	position longhand · CSS Positioned Layout	static/relative/absolute/fixed/sticky positioning scheme. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
60	print-color-adjust longhand · CSS Color	Implemented `print-color-adjust` (CSS Color). Effect cell shows the property applied. The text/border in Effect should appear in the specified color.	
61	quotes longhand · CSS Generated Content	Quote pair characters used by open-quote/close-quote. The Effect cell shows the property applied; the rendered box should reflect the specified value.	list/content demo
62	right longhand · CSS Anchor Positioning	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
63	rotate longhand · CSS Transforms	Implemented `rotate` (CSS Transforms). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
64	row-gap longhand · CSS Box Alignment	Implemented `row-gap` (CSS Box Alignment). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
65	scale longhand · CSS Transforms	Implemented `scale` (CSS Transforms). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
66	string-set longhand · (ungrouped)	Implemented `string-set` ((ungrouped)). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
67	stroke longhand · Scalable Vector Graphics	SVG presentation property honored for applicable content/paint paths. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
68	stroke-opacity longhand · Scalable Vector Graphics	SVG presentation property honored for applicable content/paint paths. The Effect cell shows the property applied; the rendered box should reflect the specified value.	
69	stroke-width longhand · Scalable Vector Graphics	SVG presentation property honored for applicable content/paint paths. The sizing in Effect should constrain the box as specified.	
70	tab-size longhand · CSS Text	Implemented `tab-size` (CSS Text). Effect cell shows the property applied. The sizing in Effect should constrain the box as specified.	

#	Property	What it should do	Effect (live)		
71	table-layout longhand · CSS Table	Implemented `table-layout` (CSS Table). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	cap <table><tr><td>td</td><td>td</td></tr></table>	td	td
td	td				
72	text-align shorthand · CSS Text	Aligns inline content horizontally in the block. The alignment in Effect should position items as specified.	<table><tr><td>aligned</td></tr></table>	aligned	
aligned					
73	text-align-all longhand · (ungrouped)	Text layout/painting control. Compare the demo label against the Effect cell. The alignment in Effect should position items as specified.	<table><tr><td>aligned</td></tr></table>	aligned	
aligned					
74	text-align-last longhand · CSS Text	Text layout/painting control. Compare the demo label against the Effect cell. The alignment in Effect should position items as specified.	<table><tr><td>aligned</td></tr></table>	aligned	
aligned					
75	text-combine-upright longhand · CSS Writing Modes	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	<table><tr><td>text-combine-upright applied</td></tr></table>	text-combine-upright applied	
text-combine-upright applied					
76	text-decoration shorthand · CSS Text Decoration	Underline/overline/line-through shorthand. The Effect cell shows the property applied; the rendered box should reflect the specified value.	<u>decorated</u>		
77	text-decoration-color longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The text/border in Effect should appear in the specified color.	decorated		
78	text-decoration-inset longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated		
79	text-decoration-line longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	<u>decorated</u>		
80	text-decoration-skip shorthand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated		
81	text-decoration-skip-box longhand · (ungrouped)	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated		
82	text-decoration-skip-ink longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated		
83	text-decoration-skip-self longhand · (ungrouped)	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated		
84	text-decoration-skip-spaces longhand · (ungrouped)	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated		

#	Property	What it should do	Effect (live)
85	text-decoration-style longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated
86	text-decoration-thickness longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated
87	text-emphasis shorthand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated
88	text-emphasis-color longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The text/border in Effect should appear in the specified color.	decorated
89	text-emphasis-position longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated
90	text-emphasis-skip longhand · (ungrouped)	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated
91	text-emphasis-style longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated
92	text-indent longhand · CSS Text	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	Indented first line of a short paragraph.
93	text-justify longhand · CSS Text	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	text-justify applied
94	text-orientation longhand · CSS Writing Modes	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	ABC 123
95	text-overflow longhand · CSS Overflow	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	ellipsis clips this long label
96	text-shadow longhand · CSS Text Decoration	Draws a shadow behind glyphs. The Effect cell shows the property applied; the rendered box should reflect the specified value.	shadow
97	text-transform longhand · CSS Text	uppercase/lowercase/capitalize of text. The Effect cell shows the property applied; the rendered box should reflect the specified value.	UPPER DEMO
98	text-underline-offset longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated

#	Property	What it should do	Effect (live)
99	text-decoration-position longhand · CSS Text Decoration	Text decoration/emphasis painting (line, color, style, thickness, or offset). The Effect cell shows the property applied; the rendered box should reflect the specified value.	decorated
100	text-wrap shorthand · CSS Text	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	text-wrap applied
101	text-wrap-mode longhand · CSS Text	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	text-wrap-mode applied
102	text-wrap-style longhand · CSS Text	Text layout/painting control. Compare the demo label against the Effect cell. The Effect cell shows the property applied; the rendered box should reflect the specified value.	text-wrap-style applied
103	top longhand · CSS Anchor Positioning	Positioned offsets (physical or logical) for relative/absolute/sticky boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	pos
104	transform longhand · CSS Transforms	2D translate/rotate/scale paint transform. The Effect cell shows the property applied; the rendered box should reflect the specified value.	xf
105	transform-box longhand · CSS Transforms	Implemented `transform-box` (CSS Transforms). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	box
106	transform-origin longhand · CSS Transforms	Implemented `transform-origin` (CSS Transforms). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	orig
107	translate longhand · CSS Transforms	Implemented `translate` (CSS Transforms). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	mv
108	unicode-bidi longhand · CSS Writing Modes	Implemented `unicode-bidi` (CSS Writing Modes). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	ABC 123
109	vertical-align shorthand · CSS Inline	Inline/table-cell vertical alignment. The alignment in Effect should position items as specified.	vertical-align applied
110	visibility longhand · CSS Display	hidden hides the box but keeps layout space; collapse for table rows. The Effect cell shows the property applied; the rendered box should reflect the specified value.	(space kept)
111	white-space shorthand · CSS Text	Controls wrapping and preservation of spaces/newlines. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrapping-hyphenation sample
112	white-space-collapse longhand · CSS Text	Implemented `white-space-collapse` (CSS Text). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrapping-hyphenation sample

#	Property	What it should do	Effect (live)
113	white-space-trim longhand · (ungrouped)	Implemented `white-space-trim` ((ungrouped)). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrapping-hyphenation sample
114	widows longhand · CSS Fragmentation	Implemented `widows` (CSS Fragmentation). Effect cell shows the property applied. The Effect cell shows the property applied; the rendered box should reflect the specified value.	widows applied
115	width longhand · CSS Box Sizing	Sets horizontal size of the content/border box (depending on box-sizing). The sizing in Effect should constrain the box as specified.	size
116	word-break longhand · CSS Text	Print fragmentation / page naming. Effect is most visible across page boundaries. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrappi ng-hyphenation sample
117	word-spacing longhand · CSS Text	Adds space between words. The Effect cell shows the property applied; the rendered box should reflect the specified value.	line spacing sample text that wraps a little
118	word-wrap legacy-alias · CSS Text	Vendor/legacy alias of `overflow-wrap`. Should resolve like the unprefixed property. The Effect cell shows the property applied; the rendered box should reflect the specified value.	supercalifragilistic wrapping-hyphenation sample
119	writing-mode longhand · CSS Writing Modes	Horizontal vs vertical writing mode keywords. The Effect cell shows the property applied; the rendered box should reflect the specified value.	ABC 123
120	z-index longhand · CSS Positioned Layout	Stacking order for positioned boxes. The Effect cell shows the property applied; the rendered box should reflect the specified value.	front