



Next 72 CSS audit








72 target properties · font-family "Liberation Sans" · local images · Chrome support from MDN BCD








NEXT-72-PROPS










Each row names a v0.2.7 target property from the next-72 worklist. Implemented rows use side-by-side or precondition-rich Effect demos so the gowk PDF shows a visible change. The property meta line is kind · group · Chrome yes/no (MDN browser-compat-data). If Chrome says no, the Effect cell will often look unchanged in Chrome; that is expected. Generate with --font-path testdata/fonts/implemented-audit.

#	Property	What it should do	Effect (live)
1	font-feature-settings longhand · CSS Fonts · Chrome yes (since 48)	With `font-feature-settings: 'smcp' 1` OpenType small-caps features should engage when available.	off Ag smcp on Ag pair: features off vs on (Liberation may share glyphs)
2	font-kerning longhand · CSS Fonts · Chrome yes (since 33)	With `font-kerning: none` letter-pair kerning should stay off.	AV To kern AV To none
3	font-optical-sizing longhand · CSS Fonts · Chrome yes (since 79)	With `font-optical-sizing: none` the effect should match none.	Ag fi 0123
4	font-palette longhand · CSS Fonts · Chrome yes (since 101)	With `font-palette: dark` the effect should match dark.	Ag fi 0123
5	font-size-adjust longhand · CSS Fonts · Chrome yes (since 127)	With `font-size-adjust: 0.5` the effect should match 0.5.	Aa plain Aa adj 0.2
6	font-stretch legacy-alias · CSS Fonts · Chrome yes (since 60)	With `font-stretch: condensed` glyphs should narrow when a matching face exists.	Ag fi 0123
7	font-synthesis shorthand · CSS Fonts · Chrome yes (since 97)	With `font-synthesis: none` the effect should match none.	Bold synth allowed Bold synth none uses weight 700; none gates fake-bold when no bold face
8	font-synthesis-position longhand · CSS Fonts · Chrome no (not supported)	With `font-synthesis-position: none` the effect should match none. Chrome does not support this property (not supported), so the Effect cell may look unchanged in Chrome.	Ag fi 0123 Chrome: no render expected
9	font-synthesis-small-caps longhand · CSS Fonts · Chrome yes (since 97)	With `font-synthesis-small-caps: none` the effect should match none.	Ag fi 0123
10	font-synthesis-style longhand · CSS Fonts · Chrome yes (since 97)	With `font-synthesis-style: none` the effect should match none.	Ag fi 0123
11	font-synthesis-weight longhand · CSS Fonts · Chrome yes (since 97)	With `font-synthesis-weight: none` the effect should match none.	700 auto 700 none
12	font-variant shorthand · CSS Fonts · Chrome yes (since 1)	With `font-variant: small-caps` the sample text should render in small caps.	Normal Ag Small-caps Ag

#	Property	What it should do	Effect (live)
13	font-variant-alternates longhand · CSS Fonts · Chrome yes (since 111)	With `font-variant-alternates: historical-forms` the effect should match historical-forms.	Ag fi 0123
14	font-variant-caps longhand · CSS Fonts · Chrome yes (since 52)	With `font-variant-caps: small-caps` the effect should match small-caps.	Caps Off Caps On
15	font-variant-east-asian longhand · CSS Fonts · Chrome yes (since 63)	With `font-variant-east-asian: jis78` the effect should match jis78.	漢字 jis78 CJK face via Cactus Classical Serif subset
16	font-variant-emoji longhand · CSS Fonts · Chrome yes (since 131)	With `font-variant-emoji: text` the effect should match text.	Ag fi 0123
17	font-variant-ligatures longhand · CSS Fonts · Chrome yes (since 34)	With `font-variant-ligatures: no-common-ligatures` the effect should match no-common-ligatures.	office fillet office fillet left allows liga; right disables
18	font-variant-numeric longhand · CSS Fonts · Chrome yes (since 52)	With `font-variant-numeric: tabular-nums` the effect should match tabular-nums.	1111 1111 0000 0000
19	font-variant-position longhand · CSS Fonts · Chrome yes (since 117)	With `font-variant-position: sub` the effect should match sub.	H2O and xi
20	font-variation-settings longhand · CSS Fonts · Chrome yes (since 62)	With `font-variation-settings: 'wght' 700` the effect should match 'wght' 700.	Ag fi 0123
21	font-width longhand · CSS Fonts · Chrome no (not supported)	With `font-width: condensed` the effect should match condensed. Chrome does not support this property (not supported), so the Effect cell may look unchanged in Chrome.	Ag fi 0123 Chrome: no render expected
22	border-block-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-block-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	box Chrome: no render expected
23	border-block-end-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-block-end-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	box Chrome: no render expected
24	border-block-start-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-block-start-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	box Chrome: no render expected
25	border-bottom-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-bottom-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	box Chrome: no render expected

#	Property	What it should do	Effect (live)
26	border-boundary longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-boundary: parent` the effect should match parent. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
27	border-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
28	border-inline-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-inline-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
29	border-inline-end-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-inline-end-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
30	border-inline-start-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-inline-start-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
31	border-left-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-left-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
32	border-limit longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-limit: 3` the effect should match 3. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
33	border-right-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-right-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
34	border-shape longhand · CSS Backgrounds and Borders · Chrome yes (since 147)	With `border-shape: bevel` corner joins should use a bevel geometry.	
35	border-top-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `border-top-clip: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
36	text-autospace longhand · CSS Text · Chrome yes (since 140)	With `text-autospace: ideograph-alpha` the effect should match ideograph-alpha.	 right inserts ideograph-alpha gap

#	Property	What it should do	Effect (live)
37	text-box longhand · CSS Inline · Chrome yes (since 133)	With `text-box: trim-both` cap alphabetic` the effect should match trim-both cap alphabetic.	 right trims half-leading
38	text-box-edge longhand · CSS Inline · Chrome yes (since 133)	With `text-box-edge: cap alphabetic` the effect should match cap alphabetic.	
39	text-box-trim longhand · CSS Inline · Chrome yes (since 133)	With `text-box-trim: trim-both` half-leading above and below the text box should be removed.	
40	text-fit longhand · CSS Text · Chrome yes (since 150)	With `text-fit: scale` the effect should match scale.	
41	text-group-align longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `text-group-align: center` the effect should match center. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 short line centered in wide box Chrome: no render expected
42	text-spacing shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	With `text-spacing: trim-start` the effect should match trim-start. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	
43	text-spacing-trim longhand · CSS Text · Chrome yes (since 123)	With `text-spacing-trim: space-all` the effect should match space-all.	
44	grid-auto-columns longhand · CSS Grid Layout · Chrome yes (since 57)	With `grid-auto-columns: 40px` each implicit column should be 40px wide.	 col1=24px explicit; col2/3=48px auto-columns
45	grid-auto-rows longhand · CSS Grid Layout · Chrome yes (since 57)	With `grid-auto-rows: 24px` each implicit row should be 24px tall.	 implicit row height locked to 28px
46	grid-column-gap legacy-alias · CSS Grid Layout · Chrome yes (since 1)	With `grid-column-gap: 12px` columns should be separated by 12px.	 16px column gap between A and B
47	grid-gap legacy-alias · CSS Grid Layout · Chrome yes (since 57)	With `grid-gap: 8px 12px` row and column gaps should be 8px and 12px.	
48	grid-row-gap legacy-alias · CSS Grid Layout · Chrome yes (since 47)	With `grid-row-gap: 8px` rows should be separated by 8px.	 14px row gap

#	Property	What it should do	Effect (live)
60	float-offset longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With <code>float-offset: 12px</code> the effect should match 12px. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 right float nudged 16px down Chrome: no render expected
61	float-reference longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With <code>float-reference: inline</code> the effect should match inline. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 following text wraps beside the float. Chrome: no render expected
62	initial-letter longhand · CSS Inline · Chrome yes (since 110)	With <code>initial-letter: 3</code> the first letter should span 3 lines.	 n initial letter should span three lines of this paragraph body with enough words to wrap beside the drop cap clearly for geometry.
63	initial-letter-align longhand · CSS Inline · Chrome no (no MDN BCD entry)	With <code>initial-letter-align: alphabetic</code> the effect should match alphabetic. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 n initial letter should span multiple lines of this paragraph body. Chrome: no render expected
64	initial-letter-wrap longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With <code>initial-letter-wrap: all</code> the effect should match all. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 n initial letter should span multiple lines of this paragraph body. Chrome: no render expected
65	column-height longhand · CSS Box Sizing · Chrome yes (since 145)	With <code>column-height: 80px</code> the effect should match 80px.	 80px-ish cap forces extra columns/rows
66	column-wrap longhand · CSS Box Sizing · Chrome yes (since 145)	With <code>column-wrap: wrap</code> multicol content should wrap into additional column rows.	 Column sample one. Column sample two. Column sample three. Column sample four.
67	object-fit longhand · CSS Images · Chrome yes (since 32)	With <code>object-fit: cover</code> the replaced image should cover the box and crop overflow.	 wide image covered into short box
68	object-position longhand · CSS Images · Chrome yes (since 32)	With <code>object-position: right bottom</code> the replaced image should align to the right bottom of the box.	 10x10 pinned to right bottom
69	overflow-block longhand · CSS Overflow · Chrome yes (since 135)	With <code>overflow-block: hidden</code> block-axis overflow should clip.	 14px tall: only LINE1 should paint
70	overflow-inline longhand · CSS Overflow · Chrome yes (since 135)	With <code>overflow-inline: hidden</code> inline-axis overflow should clip.	 inline axis clips the XXX run
71	aspect-ratio longhand · CSS Box Sizing · Chrome yes (since 88)	With <code>aspect-ratio: 1 / 1</code> the box should keep a square width/height ratio.	 1:1 no-ar

#	Property	What it should do	Effect (live)
72	counter-set longhand · CSS Lists and Counters · Chrome yes (since 85)	With `counter-set: item 5` the named counter should be set to 5 before later increments. Labels should read 6. / 7. after increment.	6. alpha 7. beta expect 6. alpha / 7. beta

Source: plans/0.2.7/next-72-properties.json · Pattern: fixture-60/61/62 · Chrome column: MDN BCD (44 yes / 28 no) · Needle: NEXT-72-PROPS · font-family "Liberation Sans"