



# Implemented CSS audit B


Slice B · 118 Implemented properties · font-family "Liberation Sans" · local images

## IMPLEMENTED-PROPS-B

Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.










| #  | Property                                                                 | What it should do                                                                                                                                                                                                 | Effect (live) |
|----|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1  | <b>border-top-radius</b><br>shorthand · (ungrouped)                      | With <code>`border-top-radius: 12px`</code> the top corners should be 12px curved.                                                                                                                                |               |
| 2  | <b>border-top-right-radius</b><br>longhand · CSS Backgrounds and Borders | With <code>`border-top-right-radius: 12px`</code> the top-right corner should be 12px curved.                                                                                                                     |               |
| 3  | <b>border-top-style</b><br>longhand · CSS Backgrounds and Borders        | With <code>`border-top-style: solid`</code> the border edges should be solid.                                                                                                                                     |               |
| 4  | <b>border-top-width</b><br>longhand · CSS Backgrounds and Borders        | With <code>`border-top-width: 3px`</code> the border thickness should be 3px.                                                                                                                                     |               |
| 5  | <b>border-width</b><br>shorthand · CSS Backgrounds and Borders           | With <code>`border-width: 3px`</code> the border thickness should be 3px.                                                                                                                                         |               |
| 6  | <b>bottom</b><br>longhand · CSS Anchor Positioning                       | With <code>`bottom: 4px`</code> the positioned box should be offset 4px.                                                                                                                                          |               |
| 7  | <b>box-decoration-break</b><br>longhand · CSS Fragmentation              | With <code>`box-decoration-break: auto`</code> the effect should match auto.                                                                                                                                      |               |
| 8  | <b>box-shadow</b><br>shorthand · CSS Backgrounds and Borders             | With <code>`box-shadow: 2px 2px 0 #333`</code> the box should cast a shadow as 2px 2px 0 #333.                                                                                                                    |               |
| 9  | <b>box-shadow-blur</b><br>longhand · (ungrouped)                         | With <code>`box-shadow-blur: 8px`</code> the box should cast a shadow as 8px.                                                                                                                                     |               |
| 10 | <b>box-shadow-color</b><br>longhand · (ungrouped)                        | With <code>`box-shadow-color: #333`</code> the text or border should appear #333.                                                                                                                                 |               |
| 11 | <b>box-shadow-offset</b><br>longhand · (ungrouped)                       | With <code>`box-shadow-offset: 4px`</code> the box should cast a shadow as 4px.                                                                                                                                   |               |
| 12 | <b>box-shadow-position</b><br>longhand · (ungrouped)                     | With <code>`box-shadow: 3px 3px 10px`</code> plus <code>`box-shadow-position: inset`</code> , Chrome print keeps an outer shadow (this Borders 4 longhand is not applied in Chrome). Match that outer print look. |               |
| 13 | <b>box-shadow-spread</b><br>longhand · (ungrouped)                       | With <code>`box-shadow-spread: 4px`</code> the box should cast a shadow as 4px.                                                                                                                                   |               |
| 14 | <b>box-sizing</b><br>longhand · CSS Box Sizing                           | With <code>`box-sizing: border-box`</code> the effect should match border-box.                                                                                                                                    |               |
| 15 | <b>break-after</b><br>longhand · CSS Fragmentation                       | With <code>`break-after: auto`</code> the effect should match auto.                                                                                                                                               |               |
| 16 | <b>break-before</b><br>longhand · CSS Fragmentation                      | With <code>`break-before: auto`</code> the effect should match auto.                                                                                                                                              |               |










| #  | Property                                                       | What it should do                                                        | Effect (live)                                                         |    |    |
|----|----------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------|----|----|
| 17 | <b>break-inside</b><br>longhand · CSS Fragmentation            | With `break-inside: avoid` the effect should match avoid.                | <div>fragmentation: break-inside</div>                                |    |    |
| 18 | <b>caption-side</b><br>longhand · CSS Table                    | With `caption-side: bottom` the table caption should be at bottom.       | <table><tr><td>td</td><td>td</td></tr></table> <div>cap</div>         | td | td |
| td | td                                                             |                                                                          |                                                                       |    |    |
| 19 | <b>clear</b><br>longhand · CSS Positioned Layout               | With `clear: left` the layout should be left.                            | <div>F</div> <div>following text wraps beside the float.</div>        |    |    |
| 20 | <b>color</b><br>longhand · CSS Color                           | With `color: #0b5` the text or border should appear #0b5.                | colored text                                                          |    |    |
| 21 | <b>color-adjust</b><br>shorthand · (ungrouped)                 | With `color-adjust: inherit` the effect should match inherit.            | color-adjust applied                                                  |    |    |
| 22 | <b>color-scheme</b><br>longhand · CSS Color                    | With `color-scheme: inherit` the effect should match inherit.            | color-scheme applied                                                  |    |    |
| 23 | <b>column-count</b><br>longhand · CSS Multi-column Layout      | With `column-count: 2` the columns should be 2.                          | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |
| 24 | <b>column-fill</b><br>longhand · CSS Multi-column Layout       | With `column-fill: auto` the columns should be auto.                     | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |
| 25 | <b>column-gap</b><br>longhand · CSS Box Alignment              | With `column-gap: 20px` the flex items should be arranged as 20px.       | <div>231</div>                                                        |    |    |
| 26 | <b>column-rule</b><br>shorthand · CSS Multi-column Layout      | With `column-rule: 1px solid #666` the columns should be 1px solid #666. | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |
| 27 | <b>column-rule-color</b><br>longhand · CSS Multi-column Layout | With `column-rule-color: #666` the text or border should appear #666.    | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |
| 28 | <b>column-rule-style</b><br>longhand · CSS Multi-column Layout | With `column-rule-style: solid` the border edges should be solid.        | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |
| 29 | <b>column-rule-width</b><br>longhand · CSS Multi-column Layout | With `column-rule-width: 1px` the columns should be 1px.                 | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |
| 30 | <b>column-span</b><br>longhand · CSS Multi-column Layout       | With `column-span: auto` the columns should be auto.                     | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |
| 31 | <b>column-width</b><br>longhand · CSS Box Sizing               | With `column-width: auto` the columns should be auto.                    | <div>Multi-column sample text</div> <div>repeated. Multi-column</div> |    |    |




| #  | Property                                                          | What it should do                                                          | Effect (live)                                                                         |
|----|-------------------------------------------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 32 | <b>columns</b><br>shorthand · CSS Multi-column Layout             | With `columns: 2` the columns should be 2.                                 | Multi-column sample text repeated.<br>Multi-column                                    |
| 33 | <b>contain</b><br>longhand · CSS Containment                      | With `contain: inherit` the effect should match inherit.                   | contain applied                                                                       |
| 34 | <b>contain-intrinsic-block-size</b><br>longhand · CSS Box Sizing  | With `contain-intrinsic-block-size: 72px` the effect should match 72px.    | size                                                                                  |
| 35 | <b>contain-intrinsic-height</b><br>longhand · CSS Box Sizing      | With `contain-intrinsic-height: inherit` the effect should match inherit.  | contain-intrinsic-height applied                                                      |
| 36 | <b>contain-intrinsic-inline-size</b><br>longhand · CSS Box Sizing | With `contain-intrinsic-inline-size: 72px` the effect should match 72px.   | size                                                                                  |
| 37 | <b>contain-intrinsic-size</b><br>shorthand · CSS Box Sizing       | With `contain-intrinsic-size: 72px` the effect should match 72px.          | size                                                                                  |
| 38 | <b>contain-intrinsic-width</b><br>longhand · CSS Box Sizing       | With `contain-intrinsic-width: inherit` the effect should match inherit.   | contain-intrinsic-width applied                                                       |
| 39 | <b>container</b><br>shorthand · CSS Conditional Rules             | With `container: inherit` the effect should match inherit.                 | container applied                                                                     |
| 40 | <b>container-name</b><br>longhand · CSS Conditional Rules         | With `container-name: inherit` the effect should match inherit.            | container-name applied                                                                |
| 41 | <b>container-type</b><br>longhand · CSS Conditional Rules         | With `container-type: inherit` the effect should match inherit.            | container-type applied                                                                |
| 42 | <b>content</b><br>longhand · CSS Generated Content                | With `content: none` the effect should match none.                         | list/content demo                                                                     |
| 43 | <b>content-visibility</b><br>longhand · CSS Containment           | With `content-visibility: inherit` the effect should match inherit.        | content-visibility applied                                                            |
| 44 | <b>counter-increment</b><br>longhand · CSS Lists and Counters     | With `counter-increment: none` the effect should match none.               | list/content demo                                                                     |
| 45 | <b>counter-reset</b><br>longhand · CSS Lists and Counters         | With `counter-reset: none` the effect should match none.                   | list/content demo                                                                     |
| 46 | <b>direction</b><br>longhand · CSS Writing Modes                  | With `direction: rtl` the effect should match rtl.                         | ABC 123                                                                               |
| 47 | <b>display</b><br>longhand · CSS Display                          | With `display: flex` the layout should be flex.                            | A B                                                                                   |
| 48 | <b>dynamic-range-limit</b><br>longhand · CSS Color                | With `dynamic-range-limit: inherit` the effect should match inherit.       | dynamic-range-limit applied                                                           |
| 49 | <b>fill</b><br>longhand · Scalable Vector Graphics                | With `fill: #0a7` the effect should match #0a7.                            |  |
| 50 | <b>fill-opacity</b><br>longhand · Scalable Vector Graphics        | With `fill-opacity: 0.5` the element should look faded as 0.5.             |  |
| 51 | <b>filter</b><br>longhand · Filter Effects                        | With `filter: opacity(0.5)` the element should look faded as opacity(0.5). | fx                                                                                    |

| #  | Property                                                    | What it should do                                                          | Effect (live)                                       |
|----|-------------------------------------------------------------|----------------------------------------------------------------------------|-----------------------------------------------------|
| 52 | <b>flex</b><br>shorthand · CSS Flexible Box Layout          | With `flex: 1 1 auto` the flex items should be arranged as 1 1 auto.       | <div>1 2 3</div>                                    |
| 53 | <b>flex-basis</b><br>longhand · CSS Flexible Box Layout     | With `flex-basis: 64px` the flex items should be arranged as 64px.         | <div>1 2 3</div>                                    |
| 54 | <b>flex-direction</b><br>longhand · CSS Flexible Box Layout | With `flex-direction: column` the flex items should be arranged as column. | <div>1<br/>2<br/>3</div>                            |
| 55 | <b>flex-flow</b><br>shorthand · CSS Flexible Box Layout     | With `flex-flow: row wrap` the flex items should be arranged as row wrap.  | <div>1 2 3</div>                                    |
| 56 | <b>flex-grow</b><br>longhand · CSS Flexible Box Layout      | With `flex-grow: 1` the flex items should be arranged as 1.                | <div>1 2 3</div>                                    |
| 57 | <b>flex-shrink</b><br>longhand · CSS Flexible Box Layout    | With `flex-shrink: 1` the flex items should be arranged as 1.              | <div>1 2 3</div>                                    |
| 58 | <b>flex-wrap</b><br>longhand · CSS Flexible Box Layout      | With `flex-wrap: wrap` the flex items should be arranged as wrap.          | <div>1 2 3</div>                                    |
| 59 | <b>float</b><br>longhand · CSS Positioned Layout            | With `float: left` the layout should be left.                              | <div>F following text wraps beside the float.</div> |
| 60 | <b>font</b><br>shorthand · CSS Fonts                        | With `font: italic 700 14pt/1.4` the font should be italic 700 14pt/1.4.   | <div><i><b>Serif italic bold Aa</b></i></div>       |
| 61 | <b>font-family</b><br>longhand · CSS Fonts                  | With `font-family: ` the typeface should change to `.                      | Serif stack Aa Bb vs Mono                           |
| 62 | <b>font-language-override</b><br>longhand · CSS Fonts       | With `font-language-override: normal` the font should be normal.           | <div>lang override normal Aa</div>                  |
| 63 | <b>font-optical-sizing</b><br>longhand · CSS Fonts          | With `font-optical-sizing: auto` the font should be auto.                  | <div>optical auto Aa</div>                          |
| 64 | <b>font-palette</b><br>longhand · CSS Fonts                 | With `font-palette: normal` the font should be normal.                     | <div>palette normal Aa</div>                        |
| 65 | <b>font-size</b><br>longhand · CSS Fonts                    | With `font-size: 9pt` the text should be larger at 9pt.                    | 9pt <b>16pt Aa</b>                                  |
| 66 | <b>font-style</b><br>longhand · CSS Fonts                   | With `font-style: normal` the line should be normal.                       | normal / <i>italic Aa</i>                           |
| 67 | <b>font-variation-settings</b><br>longhand · CSS Fonts      | With `font-variation-settings: normal` the font should be normal.          | <div>variation normal Aa</div>                      |
| 68 | <b>font-weight</b><br>longhand · CSS Fonts                  | With `font-weight: 400` the line should be bolder (400).                   | 400 / <b>700 bold Aa</b>                            |
| 69 | <b>footnote-display</b><br>longhand · (ungrouped)           | With `footnote-display: inherit` the effect should match inherit.          | <div>footnote-display applied</div>                 |
| 70 | <b>footnote-policy</b><br>longhand · (ungrouped)            | With `footnote-policy: inherit` the effect should match inherit.           | <div>footnote-policy applied</div>                  |

| #  | Property                                               | What it should do                                                    | Effect (live)               |
|----|--------------------------------------------------------|----------------------------------------------------------------------|-----------------------------|
| 71 | <b>forced-color-adjust</b><br>longhand · CSS Color     | With `forced-color-adjust: inherit` the effect should match inherit. | forced-color-adjust applied |
| 72 | <b>gap</b><br>shorthand · CSS Box Alignment            | With `gap: 20px` the flex items should be arranged as 20px.          | 1 2 3                       |
| 73 | <b>grid</b><br>shorthand · CSS Grid Layout             | With `grid: auto / auto` the effect should match auto / auto.        | A<br>B                      |
| 74 | <b>grid-area</b><br>shorthand · CSS Grid Layout        | With `grid-area: auto` the effect should match auto.                 | A<br>B                      |
| 75 | <b>grid-auto-flow</b><br>longhand · CSS Grid Layout    | With `grid-auto-flow: auto` the effect should match auto.            | A<br>B                      |
| 76 | <b>grid-column</b><br>shorthand · CSS Grid Layout      | With `grid-column: auto` the columns should be auto.                 | A<br>B                      |
| 77 | <b>grid-column-end</b><br>longhand · CSS Grid Layout   | With `grid-column-end: auto` the columns should be auto.             | A<br>B                      |
| 78 | <b>grid-column-start</b><br>longhand · CSS Grid Layout | With `grid-column-start: auto` the columns should be auto.           | A<br>B                      |
| 79 | <b>grid-row</b><br>shorthand · CSS Grid Layout         | With `grid-row: auto` the effect should match auto.                  | A<br>B                      |
| 80 | <b>grid-row-end</b><br>longhand · CSS Grid Layout      | With `grid-row-end: auto` the effect should match auto.              | A<br>B                      |
| 81 | <b>grid-row-start</b><br>longhand · CSS Grid Layout    | With `grid-row-start: auto` the effect should match auto.            | A<br>B                      |
| 82 | <b>grid-template</b><br>shorthand · CSS Grid Layout    | With `grid-template: auto` the effect should match auto.             | A<br>B                      |

| #  | Property                                                                 | What it should do                                                        | Effect (live)                                                                         |
|----|--------------------------------------------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 83 | <b>grid-template-areas</b><br>longhand · CSS Grid Layout                 | With `grid-template-areas: auto` the effect should match auto.           |    |
| 84 | <b>grid-template-columns</b><br>longhand · CSS Grid Layout               | With `grid-template-columns: 40px 40px` the columns should be 40px 40px. |    |
| 85 | <b>grid-template-rows</b><br>longhand · CSS Grid Layout                  | With `grid-template-rows: 1fr 1fr` the effect should match 1fr 1fr.      |    |
| 86 | <b>height</b><br>longhand · CSS Box Sizing                               | With `height: 72px` the box sizing should be 72px.                       |    |
| 87 | <b>hyphenate-character</b><br>longhand · CSS Text                        | With `hyphenate-character: auto` the effect should match auto.           |    |
| 88 | <b>hyphens</b><br>longhand · CSS Text                                    | With `hyphens: auto` the effect should match auto.                       |    |
| 89 | <b>image-orientation</b><br>longhand · CSS Images                        | With `image-orientation: inherit` the effect should match inherit.       |  |
| 90 | <b>image-resolution</b><br>longhand · CSS Images                         | With `image-resolution: inherit` the effect should match inherit.        |  |
| 91 | <b>inline-size</b><br>longhand · CSS Logical Properties and Values       | With `inline-size: 72px` the box sizing should be 72px.                  |  |
| 92 | <b>inset</b><br>shorthand · CSS Logical Properties and Values            | With `inset: 4px` the positioned box should be offset 4px.               |  |
| 93 | <b>inset-block</b><br>shorthand · CSS Logical Properties and Values      | With `inset-block: 4px` the positioned box should be offset 4px.         |  |
| 94 | <b>inset-block-end</b><br>longhand · CSS Logical Properties and Values   | With `inset-block-end: 4px` the positioned box should be offset 4px.     |  |
| 95 | <b>inset-block-start</b><br>longhand · CSS Logical Properties and Values | With `inset-block-start: 4px` the positioned box should be offset 4px.   |  |
| 96 | <b>inset-inline</b><br>shorthand · CSS Logical Properties and Values     | With `inset-inline: 4px` the positioned box should be offset 4px.        |  |
| 97 | <b>inset-inline-end</b><br>longhand · CSS Logical Properties and Values  | With `inset-inline-end: 4px` the positioned box should be offset 4px.    |  |

| #   | Property                                                                  | What it should do                                                                                | Effect (live)                                                                         |
|-----|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98  | <b>inset-inline-start</b><br>longhand · CSS Logical Properties and Values | With `inset-inline-start: 4px` the positioned box should be offset 4px.                          |    |
| 99  | <b>isolation</b><br>longhand · Compositing and Blending                   | Partial: isolate creates a stacking boundary; full PDF transparency-group isolation is deferred. |    |
| 100 | <b>justify-content</b><br>longhand · CSS Box Alignment                    | With `justify-content: center` the alignment should place items as center.                       |    |
| 101 | <b>justify-items</b><br>longhand · CSS Box Alignment                      | With `justify-items: center` the alignment should place items as center.                         |    |
| 102 | <b>justify-self</b><br>longhand · CSS Box Alignment                       | With `justify-self: center` the alignment should place items as center.                          |    |
| 103 | <b>left</b><br>longhand · CSS Anchor Positioning                          | With `left: 4px` the positioned box should be offset 4px.                                        |    |
| 104 | <b>letter-spacing</b><br>longhand · CSS Text                              | With `letter-spacing: 0.22em` the effect should match 0.22em.                                    |    |
| 105 | <b>line-break</b><br>longhand · CSS Text                                  | With `line-break: anywhere` the effect should match anywhere.                                    |    |
| 106 | <b>line-clamp</b><br>shorthand · CSS Overflow                             | With `line-clamp: 2` the effect should match 2.                                                  |  |
| 107 | <b>line-height</b><br>longhand · CSS Inline                               | With `line-height: 2.1` the effect should match 2.1.                                             |  |
| 108 | <b>list-style</b><br>shorthand · CSS Lists and Counters                   | With `list-style: none` the effect should match none.                                            |  |
| 109 | <b>list-style-image</b><br>longhand · CSS Lists and Counters              | With `list-style-image: none` the effect should match none.                                      |  |
| 110 | <b>list-style-position</b><br>longhand · CSS Lists and Counters           | With `list-style-position: inside` the effect should match inside.                               |  |
| 111 | <b>list-style-type</b><br>longhand · CSS Lists and Counters               | With `list-style-type: decimal` the effect should match decimal.                                 |  |
| 112 | <b>margin</b><br>shorthand · CSS Box Model                                | With `margin: 12px` the outer margin should be 12px.                                             |  |
| 113 | <b>margin-block</b><br>shorthand · CSS Logical Properties and Values      | With `margin-block: 14px` the outer margin should be 14px.                                       |  |
| 114 | <b>margin-block-end</b><br>longhand · CSS Logical Properties and Values   | With `margin-block-end: 16px` the outer margin should be 16px.                                   |  |

|     |                                                                           |                                                                  |                                                                                     |
|-----|---------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 115 | <b>margin-block-start</b><br>longhand · CSS Logical Properties and Values | With `margin-block-start: 16px` the outer margin should be 16px. |  |
| 116 | <b>margin-bottom</b><br>longhand · CSS Anchor Positioning                 | With `margin-bottom: 18px` the outer margin should be 18px.      |  |
| 117 | <b>margin-break</b><br>longhand · (ungrouped)                             | With `margin-break: keep` the outer margin should be keep.       |  |
| 118 | <b>margin-inline</b><br>shorthand · CSS Logical Properties and Values     | With `margin-inline: 14px` the outer margin should be 14px.      |  |