



Implemented CSS audit B

Slice B · 118 Implemented properties · font-family "Liberation Sans" · local images


IMPLEMENTED-PROPS-B

Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.

#	Property	What it should do	Effect (live)
1	border-top-radius shorthand · (ungrouped)	With <code>`border-top-radius: 12px`</code> the top corners should be 12px curved.	
2	border-top-right-radius longhand · CSS Backgrounds and Borders	With <code>`border-top-right-radius: 12px`</code> the top-right corner should be 12px curved.	
3	border-top-style longhand · CSS Backgrounds and Borders	With <code>`border-top-style: solid`</code> the border edges should be solid.	
4	border-top-width longhand · CSS Backgrounds and Borders	With <code>`border-top-width: 3px`</code> the border thickness should be 3px.	
5	border-width shorthand · CSS Backgrounds and Borders	With <code>`border-width: 3px`</code> the border thickness should be 3px.	
6	bottom longhand · CSS Anchor Positioning	With <code>`bottom: 4px`</code> the positioned box should be offset 4px.	
7	box-decoration-break longhand · CSS Fragmentation	With <code>`box-decoration-break: auto`</code> the effect should match auto.	
8	box-shadow shorthand · CSS Backgrounds and Borders	With <code>`box-shadow: 2px 2px 0 #333`</code> the box should cast a shadow as 2px 2px 0 #333.	
9	box-shadow-blur longhand · (ungrouped)	With <code>`box-shadow-blur: 8px`</code> the box should cast a shadow as 8px.	
10	box-shadow-color longhand · (ungrouped)	With <code>`box-shadow-color: #333`</code> the text or border should appear #333.	
11	box-shadow-offset longhand · (ungrouped)	With <code>`box-shadow-offset: 4px`</code> the box should cast a shadow as 4px.	
12	box-shadow-position longhand · (ungrouped)	With <code>`box-shadow: 3px 3px 10px`</code> plus <code>`box-shadow-position: inset`</code> , Chrome print keeps an outer shadow (this Borders 4 longhand is not applied in Chrome). Match that outer print look.	
13	box-shadow-spread longhand · (ungrouped)	With <code>`box-shadow-spread: 4px`</code> the box should cast a shadow as 4px.	
14	box-sizing longhand · CSS Box Sizing	With <code>`box-sizing: border-box`</code> the effect should match border-box.	
15	break-after longhand · CSS Fragmentation	With <code>`break-after: auto`</code> the effect should match auto.	
16	break-before longhand · CSS Fragmentation	With <code>`break-before: auto`</code> the effect should match auto.	









#	Property	What it should do	Effect (live)				
17	break-inside longhand · CSS Fragmentation	With `break-inside: avoid` the effect should match avoid.	fragmentation: break-inside				
18	caption-side longhand · CSS Table	With `caption-side: bottom` the table caption should be at bottom.	<table><tr><td>td</td><td>td</td></tr><tr><td colspan="2">cap</td></tr></table>	td	td	cap	
td	td						
cap							
19	clear longhand · CSS Positioned Layout	With `clear: left` the layout should be left.	F following text wraps beside the float.				
20	color longhand · CSS Color	With `color: #0b5` the text or border should appear #0b5.	colored text				
21	color-adjust shorthand · (ungrouped)	With `color-adjust: inherit` the effect should match inherit.	color-adjust applied				
22	color-scheme longhand · CSS Color	With `color-scheme: inherit` the effect should match inherit.	color-scheme applied				
23	column-count longhand · CSS Multi-column Layout	With `column-count: 2` the columns should be 2.	Multi-column sample text repeated. Multi-column sample text sample text repeated. Multi-column sample text				
24	column-fill longhand · CSS Multi-column Layout	With `column-fill: auto` the columns should be auto.	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.				
25	column-gap longhand · CSS Box Alignment	With `column-gap: 20px` the flex items should be arranged as 20px.	231				
26	column-rule shorthand · CSS Multi-column Layout	With `column-rule: 1px solid #666` a 1px solid #666 rule should sit in the column gap.	Multi-column sample text repeated. Multi-column sample text sample text repeated. Multi-column sample text				
27	column-rule-color longhand · CSS Multi-column Layout	With `column-rule-color: #c00` the gap rule should be red (#c00).	Multi-column sample text repeated. Multi-column sample text sample text repeated. Multi-column sample text				
28	column-rule-style longhand · CSS Multi-column Layout	With `column-rule-style: dashed` the gap rule should be dashed.	Multi-column sample text repeated. Multi-column sample text sample text repeated. Multi-column sample text				
29	column-rule-width longhand · CSS Multi-column Layout	With `column-rule-width: thick` the gap rule should be thick.	Multi-column sample text repeated. Multi-column sample text sample text repeated. Multi-column sample text				





#	Property	What it should do	Effect (live)
30	column-span longhand · CSS Multi-column Layout	With `column-span: all` on a child, that child should span the full multicol width.	Before span. Before span. Before span. Before span. SPAN ALL After span. After span. After span.
31	column-width longhand · CSS Box Sizing	With `column-width: 48px` the engine should fit as many ~48px columns as the box allows.	Multi-column n sample text n sample text repeated. text repeated. Multi-column repeated. Multi-column n sample Multi-column n sample text
32	columns shorthand · CSS Multi-column Layout	With `columns: 2` the content should flow in two columns.	Multi-column sample text sample text repeated. repeated. Multi-column Multi-column sample text
33	contain longhand · CSS Containment	With `contain: inherit` the effect should match inherit.	contain applied
34	contain-intrinsic-block-size longhand · CSS Box Sizing	With `contain-intrinsic-block-size: 72px` the effect should match 72px.	size
35	contain-intrinsic-height longhand · CSS Box Sizing	With `contain-intrinsic-height: inherit` the effect should match inherit.	contain-intrinsic-height applied
36	contain-intrinsic-inline-size longhand · CSS Box Sizing	With `contain-intrinsic-inline-size: 72px` the effect should match 72px.	size
37	contain-intrinsic-size shorthand · CSS Box Sizing	With `contain-intrinsic-size: 72px` the effect should match 72px.	size
38	contain-intrinsic-width longhand · CSS Box Sizing	With `contain-intrinsic-width: inherit` the effect should match inherit.	contain-intrinsic-width applied
39	container shorthand · CSS Conditional Rules	With `container: inherit` the effect should match inherit.	container applied
40	container-name longhand · CSS Conditional Rules	With `container-name: inherit` the effect should match inherit.	container-name applied
41	container-type longhand · CSS Conditional Rules	With `container-type: inherit` the effect should match inherit.	container-type applied
42	content longhand · CSS Generated Content	With `content: none` the effect should match none.	list/content demo
43	content-visibility longhand · CSS Containment	With `content-visibility: inherit` the effect should match inherit.	content-visibility applied
44	counter-increment longhand · CSS Lists and Counters	With `counter-increment: none` the effect should match none.	list/content demo
45	counter-reset longhand · CSS Lists and Counters	With `counter-reset: none` the effect should match none.	list/content demo

#	Property	What it should do	Effect (live)
46	direction longhand · CSS Writing Modes	With `direction: rtl` the effect should match rtl.	ABC 123
47	display longhand · CSS Display	With `display: flex` the layout should be flex.	A B
48	dynamic-range-limit longhand · CSS Color	With `dynamic-range-limit: inherit` the effect should match inherit.	dynamic-range-limit applied
49	fill longhand · Scalable Vector Graphics	With `fill: #0a7` the effect should match #0a7.	
50	fill-opacity longhand · Scalable Vector Graphics	With `fill-opacity: 0.5` the element should look faded as 0.5.	
51	filter longhand · Filter Effects	With `filter: opacity(0.5)` the element should look faded as opacity(0.5).	fx
52	flex shorthand · CSS Flexible Box Layout	With `flex: 1 1 auto` the flex items should be arranged as 1 1 auto.	1 2 3
53	flex-basis longhand · CSS Flexible Box Layout	With `flex-basis: 64px` the flex items should be arranged as 64px.	1 2 3
54	flex-direction longhand · CSS Flexible Box Layout	With `flex-direction: column` the flex items should be arranged as column.	1 2 3
55	flex-flow shorthand · CSS Flexible Box Layout	With `flex-flow: row wrap` the flex items should be arranged as row wrap.	1 2 3
56	flex-grow longhand · CSS Flexible Box Layout	With `flex-grow: 1` the flex items should be arranged as 1.	1 2 3
57	flex-shrink longhand · CSS Flexible Box Layout	With `flex-shrink: 1` the flex items should be arranged as 1.	1 2 3
58	flex-wrap longhand · CSS Flexible Box Layout	With `flex-wrap: wrap` the flex items should be arranged as wrap.	1 2 3
59	float longhand · CSS Positioned Layout	With `float: left` the layout should be left.	F following text wraps beside the float.
60	font shorthand · CSS Fonts	With `font: italic 700 14pt/1.4` the font should be italic 700 14pt/1.4.	<i>Serif italic bold Aa</i>
61	font-family longhand · CSS Fonts	With `font-family: ` the typeface should change to `.	Serif stack Aa Bb vs Mono
62	font-language-override longhand · CSS Fonts	With `font-language-override: normal` the font should be normal.	lang override normal Aa
63	font-optical-sizing longhand · CSS Fonts	With `font-optical-sizing: auto` the font should be auto.	optical auto Aa
64	font-palette longhand · CSS Fonts	With `font-palette: normal` the font should be normal.	palette normal Aa

#	Property	What it should do	Effect (live)
65	font-size longhand · CSS Fonts	With `font-size: 9pt` the text should be larger at 9pt.	9pt 16pt Aa
66	font-style longhand · CSS Fonts	With `font-style: normal` the line should be normal.	normal / <i>italic Aa</i>
67	font-variation-settings longhand · CSS Fonts	With `font-variation-settings: normal` the font should be normal.	variation normal Aa
68	font-weight longhand · CSS Fonts	With `font-weight: 400` the line should be bolder (400).	400 / 700 bold Aa
69	footnote-display longhand · (ungrouped)	With `footnote-display: inherit` the effect should match inherit.	footnote-display applied
70	footnote-policy longhand · (ungrouped)	With `footnote-policy: inherit` the effect should match inherit.	footnote-policy applied
71	forced-color-adjust longhand · CSS Color	With `forced-color-adjust: inherit` the effect should match inherit.	forced-color-adjust applied
72	gap shorthand · CSS Box Alignment	With `gap: 20px` the flex items should be arranged as 20px.	1 2 3
73	grid shorthand · CSS Grid Layout	With `grid: auto / auto` the effect should match auto / auto.	A B
74	grid-area shorthand · CSS Grid Layout	With `grid-area: auto` the effect should match auto.	A B
75	grid-auto-flow longhand · CSS Grid Layout	With `grid-auto-flow: auto` the effect should match auto.	A B
76	grid-column shorthand · CSS Grid Layout	With `grid-column: auto` the columns should be auto.	A B
77	grid-column-end longhand · CSS Grid Layout	With `grid-column-end: auto` the columns should be auto.	A B
78	grid-column-start longhand · CSS Grid Layout	With `grid-column-start: auto` the columns should be auto.	A B
79	grid-row shorthand · CSS Grid Layout	With `grid-row: auto` the effect should match auto.	A B

#	Property	What it should do	Effect (live)
80	grid-row-end longhand · CSS Grid Layout	With `grid-row-end: auto` the effect should match auto.	A B
81	grid-row-start longhand · CSS Grid Layout	With `grid-row-start: auto` the effect should match auto.	A B
82	grid-template shorthand · CSS Grid Layout	With `grid-template: auto` the effect should match auto.	A B
83	grid-template-areas longhand · CSS Grid Layout	With `grid-template-areas: auto` the effect should match auto.	A B
84	grid-template-columns longhand · CSS Grid Layout	With `grid-template-columns: 40px 40px` the columns should be 40px 40px.	A B
85	grid-template-rows longhand · CSS Grid Layout	With `grid-template-rows: 1fr 1fr` the effect should match 1fr 1fr.	A B
86	height longhand · CSS Box Sizing	With `height: 72px` the box sizing should be 72px.	size
87	hyphenate-character longhand · CSS Text	With `hyphenate-character: auto` the effect should match auto.	supercalifragilistic wrapping-hyphenation sample
88	hyphens longhand · CSS Text	With `hyphens: auto` the effect should match auto.	supercalifragilistic wrapping-hyphenation sample
89	image-orientation longhand · CSS Images	With `image-orientation: inherit` the effect should match inherit.	image-orientation applied
90	image-resolution longhand · CSS Images	With `image-resolution: inherit` the effect should match inherit.	image-resolution applied
91	inline-size longhand · CSS Logical Properties and Values	With `inline-size: 72px` the box sizing should be 72px.	size
92	inset shorthand · CSS Logical Properties and Values	With `inset: 4px` the positioned box should be offset 4px.	pos
93	inset-block shorthand · CSS Logical Properties and Values	With `inset-block: 4px` the positioned box should be offset 4px.	pos

#	Property	What it should do	Effect (live)
94	inset-block-end longhand · CSS Logical Properties and Values	With `inset-block-end: 4px` the positioned box should be offset 4px.	
95	inset-block-start longhand · CSS Logical Properties and Values	With `inset-block-start: 4px` the positioned box should be offset 4px.	
96	inset-inline shorthand · CSS Logical Properties and Values	With `inset-inline: 4px` the positioned box should be offset 4px.	
97	inset-inline-end longhand · CSS Logical Properties and Values	With `inset-inline-end: 4px` the positioned box should be offset 4px.	
98	inset-inline-start longhand · CSS Logical Properties and Values	With `inset-inline-start: 4px` the positioned box should be offset 4px.	
99	isolation longhand · Compositing and Blending	Partial: isolate creates a stacking boundary; full PDF transparency-group isolation is deferred.	
100	justify-content longhand · CSS Box Alignment	With `justify-content: center` the alignment should place items as center.	
101	justify-items longhand · CSS Box Alignment	With `justify-items: center` the alignment should place items as center.	
102	justify-self longhand · CSS Box Alignment	With `justify-self: center` the alignment should place items as center.	
103	left longhand · CSS Anchor Positioning	With `left: 4px` the positioned box should be offset 4px.	
104	letter-spacing longhand · CSS Text	With `letter-spacing: 0.22em` the effect should match 0.22em.	
105	line-break longhand · CSS Text	With `line-break: anywhere` the effect should match anywhere.	
106	line-clamp shorthand · CSS Overflow	With `line-clamp: 2` the effect should match 2.	
107	line-height longhand · CSS Inline	With `line-height: 2.1` the effect should match 2.1.	
108	list-style shorthand · CSS Lists and Counters	With `list-style: none` the effect should match none.	
109	list-style-image longhand · CSS Lists and Counters	With `list-style-image: none` the effect should match none.	

#	Property	What it should do	Effect (live)
110	list-style-position longhand · CSS Lists and Counters	With `list-style-position: inside` the effect should match inside.	inside marker flows with wrapping text sample second item wraps too
111	list-style-type longhand · CSS Lists and Counters	With `list-style-type: decimal` the effect should match decimal.	1. first item 2. second item
112	margin shorthand · CSS Box Model	With `margin: 12px` the outer margin should be 12px.	
113	margin-block shorthand · CSS Logical Properties and Values	With `margin-block: 14px` the outer margin should be 14px.	
114	margin-block-end longhand · CSS Logical Properties and Values	With `margin-block-end: 16px` the outer margin should be 16px.	
115	margin-block-start longhand · CSS Logical Properties and Values	With `margin-block-start: 16px` the outer margin should be 16px.	
116	margin-bottom longhand · CSS Anchor Positioning	With `margin-bottom: 18px` the outer margin should be 18px.	
117	margin-break longhand · (ungrouped)	With `margin-break: keep` the outer margin should be keep.	
118	margin-inline shorthand · CSS Logical Properties and Values	With `margin-inline: 14px` the outer margin should be 14px.	