









Implemented CSS audit A






Slice A · 118 Implemented properties · font-family "Liberation Sans" · local images






IMPLEMENTED-PROPS-A




Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.



#	Property	What it should do	Effect (live)
1	<code>-webkit-align-content</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-content: center`</code> the effect should match center.	
2	<code>-webkit-align-items</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-items: center`</code> the effect should match center.	
3	<code>-webkit-align-self</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-self: center`</code> the effect should match center.	
4	<code>-webkit-border-bottom-left-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-bottom-left-radius: 18px`</code> the bottom-left corner should be 18px curved.	
5	<code>-webkit-border-bottom-right-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-bottom-right-radius: 18px`</code> the bottom-right corner should be 18px curved.	
6	<code>-webkit-border-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-radius: 14px`</code> all corners should be 14px curved.	
7	<code>-webkit-border-top-left-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-top-left-radius: 18px`</code> the top-left corner should be 18px curved.	
8	<code>-webkit-border-top-right-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-top-right-radius: 18px`</code> the top-right corner should be 18px curved.	
9	<code>-webkit-box-align</code> longhand · (ungrouped)	With <code>`-webkit-box-align: center`</code> the flex items should be arranged as center.	
10	<code>-webkit-box-flex</code> longhand · (ungrouped)	With <code>`-webkit-box-flex: 1`</code> the flex items should be arranged as 1.	
11	<code>-webkit-box-ordinal-group</code> longhand · (ungrouped)	With <code>`-webkit-box-ordinal-group: 2`</code> the flex items should be arranged as 2.	
12	<code>-webkit-box-orient</code> longhand · (ungrouped)	With <code>`-webkit-box-orient: vertical`</code> the flex items should be arranged as vertical.	
13	<code>-webkit-box-pack</code> longhand · (ungrouped)	With <code>`-webkit-box-pack: center`</code> the flex items should be arranged as center.	
14	<code>-webkit-box-shadow</code> legacy-alias · (ungrouped)	With <code>`-webkit-box-shadow: 3px 3px 0 #333`</code> the box should cast a shadow as 3px 3px 0 #333.	



#	Property	What it should do	Effect (live)
15	<code>-webkit-box-sizing</code> legacy-alias · (ungrouped)	With <code>`-webkit-box-sizing: border-box`</code> the box should size to border-box dimensions.	
16	<code>-webkit-filter</code> legacy-alias · (ungrouped)	With <code>`-webkit-filter: opacity(0.45)`</code> the element should look faded as <code>opacity(0.45)</code> .	
17	<code>-webkit-flex</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex: 1 1 auto`</code> the flex items should be arranged as 1 1 auto.	
18	<code>-webkit-flex-basis</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-basis: 64px`</code> the flex items should be arranged as 64px.	
19	<code>-webkit-flex-direction</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-direction: column`</code> the flex items should be arranged as column.	
20	<code>-webkit-flex-flow</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-flow: row wrap`</code> the flex items should be arranged as row wrap.	
21	<code>-webkit-flex-grow</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-grow: 1`</code> the flex items should be arranged as 1.	
22	<code>-webkit-flex-shrink</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-shrink: 1`</code> the flex items should be arranged as 1.	
23	<code>-webkit-flex-wrap</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-wrap: wrap`</code> the flex items should be arranged as wrap.	
24	<code>-webkit-justify-content</code> legacy-alias · (ungrouped)	With <code>`-webkit-justify-content: center`</code> the effect should match center.	
25	<code>-webkit-order</code> legacy-alias · (ungrouped)	With <code>`-webkit-order: 1`</code> the effect should match 1.	
26	<code>-webkit-text-fill-color</code> longhand · WebKit Extensions	With <code>`-webkit-text-fill-color: #0b5`</code> the text or border should appear #0b5.	colored text
27	<code>-webkit-transform</code> legacy-alias · (ungrouped)	With <code>`-webkit-transform: rotate(8deg)`</code> the box should be transformed as <code>rotate(8deg)</code> .	
28	<code>-webkit-transform-origin</code> legacy-alias · (ungrouped)	With <code>`-webkit-transform-origin: 1.1`</code> the box should be transformed as 1.1.	
29	<code>accent-color</code> longhand · CSS Basic User Interface	With <code>`accent-color: inherit`</code> the text or border should appear inherit.	accent-color applied
30	<code>align-content</code> longhand · CSS Box Alignment	With <code>`align-content: center`</code> the alignment should place items as center.	
31	<code>align-items</code> longhand · CSS Box Alignment	With <code>`align-items: center`</code> the alignment should place items as center.	
32	<code>align-self</code> longhand · CSS Box Alignment	With <code>`align-self: 1px`</code> the alignment should place items as 1px.	
33	<code>background</code> shorthand · CSS Backgrounds and Borders	With <code>`background: url(logo.png)`</code> the pale box should show the logo on a colored background.	

#	Property	What it should do	Effect (live)
34	background-attachment longhand · CSS Backgrounds and Borders	With `background-attachment: local` the logo should stay with the box, not fixed.	
35	background-blend-mode longhand · Compositing and Blending	With `background-blend-mode: multiply` the logo over gradient should blend as multiply.	
36	background-clip longhand · CSS Backgrounds and Borders	With `background-clip: content-box` the blue fill should be clipped to content-box leaving padding unfilled.	
37	background-color longhand · CSS Backgrounds and Borders	With `background-color: #6af` the background behind content should be solid #6af.	
38	background-image longhand · CSS Backgrounds and Borders	With `background-image: url(logo.png)` a logo image should appear behind content.	
39	background-origin longhand · CSS Backgrounds and Borders	With `background-origin: content-box` the logo should start at the content-box edge.	
40	background-position shorthand · CSS Backgrounds and Borders	With `background-position: right bottom` the logo should sit at right bottom.	
41	background-position-block longhand · (ungrouped)	With `background-position-block: 100%` the logo should sit at 100%.	
42	background-position-inline longhand · (ungrouped)	With `background-position-inline: 100%` the logo should sit at 100%.	
43	background-position-x longhand · CSS Backgrounds and Borders	With `background-position-x: 100%` the logo should sit at 100%.	
44	background-position-y longhand · CSS Backgrounds and Borders	With `background-position-y: 100%` the logo should sit at 100%.	
45	background-repeat longhand · CSS Backgrounds and Borders	With `background-repeat: repeat-x` the small logo tiles should repeat as repeat-x.	
46	background-repeat-block longhand · (ungrouped)	With `background-repeat-block: repeat` the small logo tiles should repeat as repeat.	
47	background-repeat-inline longhand · (ungrouped)	With `background-repeat-inline: no-repeat` the small logo tiles should repeat as no-repeat.	
48	background-repeat-x longhand · (ungrouped)	With `background-repeat-x: repeat` the small logo tiles should repeat as repeat.	
49	background-repeat-y longhand · (ungrouped)	With `background-repeat-y: repeat` the small logo tiles should repeat as repeat.	
50	background-size longhand · CSS Backgrounds and Borders	With `background-size: contain` the logo should be scaled to contain.	

#	Property	What it should do	Effect (live)
51	block-size longhand · CSS Logical Properties and Values	With `block-size: 72px` the box sizing should be 72px.	
52	bookmark-label longhand · (ungrouped)	With `bookmark-label: inherit` the effect should match inherit.	
53	bookmark-level longhand · (ungrouped)	With `bookmark-level: inherit` the effect should match inherit.	
54	bookmark-state longhand · (ungrouped)	With `bookmark-state: inherit` the effect should match inherit.	
55	border shorthand · CSS Backgrounds and Borders	With `border: 3px solid #c40` the border should be 3px solid #c40.	
56	border-block shorthand · CSS Logical Properties and Values	With `border-block: 3px solid #c40` the border should be 3px solid #c40.	
57	border-block-color shorthand · CSS Logical Properties and Values	With `border-block-color: #c40` the border color should be #c40.	
58	border-block-end shorthand · CSS Logical Properties and Values	With `border-block-end: 3px solid #c40` the border should be 3px solid #c40.	
59	border-block-end-color longhand · CSS Logical Properties and Values	With `border-block-end-color: #c40` the border color should be #c40.	
60	border-block-end-radius shorthand · (ungrouped)	With `border-block-end-radius: 12px` the block-end corners should be 12px curved.	
61	border-block-end-style longhand · CSS Logical Properties and Values	With `border-block-end-style: solid` the border edges should be solid.	
62	border-block-end-width longhand · CSS Logical Properties and Values	With `border-block-end-width: 3px` the border thickness should be 3px.	
63	border-block-start shorthand · CSS Logical Properties and Values	With `border-block-start: 3px solid #c40` the border should be 3px solid #c40.	
64	border-block-start-color longhand · CSS Logical Properties and Values	With `border-block-start-color: #c40` the border color should be #c40.	
65	border-block-start-radius shorthand · (ungrouped)	With `border-block-start-radius: 12px` the block-start corners should be 12px curved.	
66	border-block-start-style longhand · CSS Logical Properties and Values	With `border-block-start-style: solid` the border edges should be solid.	
67	border-block-start-width longhand · CSS Logical Properties and Values	With `border-block-start-width: 3px` the border thickness should be 3px.	

#	Property	What it should do	Effect (live)
68	border-block-style shorthand · CSS Logical Properties and Values	With `border-block-style: solid` the border edges should be solid.	
69	border-block-width shorthand · CSS Logical Properties and Values	With `border-block-width: 3px` the border thickness should be 3px.	
70	border-bottom shorthand · CSS Backgrounds and Borders	With `border-bottom: 3px solid #c40` the border should be 3px solid #c40.	
71	border-bottom-color longhand · CSS Backgrounds and Borders	With `border-bottom-color: #c40` the border color should be #c40.	
72	border-bottom-left-radius longhand · CSS Backgrounds and Borders	With `border-bottom-left-radius: 12px` the bottom-left corner should be 12px curved.	
73	border-bottom-radius shorthand · (ungrouped)	With `border-bottom-radius: 12px` the bottom corners should be 12px curved.	
74	border-bottom-right-radius longhand · CSS Backgrounds and Borders	With `border-bottom-right-radius: 12px` the bottom-right corner should be 12px curved.	
75	border-bottom-style longhand · CSS Backgrounds and Borders	With `border-bottom-style: solid` the border edges should be solid.	
76	border-bottom-width longhand · CSS Backgrounds and Borders	With `border-bottom-width: 3px` the border thickness should be 3px.	
77	border-collapse longhand · CSS Table	With `border-collapse: collapse` table borders should collapse (merged, no gaps).	box
78	border-color shorthand · CSS Backgrounds and Borders	With `border-color: #c40` the border color should be #c40.	
79	border-end-end-radius longhand · CSS Logical Properties and Values	With `border-end-end-radius: 12px` the bottom-right corner should be 12px curved.	
80	border-end-start-radius longhand · CSS Logical Properties and Values	With `border-end-start-radius: 12px` the bottom-left corner should be 12px curved.	
81	border-image shorthand · CSS Backgrounds and Borders	With `border-image: stretch` the border should show the logo image as stretch.	
82	border-image-outset longhand · CSS Backgrounds and Borders	With `border-image-outset: 10` the border should show the logo image as 10.	
83	border-image-repeat longhand · CSS Backgrounds and Borders	With `border-image-repeat: stretch` the border should show the logo image as stretch.	
84	border-image-slice longhand · CSS Backgrounds and Borders	With `border-image-slice: 10` the border should show the logo image as 10.	

#	Property	What it should do	Effect (live)
85	border-image-source longhand · CSS Backgrounds and Borders	With `border-image-source: url(logo.png)` the border should show the logo image as url(logo.png).	
86	border-image-width longhand · CSS Backgrounds and Borders	With `border-image-width: 10` the border should show the logo image as 10.	
87	border-inline shorthand · CSS Logical Properties and Values	With `border-inline: 3px solid #c40` the border should be 3px solid #c40.	
88	border-inline-color shorthand · CSS Logical Properties and Values	With `border-inline-color: #c40` the border color should be #c40.	
89	border-inline-end shorthand · CSS Logical Properties and Values	With `border-inline-end: 3px solid #c40` the border should be 3px solid #c40.	
90	border-inline-end-color longhand · CSS Logical Properties and Values	With `border-inline-end-color: #c40` the border color should be #c40.	
91	border-inline-end-radius shorthand · (ungrouped)	With `border-inline-end-radius: 12px` the inline-end corners should be 12px curved.	
92	border-inline-end-style longhand · CSS Logical Properties and Values	With `border-inline-end-style: solid` the border edges should be solid.	
93	border-inline-end-width longhand · CSS Logical Properties and Values	With `border-inline-end-width: 3px` the border thickness should be 3px.	
94	border-inline-start shorthand · CSS Logical Properties and Values	With `border-inline-start: 3px solid #c40` the border should be 3px solid #c40.	
95	border-inline-start-color longhand · CSS Logical Properties and Values	With `border-inline-start-color: #c40` the border color should be #c40.	
96	border-inline-start-radius shorthand · (ungrouped)	With `border-inline-start-radius: 12px` the inline-start corners should be 12px curved.	
97	border-inline-start-style longhand · CSS Logical Properties and Values	With `border-inline-start-style: solid` the border edges should be solid.	
98	border-inline-start-width longhand · CSS Logical Properties and Values	With `border-inline-start-width: 3px` the border thickness should be 3px.	
99	border-inline-style shorthand · CSS Logical Properties and Values	With `border-inline-style: solid` the border edges should be solid.	
100	border-inline-width shorthand · CSS Logical Properties and Values	With `border-inline-width: 3px` the border thickness should be 3px.	

#	Property	What it should do	Effect (live)
101	border-left shorthand · CSS Backgrounds and Borders	With `border-left: 3px solid #c40` the border should be 3px solid #c40.	 box
102	border-left-color longhand · CSS Backgrounds and Borders	With `border-left-color: #c40` the border color should be #c40.	 box
103	border-left-radius shorthand · (ungrouped)	With `border-left-radius: 12px` the left corners should be 12px curved.	
104	border-left-style longhand · CSS Backgrounds and Borders	With `border-left-style: solid` the border edges should be solid.	 box
105	border-left-width longhand · CSS Backgrounds and Borders	With `border-left-width: 3px` the border thickness should be 3px.	 box
106	border-radius shorthand · CSS Backgrounds and Borders	With `border-radius: 12px` all corners should be 12px curved.	
107	border-right shorthand · CSS Backgrounds and Borders	With `border-right: 3px solid #c40` the border should be 3px solid #c40.	box 
108	border-right-color longhand · CSS Backgrounds and Borders	With `border-right-color: #c40` the border color should be #c40.	 box
109	border-right-radius shorthand · (ungrouped)	With `border-right-radius: 12px` the right corners should be 12px curved.	
110	border-right-style longhand · CSS Backgrounds and Borders	With `border-right-style: solid` the border edges should be solid.	 box
111	border-right-width longhand · CSS Backgrounds and Borders	With `border-right-width: 3px` the border thickness should be 3px.	 box
112	border-spacing longhand · CSS Table	With `border-spacing: 3px` table cell gaps should be 3px.	box
113	border-start-end-radius longhand · CSS Logical Properties and Values	With `border-start-end-radius: 12px` the top-right corner should be 12px curved.	
114	border-start-start-radius longhand · CSS Logical Properties and Values	With `border-start-start-radius: 12px` the top-left corner should be 12px curved.	
115	border-style shorthand · CSS Backgrounds and Borders	With `border-style: solid` the border edges should be solid.	 box
116	border-top shorthand · CSS Backgrounds and Borders	With `border-top: 3px solid #c40` the border should be 3px solid #c40.	 box
117	border-top-color longhand · CSS Backgrounds and Borders	With `border-top-color: #c40` the border color should be #c40.	 box
118	border-top-left-radius longhand · CSS Backgrounds and Borders	With `border-top-left-radius: 12px` the top-left corner should be 12px curved.	