






Implemented CSS audit C











Slice C · 120 Implemented properties · font-family "Liberation Sans" · local images








IMPLEMENTED-PROPS-C



Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.

#	Property	What it should do	Effect (live)
1	margin-inline-end longhand · CSS Logical Properties and Values	With <code>`margin-inline-end: 10px`</code> the outer margin should be 10px.	
2	margin-inline-start longhand · CSS Logical Properties and Values	With <code>`margin-inline-start: 10px`</code> the outer margin should be 10px.	
3	margin-left longhand · CSS Anchor Positioning	With <code>`margin-left: 10px`</code> the outer margin should be 10px.	
4	margin-right longhand · CSS Anchor Positioning	With <code>`margin-right: 10px`</code> the outer margin should be 10px.	
5	margin-top longhand · CSS Anchor Positioning	With <code>`margin-top: 10px`</code> the outer margin should be 10px.	
6	margin-trim longhand · CSS Box Model	With <code>`margin-trim: block`</code> the outer margin should be block.	
7	max-block-size longhand · CSS Logical Properties and Values	With <code>`max-block-size: 72px`</code> the box sizing should be 72px.	
8	max-height longhand · CSS Box Sizing	With <code>`max-height: 72px`</code> the box sizing should be 72px.	
9	max-inline-size longhand · CSS Logical Properties and Values	With <code>`max-inline-size: 72px`</code> the box sizing should be 72px.	
10	max-lines longhand · CSS Overflow	With <code>`max-lines: 2`</code> the box sizing should be 2.	
11	max-width longhand · CSS Box Sizing	With <code>`max-width: 72px`</code> the box sizing should be 72px.	
12	min-block-size longhand · CSS Logical Properties and Values	With <code>`min-block-size: 72px`</code> the box sizing should be 72px.	
13	min-height longhand · CSS Box Sizing	With <code>`min-height: 72px`</code> the box sizing should be 72px.	
14	min-inline-size longhand · CSS Logical Properties and Values	With <code>`min-inline-size: 72px`</code> the box sizing should be 72px.	
15	min-width longhand · CSS Box Sizing	With <code>`min-width: 72px`</code> the box sizing should be 72px.	

#	Property	What it should do	Effect (live)
16	mix-blend-mode longhand · Compositing and Blending	<code>`multiply`</code> darkens the blue chip against the orange backdrop; the normal control keeps its translucent blue.	
17	object-view-box longhand · CSS Images	Crops the source view box to <code>`inset(25%)`</code> and scales the remaining pixels into the image box.	
18	opacity longhand · CSS Color	With <code>`opacity: 0.45`</code> the chip looks faded against the page (compare to a solid neighbor).	
19	order longhand · CSS Display	With <code>`order: 1px solid #336`</code> the flex items should be arranged as 1px solid #336.	
20	orphans longhand · CSS Fragmentation	Minimum lines kept at the bottom of a fragmented block; table rows never split, so <code>`orphans: 3`</code> cannot show here. Fixture-37 demonstrates it at page level.	
21	outline shorthand · CSS Basic User Interface	With <code>`outline: 3px solid #c40`</code> the outline outside the border should be 3px solid #c40.	
22	outline-color longhand · CSS Basic User Interface	With <code>`outline-color: #c40`</code> the outline outside the border should be #c40.	
23	outline-offset longhand · CSS Basic User Interface	With <code>`outline-offset: 4px`</code> the outline outside the border should be 4px.	
24	outline-style longhand · CSS Basic User Interface	With <code>`outline-style: solid`</code> the outline outside the border should be solid.	
25	outline-width longhand · CSS Basic User Interface	With <code>`outline-width: 3px`</code> the outline outside the border should be 3px.	
26	overflow shorthand · CSS Overflow	With <code>`overflow: hidden`</code> overflowing content should be clipped as hidden.	
27	overflow-clip-margin shorthand · CSS Overflow	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin:8px`</code> , overflowing paint stays visible up to 8px past the border on all sides (red halo).	
28	overflow-clip-margin-block shorthand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-block:8px`</code> , overflowing paint stays visible 8px past the top and bottom edges.	
29	overflow-clip-margin-block-end longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-block-end:8px`</code> , overflowing paint stays visible 8px past the bottom edge.	
30	overflow-clip-margin-block-start longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-block-start:8px`</code> , overflowing paint stays visible 8px past the top edge.	
31	overflow-clip-margin-bottom longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-bottom:8px`</code> , overflowing paint stays visible 8px past the bottom edge.	









#	Property	What it should do	Effect (live)
32	overflow-clip-margin-inline shorthand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-inline:8px`</code> , overflowing paint stays visible 8px past the left and right edges.	
33	overflow-clip-margin-inline-end longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-inline-end:8px`</code> , overflowing paint stays visible 8px past the right edge.	
34	overflow-clip-margin-inline-start longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-inline-start:8px`</code> , overflowing paint stays visible 8px past the left edge.	
35	overflow-clip-margin-left longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-left:8px`</code> , overflowing paint stays visible 8px past the left edge.	
36	overflow-clip-margin-right longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-right:8px`</code> , overflowing paint stays visible 8px past the right edge.	
37	overflow-clip-margin-top longhand · (ungrouped)	With <code>`overflow:clip`</code> and <code>`overflow-clip-margin-top:8px`</code> , overflowing paint stays visible 8px past the top edge (red halo in the gray stage).	
38	overflow-wrap longhand · CSS Text	With <code>`overflow-wrap:anywhere`</code> , long words break mid-word so they fit the box width.	supercalifragilistic w rapping-hyphenatio n sample
39	overflow-x longhand · CSS Overflow	With <code>`overflow-x: hidden`</code> overflowing content should be clipped as hidden.	XXXX horizontal clip YYYY
40	overflow-y longhand · CSS Overflow	With <code>`overflow-y: hidden`</code> overflowing content should be clipped as hidden.	line1 line2 line3 clipped
41	padding shorthand · CSS Box Model	With <code>`padding: 10px`</code> the inner padding should be 10px.	
42	padding-block shorthand · CSS Logical Properties and Values	With <code>`padding-block: 10px`</code> the inner padding should be 10px.	
43	padding-block-end longhand · CSS Logical Properties and Values	With <code>`padding-block-end: 10px`</code> the inner padding should be 10px.	
44	padding-block-start longhand · CSS Logical Properties and Values	With <code>`padding-block-start: 10px`</code> the inner padding should be 10px.	
45	padding-bottom longhand · CSS Box Model	With <code>`padding-bottom: 10px`</code> the inner padding should be 10px.	
46	padding-inline shorthand · CSS Logical Properties and Values	With <code>`padding-inline: 10px`</code> the inner padding should be 10px.	

#	Property	What it should do	Effect (live)
47	padding-inline-end longhand · CSS Logical Properties and Values	With `padding-inline-end: 10px` the inner padding should be 10px.	
48	padding-inline-start longhand · CSS Logical Properties and Values	With `padding-inline-start: 10px` the inner padding should be 10px.	
49	padding-left longhand · CSS Box Model	With `padding-left: 10px` the inner padding should be 10px.	
50	padding-right longhand · CSS Box Model	With `padding-right: 10px` the inner padding should be 10px.	
51	padding-top longhand · CSS Box Model	With `padding-top: 10px` the inner padding should be 10px.	
52	page longhand · CSS Paged Media	With `page: auto` the effect should match auto.	
53	page-break-after longhand · CSS Paged Media	With `page-break-after: auto` the effect should match auto.	
54	page-break-before longhand · CSS Paged Media	With `page-break-before: auto` the effect should match auto.	
55	page-break-inside longhand · CSS Paged Media	With `page-break-inside: avoid` the effect should match avoid.	
56	place-content shorthand · CSS Box Alignment	With `place-content: center` the alignment should place items as center.	
57	place-items shorthand · CSS Box Alignment	With `place-items: center` each grid item shrinks to its content and sits in the middle of its cell.	
58	place-self shorthand · CSS Box Alignment	With `place-self: end` on A, A shrinks and sits at the bottom-end of its cell; B still stretches in the other column.	
59	position longhand · CSS Positioned Layout	With `position: relative` the positioned box should be offset relative.	
60	print-color-adjust longhand · CSS Color	With `print-color-adjust: exact` the purple fill survives when background printing is off; `economy` drops it.	
61	quotes longhand · CSS Generated Content	Custom `quotes` pairs wrap `open-quote` and `close-quote` content; `none` drops the marks. Compare `<<` `>>`, `[ ]`, and none.	
62	right longhand · CSS Anchor Positioning	With `right: 4px` the positioned box should be offset 4px.	
63	rotate longhand · CSS Transforms	With `rotate: 12deg` the orange chip rotates inside the centered stage.	

#	Property	What it should do	Effect (live)
64	row-gap longhand · CSS Box Alignment	With <code>`row-gap: 12px`</code> the flex items should be arranged as 12px.	
65	scale longhand · CSS Transforms	With <code>`scale: 1.15`</code> the orange chip grows inside the centered stage.	
66	string-set longhand · (ungrouped)	Named-string capture for running headers; this engine has no <code>`content: string()`</code> reader yet, so <code>`chapter`</code> shows no change.	string-set: chapter "Intro" no consumer yet
67	stroke longhand · Scalable Vector Graphics	With <code>`stroke: #c40`</code> the effect should match #c40.	
68	stroke-opacity longhand · Scalable Vector Graphics	With <code>`stroke-opacity: 0.5`</code> the element should look faded as 0.5.	
69	stroke-width longhand · Scalable Vector Graphics	With <code>`stroke-width: 2px`</code> the effect should match 2px.	
70	tab-size longhand · CSS Text	With <code>`tab-size: 4`</code> the effect should match 4.	supercalifragilistic wrapping-hyphenation sample
71	table-layout longhand · CSS Table	With <code>`table-layout: fixed`</code> equal columns keep equal width even when cell text lengths differ; caption is centered.	cap WIDETE XT
72	text-align shorthand · CSS Text	With <code>`text-align: center`</code> the text should be aligned center.	aligned
73	text-align-all longhand · (ungrouped)	With <code>`text-align-all: center`</code> the text should be aligned center.	aligned
74	text-align-last longhand · CSS Text	With <code>`text-align-last: center`</code> the text should be aligned center.	aligned
75	text-combine-upright longhand · CSS Writing Modes	In vertical writing, <code>`digits 2`</code> combines the 2-digit run into one upright cell.	12
76	text-decoration shorthand · CSS Text Decoration	With <code>`text-decoration: underline`</code> the text gets an underline.	<u>decorated</u>
77	text-decoration-color longhand · CSS Text Decoration	With <code>`text-decoration-color: #c00`</code> the underline is drawn in red.	<u>decorated</u>
78	text-decoration-inset longhand · CSS Text Decoration	<code>`4px`</code> trims the underline's outer endpoints 4px from the glyph edges.	<u>decorated</u>
79	text-decoration-line longhand · CSS Text Decoration	With <code>`text-decoration-line: line-through`</code> a strike runs through the text.	decorated
80	text-decoration-skip shorthand · CSS Text Decoration	<code>`spaces`</code> skips the word space, so the underline breaks between the words.	<u>two words</u>

#	Property	What it should do	Effect (live)
81	text-decoration-skip-box longhand · (ungrouped)	`all` breaks the stroke at inline box chrome (padding/border) instead of drawing across it.	<u>decorated</u>
82	text-decoration-skip-ink longhand · CSS Text Decoration	Side-by-side: `skip-ink: auto` gaps the underline at descenders (p/y); `none` draws through them.	<u>paying auto</u> <u>paying none</u>
83	text-decoration-skip-self longhand · (ungrouped)	`skip-all` suppresses this item's own underline; ancestor decorations are not propagated here.	no underline
84	text-decoration-skip-spaces longhand · (ungrouped)	`none` disables space skipping, so one continuous underline spans both words.	<u>two words</u>
85	text-decoration-style longhand · CSS Text Decoration	With `text-decoration-style: wavy` the underline is wavy.	<u>decorated</u>
86	text-decoration-thickness longhand · CSS Text Decoration	With `text-decoration-thickness: 3px` the underline is thicker.	<u>decorated</u>
87	text-emphasis shorthand · CSS Text Decoration	With `text-emphasis: filled dot` emphasis dots mark each character.	 decorated
88	text-emphasis-color longhand · CSS Text Decoration	With `text-emphasis-color: #c00` emphasis marks are red.	 decorated
89	text-emphasis-position longhand · CSS Text Decoration	With `text-emphasis-position: under` emphasis marks sit below the text.	decorated
90	text-emphasis-skip longhand · (ungrouped)	With `text-emphasis-skip: spaces` emphasis marks skip spaces between words.	 de co
91	text-emphasis-style longhand · CSS Text Decoration	With `text-emphasis-style: open sesame` open sesame marks appear above the text.	 decorated
92	text-indent longhand · CSS Text	With `text-indent: 24px` the first line should be indented 24px.	Indented first line of a short paragraph.
93	text-justify longhand · CSS Text	Selects the justification method; this engine always justifies inter-word, so `inter-character` shows no change in the justified sample.	inter-character justification has no effect yet
94	text-orientation longhand · CSS Writing Modes	In vertical writing, `upright` draws glyphs upright; `sideways` stays rotated like `mixed`.	ABC
95	text-overflow longhand · CSS Overflow	With `text-overflow: ellipsis` overflowing content should be clipped as ellipsis.	ellipsis clips this...
96	text-shadow longhand · CSS Text Decoration	With `text-shadow: 3px 3px 0 #888` a lighter gray copy sits down-right of the text.	shadow
97	text-transform longhand · CSS Text	With `text-transform: uppercase` the text should be uppercase.	UPPER DEMO

#	Property	What it should do	Effect (live)
98	text-underline-offset longhand · CSS Text Decoration	With <code>text-underline-offset: 2px</code> the effect should match 2px.	<u>decorated</u>
99	text-underline-position longhand · CSS Text Decoration	With <code>text-underline-position: under</code> the underline sits under the text.	<u>decorated</u>
100	text-wrap shorthand · CSS Text	<code>text-wrap: nowrap</code> turns wrapping off through the shorthand, so the line runs past the box edge instead of breaking at the spaces.	one line, no wrapping here
101	text-wrap-mode longhand · CSS Text	<code>text-wrap-mode: nowrap</code> turns wrapping off for this box, so the line overflows instead of breaking at the spaces.	one line, no wrapping here
102	text-wrap-style longhand · CSS Text	Parsed and inherited, but <code>balance</code> and <code>pretty</code> line-breaking are not implemented, so the sample wraps normally.	balanced wrapping is not implemented yet
103	top longhand · CSS Anchor Positioning	With <code>top: 4px</code> the positioned box should be offset 4px.	pos
104	transform longhand · CSS Transforms	With <code>transform: rotate(8deg) translate(4px,2px)</code> the orange chip rotates and shifts inside the centered stage.	xf
105	transform-box longhand · CSS Transforms	With <code>transform-box: border-box</code> plus rotate, the orange chip rotates about its border box inside the stage.	box
106	transform-origin longhand · CSS Transforms	With <code>transform-origin: left bottom</code> the orange chip rotates about its lower-left corner inside the stage.	orig
107	translate longhand · CSS Transforms	With <code>translate: 10px 4px</code> the orange chip shifts down-right inside the centered stage.	mv
108	unicode-bidi longhand · CSS Writing Modes	<code>bidi-override</code> under <code>rtl</code> reverses the visual run order (runs, not characters).	123 ABC
109	vertical-align shorthand · CSS Inline	Shifts inline boxes against the baseline: <code>super</code> raises, <code>sub</code> lowers, and the lengths <code>6pt</code> and <code>-4pt</code> raise and lower the colored labels.	base ^{super} _{sub} 6pt -4pt
110	visibility longhand · CSS Display	With <code>visibility: hidden</code> the layout should be hidden.	(space kept)

#	Property	What it should do	Effect (live)
111	white-space shorthand · CSS Text	With `white-space: pre-wrap` the layout should be pre-wrap.	
112	white-space-collapse longhand · CSS Text	With `white-space-collapse: pre-wrap` the effect should match pre-wrap.	
113	white-space-trim longhand · (ungrouped)	With `white-space-trim: pre-wrap` the effect should match pre-wrap.	
114	widows longhand · CSS Fragmentation	Minimum lines kept at the top of the next fragment; table rows never split, so `widows: 3` cannot show here. Fixture-37 demonstrates it at page level.	
115	width longhand · CSS Box Sizing	With `width: 72px` the box sizing should be 72px.	
116	word-break longhand · CSS Text	With `word-break: break-word` the layout should be break-word.	
117	word-spacing longhand · CSS Text	With `word-spacing: 0.6em` the effect should match 0.6em.	
118	word-wrap legacy-alias · CSS Text	With `word-wrap: break-word` the effect should match break-word.	
119	writing-mode longhand · CSS Writing Modes	With `writing-mode: vertical-rl` text stacks top-to-bottom (right); horizontal-tb stays left for contrast.	
120	z-index longhand · CSS Positioned Layout	With overlapping boxes, higher `z-index` paints in front (orange over blue).	