










Implemented CSS audit A




Slice A · 118 Implemented properties · font-family "Liberation Sans" · local images


IMPLEMENTED-PROPS-A










Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.








#	Property	What it should do	Effect (live)
1	<code>-webkit-align-content</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-content: center`</code> the effect should match center.	
2	<code>-webkit-align-items</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-items: center`</code> the effect should match center.	
3	<code>-webkit-align-self</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-self: center`</code> the effect should match center.	
4	<code>-webkit-border-bottom-left-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-bottom-left-radius: 18px`</code> the bottom-left corner should be 18px curved.	
5	<code>-webkit-border-bottom-right-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-bottom-right-radius: 18px`</code> the bottom-right corner should be 18px curved.	
6	<code>-webkit-border-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-radius: 14px`</code> all corners should be 14px curved.	
7	<code>-webkit-border-top-left-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-top-left-radius: 18px`</code> the top-left corner should be 18px curved.	
8	<code>-webkit-border-top-right-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-top-right-radius: 18px`</code> the top-right corner should be 18px curved.	
9	<code>-webkit-box-align</code> longhand · (ungrouped)	With <code>`-webkit-box-align: center`</code> the flex items should be arranged as center.	
10	<code>-webkit-box-flex</code> longhand · (ungrouped)	With <code>`-webkit-box-flex: 1`</code> the flex items should be arranged as 1.	
11	<code>-webkit-box-ordinal-group</code> longhand · (ungrouped)	With <code>`-webkit-box-ordinal-group: 2`</code> the flex items should be arranged as 2.	
12	<code>-webkit-box-orient</code> longhand · (ungrouped)	With <code>`-webkit-box-orient: vertical`</code> the flex items should be arranged as vertical.	
13	<code>-webkit-box-pack</code> longhand · (ungrouped)	With <code>`-webkit-box-pack: center`</code> the flex items should be arranged as center.	
14	<code>-webkit-box-shadow</code> legacy-alias · (ungrouped)	With <code>`-webkit-box-shadow: 3px 3px 0 #333`</code> the box should cast a shadow as 3px 3px 0 #333.	















#	Property	What it should do	Effect (live)
15	<code>-webkit-box-sizing</code> legacy-alias · (ungrouped)	With <code>`-webkit-box-sizing: border-box`</code> the box should size to border-box dimensions.	
16	<code>-webkit-filter</code> legacy-alias · (ungrouped)	With <code>`-webkit-filter: opacity(0.45)`</code> the element should look faded as <code>opacity(0.45)</code> .	
17	<code>-webkit-flex</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex: 1 1 auto`</code> the flex items should be arranged as 1 1 auto.	
18	<code>-webkit-flex-basis</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-basis: 64px`</code> the flex items should be arranged as 64px.	
19	<code>-webkit-flex-direction</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-direction: column`</code> the flex items should be arranged as column.	
20	<code>-webkit-flex-flow</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-flow: row wrap`</code> items wrap across rows within a narrow container.	
21	<code>-webkit-flex-grow</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-grow: 1`</code> on the middle item, it expands to fill available space.	
22	<code>-webkit-flex-shrink</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-shrink: 2`</code> on the middle item, it narrows preferentially under space constraints.	
23	<code>-webkit-flex-wrap</code> legacy-alias · (ungrouped)	With <code>`-webkit-flex-wrap: wrap`</code> items break onto subsequent lines.	
24	<code>-webkit-justify-content</code> legacy-alias · (ungrouped)	With <code>`-webkit-justify-content: space-between`</code> items distribute to the outer edges.	
25	<code>-webkit-order</code> legacy-alias · (ungrouped)	With <code>`-webkit-order: -1`</code> on the third item, it renders at the first position.	
26	<code>-webkit-text-fill-color</code> longhand · WebKit Extensions	With <code>`-webkit-text-fill-color: #dc2626`</code> text renders in vibrant red.	red filled text
27	<code>-webkit-transform</code> legacy-alias · (ungrouped)	With <code>`-webkit-transform: rotate(10deg)`</code> the box is rotated clockwise by 10 degrees.	
28	<code>-webkit-transform-origin</code> legacy-alias · (ungrouped)	With <code>`-webkit-transform-origin: top left`</code> rotation pivots around the top-left corner.	
29	<code>accent-color</code> longhand · CSS Basic User Interface	With <code>`accent-color: #16a34a`</code> the checked form control displays a green accent tint.	
30	<code>align-content</code> longhand · CSS Box Alignment	With <code>`align-content: space-between`</code> multi-line rows push to the container top and bottom.	
31	<code>align-items</code> longhand · CSS Box Alignment	With <code>`align-items: center`</code> items of varying heights align along their vertical centers.	



#	Property	What it should do	Effect (live)
32	align-self longhand · CSS Box Alignment	With <code>`align-self: flex-end`</code> on the middle item, it drops to the bottom while items 1 and 3 stay at the top.	
33	background shorthand · CSS Backgrounds and Borders	With <code>`background: #dbeafe url(logo.png) no-repeat right center / 48px 14px`</code> the pale blue fill and small right logo combine in one declaration.	
34	background-attachment longhand · CSS Backgrounds and Borders	With <code>`background-attachment: fixed`</code> the background positions relative to the page viewport rather than the box.	
35	background-blend-mode longhand · Compositing and Blending	With <code>`background-blend-mode: multiply`</code> the yellow background tint multiplies visibly through the logo.	
36	background-clip longhand · CSS Backgrounds and Borders	With <code>`background-clip: content-box`</code> the blue fill is clipped inside the 8px padding, leaving the dashed border inset.	
37	background-color longhand · CSS Backgrounds and Borders	With <code>`background-color: #38bdf8`</code> the background behind content should be solid light blue.	
38	background-image longhand · CSS Backgrounds and Borders	With <code>`background-image: linear-gradient(90deg, #6366f1, #ec4899)`</code> a crisp two-color horizontal gradient fills the box.	
39	background-origin longhand · CSS Backgrounds and Borders	With <code>`background-origin: content-box`</code> the logo positioning starts past the 8px dashed padding boundary.	
40	background-position shorthand · CSS Backgrounds and Borders	With <code>`background-position: right bottom`</code> the small logo is pinned at the bottom-right corner.	
41	background-position-block longhand · (ungrouped)	With <code>`background-position-block: center`</code> the logo is centered along the vertical block axis at the left.	
42	background-position-inline longhand · (ungrouped)	With <code>`background-position-inline: center`</code> the logo is centered along the horizontal inline axis at the top.	
43	background-position-x longhand · CSS Backgrounds and Borders	With <code>`background-position-x: right`</code> the logo is placed at the top-right corner.	
44	background-position-y longhand · CSS Backgrounds and Borders	With <code>`background-position-y: bottom`</code> the logo is placed at the bottom-left corner.	
45	background-repeat longhand · CSS Backgrounds and Borders	With <code>`background-repeat: repeat-x`</code> the small logo tiles repeat horizontally in a single top row.	
46	background-repeat-block longhand · (ungrouped)	With <code>`background-repeat-block: repeat`</code> the small tiles repeat vertically down the column without horizontal tiling.	

#	Property	What it should do	Effect (live)
47	background-repeat-inline longhand · (ungrouped)	With `background-repeat-inline: no-repeat` the tile does not repeat horizontally, staying as one tile.	
48	background-repeat-x longhand · (ungrouped)	With `background-repeat-x: repeat` the small tiles repeat along the horizontal X axis only.	
49	background-repeat-y longhand · (ungrouped)	With `background-repeat-y: repeat` the small tiles repeat along the vertical Y axis only.	
50	background-size longhand · CSS Backgrounds and Borders	With `background-size: 20px 20px` the logo scales to an explicit small square centered in the box.	
51	block-size longhand · CSS Logical Properties and Values	With `block-size: 32px` logical height is set to 32px.	32px block
52	bookmark-label longhand · (ungrouped)	With `bookmark-label: "Audit Entry"` the element sets a PDF outline title.	PDF label
53	bookmark-level longhand · (ungrouped)	With `bookmark-level: 2` the bookmark nests at depth level 2 in the PDF outline.	level 2
54	bookmark-state longhand · (ungrouped)	With `bookmark-state: open` the PDF bookmark hierarchy expands by default.	open state
55	border shorthand · CSS Backgrounds and Borders	With `border: 3px solid #2563eb` all four borders have 3px blue outline.	all borders
56	border-block shorthand · CSS Logical Properties and Values	With `border-block: 3px solid #dc2626` top and bottom block borders are 3px red.	top + bot
57	border-block-color shorthand · CSS Logical Properties and Values	With `border-block-color: #16a34a` top and bottom borders are green while sides remain slate.	green block
58	border-block-end shorthand · CSS Logical Properties and Values	With `border-block-end: 3px solid #d97706` only the bottom block border is thick amber.	bottom rail
59	border-block-end-color longhand · CSS Logical Properties and Values	With `border-block-end-color: #9333ea` only the bottom edge turns purple.	purple bottom
60	border-block-end-radius shorthand · (ungrouped)	With `border-block-end-radius: 12px` both bottom corners are rounded.	bot radii
61	border-block-end-style longhand · CSS Logical Properties and Values	With `border-block-end-style: dashed` the bottom border is dashed while sides remain solid.	dashed bot
62	border-block-end-width longhand · CSS Logical Properties and Values	With `border-block-end-width: 5px` the bottom border thickness expands to 5px.	thick bot
63	border-block-start shorthand · CSS Logical Properties and Values	With `border-block-start: 3px solid #dc2626` only the top block border is thick red.	top rail
64	border-block-start-color longhand · CSS Logical Properties and Values	With `border-block-start-color: #0284c7` only the top edge turns sky blue.	blue top

#	Property	What it should do	Effect (live)
65	border-block-start-radius shorthand · (ungrouped)	With <code>`border-block-start-radius: 12px`</code> both top corners are rounded.	
66	border-block-start-style longhand · CSS Logical Properties and Values	With <code>`border-block-start-style: dotted`</code> the top border is dotted while sides remain solid.	
67	border-block-start-width longhand · CSS Logical Properties and Values	With <code>`border-block-start-width: 5px`</code> the top border thickness expands to 5px.	
68	border-block-style shorthand · CSS Logical Properties and Values	With <code>`border-block-style: dashed`</code> top and bottom block borders are dashed.	
69	border-block-width shorthand · CSS Logical Properties and Values	With <code>`border-block-width: 5px`</code> top and bottom block borders expand to 5px.	
70	border-bottom shorthand · CSS Backgrounds and Borders	With <code>`border-bottom: 3px solid #0891b2`</code> only the bottom edge has a 3px cyan border.	
71	border-bottom-color longhand · CSS Backgrounds and Borders	With <code>`border-bottom-color: #ea580c`</code> only the bottom edge turns orange.	
72	border-bottom-left-radius longhand · CSS Backgrounds and Borders	With <code>`border-bottom-left-radius: 14px`</code> only the bottom-left corner is rounded.	
73	border-bottom-radius shorthand · (ungrouped)	With <code>`border-bottom-radius: 14px`</code> both bottom corners are rounded.	
74	border-bottom-right-radius longhand · CSS Backgrounds and Borders	With <code>`border-bottom-right-radius: 14px`</code> only the bottom-right corner is rounded.	
75	border-bottom-style longhand · CSS Backgrounds and Borders	With <code>`border-bottom-style: dotted`</code> only the bottom border is dotted.	
76	border-bottom-width longhand · CSS Backgrounds and Borders	With <code>`border-bottom-width: 5px`</code> only the bottom border expands to 5px.	
77	border-collapse longhand · CSS Table	With <code>`border-collapse: collapse`</code> adjacent table cell borders merge without gaps.	
78	border-color shorthand · CSS Backgrounds and Borders	With <code>`border-color: #ef4444 #3b82f6 #10b981 #f59e0b`</code> top red, right blue, bottom green, left amber.	
79	border-end-end-radius longhand · CSS Logical Properties and Values	With <code>`border-end-end-radius: 14px`</code> the logical end-end (bottom-right) corner is curved.	
80	border-end-start-radius longhand · CSS Logical Properties and Values	With <code>`border-end-start-radius: 14px`</code> the logical end-start (bottom-left) corner is curved.	
81	border-image shorthand · CSS Backgrounds and Borders	With <code>`border-image: url(assets/border-slice.png) 12 stretch`</code> red/green/orange/blue corners and striped edges stretch around the box.	

#	Property	What it should do	Effect (live)
82	border-image-outset longhand · CSS Backgrounds and Borders	With <code>`border-image-outset: 8px`</code> the image border paints outside the dashed border box.	
83	border-image-repeat longhand · CSS Backgrounds and Borders	With <code>`border-image-repeat: round`</code> striped edge tiles scale so a whole number fits each side.	
84	border-image-slice longhand · CSS Backgrounds and Borders	With <code>`border-image-slice: 4`</code> vs <code>`16`</code> the corner pieces shrink or grow from the same source.	
85	border-image-source longhand · CSS Backgrounds and Borders	With <code>`border-image-source: url(assets/border-slice.png)`</code> the framed box uses that 9-slice image (thumbnail shown).	
86	border-image-width longhand · CSS Backgrounds and Borders	With <code>`border-image-width: 4px`</code> vs <code>`16px`</code> the painted image border is thin or thick while the slice source stays the same.	
87	border-inline shorthand · CSS Logical Properties and Values	With <code>`border-inline: 3px solid #dc2626`</code> left and right inline borders are 3px red.	
88	border-inline-color shorthand · CSS Logical Properties and Values	With <code>`border-inline-color: #16a34a`</code> left and right borders turn green while top/bottom stay slate.	
89	border-inline-end shorthand · CSS Logical Properties and Values	With <code>`border-inline-end: 3px solid #d97706`</code> only the right inline edge is thick amber.	
90	border-inline-end-color longhand · CSS Logical Properties and Values	With <code>`border-inline-end-color: #9333ea`</code> the right inline edge turns purple.	
91	border-inline-end-radius shorthand · (ungrouped)	With <code>`border-inline-end-radius: 12px`</code> both right corners are rounded.	
92	border-inline-end-style longhand · CSS Logical Properties and Values	With <code>`border-inline-end-style: dashed`</code> the right border is dashed while others remain solid.	
93	border-inline-end-width longhand · CSS Logical Properties and Values	With <code>`border-inline-end-width: 5px`</code> the right border expands to 5px thickness.	
94	border-inline-start shorthand · CSS Logical Properties and Values	With <code>`border-inline-start: 3px solid #dc2626`</code> only the left inline edge is thick red.	
95	border-inline-start-color longhand · CSS Logical Properties and Values	With <code>`border-inline-start-color: #0284c7`</code> the left inline edge turns sky blue.	
96	border-inline-start-radius shorthand · (ungrouped)	With <code>`border-inline-start-radius: 12px`</code> both left corners are rounded.	

#	Property	What it should do	Effect (live)
97	border-inline-start-style longhand · CSS Logical Properties and Values	With <code>`border-inline-start-style: dotted`</code> the left border is dotted while others remain solid.	
98	border-inline-start-width longhand · CSS Logical Properties and Values	With <code>`border-inline-start-width: 5px`</code> the left border expands to 5px thickness.	
99	border-inline-style shorthand · CSS Logical Properties and Values	With <code>`border-inline-style: dashed`</code> left and right inline borders are dashed.	
100	border-inline-width shorthand · CSS Logical Properties and Values	With <code>`border-inline-width: 5px`</code> left and right inline borders expand to 5px thickness.	
101	border-left shorthand · CSS Backgrounds and Borders	With <code>`border-left: 3px solid #2563eb`</code> only the left edge has a 3px blue border.	
102	border-left-color longhand · CSS Backgrounds and Borders	With <code>`border-left-color: #dc2626`</code> the left edge turns red while others remain slate.	
103	border-left-radius shorthand · (ungrouped)	With <code>`border-left-radius: 12px`</code> both left corners are rounded.	
104	border-left-style longhand · CSS Backgrounds and Borders	With <code>`border-left-style: dashed`</code> only the left border is dashed.	
105	border-left-width longhand · CSS Backgrounds and Borders	With <code>`border-left-width: 5px`</code> only the left border thickness is 5px.	
106	border-radius shorthand · CSS Backgrounds and Borders	With <code>`border-radius: 10px`</code> all four corners are uniformly rounded 10px.	
107	border-right shorthand · CSS Backgrounds and Borders	With <code>`border-right: 3px solid #2563eb`</code> only the right edge has a 3px blue border.	
108	border-right-color longhand · CSS Backgrounds and Borders	With <code>`border-right-color: #dc2626`</code> the right edge turns red while others remain slate.	
109	border-right-radius shorthand · (ungrouped)	With <code>`border-right-radius: 12px`</code> both right corners are rounded.	
110	border-right-style longhand · CSS Backgrounds and Borders	With <code>`border-right-style: dotted`</code> only the right border is dotted.	
111	border-right-width longhand · CSS Backgrounds and Borders	With <code>`border-right-width: 5px`</code> only the right border thickness is 5px.	
112	border-spacing longhand · CSS Table	With <code>`border-spacing: 6px`</code> separated table cells maintain a 6px gap.	
113	border-start-end-radius longhand · CSS Logical Properties and Values	With <code>`border-start-end-radius: 14px`</code> the logical start-end (top-right) corner is curved.	
114	border-start-start-radius longhand · CSS Logical Properties and Values	With <code>`border-start-start-radius: 14px`</code> the logical start-start (top-left) corner is curved.	
115	border-style shorthand · CSS Backgrounds and Borders	With <code>`border-style: solid dashed dotted double`</code> top solid, right dashed, bottom dotted, left double.	

116	border-top shorthand · CSS Backgrounds and Borders	With `border-top: 3px solid #2563eb` only the top edge has a 3px blue border.	
117	border-top-color longhand · CSS Backgrounds and Borders	With `border-top-color: #dc2626` only the top edge turns red while others remain slate.	
118	border-top-left-radius longhand · CSS Backgrounds and Borders	With `border-top-left-radius: 14px` only the top-left corner is rounded.	