



Next 72 CSS audit

72 target properties · font-family "Liberation Sans" · local images · Chrome support from MDN BCD

NEXT-72-PROPS








Each row names a v0.2.7 target property from the next-72 worklist. Implemented rows use side-by-side or precondition-rich Effect demos so the gowk PDF shows a visible change. The property meta line is kind · group · Chrome yes/no (MDN browser-compat-data). If Chrome says no, the Effect cell will often look unchanged in Chrome; that is expected. Generate with --font-path testdata/fonts/implemented-audit.






#	Property	What it should do	Effect (live)
1	font-feature-settings longhand · CSS Fonts · Chrome yes (since 48)	With `font-feature-settings: 'smcp' 1` OpenType small-caps features should engage when available.	off Ag smcp on Ag pair: features off vs on (Liberation may share glyphs)
2	font-kerning longhand · CSS Fonts · Chrome yes (since 33)	With `font-kerning: none` letter-pair kerning should stay off.	AV To kern AV To none
3	font-optical-sizing longhand · CSS Fonts · Chrome yes (since 79)	With `font-optical-sizing: auto` at a large size, a variable face opsz axis should match used font-size. `none` keeps the default optical size.	none auto pair: Gowk Var opsz off vs auto at 36pt
4	font-palette longhand · CSS Fonts · Chrome yes (since 101)	With `font-palette: dark` on the Palette Demo COLR/CPAL face, the solid CPAL fill should differ from `normal` (CSS color).	Ag normal Ag dark pair: CPAL lite fill via Palette Demo face
5	font-size-adjust longhand · CSS Fonts · Chrome yes (since 127)	With `font-size-adjust: 0.5` the effect should match 0.5.	Aa plain Aa adj 0.2
6	font-stretch legacy-alias · CSS Fonts · Chrome yes (since 60)	A/B `font-stretch: normal` vs `condensed`. Condensed should look narrower after the font-width advance-scale consumer (legacy alias).	Ag fi 0123 normal Ag fi 0123 condensed condensed advances should look narrower
7	font-synthesis shorthand · CSS Fonts · Chrome yes (since 97)	With `font-synthesis: none` the effect should match none.	Bold synth allowed Bold synth none uses weight 700; none gates fake-bold when no bold face
8	font-synthesis-position longhand · CSS Fonts · Chrome no (not supported)	Pair `font-variant-position: sub` with `font-synthesis-position: auto` vs `none` on digit 2. Auto synthesizes a smaller/lower 2 when no real sub glyphs exist; none keeps the digit full-size. Chrome does not support this property, so the Effect cell may look unchanged in Chrome.	H₂O sub + auto H2O sub + none auto should look smaller/lower; none stays baseline size Chrome: no render expected
9	font-synthesis-small-caps longhand · CSS Fonts · Chrome yes (since 97)	Pair `font-variant-caps: small-caps` with `font-synthesis-small-caps: auto` vs `none` on Ag. Auto geometrically scales uppercase when the face lacks smcp; none leaves Ag unchanged.	AG SMCP + AUTO Ag smcp + none auto may look like AG scaled; none keeps mixed case






#	Property	What it should do	Effect (live)
10	font-synthesis-style longhand · CSS Fonts · Chrome yes (since 97)	On upright-only face `Cactus Classical Serif`, pair `font-style: italic` with `font-synthesis-style: auto` vs `none`. Auto applies FakeOblique; none stays upright.	<i>Italic Ag</i> auto (oblique) Italic Ag none (upright) Cactus Classical Serif has no italic master
11	font-synthesis-weight longhand · CSS Fonts · Chrome yes (since 97)	With `font-synthesis-weight: none` the effect should match none.	700 auto 700 none
12	font-variant shorthand · CSS Fonts · Chrome yes (since 1)	With `font-variant: small-caps` the sample text should render in small caps.	Normal Ag SMALL-CAPS AG
13	font-variant-alternates longhand · CSS Fonts · Chrome yes (since 111)	A/B `font-variant-alternates: historical-forms` (hist) and `stylistic(1)` (salt) vs `normal`. Tags reach the shaper. Liberation often no-ops; DejaVu salt substitutes a to a in tests.	Ag fi historical-forms Ag a stylistic(1) Ag fi normal hist/salt tags applied; Liberation GSUB often empty
14	font-variant-caps longhand · CSS Fonts · Chrome yes (since 52)	With `font-variant-caps: small-caps` the effect should match small-caps.	Caps Off CAPS ON
15	font-variant-east-asian longhand · CSS Fonts · Chrome yes (since 63)	With `font-variant-east-asian: jis78` the effect should match jis78.	漢字 jis78 CJK face via Cactus Classical Serif subset
16	font-variant-emoji longhand · CSS Fonts · Chrome yes (since 131)	With `font-variant-emoji: text` vs `emoji`, ☺ should differ: text keeps CSS color; emoji uses U+FE0F presentation fill and at least 1em advance.	☺ text ☺ emoji pair: text vs emoji presentation (U+FE0E / U+FE0F semantics)
17	font-variant-ligatures longhand · CSS Fonts · Chrome yes (since 34)	With `font-variant-ligatures: no-common-ligatures` the effect should match no-common-ligatures.	office fillet office fillet left allows liga; right disables
18	font-variant-numeric longhand · CSS Fonts · Chrome yes (since 52)	With `font-variant-numeric: tabular-nums` the effect should match tabular-nums.	1111 0000 1111 0000
19	font-variant-position longhand · CSS Fonts · Chrome yes (since 117)	With `font-variant-position: sub` the effect should match sub.	H₂ O and x_i
20	font-variation-settings longhand · CSS Fonts · Chrome yes (since 62)	With `font-variation-settings: 'wght' 900` a variable face should paint a heavier, wider A than `normal`.	normal wght 900 pair: Gowk Var default vs wght 900
21	font-width longhand · CSS Fonts · Chrome no (not supported)	A/B `font-width: normal` vs `condensed`. Condensed should look narrower after the advance-scale consumer. Chrome does not support this property, so the Effect cell may look unchanged in Chrome.	Ag fi 0123 normal Ag fi 0123 condensed condensed advances should look narrower Chrome: no render expected
22	border-block-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-block-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) baseline border only Chrome: no render expected

#	Property	What it should do	Effect (live)
23	border-block-end-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-block-end-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
24	border-block-start-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-block-start-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
25	border-bottom-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-bottom-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
26	border-boundary longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-boundary`. Effect is an honesty panel only (no live boundary effect). Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
27	border-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
28	border-inline-clip shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-inline-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
29	border-inline-end-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-inline-end-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
30	border-inline-start-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-inline-start-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
31	border-left-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-left-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only

#	Property	What it should do	Effect (live)
32	border-limit longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-limit`. Demo value `3` is not a live limit; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
33	border-right-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-right-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
34	border-shape longhand · CSS Backgrounds and Borders · Chrome yes (since 147)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-shape`. Demo value `bevel` is invalid (needs <basic-shape>, e.g. inset()/circle()); Effect is an honesty panel only.	gowk Unsupported (87.7 defer) baseline border only
35	border-top-clip longhand · (ungrouped) · Chrome no (no MDN BCD entry)	Unsupported / draft-not-ready (phase 87.7 defer). No gowk apply/paint for `border-top-clip`. Demo value `1` is not a live clip; Effect is an honesty panel only. Chrome does not support this property (no MDN BCD entry).	gowk Unsupported (87.7 defer) Chrome: no render expected baseline border only
36	text-autospace longhand · CSS Text · Chrome yes (since 140)	With `text-autospace: ideograph-alpha` the effect should match ideograph-alpha.	汉A汉 汉A汉 right inserts ideograph-alpha gap
37	text-box longhand · CSS Inline · Chrome yes (since 133)	With `text-box: trim-both cap alphabetic` the effect should match trim-both cap alphabetic.	Aa Bb right trims half-leading
38	text-box-edge longhand · CSS Inline · Chrome yes (since 133)	With `text-box-edge: cap alphabetic` the effect should match cap alphabetic.	edge default edge cap/alph
39	text-box-trim longhand · CSS Inline · Chrome yes (since 133)	With `text-box-trim: trim-both` half-leading above and below the text box should be removed.	no trim Yy trim-bot h Yy
40	text-fit longhand · CSS Text · Chrome yes (since 150)	With `text-fit: scale` the effect should match scale.	The quick 汉字 Latin wrap sample.
41	text-group-align longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `text-group-align: center` the effect should match center. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	Hi short line centered in wide box Chrome: no render expected
42	text-spacing shorthand · (ungrouped) · Chrome no (no MDN BCD entry)	With `text-spacing: trim-start` the effect should match trim-start. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	「AB 「AB right hangs 「 past the red rule

#	Property	What it should do	Effect (live)
43	text-spacing-trim longhand · CSS Text · Chrome yes (since 123)	With `text-spacing-trim: space-all` the effect should match space-all.	 trim-start hangs leading ⏏
44	grid-auto-columns longhand · CSS Grid Layout · Chrome yes (since 57)	With `grid-auto-columns: 40px` each implicit column should be 40px wide.	 col1=24px explicit; col2/3=48px auto-columns
45	grid-auto-rows longhand · CSS Grid Layout · Chrome yes (since 57)	With `grid-auto-rows: 24px` each implicit row should be 24px tall.	 implicit row height locked to 28px
46	grid-column-gap legacy-alias · CSS Grid Layout · Chrome yes (since 1)	With `grid-column-gap: 12px` columns should be separated by 12px.	 16px column gap between A and B
47	grid-gap legacy-alias · CSS Grid Layout · Chrome yes (since 57)	With `grid-gap: 8px 12px` row and column gaps should be 8px and 12px.	
48	grid-row-gap legacy-alias · CSS Grid Layout · Chrome yes (since 47)	With `grid-row-gap: 8px` rows should be separated by 8px.	 14px row gap
49	hanging-punctuation longhand · CSS Text · Chrome no (not supported)	With `hanging-punctuation: first` opening punctuation may hang outside the start edge. Chrome does not support this property (not supported), so the Effect cell may look unchanged in Chrome.	 Hang the opening quote outside the measure. Chrome: no render expected
50	hyphenate-limit-chars longhand · CSS Text · Chrome yes (since 109)	With `hyphenate-limit-chars: 6 3 3` hyphenation should need 6/3/3 character counts.	 SHY only when 3+ chars each side
51	hyphenate-limit-last longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `hyphenate-limit-last: always` the effect should match always. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected
52	hyphenate-limit-lines longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `hyphenate-limit-lines: 2` the effect should match 2. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 at most 2 hyphenated lines Chrome: no render expected
53	hyphenate-limit-zone longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `hyphenate-limit-zone: 8%` the effect should match 8%. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 Chrome: no render expected

#	Property	What it should do	Effect (live)
54	shape-image-threshold longhand · CSS Shapes · Chrome yes (since 37)	With `shape-image-threshold: 0.5` the effect should match 0.5.	 Wrap text beside the shaped float contour.
55	shape-inside longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `shape-inside: circle(40%)` the effect should match circle(40%). Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	Inside shape sample text. Chrome: no render expected
56	shape-margin longhand · CSS Shapes · Chrome yes (since 37)	With `shape-margin: 8px` the effect should match 8px.	 left margin 0; right shape-margin 10px
57	shape-outside longhand · CSS Shapes · Chrome yes (since 37)	With `shape-outside: circle(50%)` sibling text should wrap around a circular float.	 circle(50%) float exclusion
58	shape-padding longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `shape-padding: 6px` the effect should match 6px. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	Inside shape sample text. Chrome: no render expected
59	float-defer longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `float-defer: 1` the effect should match 1. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 following text wraps beside the float. Chrome: no render expected
60	float-offset longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `float-offset: 12px` the effect should match 12px. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 right float nudged 16px down Chrome: no render expected
61	float-reference longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With `float-reference: page` the float containing block is the page content box; `inline` stays the current BFC. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 inline page in inline: 50% of BFC. page: 50% of page, packs to page left (gowk). Chrome: no render expected
62	initial-letter longhand · CSS Inline · Chrome yes (since 110)	With `initial-letter: 3` the first letter should span 3 lines.	 initial letter should span three lines of this paragraph body with enough words to wrap beside the drop cap clearly for geometry.

#	Property	What it should do	Effect (live)																
63	initial-letter-align longhand · CSS Inline · Chrome no (no MDN BCD entry)	With <code>`initial-letter: 3; initial-letter-align: hanging`</code> the drop cap should sit on a distinct hanging metric versus alphabetic. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 alphabetic Alphabetic drop cap hangs from the first-line cap height across three lines of body copy here.  hanging Hanging drop cap uses a higher hanging baseline so the letter Y shifts versus alphabetic. pair: alphabetic vs hanging (needs initial-letter:3) Chrome: no render expected																
64	initial-letter-wrap longhand · (ungrouped) · Chrome no (no MDN BCD entry)	With <code>`initial-letter: 3; initial-letter-wrap: all`</code> overlapping lines should shorten beside the letter; <code>`none`</code> does not side-wrap. Chrome does not support this property (no MDN BCD entry), so the Effect cell may look unchanged in Chrome.	 none none keeps later lines the same width with no side wrap beside the letter.  all all shortens every overlapping line beside the rectangular letter box. pair: wrap none vs all (needs initial-letter:3) Chrome: no render expected																
65	column-height longhand · CSS Box Sizing · Chrome yes (since 145)	With <code>`column-height: 80px`</code> the effect should match 80px.	One. Two. Three. Four. Five. Six. Seven. Eight. Nine. Ten. Eleven. Twelve. Thirteen. Fourteen. Fifteen. 80px-ish cap forces extra columns/rows																
66	column-wrap longhand · CSS Box Sizing · Chrome yes (since 145)	With <code>`column-wrap: wrap`</code> vs <code>`nowrap`</code> and a set <code>`column-height`</code> , overflow should open a second row only for wrap.	wrap <table><tr><td>A1 aa</td><td>A3 cc</td></tr><tr><td>A2 bb</td><td>A4 dd</td></tr><tr><td></td><td>A5 ee</td></tr><tr><td>A6 ff</td><td>A8 hh</td></tr><tr><td>A7 gg</td><td></td></tr></table> nowrap <table><tr><td>B1 aa</td><td>B3 cc</td></tr><tr><td>B2 bb</td><td>B4 dd</td></tr><tr><td></td><td>B5 ee</td></tr></table> wrap opens a second row; nowrap stays one row	A1 aa	A3 cc	A2 bb	A4 dd		A5 ee	A6 ff	A8 hh	A7 gg		B1 aa	B3 cc	B2 bb	B4 dd		B5 ee
A1 aa	A3 cc																		
A2 bb	A4 dd																		
	A5 ee																		
A6 ff	A8 hh																		
A7 gg																			
B1 aa	B3 cc																		
B2 bb	B4 dd																		
	B5 ee																		
67	object-fit longhand · CSS Images · Chrome yes (since 32)	With <code>`object-fit: cover`</code> the replaced image should cover the box and crop overflow.	 wide image covered into short box																
68	object-position longhand · CSS Images · Chrome yes (since 32)	With <code>`object-position: right bottom`</code> the replaced image should align to the right bottom of the box.	 10x10 pinned to right bottom																
69	overflow-block longhand · CSS Overflow · Chrome yes (since 135)	With <code>`overflow-block: hidden`</code> block-axis overflow should clip.	LINE1 only 14px tall: only LINE1 should paint																
70	overflow-inline longhand · CSS Overflow · Chrome yes (since 135)	With <code>`overflow-inline: hidden`</code> inline-axis overflow should clip.	XXXXXXXXXXXXXXXXXXXTOOLONG inline axis clips the XXX run																
71	aspect-ratio longhand · CSS Box Sizing · Chrome yes (since 88)	With <code>`aspect-ratio: 1 / 1`</code> the box should keep a square width/height ratio.	1:1 no-ar																
72	counter-set longhand · CSS Lists and Counters · Chrome yes (since 85)	With <code>`counter-set: item 5`</code> the named counter should be set to 5 before later increments. Labels should read 6. / 7. after increment.	6. alpha 7. beta expect 6. alpha / 7. beta																

