











Implemented CSS audit B

Slice B · 118 Implemented properties · font-family "Liberation Sans" · local images



IMPLEMENTED-PROPS-B

Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit.`

#	Property	What it should do	Effect (live)
1	<code>border-top-radius</code> shorthand · (ungrouped)	Controls corner rounding on the indicated corner(s) or axis.	
2	<code>border-top-right-radius</code> longhand · CSS Backgrounds and Borders	Controls corner rounding on the indicated corner(s) or axis.	
3	<code>border-top-style</code> longhand · CSS Backgrounds and Borders	Border longhand/shorthand: width, style, and/or color on the indicated side(s).	box
4	<code>border-top-width</code> longhand · CSS Backgrounds and Borders	Border longhand/shorthand: width, style, and/or color on the indicated side(s).	 box
5	<code>border-width</code> shorthand · CSS Backgrounds and Borders	Border longhand/shorthand: width, style, and/or color on the indicated side(s).	
6	<code>bottom</code> longhand · CSS Anchor Positioning	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	
7	<code>box-decoration-break</code> longhand · CSS Fragmentation	Print fragmentation / page naming. Effect is most visible across page boundaries.	
8	<code>box-shadow</code> shorthand · CSS Backgrounds and Borders	Draws outer/inner shadows around the border box.	
9	<code>box-shadow-blur</code> longhand · (ungrouped)	Implemented `box-shadow-blur` ((ungrouped)). Effect cell applies a representative value for visual checks.	shadow
10	<code>box-shadow-color</code> longhand · (ungrouped)	Implemented `box-shadow-color` ((ungrouped)). Effect cell applies a representative value for visual checks.	shadow
11	<code>box-shadow-offset</code> longhand · (ungrouped)	Implemented `box-shadow-offset` ((ungrouped)). Effect cell applies a representative value for visual checks.	
12	<code>box-shadow-position</code> longhand · (ungrouped)	Implemented `box-shadow-position` ((ungrouped)). Effect cell applies a representative value for visual checks.	shadow
13	<code>box-shadow-spread</code> longhand · (ungrouped)	Implemented `box-shadow-spread` ((ungrouped)). Effect cell applies a representative value for visual checks.	shadow
14	<code>box-sizing</code> longhand · CSS Box Sizing	content-box vs border-box size calculation.	
15	<code>break-after</code> longhand · CSS Fragmentation	Print fragmentation / page naming. Effect is most visible across page boundaries.	

#	Property	What it should do	Effect (live)		
16	break-before longhand · CSS Fragmentation	Modern fragmentation break before the box.	fragmentation: break-before		
17	break-inside longhand · CSS Fragmentation	Print fragmentation / page naming. Effect is most visible across page boundaries.	fragmentation: break-inside		
18	caption-side longhand · CSS Table	Places table caption top or bottom.	<table><tr><td>td</td><td>td</td></tr></table> cap	td	td
td	td				
19	clear longhand · CSS Positioned Layout	Pushes the box below preceding floats.	F following text wraps beside the float.		
20	color longhand · CSS Color	Sets the foreground text color (and currentColor).	colored text		
21	color-adjust shorthand · (ungrouped)	Shorthand ((ungrouped)). Expands into longhands; Effect cell applies a representative value.	color-adjust applied		
22	color-scheme longhand · CSS Color	Implemented `color-scheme` (CSS Color). Effect cell applies a representative value for visual checks.	color-scheme applied		
23	column-count longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span).			
24	column-fill longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span).	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
25	column-gap longhand · CSS Box Alignment	Multi-column layout control (count, width, gap, rule, fill, span).	123		
26	column-rule shorthand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span).	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
27	column-rule-color longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span).	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
28	column-rule-style longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span).	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
29	column-rule-width longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span).	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
30	column-span longhand · CSS Multi-column Layout	Multi-column layout control (count, width, gap, rule, fill, span).	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
31	column-width longhand · CSS Box Sizing	Multi-column layout control (count, width, gap, rule, fill, span).	Multi-column sample text repeated. Multi-column sample text repeated. Multi-column sample text repeated.		
32	columns shorthand · CSS Multi-column Layout	Shorthand enabling multi-column flow.			

#	Property	What it should do	Effect (live)
33	contain longhand · CSS Containment	Implemented `contain` (CSS Containment). Effect cell applies a representative value for visual checks.	contain applied
34	contain-intrinsic-block-size longhand · CSS Box Sizing	Implemented `contain-intrinsic-block-size` (CSS Box Sizing). Effect cell applies a representative value for visual checks.	size
35	contain-intrinsic-height longhand · CSS Box Sizing	Implemented `contain-intrinsic-height` (CSS Box Sizing). Effect cell applies a representative value for visual checks.	contain-intrinsic-height applied
36	contain-intrinsic-inline-size longhand · CSS Box Sizing	Implemented `contain-intrinsic-inline-size` (CSS Box Sizing). Effect cell applies a representative value for visual checks.	size
37	contain-intrinsic-size shorthand · CSS Box Sizing	Shorthand (CSS Box Sizing). Expands into longhands; Effect cell applies a representative value.	size
38	contain-intrinsic-width longhand · CSS Box Sizing	Implemented `contain-intrinsic-width` (CSS Box Sizing). Effect cell applies a representative value for visual checks.	contain-intrinsic-width applied
39	container shorthand · CSS Conditional Rules	Shorthand (CSS Conditional Rules). Expands into longhands; Effect cell applies a representative value.	container applied
40	container-name longhand · CSS Conditional Rules	Implemented `container-name` (CSS Conditional Rules). Effect cell applies a representative value for visual checks.	container-name applied
41	container-type longhand · CSS Conditional Rules	Implemented `container-type` (CSS Conditional Rules). Effect cell applies a representative value for visual checks.	container-type applied
42	content longhand · CSS Generated Content	Generated content for `::before`/`::after`.	list/content demo
43	content-visibility longhand · CSS Containment	Implemented `content-visibility` (CSS Containment). Effect cell applies a representative value for visual checks.	content-visibility applied
44	counter-increment longhand · CSS Lists and Counters	Implemented `counter-increment` (CSS Lists and Counters). Effect cell applies a representative value for visual checks.	list/content demo
45	counter-reset longhand · CSS Lists and Counters	Implemented `counter-reset` (CSS Lists and Counters). Effect cell applies a representative value for visual checks.	list/content demo
46	direction longhand · CSS Writing Modes	ltr/rtl base direction.	ABC 123
47	display longhand · CSS Display	Changes layout mode of the box (block, inline, flex, none, etc.).	A B
48	dynamic-range-limit longhand · CSS Color	Implemented `dynamic-range-limit` (CSS Color). Effect cell applies a representative value for visual checks.	dynamic-range-limit applied

#	Property	What it should do	Effect (live)
49	fill longhand · Scalable Vector Graphics	SVG presentation property honored for applicable content/paint paths.	
50	fill-opacity longhand · Scalable Vector Graphics	SVG presentation property honored for applicable content/paint paths.	
51	filter longhand · Filter Effects	CSS filter effects (engine may honor a subset such as opacity).	
52	flex shorthand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute.	
53	flex-basis longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute.	
54	flex-direction longhand · CSS Flexible Box Layout	Main axis direction for flex containers.	
55	flex-flow shorthand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute.	
56	flex-grow longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute.	
57	flex-shrink longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute.	
58	flex-wrap longhand · CSS Flexible Box Layout	Flexible box item/container control. Flex row demo should redistribute.	
59	float longhand · CSS Positioned Layout	Pulls the box to the left/right; following content wraps.	
60	font shorthand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features.	Font sample Aa
61	font-family longhand · CSS Fonts	Chooses the typeface stack; Liberation Sans is pinned via --font-path.	Font sample Aa
62	font-language-override longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features.	Font sample Aa
63	font-optical-sizing longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features.	Font sample Aa
64	font-palette longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features.	Font sample Aa
65	font-size longhand · CSS Fonts	Sets the used size of text (pt/px/em/%).	Font sample Aa
66	font-style longhand · CSS Fonts	italic/oblique vs normal.	Font sample Aa

67	font-variation-settings longhand · CSS Fonts	Font-related longhand/shorthand affecting typeface metrics or variant features.	Font sample Aa
#	Property	What it should do	Effect (live)
68	font-weight longhand · CSS Fonts	Sets boldness (numeric or keyword).	Font sample Aa
69	footnote-display longhand · (ungrouped)	Implemented `footnote-display` ((ungrouped)). Effect cell applies a representative value for visual checks.	footnote-display applied
70	footnote-policy longhand · (ungrouped)	Implemented `footnote-policy` ((ungrouped)). Effect cell applies a representative value for visual checks.	footnote-policy applied
71	forced-color-adjust longhand · CSS Color	Implemented `forced-color-adjust` (CSS Color). Effect cell applies a representative value for visual checks.	forced-color-adjust applied
72	gap shorthand · CSS Box Alignment	Gutters between flex/grid items.	1 2 3
73	grid shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
74	grid-area shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
75	grid-auto-flow longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
76	grid-column shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
77	grid-column-end longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
78	grid-column-start longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
79	grid-row shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
80	grid-row-end longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
81	grid-row-start longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A

#	Property	What it should do	Effect (live)
82	grid-template shorthand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
83	grid-template-areas longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
84	grid-template-columns longhand · CSS Grid Layout	Defines column tracks of a grid container.	A B
85	grid-template-rows longhand · CSS Grid Layout	Grid/alignment control. Tracks or item placement should change in the Effect cell.	A B
86	height longhand · CSS Box Sizing	Sets vertical size.	size
87	hyphenate-character longhand · CSS Text	Implemented `hyphenate-character` (CSS Text). Effect cell applies a representative value for visual checks.	supercalifragilistic wrapping-hyphenation sample
88	hyphens longhand · CSS Text	Implemented `hyphens` (CSS Text). Effect cell applies a representative value for visual checks.	supercalifragilistic wrapping-hyphenation sample
89	image-orientation longhand · CSS Images	Implemented `image-orientation` (CSS Images). Effect cell applies a representative value for visual checks.	image-orientation applied
90	image-resolution longhand · CSS Images	Implemented `image-resolution` (CSS Images). Effect cell applies a representative value for visual checks.	image-resolution applied
91	inline-size longhand · CSS Logical Properties and Values	Sizing constraint on the content/border box (physical or logical).	size
92	inset shorthand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	pos
93	inset-block shorthand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	pos
94	inset-block-end longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	pos
95	inset-block-start longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	pos
96	inset-inline	Positioned offsets (physical or logical) for	pos

	shorthand · CSS Logical Properties and Values	relative/absolute/sticky boxes.	
--	---	---------------------------------	--

#	Property	What it should do	Effect (live)
97	<code>inset-inline-end</code> longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	pos
98	<code>inset-inline-start</code> longhand · CSS Logical Properties and Values	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	pos
99	<code>isolation</code> longhand · Compositing and Blending	Implemented `isolation` (Compositing and Blending). Effect cell applies a representative value for visual checks.	fx
100	<code>justify-content</code> longhand · CSS Box Alignment	Distributes flex/grid items along the main/inline axis.	1 2 3
101	<code>justify-items</code> longhand · CSS Box Alignment	Grid/alignment control. Tracks or item placement should change in the Effect cell.	1 2 3
102	<code>justify-self</code> longhand · CSS Box Alignment	Grid/alignment control. Tracks or item placement should change in the Effect cell.	1 2 3
103	<code>left</code> longhand · CSS Anchor Positioning	Positioned offsets (physical or logical) for relative/absolute/sticky boxes.	pos
104	<code>letter-spacing</code> longhand · CSS Text	Adds tracking between glyphs.	line spacing sample text that wraps a little
105	<code>line-break</code> longhand · CSS Text	Print fragmentation / page naming. Effect is most visible across page boundaries.	supercalifragilistic wrapping-hyphenation sample
106	<code>line-clamp</code> shorthand · CSS Overflow	Shorthand (CSS Overflow). Expands into longhands; Effect cell applies a representative value.	line-clamp applied
107	<code>line-height</code> longhand · CSS Inline	Controls inter-line spacing of inline content.	line spacing sample text that wraps a little
108	<code>list-style</code> shorthand · CSS Lists and Counters	Shorthand (CSS Lists and Counters). Expands into longhands; Effect cell applies a representative value.	list/content demo
109	<code>list-style-image</code> longhand · CSS Lists and Counters	Implemented `list-style-image` (CSS Lists and Counters). Effect cell applies a representative value for visual checks.	list/content demo
110	<code>list-style-position</code> longhand · CSS Lists and Counters	Implemented `list-style-position` (CSS Lists and Counters). Effect cell applies a representative value for visual checks.	list/content demo
111	<code>list-style-type</code> longhand · CSS Lists and Counters	Marker style for list items (disc, decimal, .).	list/content demo
112	<code>margin</code> shorthand · CSS Box Model	Outer gap around the border box.	m

#	Property	What it should do	Effect (live)
			
113	margin-block shorthand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border.	
114	margin-block-end longhand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border.	
115	margin-block-start longhand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border.	
116	margin-bottom longhand · CSS Anchor Positioning	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border.	
117	margin-break longhand · (ungrouped)	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border.	
118	margin-inline shorthand · CSS Logical Properties and Values	Sets outer margin (physical or logical side/shorthand). Look for extra space outside the demo border.	