

UNSUPPORTED-WORKLIST-AUDIT

Catalog isolation and crash resilience verification harness for all 462 unsupported and deferred CSS properties.

§ 1 · Triage Rationale and Technical Scope

Static print PDF documents have no continuous JavaScript runtime loop, no interactive mouse pointer, no scroll viewport, and no audio speaker device. The following categories are formally classified as unsupported print non-goals or browser-only features:

ANIMATION & TIMELINES 45 Props Static print captures t=0	INTERACTIVE SCROLL 41 Props Paginated sheets	POINTER & UI CHROME 25 Props No mouse / caret	SPEECH & AURAL 19 Props Visual PDF stream
---	---	--	--

NEEDLE-MARK: VANGUARD-CSS-UNSUPPORTED-SAFE

Unsupported CSS probe gallery 1/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

-webkit-animation UNSUPPORTED	-webkit-animation-delay UNSUPPORTED	-webkit-animation-direction UNSUPPORTED	-webkit-animation-duration UNSUPPORTED	
-webkit-animation-fill-mode UNSUPPORTED	-webkit-animation-iteration-count UNSUPPORTED	-webkit-animation-name UNSUPPORTED	-webkit-animation-play-state UNSUPPORTED	
-webkit-animation-timing-function UNSUPPORTED	-webkit-appearance UNSUPPORTED	-webkit-backface-visibility UNSUPPORTED	-webkit-background-clip UNSUPPORTED	
-webkit-background-origin UNSUPPORTED	-webkit-background-size UNSUPPORTED	-webkit-line-clamp UNSUPPORTED	-webkit-mask UNSUPPORTED	-webkit-mask-box-image UNSUPPORTED
-webkit-mask-box-image-outset UNSUPPORTED	-webkit-mask-box-image-repeat UNSUPPORTED	-webkit-mask-box-image-slice UNSUPPORTED	-webkit-mask-box-image-source UNSUPPORTED	
-webkit-mask-box-image-width UNSUPPORTED	-webkit-mask-clip UNSUPPORTED	-webkit-mask-composite UNSUPPORTED	-webkit-mask-image UNSUPPORTED	-webkit-mask-origin UNSUPPORTED
-webkit-mask-position UNSUPPORTED	-webkit-mask-repeat UNSUPPORTED	-webkit-mask-size UNSUPPORTED	-webkit-perspective UNSUPPORTED	-webkit-perspective-origin UNSUPPORTED
-webkit-text-size-adjust UNSUPPORTED	-webkit-text-stroke UNSUPPORTED	-webkit-text-stroke-color UNSUPPORTED	-webkit-text-stroke-width UNSUPPORTED	-webkit-transform-style UNSUPPORTED
-webkit-transition UNSUPPORTED	-webkit-transition-delay UNSUPPORTED	-webkit-transition-duration UNSUPPORTED	-webkit-transition-property UNSUPPORTED	
-webkit-transition-timing-function UNSUPPORTED	-webkit-user-select UNSUPPORTED	alignment-baseline UNSUPPORTED	all UNSUPPORTED	anchor-name UNSUPPORTED
anchor-scope UNSUPPORTED	animation UNSUPPORTED	animation-composition UNSUPPORTED	animation-delay UNSUPPORTED	animation-delay-end UNSUPPORTED
animation-delay-start UNSUPPORTED	animation-direction UNSUPPORTED	animation-duration UNSUPPORTED	animation-fill-mode UNSUPPORTED	animation-iteration-count UNSUPPORTED
animation-name UNSUPPORTED	animation-play-state UNSUPPORTED	animation-range UNSUPPORTED	animation-range-center UNSUPPORTED	animation-range-end UNSUPPORTED

Unsupported CSS probe gallery 2/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

animation-range-start UNSUPPORTED	animation-timeline UNSUPPORTED	animation-timing-function UNSUPPORTED	animation-trigger UNSUPPORTED	appearance UNSUPPORTED
aspect-ratio UNSUPPORTED	backdrop-filter UNSUPPORTED	backface-visibility UNSUPPORTED	background-tbd UNSUPPORTED	baseline-shift UNSUPPORTED
baseline-source UNSUPPORTED	block-ellipsis UNSUPPORTED	block-step UNSUPPORTED	block-step-align UNSUPPORTED	block-step-insert UNSUPPORTED
block-step-round UNSUPPORTED	block-step-size UNSUPPORTED	border-block-clip UNSUPPORTED	border-block-end-clip UNSUPPORTED	border-block-start-clip UNSUPPORTED
border-bottom-clip UNSUPPORTED	border-boundary UNSUPPORTED	border-clip UNSUPPORTED	border-inline-clip UNSUPPORTED	border-inline-end-clip UNSUPPORTED
border-inline-start-clip UNSUPPORTED	border-left-clip UNSUPPORTED	border-limit UNSUPPORTED	border-right-clip UNSUPPORTED	border-shape UNSUPPORTED
border-top-clip UNSUPPORTED	box-snap UNSUPPORTED	caret UNSUPPORTED	caret-animation UNSUPPORTED	caret-color UNSUPPORTED
caret-shape UNSUPPORTED	clip UNSUPPORTED	clip-path UNSUPPORTED	clip-rule UNSUPPORTED	color-interpolation UNSUPPORTED
color-interpolation-filters UNSUPPORTED	column-height UNSUPPORTED	column-rule-break UNSUPPORTED	column-rule-inset UNSUPPORTED	column-rule-inset-cap UNSUPPORTED
column-rule-inset-cap-end UNSUPPORTED	column-rule-inset-cap-start UNSUPPORTED	column-rule-inset-end UNSUPPORTED	column-rule-inset-join UNSUPPORTED	
column-rule-inset-join-e nd UNSUPPORTED	column-rule-inset-join-s tart UNSUPPORTED	column-rule-inset-start UNSUPPORTED	column-rule-visibility-items UNSUPPORTED	
column-wrap UNSUPPORTED	continue UNSUPPORTED	copy-into UNSUPPORTED	corner UNSUPPORTED	corner-block-end UNSUPPORTED
corner-block-end-shape UNSUPPORTED	corner-block-start UNSUPPORTED			

Unsupported CSS probe gallery 3/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

corner-block-start-shape UNSUPPORTED	corner-bottom UNSUPPORTED	corner-bottom-left UNSUPPORTED	corner-bottom-left-shape UNSUPPORTED	corner-bottom-right UNSUPPORTED
corner-bottom-right-shape UNSUPPORTED	corner-bottom-shape UNSUPPORTED	corner-end-end UNSUPPORTED	corner-end-end-shape UNSUPPORTED	corner-end-start UNSUPPORTED
corner-end-start-shape UNSUPPORTED	corner-inline-end UNSUPPORTED	corner-inline-end-shape UNSUPPORTED	corner-inline-start UNSUPPORTED	corner-inline-start-shape UNSUPPORTED
corner-left UNSUPPORTED	corner-left-shape UNSUPPORTED	corner-right UNSUPPORTED	corner-right-shape UNSUPPORTED	corner-shape UNSUPPORTED
corner-start-end UNSUPPORTED	corner-start-end-shape UNSUPPORTED	corner-start-start UNSUPPORTED	corner-start-start-shape UNSUPPORTED	corner-top UNSUPPORTED
corner-top-left UNSUPPORTED	corner-top-left-shape UNSUPPORTED	corner-top-right UNSUPPORTED	corner-top-right-shape UNSUPPORTED	corner-top-shape UNSUPPORTED
counter-set UNSUPPORTED	cue UNSUPPORTED	cue-after UNSUPPORTED	cue-before UNSUPPORTED	cursor UNSUPPORTED
cx UNSUPPORTED	cy UNSUPPORTED	d UNSUPPORTED	dominant-baseline UNSUPPORTED	empty-cells UNSUPPORTED
event-trigger UNSUPPORTED	event-trigger-name UNSUPPORTED	event-trigger-source UNSUPPORTED	field-sizing UNSUPPORTED	fill-break UNSUPPORTED
fill-color UNSUPPORTED	fill-image UNSUPPORTED	fill-origin UNSUPPORTED	fill-position UNSUPPORTED	fill-repeat UNSUPPORTED
fill-rule UNSUPPORTED	fill-size UNSUPPORTED	flex-line-count UNSUPPORTED	float-defer UNSUPPORTED	float-offset UNSUPPORTED
float-reference UNSUPPORTED	flood-color UNSUPPORTED	flood-opacity UNSUPPORTED	flow-from UNSUPPORTED	flow-into UNSUPPORTED

Unsupported CSS probe gallery 4/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

flow-tolerance UNSUPPORTED	font-feature-settings UNSUPPORTED	font-kerning UNSUPPORTED	font-size-adjust UNSUPPORTED	font-stretch UNSUPPORTED
font-synthesis UNSUPPORTED	font-synthesis-position UNSUPPORTED	font-synthesis-small-caps UNSUPPORTED	font-synthesis-style UNSUPPORTED	font-synthesis-weight UNSUPPORTED
font-variant UNSUPPORTED	font-variant-alternates UNSUPPORTED	font-variant-caps UNSUPPORTED	font-variant-east-asian UNSUPPORTED	font-variant-emoji UNSUPPORTED
font-variant-ligatures UNSUPPORTED	font-variant-numeric UNSUPPORTED	font-variant-position UNSUPPORTED	font-width UNSUPPORTED	frame-sizing UNSUPPORTED
glyph-orientation-vertical UNSUPPORTED	grid-auto-columns UNSUPPORTED	grid-auto-rows UNSUPPORTED	grid-column-gap UNSUPPORTED	grid-gap UNSUPPORTED
grid-row-gap UNSUPPORTED	hanging-punctuation UNSUPPORTED	hyphenate-limit-chars UNSUPPORTED	hyphenate-limit-last UNSUPPORTED	hyphenate-limit-lines UNSUPPORTED
hyphenate-limit-zone UNSUPPORTED	image-animation UNSUPPORTED	image-rendering UNSUPPORTED	initial-letter UNSUPPORTED	initial-letter-align UNSUPPORTED
initial-letter-wrap UNSUPPORTED	inline-sizing UNSUPPORTED	input-security UNSUPPORTED	interactivity UNSUPPORTED	interest-delay UNSUPPORTED
interest-delay-end UNSUPPORTED	interest-delay-start UNSUPPORTED	interpolate-size UNSUPPORTED	lighting-color UNSUPPORTED	line-fit-edge UNSUPPORTED
line-grid UNSUPPORTED	line-height-step UNSUPPORTED	line-padding UNSUPPORTED	line-snap UNSUPPORTED	link-parameters UNSUPPORTED
marker UNSUPPORTED	marker-end UNSUPPORTED	marker-mid UNSUPPORTED	marker-side UNSUPPORTED	marker-start UNSUPPORTED
mask UNSUPPORTED	mask-border UNSUPPORTED	mask-border-mode UNSUPPORTED	mask-border-outset UNSUPPORTED	mask-border-repeat UNSUPPORTED

Unsupported CSS probe gallery 5/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

mask-border-slice UNSUPPORTED	mask-border-source UNSUPPORTED	mask-border-width UNSUPPORTED	mask-clip UNSUPPORTED	mask-composite UNSUPPORTED
mask-image UNSUPPORTED	mask-mode UNSUPPORTED	mask-origin UNSUPPORTED	mask-position UNSUPPORTED	mask-repeat UNSUPPORTED
mask-size UNSUPPORTED	mask-type UNSUPPORTED	math-depth UNSUPPORTED	math-shift UNSUPPORTED	math-style UNSUPPORTED
min-intrinsic-sizing UNSUPPORTED	nav-down UNSUPPORTED	nav-left UNSUPPORTED	nav-right UNSUPPORTED	nav-up UNSUPPORTED
object-fit UNSUPPORTED	object-position UNSUPPORTED	offset UNSUPPORTED	offset-anchor UNSUPPORTED	offset-distance UNSUPPORTED
offset-path UNSUPPORTED	offset-position UNSUPPORTED	offset-rotate UNSUPPORTED	overflow-anchor UNSUPPORTED	overflow-block UNSUPPORTED
overflow-inline UNSUPPORTED	overlay UNSUPPORTED	overscroll-behavior UNSUPPORTED	overscroll-behavior-block UNSUPPORTED	overscroll-behavior-inline UNSUPPORTED
overscroll-behavior-x UNSUPPORTED	overscroll-behavior-y UNSUPPORTED	paint-order UNSUPPORTED	path-length UNSUPPORTED	pause UNSUPPORTED
pause-after UNSUPPORTED	pause-before UNSUPPORTED	perspective UNSUPPORTED	perspective-origin UNSUPPORTED	pointer-events UNSUPPORTED
pointer-timeline UNSUPPORTED	pointer-timeline-axis UNSUPPORTED	pointer-timeline-name UNSUPPORTED	position-anchor UNSUPPORTED	position-area UNSUPPORTED
position-try UNSUPPORTED	position-try-fallbacks UNSUPPORTED	position-try-order UNSUPPORTED	position-visibility UNSUPPORTED	r UNSUPPORTED
reading-flow UNSUPPORTED	reading-order UNSUPPORTED	region-fragment UNSUPPORTED	resize UNSUPPORTED	rest UNSUPPORTED

Unsupported CSS probe gallery 6/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

rest-after UNSUPPORTED	rest-before UNSUPPORTED	row-rule UNSUPPORTED	row-rule-break UNSUPPORTED	row-rule-color UNSUPPORTED
row-rule-inset UNSUPPORTED	row-rule-inset-cap UNSUPPORTED	row-rule-inset-cap-end UNSUPPORTED	row-rule-inset-cap-start UNSUPPORTED	row-rule-inset-end UNSUPPORTED
row-rule-inset-junction UNSUPPORTED	row-rule-inset-junction-end UNSUPPORTED	row-rule-inset-junction-start UNSUPPORTED	row-rule-inset-start UNSUPPORTED	row-rule-style UNSUPPORTED
row-rule-visibility-items UNSUPPORTED	row-rule-width UNSUPPORTED	ruby-align UNSUPPORTED	ruby-merge UNSUPPORTED	ruby-overhang UNSUPPORTED
ruby-position UNSUPPORTED	rule UNSUPPORTED	rule-break UNSUPPORTED	rule-color UNSUPPORTED	rule-inset UNSUPPORTED
rule-inset-cap UNSUPPORTED	rule-inset-end UNSUPPORTED	rule-inset-junction UNSUPPORTED	rule-inset-start UNSUPPORTED	rule-overlap UNSUPPORTED
rule-style UNSUPPORTED	rule-visibility-items UNSUPPORTED	rule-width UNSUPPORTED	rx UNSUPPORTED	ry UNSUPPORTED
scroll-axis-lock UNSUPPORTED	scroll-behavior UNSUPPORTED	scroll-initial-target UNSUPPORTED	scroll-margin UNSUPPORTED	scroll-margin-block UNSUPPORTED
scroll-margin-block-end UNSUPPORTED	scroll-margin-block-start UNSUPPORTED	scroll-margin-bottom UNSUPPORTED	scroll-margin-inline UNSUPPORTED	scroll-margin-inline-end UNSUPPORTED
scroll-margin-inline-start UNSUPPORTED	scroll-margin-left UNSUPPORTED	scroll-margin-right UNSUPPORTED	scroll-margin-top UNSUPPORTED	scroll-marker-group UNSUPPORTED
scroll-padding UNSUPPORTED	scroll-padding-block UNSUPPORTED	scroll-padding-block-end UNSUPPORTED	scroll-padding-block-start UNSUPPORTED	scroll-padding-bottom UNSUPPORTED
scroll-padding-inline UNSUPPORTED	scroll-padding-inline-end UNSUPPORTED	scroll-padding-inline-start UNSUPPORTED	scroll-padding-left UNSUPPORTED	scroll-padding-right UNSUPPORTED

Unsupported CSS probe gallery 7/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

scroll-padding-top UNSUPPORTED	scroll-snap-align UNSUPPORTED	scroll-snap-stop UNSUPPORTED	scroll-snap-type UNSUPPORTED	scroll-target-group UNSUPPORTED
scroll-timeline UNSUPPORTED	scroll-timeline-axis UNSUPPORTED	scroll-timeline-name UNSUPPORTED	scrollbar-color UNSUPPORTED	scrollbar-gutter UNSUPPORTED
scrollbar-width UNSUPPORTED	shape-image-threshold UNSUPPORTED	shape-inside UNSUPPORTED	shape-margin UNSUPPORTED	shape-outside UNSUPPORTED
shape-padding UNSUPPORTED	shape-rendering UNSUPPORTED	slider-orientation UNSUPPORTED	spatial-navigation-action UNSUPPORTED	spatial-navigation-contain UNSUPPORTED
spatial-navigation-function UNSUPPORTED	speak UNSUPPORTED	speak-as UNSUPPORTED	stop-color UNSUPPORTED	stop-opacity UNSUPPORTED
stroke-align UNSUPPORTED	stroke-alignment UNSUPPORTED	stroke-break UNSUPPORTED	stroke-color UNSUPPORTED	stroke-dash-corner UNSUPPORTED
stroke-dash-justify UNSUPPORTED	stroke-dashadjust UNSUPPORTED	stroke-dasharray UNSUPPORTED	stroke-dashcorner UNSUPPORTED	stroke-dashoffset UNSUPPORTED
stroke-image UNSUPPORTED	stroke-linecap UNSUPPORTED	stroke-linejoin UNSUPPORTED	stroke-miterlimit UNSUPPORTED	stroke-origin UNSUPPORTED
stroke-position UNSUPPORTED	stroke-repeat UNSUPPORTED	stroke-size UNSUPPORTED	text-anchor UNSUPPORTED	text-autospace UNSUPPORTED
text-box UNSUPPORTED	text-box-edge UNSUPPORTED	text-box-trim UNSUPPORTED	text-fit UNSUPPORTED	text-group-align UNSUPPORTED
text-rendering UNSUPPORTED	text-size-adjust UNSUPPORTED	text-spacing UNSUPPORTED	text-spacing-trim UNSUPPORTED	timeline-scope UNSUPPORTED
timeline-trigger UNSUPPORTED	timeline-trigger-activation-range UNSUPPORTED	timeline-trigger-activation-range-end UNSUPPORTED	timeline-trigger-activation-range-start UNSUPPORTED	
timeline-trigger-active-range UNSUPPORTED				

Unsupported CSS probe gallery 8/8 (462 properties)

Each chip sets one unsupported property to verify safe cascade ignore and layout crash resilience.

timeline-trigger-active-range-end UNSUPPORTED	timeline-trigger-active-range-e-start UNSUPPORTED	timeline-trigger-name UNSUPPORTED	timeline-trigger-source UNSUPPORTED	touch-action UNSUPPORTED
transform-style UNSUPPORTED	transition UNSUPPORTED	transition-behavior UNSUPPORTED	transition-delay UNSUPPORTED	transition-duration UNSUPPORTED
transition-property UNSUPPORTED	transition-timing-function UNSUPPORTED	trigger-scope UNSUPPORTED	user-select UNSUPPORTED	vector-effect UNSUPPORTED
view-timeline UNSUPPORTED	view-timeline-axis UNSUPPORTED	view-timeline-inset UNSUPPORTED	view-timeline-name UNSUPPORTED	view-transition-class UNSUPPORTED
view-transition-group UNSUPPORTED	view-transition-name UNSUPPORTED	view-transition-scope UNSUPPORTED	voice-balance UNSUPPORTED	voice-duration UNSUPPORTED
voice-family UNSUPPORTED	voice-pitch UNSUPPORTED	voice-range UNSUPPORTED	voice-rate UNSUPPORTED	voice-stress UNSUPPORTED
voice-volume UNSUPPORTED	will-change UNSUPPORTED	window-drag UNSUPPORTED	word-space-transform UNSUPPORTED	wrap-after UNSUPPORTED
wrap-before UNSUPPORTED	wrap-flow UNSUPPORTED	wrap-inside UNSUPPORTED	wrap-through UNSUPPORTED	x UNSUPPORTED
y UNSUPPORTED	zoom UNSUPPORTED			