




Implemented CSS audit A





Slice A · 118 Implemented properties · font-family "Liberation Sans" · local images



IMPLEMENTED-PROPS-A





Each row names an Implemented property, explains the expected effect in plain words, and applies that property in the Effect cell so print output can be checked by eye. Generate with `--font-path testdata/fonts/implemented-audit`.






#	Property	What it should do	Effect (live)
1	<code>-webkit-align-content</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-content: center`</code> the effect should match center.	
2	<code>-webkit-align-items</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-items: center`</code> the effect should match center.	
3	<code>-webkit-align-self</code> legacy-alias · (ungrouped)	With <code>`-webkit-align-self: center`</code> the effect should match center.	
4	<code>-webkit-border-bottom-left-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-bottom-left-radius: 18px`</code> the bottom-left corner should be 18px curved.	
5	<code>-webkit-border-bottom-right-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-bottom-right-radius: 18px`</code> the bottom-right corner should be 18px curved.	
6	<code>-webkit-border-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-radius: 14px`</code> all corners should be 14px curved.	
7	<code>-webkit-border-top-left-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-top-left-radius: 18px`</code> the top-left corner should be 18px curved.	
8	<code>-webkit-border-top-right-radius</code> legacy-alias · (ungrouped)	With <code>`-webkit-border-top-right-radius: 18px`</code> the top-right corner should be 18px curved.	
9	<code>-webkit-box-align</code> longhand · (ungrouped)	With <code>`-webkit-box-align: center`</code> the flex items should be arranged as center.	
10	<code>-webkit-box-flex</code> longhand · (ungrouped)	With <code>`-webkit-box-flex: 1`</code> the flex items should be arranged as 1.	
11	<code>-webkit-box-ordinal-group</code> longhand · (ungrouped)	With <code>`-webkit-box-ordinal-group: 2`</code> the flex items should be arranged as 2.	
12	<code>-webkit-box-orient</code> longhand · (ungrouped)	With <code>`-webkit-box-orient: vertical`</code> the flex items should be arranged as vertical.	
13	<code>-webkit-box-pack</code> longhand · (ungrouped)	With <code>`-webkit-box-pack: center`</code> the flex items should be arranged as center.	
14	<code>-webkit-box-shadow</code> legacy-alias · (ungrouped)	With <code>`-webkit-box-shadow: 3px 3px 0 #333`</code> the box should cast a shadow as 3px 3px 0 #333.	
15	<code>-webkit-box-sizing</code> legacy-alias · (ungrouped)	With <code>`-webkit-box-sizing: border-box`</code> the box should size to border-box dimensions.	



#	Property	What it should do	Effect (live)
16	-webkit-filter legacy-alias · (ungrouped)	With <code>`-webkit-filter: opacity(0.45)`</code> the element should look faded as <code>opacity(0.45)</code> .	 fx
17	-webkit-flex legacy-alias · (ungrouped)	With <code>`-webkit-flex: 1 1 auto`</code> the flex items should be arranged as 1 1 auto.	grow fix
18	-webkit-flex-basis legacy-alias · (ungrouped)	With <code>`-webkit-flex-basis: 64px`</code> the flex items should be arranged as 64px.	64px rest
19	-webkit-flex-direction legacy-alias · (ungrouped)	With <code>`-webkit-flex-direction: column`</code> the flex items should be arranged as column.	1 2 3
20	-webkit-flex-flow legacy-alias · (ungrouped)	With <code>`-webkit-flex-flow: row wrap`</code> the flex items should be arranged as row wrap.	1 2 3 4
21	-webkit-flex-grow legacy-alias · (ungrouped)	With <code>`-webkit-flex-grow: 1`</code> the flex items should be arranged as 1.	1 2 3
22	-webkit-flex-shrink legacy-alias · (ungrouped)	With <code>`-webkit-flex-shrink: 1`</code> the flex items should be arranged as 1.	1 2 3
23	-webkit-flex-wrap legacy-alias · (ungrouped)	With <code>`-webkit-flex-wrap: wrap`</code> the flex items should be arranged as wrap.	1 2 3
24	-webkit-justify-content legacy-alias · (ungrouped)	With <code>`-webkit-justify-content: center`</code> the effect should match center.	1 2 3
25	-webkit-order legacy-alias · (ungrouped)	With <code>`-webkit-order: 1`</code> the effect should match 1.	1 2 3
26	-webkit-text-fill-color longhand · WebKit Extensions	With <code>`-webkit-text-fill-color: #0b5`</code> the text or border should appear #0b5.	colored text
27	-webkit-transform legacy-alias · (ungrouped)	With <code>`-webkit-transform: rotate(8deg)`</code> the box should be transformed as <code>rotate(8deg)</code> .	T
28	-webkit-transform-origin legacy-alias · (ungrouped)	With <code>`-webkit-transform-origin: 1.1`</code> the box should be transformed as 1.1.	T
29	accent-color longhand · CSS Basic User Interface	With <code>`accent-color: inherit`</code> the text or border should appear inherit.	accent-color applied
30	align-content longhand · CSS Box Alignment	With <code>`align-content: center`</code> the alignment should place items as center.	1 2 3
31	align-items longhand · CSS Box Alignment	With <code>`align-items: center`</code> the alignment should place items as center.	1 2 3
32	align-self longhand · CSS Box Alignment	With <code>`align-self: 1px`</code> the alignment should place items as 1px.	1 2 3
33	background shorthand · CSS Backgrounds and Borders	With <code>`background: url(logo.png)`</code> the pale box should show the logo on a colored background.	
34	background-attachment longhand · CSS Backgrounds and Borders	With <code>`background-attachment: local`</code> the logo should stay with the box, not fixed.	

#	Property	What it should do	Effect (live)
35	background-blend-mode longhand · Compositing and Blending	With <code>`background-blend-mode: multiply`</code> the logo over gradient should blend as multiply.	
36	background-clip longhand · CSS Backgrounds and Borders	With <code>`background-clip: content-box`</code> the blue fill should be clipped to content-box leaving padding unfilled.	
37	background-color longhand · CSS Backgrounds and Borders	With <code>`background-color: #6af`</code> the background behind content should be solid #6af.	
38	background-image longhand · CSS Backgrounds and Borders	With <code>`background-image: url(logo.png)`</code> a logo image should appear behind content.	
39	background-origin longhand · CSS Backgrounds and Borders	With <code>`background-origin: content-box`</code> the logo should start at the content-box edge.	
40	background-position shorthand · CSS Backgrounds and Borders	With <code>`background-position: right bottom`</code> the logo should sit at right bottom.	
41	background-position-block longhand · (ungrouped)	With <code>`background-position-block: 100%`</code> the logo should sit at 100%.	
42	background-position-inline longhand · (ungrouped)	With <code>`background-position-inline: 100%`</code> the logo should sit at 100%.	
43	background-position-x longhand · CSS Backgrounds and Borders	With <code>`background-position-x: 100%`</code> the logo should sit at 100%.	
44	background-position-y longhand · CSS Backgrounds and Borders	With <code>`background-position-y: 100%`</code> the logo should sit at 100%.	
45	background-repeat longhand · CSS Backgrounds and Borders	With <code>`background-repeat: repeat-x`</code> the small logo tiles should repeat as repeat-x.	
46	background-repeat-block longhand · (ungrouped)	With <code>`background-repeat-block: repeat`</code> the small logo tiles should repeat as repeat.	
47	background-repeat-inline longhand · (ungrouped)	With <code>`background-repeat-inline: no-repeat`</code> the small logo tiles should repeat as no-repeat.	
48	background-repeat-x longhand · (ungrouped)	With <code>`background-repeat-x: repeat`</code> the small logo tiles should repeat as repeat.	
49	background-repeat-y longhand · (ungrouped)	With <code>`background-repeat-y: repeat`</code> the small logo tiles should repeat as repeat.	
50	background-size longhand · CSS Backgrounds and Borders	With <code>`background-size: contain`</code> the logo should be scaled to contain.	
51	block-size longhand · CSS Logical Properties and Values	With <code>`block-size: 72px`</code> the box sizing should be 72px.	size 

#	Property	What it should do	Effect (live)
52	bookmark-label longhand · (ungrouped)	With `bookmark-label: inherit` the effect should match inherit.	bookmark-label applied
53	bookmark-level longhand · (ungrouped)	With `bookmark-level: inherit` the effect should match inherit.	bookmark-level applied
54	bookmark-state longhand · (ungrouped)	With `bookmark-state: inherit` the effect should match inherit.	bookmark-state applied
55	border shorthand · CSS Backgrounds and Borders	With `border: 3px solid #c40` the border should be 3px solid #c40.	
56	border-block shorthand · CSS Logical Properties and Values	With `border-block: 3px solid #c40` the border should be 3px solid #c40.	
57	border-block-color shorthand · CSS Logical Properties and Values	With `border-block-color: #c40` the border color should be #c40.	
58	border-block-end shorthand · CSS Logical Properties and Values	With `border-block-end: 3px solid #c40` the border should be 3px solid #c40.	
59	border-block-end-color longhand · CSS Logical Properties and Values	With `border-block-end-color: #c40` the border color should be #c40.	
60	border-block-end-radius shorthand · (ungrouped)	With `border-block-end-radius: 12px` the block-end corners should be 12px curved.	
61	border-block-end-style longhand · CSS Logical Properties and Values	With `border-block-end-style: solid` the border edges should be solid.	
62	border-block-end-width longhand · CSS Logical Properties and Values	With `border-block-end-width: 3px` the border thickness should be 3px.	
63	border-block-start shorthand · CSS Logical Properties and Values	With `border-block-start: 3px solid #c40` the border should be 3px solid #c40.	
64	border-block-start-color longhand · CSS Logical Properties and Values	With `border-block-start-color: #c40` the border color should be #c40.	
65	border-block-start-radius shorthand · (ungrouped)	With `border-block-start-radius: 12px` the block-start corners should be 12px curved.	
66	border-block-start-style longhand · CSS Logical Properties and Values	With `border-block-start-style: solid` the border edges should be solid.	
67	border-block-start-width longhand · CSS Logical Properties and Values	With `border-block-start-width: 3px` the border thickness should be 3px.	
68	border-block-style shorthand · CSS Logical Properties and Values	With `border-block-style: solid` the border edges should be solid.	
69	border-block-width shorthand · CSS Logical Properties and Values	With `border-block-width: 3px` the border thickness should be 3px.	
70	border-bottom shorthand · CSS Backgrounds and Borders	With `border-bottom: 3px solid #c40` the border should be 3px solid #c40.	
71	border-bottom-color longhand · CSS Backgrounds and Borders	With `border-bottom-color: #c40` the border color should be #c40.	

#	Property	What it should do	Effect (live)
72	border-bottom-left-radius longhand · CSS Backgrounds and Borders	With <code>`border-bottom-left-radius: 12px`</code> the bottom-left corner should be 12px curved.	
73	border-bottom-radius shorthand · (ungrouped)	With <code>`border-bottom-radius: 12px`</code> the bottom corners should be 12px curved.	
74	border-bottom-right-radius longhand · CSS Backgrounds and Borders	With <code>`border-bottom-right-radius: 12px`</code> the bottom-right corner should be 12px curved.	
75	border-bottom-style longhand · CSS Backgrounds and Borders	With <code>`border-bottom-style: solid`</code> the border edges should be solid.	
76	border-bottom-width longhand · CSS Backgrounds and Borders	With <code>`border-bottom-width: 3px`</code> the border thickness should be 3px.	
77	border-collapse longhand · CSS Table	With <code>`border-collapse: collapse`</code> table borders should collapse (merged, no gaps).	box
78	border-color shorthand · CSS Backgrounds and Borders	With <code>`border-color: #c40`</code> the border color should be #c40.	
79	border-end-end-radius longhand · CSS Logical Properties and Values	With <code>`border-end-end-radius: 12px`</code> the bottom-right corner should be 12px curved.	
80	border-end-start-radius longhand · CSS Logical Properties and Values	With <code>`border-end-start-radius: 12px`</code> the bottom-left corner should be 12px curved.	
81	border-image shorthand · CSS Backgrounds and Borders	With <code>`border-image: stretch`</code> the border should show the logo image as stretch.	
82	border-image-outset longhand · CSS Backgrounds and Borders	With <code>`border-image-outset: 10`</code> the border should show the logo image as 10.	
83	border-image-repeat longhand · CSS Backgrounds and Borders	With <code>`border-image-repeat: stretch`</code> the border should show the logo image as stretch.	
84	border-image-slice longhand · CSS Backgrounds and Borders	With <code>`border-image-slice: 10`</code> the border should show the logo image as 10.	
85	border-image-source longhand · CSS Backgrounds and Borders	With <code>`border-image-source: url(logo.png)`</code> the border should show the logo image as url(logo.png).	
86	border-image-width longhand · CSS Backgrounds and Borders	With <code>`border-image-width: 10`</code> the border should show the logo image as 10.	
87	border-inline shorthand · CSS Logical Properties and Values	With <code>`border-inline: 3px solid #c40`</code> the border should be 3px solid #c40.	
88	border-inline-color shorthand · CSS Logical Properties and Values	With <code>`border-inline-color: #c40`</code> the border color should be #c40.	
89	border-inline-end shorthand · CSS Logical Properties and Values	With <code>`border-inline-end: 3px solid #c40`</code> the border should be 3px solid #c40.	

#	Property	What it should do	Effect (live)
90	border-inline-end-color longhand · CSS Logical Properties and Values	With `border-inline-end-color: #c40` the border color should be #c40.	
91	border-inline-end-radius shorthand · (ungrouped)	With `border-inline-end-radius: 12px` the inline-end corners should be 12px curved.	
92	border-inline-end-style longhand · CSS Logical Properties and Values	With `border-inline-end-style: solid` the border edges should be solid.	
93	border-inline-end-width longhand · CSS Logical Properties and Values	With `border-inline-end-width: 3px` the border thickness should be 3px.	
94	border-inline-start shorthand · CSS Logical Properties and Values	With `border-inline-start: 3px solid #c40` the border should be 3px solid #c40.	
95	border-inline-start-color longhand · CSS Logical Properties and Values	With `border-inline-start-color: #c40` the border color should be #c40.	
96	border-inline-start-radius shorthand · (ungrouped)	With `border-inline-start-radius: 12px` the inline-start corners should be 12px curved.	
97	border-inline-start-style longhand · CSS Logical Properties and Values	With `border-inline-start-style: solid` the border edges should be solid.	
98	border-inline-start-width longhand · CSS Logical Properties and Values	With `border-inline-start-width: 3px` the border thickness should be 3px.	
99	border-inline-style shorthand · CSS Logical Properties and Values	With `border-inline-style: solid` the border edges should be solid.	
100	border-inline-width shorthand · CSS Logical Properties and Values	With `border-inline-width: 3px` the border thickness should be 3px.	
101	border-left shorthand · CSS Backgrounds and Borders	With `border-left: 3px solid #c40` the border should be 3px solid #c40.	
102	border-left-color longhand · CSS Backgrounds and Borders	With `border-left-color: #c40` the border color should be #c40.	
103	border-left-radius shorthand · (ungrouped)	With `border-left-radius: 12px` the left corners should be 12px curved.	
104	border-left-style longhand · CSS Backgrounds and Borders	With `border-left-style: solid` the border edges should be solid.	
105	border-left-width longhand · CSS Backgrounds and Borders	With `border-left-width: 3px` the border thickness should be 3px.	
106	border-radius shorthand · CSS Backgrounds and Borders	With `border-radius: 12px` all corners should be 12px curved.	
107	border-right shorthand · CSS Backgrounds and Borders	With `border-right: 3px solid #c40` the border should be 3px solid #c40.	
108	border-right-color longhand · CSS Backgrounds and Borders	With `border-right-color: #c40` the border color should be #c40.	
109	border-right-radius shorthand · (ungrouped)	With `border-right-radius: 12px` the right corners should be 12px curved.	

#	Property	What it should do	Effect (live)
110	border-right-style longhand · CSS Backgrounds and Borders	With `border-right-style: solid` the border edges should be solid.	 box
111	border-right-width longhand · CSS Backgrounds and Borders	With `border-right-width: 3px` the border thickness should be 3px.	 box
112	border-spacing longhand · CSS Table	With `border-spacing: 3px` table cell gaps should be 3px.	box
113	border-start-end-radius longhand · CSS Logical Properties and Values	With `border-start-end-radius: 12px` the top-right corner should be 12px curved.	
114	border-start-start-radius longhand · CSS Logical Properties and Values	With `border-start-start-radius: 12px` the top-left corner should be 12px curved.	
115	border-style shorthand · CSS Backgrounds and Borders	With `border-style: solid` the border edges should be solid.	 box
116	border-top shorthand · CSS Backgrounds and Borders	With `border-top: 3px solid #c40` the border should be 3px solid #c40.	 box
117	border-top-color longhand · CSS Backgrounds and Borders	With `border-top-color: #c40` the border color should be #c40.	 box
118	border-top-left-radius longhand · CSS Backgrounds and Borders	With `border-top-left-radius: 12px` the top-left corner should be 12px curved.	