

# HEALTHCARE DATA CLIENT

## User Stories & Acceptance Criteria

Healthcare Data Quality Automation and Exception Reporting

| Document Control | Detail                                                            |
|------------------|-------------------------------------------------------------------|
| Engagement       | Jul-Oct 2026                                                      |
| Role             | Data Analyst                                                      |
| Primary User     | Healthcare Analyst                                                |
| Data Scale       | Approximately 250,000 records per batch                           |
| Scope            | Validation, exception management, reporting and quality assurance |

**Document status:** Portfolio user stories reconstructed from confirmed requirements and project evidence. They are not represented as verbatim historical Jira tickets.

# 1. User Story Catalogue

| ID    | Title                                | User Story                                                                                                                                                                       | BRD Trace           |
|-------|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| US-01 | Batch Data Ingestion                 | As a Healthcare Analyst, I want supported healthcare data to be ingested from Excel, CSV or SQL/database sources so that each batch can enter a repeatable validation process.   | BR-01, BR-02        |
| US-02 | Duplicate & Completeness Validation  | As a Healthcare Analyst, I want duplicate and missing-value checks applied consistently so that records requiring data-quality review can be identified.                         | BR-03, BR-04        |
| US-03 | Validity Validation                  | As a Healthcare Analyst, I want dates, formats, identifiers and applicable ranges validated so that invalid values are flagged before review.                                    | BR-05, BR-06, BR-07 |
| US-04 | Consistency & Cross-Field Validation | As a Healthcare Analyst, I want inconsistent codes and cross-field mismatches identified so that related data elements can be reviewed together.                                 | BR-08, BR-09        |
| US-05 | Exception Flagging                   | As a Healthcare Analyst, I want records failing one or more validation rules flagged as exceptions so that I can focus on records requiring attention.                           | BR-10               |
| US-06 | Reason-Coded Exception Output        | As a Healthcare Analyst, I want exception records separated and assigned reason codes so that I can understand why each record requires review.                                  | BR-11, BR-12, BR-13 |
| US-07 | Exception Rate                       | As a Healthcare Analyst, I want the batch exception rate calculated consistently so that I can monitor the proportion of records failing validation.                             | BR-14               |
| US-08 | Power BI Data Quality Reporting      | As a Healthcare Analyst, I want validation and exception results available in Power BI so that I can review data-quality outcomes efficiently.                                   | BR-15               |
| US-09 | Repeatable Batch Processing          | As a Healthcare Analyst, I want the validation process to run consistently across recurring batches so that review does not depend on complete manual record-by-record checking. | BR-16               |
| US-10 | Traceability & Reconciliation        | As a Healthcare Analyst, I want source records, validation results and exception outputs to remain traceable so that reported exceptions can be reconciled to processed data.    | BR-17               |
| US-11 | Validation & Testing                 | As a Healthcare Analyst, I want the validation logic and reporting outputs tested so that data-quality results are reliable before use.                                          | BR-18               |

# 2. Acceptance Criteria

| Story | Acceptance Criteria                                                                                                                                                                                                 |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| US-01 | Supported Excel, CSV or SQL/database input can enter the validation workflow; processed population is identifiable for reconciliation.                                                                              |
| US-02 | Duplicate checks identify records meeting the implemented duplicate rule; applicable null checks identify missing values without fabricating replacements.                                                          |
| US-03 | Implemented checks flag invalid dates, incorrect formats, invalid IDs and out-of-range values according to documented rule definitions.                                                                             |
| US-04 | Implemented consistency checks flag inconsistent codes and cross-field mismatches according to documented relationships.                                                                                            |
| US-05 | A record failing at least one applicable validation rule is included in the exception population.                                                                                                                   |
| US-06 | Flagged records are available in a separate exception file, table or report; each flagged record contains a reason code or equivalent failure explanation; highlighting is applied where used in the review output. |
| US-07 | Exception Rate is calculated as records failing one or more validation rules divided by total records processed, multiplied by 100; the retained engagement result is 2%.                                           |
| US-08 | Power BI reporting uses the validation output as its source for data-quality measures; displayed measures reconcile to the underlying results.                                                                      |
| US-09 | The same documented validation logic can be applied to recurring batches without redefining the process for each file.                                                                                              |
| US-10 | Exception records can be reconciled to the processed source population using available record-level traceability.                                                                                                   |
| US-11 | Validation rules, exception outputs and reporting measures are checked before results are treated as final.                                                                                                         |

**2% control:** The 2% exception rate is an observed engagement result. It is not a target, tolerance or SLA.

### 3. Cross-Story Business Rules

| Rule                     | Definition                                                                                                                                     |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Exception classification | A record failing one or more applicable validation rules is treated as an exception.                                                           |
| Exception Rate           | Records failing one or more validation rules / Total records processed x 100.                                                                  |
| Exception output         | Flagged records are routed to a separate exception file, table or report.                                                                      |
| Reason traceability      | Flagged records receive a reason code or equivalent failure explanation.                                                                       |
| Field-level rules        | Exact thresholds, valid code sets and cross-field conditions must be documented before implementation where historical detail is not retained. |

### 4. Story-to-Test Traceability

| Story | Primary Test Focus                     | Expected Evidence                                  |
|-------|----------------------------------------|----------------------------------------------------|
| US-01 | Input and record-volume reconciliation | Processed population traceable to input            |
| US-02 | Duplicate and null validation          | Correctly flagged test records                     |
| US-03 | Date, format, ID and range validation  | Rule-specific validation results                   |
| US-04 | Code and cross-field validation        | Reason-coded exceptions                            |
| US-05 | Exception classification               | Failed records included in exception population    |
| US-06 | Exception output and reason codes      | Separate review output with failure reason         |
| US-07 | Exception-rate calculation             | Reconciled numerator, denominator and percentage   |
| US-08 | Power BI reconciliation                | Dashboard measures match validation output         |
| US-09 | Repeat execution                       | Consistent rule execution across supported batches |
| US-10 | Traceability                           | Exception-to-source reconciliation                 |
| US-11 | Quality assurance                      | Documented validation and reporting checks         |

### 5. Definition of Done

| Area               | Done Condition                                                                                     |
|--------------------|----------------------------------------------------------------------------------------------------|
| Requirements       | Applicable validation and reporting requirements are defined.                                      |
| Rule definition    | Implemented checks have documented logic sufficient for testing.                                   |
| Exception handling | Failed records are flagged and reason-coded in the review output.                                  |
| Calculation        | Exception Rate uses the governed formula.                                                          |
| Reporting          | Power BI measures reconcile with the validation output.                                            |
| Testing            | Data, rule and reporting checks are completed for the portfolio implementation.                    |
| Documentation      | Workflow, rules, outputs and known reconstruction boundaries are documented.                       |
| Confidentiality    | No PHI, patient identifiers or confidential client data are exposed in public portfolio artifacts. |

### 6. Confirmed Outcome Context

**Engagement result:** The solution processed approximately 250,000 records per batch, surfaced a 2% exception rate and reduced review turnaround from 6 hours to 2.5 hours per file. The turnaround reduction is a confirmed business outcome, not an acceptance threshold for individual user stories.

### 7. Evidence Boundary

Exact historical Jira formatting, sprint assignment, story points, field-level healthcare thresholds, formal approval records and original UAT sign-off are not retained. This document therefore presents a professional portfolio reconstruction grounded in the confirmed engagement scope and BRD.