

REFERME INVESTMENTS

USER ACCEPTANCE TESTING (UAT) PLAN

Investment Analytics & Power BI Decision-Support Framework

February - June 2026

Document Control	Details
Document ID	RMI-UAT-PLAN-001
Version	1.0
Purpose	Define the business acceptance approach for validating KPI calculations, scoring, recommendation support, drill-down, portfolio monitoring, risk alerts, business profile filtering and data-quality behavior.
Source Objective	Validate that the analytical framework produces understandable, traceable and decision-useful outputs using approved sample/test data.
Critical Constraint	Numeric scoring thresholds and recommendation cut-offs require business approval before final UAT.
Evidence Status	This plan defines intended UAT. It does not claim that the nine tests were executed or formally signed off.

1. UAT Objective

Validate that the ReferMe Investments analytical framework produces understandable, traceable and decision-useful outputs using approved sample/test data. The UAT focuses on business correctness and traceability from requirements through KPI/scoring logic to the five Power BI decision views.

2. UAT Scope

In Scope	Validation Focus
KPI calculation	Applicable KPI outputs from complete, valid test inputs.
Dimension scoring	Weighted KPI results using approved weights.
Investment scoring	Overall 0-100 score from the five dimension scores.
Recommendation	Invest / Review / Reject behavior around approved thresholds.
Drill-down	Reconciliation of summary scores to underlying dimensions/KPIs.
Portfolio monitoring	Actual-vs-target and score/risk changes with multiple periods.
Risk & alerts	Warning behavior for approved threshold-breach scenarios.
Business profile	Selected-target filtering across financial, customer, operations, growth and risk trends.
Data quality	Visible deterioration/limitation when required inputs are missing or invalid.

3. Out of Scope / Not Yet Established

- Production source-system validation, deployment testing, refresh SLA testing, security/RLS testing and infrastructure performance testing are not established in the source documentation.
- Final numeric recommendation thresholds, KPI normalization benchmarks and alert thresholds are not assumed to be approved.
- Execution results, actual defects and formal business sign-off are separate evidence and must not be inferred from this plan.

4. UAT Stakeholder Roles

Stakeholder Group	UAT Role
Investment / Underwriting Team	Validate investment-decision usefulness, score explainability and recommendation behavior.
Finance / Investment Analysts	Validate financial/KPI calculations and analytical interpretation.
Operations / Portfolio Team	Validate business profile and portfolio-monitoring usefulness.
Data / BI Team	Support data preparation, calculation reconciliation and report behavior.
Business Analyst	Coordinate scenarios, traceability, evidence, issue logging and acceptance status.
Senior Management	Review decision-support outcome and final business acceptance where applicable.

5. Entry Criteria

- BRD/FRD and relevant requirements are baselined for the UAT cycle.
- KPI definitions and calculation intent required by the selected tests are available.
- Approved test/sample data is available for the scenarios being executed.
- Scoring weights required for scoring tests are approved for UAT use.
- Recommendation/alert thresholds are approved before tests that depend on them are treated as final acceptance tests.
- Relevant Power BI views or equivalent testable outputs are available.
- RTM links each UAT scenario to the applicable requirement and output.

6. Exit / Acceptance Criteria

- All planned applicable UAT scenarios have an execution status and supporting evidence.
- Expected and actual results are compared and discrepancies are logged.
- Critical UAT defects are closed or formally accepted.
- Requirement-to-test traceability is complete for the tested scope.
- Any limitations caused by unapproved thresholds or unavailable data are explicitly documented.
- Formal acceptance is recorded by the appropriate business stakeholders when the UAT cycle is complete.

7. UAT Test Data Strategy

Use approved sample/test data designed to exercise normal calculations, boundary conditions, threshold breaches, multiple-period behavior and incomplete/invalid-input scenarios. The project source does not establish actual production test records; therefore no business IDs, values or thresholds are invented in this plan.

Test Data Type	Purpose
Complete valid dataset	Baseline KPI and score calculations.
Approved weighted-score dataset	Dimension and overall Investment Score validation.
Boundary score dataset	Recommendation behavior immediately around approved cut-offs.
Multiple-period dataset	Portfolio trend, actual-vs-target and score/risk change validation.
Threshold-breach dataset	Risk-alert validation.
Incomplete / invalid dataset	Data-quality status and limitation validation.

8. Environment & Tools

The source establishes Power BI as the reporting/decision layer but does not establish a named UAT environment, database, refresh schedule, test-management tool or defect-management workflow. These implementation details remain TBD and should be completed before execution.

9. UAT Scenario Catalogue

ID	Scenario	Test Data / Action	Expected Result	Traceability	Output
UT-01	KPI calculation	Load complete valid test data	All applicable KPIs calculate with no unexpected blanks	BR-02 / FR-02 / US-02	Pages 2-3
UT-02	Dimension scoring	Provide KPI scores and approved weights	Dimension score equals weighted KPI result	BR-01, BR-03 / FR-03-04 / US-02	Page 2
UT-03	Investment scoring	Provide five dimension scores	Overall score equals approved weighted calculation	BR-04 / FR-05 / US-01/02	Pages 1-2
UT-04	Recommendation	Use test scores around approved thresholds	Correct Invest/Review/Reject label returned	BR-05 / FR-05 / US-01	Page 1
UT-05	Drill-down	Select one investment target	Underlying dimension/KPI values reconcile to summary	BR-06 / FR-07 / US-02	Page 2
UT-06	Portfolio trend	Load multiple periods	Actual-vs-target and score/risk changes display correctly	BR-07 / FR-09 / US-03	Page 4
UT-07	Risk alert	Create threshold-breach scenario	Relevant warning appears for affected business	BR-08 / FR-10 / US-04	Page 5
UT-08	Business profile	Select target	Financial, customer, operations, growth and risk trends filter correctly	BR-09 / FR-08 / US-02	Page 3
UT-09	Data quality	Remove/invalid required inputs	Data-quality status declines and limitation is visible	BR-10 / FR-12 / US-05	Pages 2/5

10. Execution Procedure

- Confirm the requirement, test data prerequisites and any approved threshold/weight dependencies.
- Execute the scenario using the approved test dataset.
- Capture actual result and supporting evidence.
- Compare actual result with the documented expected result.
- Record Pass / Fail / Blocked / Not Run status.
- Log any discrepancy as a defect or clarification item and link it to the relevant test/requirement.
- Retest corrected defects and update evidence.
- Obtain business acceptance after applicable scenarios meet exit criteria.

11. Defect Management Approach

The project source requires issues/changes to be logged during UAT but does not establish a final severity matrix. The following fields are required for defensible evidence; severity definitions should be agreed before execution.

Defect Field	Required Content
Defect ID	Unique test issue identifier.
UAT Test ID	UT-01 to UT-09 linkage.
Requirement Link	Applicable BR / FR / user story.
Summary	Concise description of observed discrepancy.
Expected Result	Expected behavior from the UAT scenario.
Actual Result	Observed behavior.
Severity / Priority	Use business-approved classification; not invented here.
Owner	Assigned resolution owner.
Status	Open / In Progress / Retest / Closed or approved equivalent.
Evidence	Screenshot, calculation reconciliation or other supporting proof.

12. UAT Status & Evidence Template

Test ID	Execution Status	Actual Result / Evidence	Defect ID	Business Comment
UT-01	Not Run	_____	_____	_____
UT-02	Not Run	_____	_____	_____
UT-03	Not Run	_____	_____	_____
UT-04	Blocked until approved thresholds / Not Run	_____	_____	_____
UT-05	Not Run	_____	_____	_____
UT-06	Not Run	_____	_____	_____
UT-07	Blocked until approved threshold logic / Not Run	_____	_____	_____
UT-08	Not Run	_____	_____	_____
UT-09	Not Run	_____	_____	_____

13. UAT Risks & Dependencies

Risk / Dependency	Impact on UAT	Control
Scoring weights not validated	Weighted score tests may not represent approved business logic.	Approve/calibrate weights before final acceptance.
Recommendation / alert thresholds not approved	UT-04 / UT-07 cannot provide final business acceptance.	Use approved UAT thresholds or mark tests blocked.
Incomplete source data	KPI outputs and decision confidence may be unreliable.	Use data-quality controls and approved test data.

Insufficient history / target data	UT-06 trend and actual-vs-target validation may be blocked.	Provide multiple periods and target data before execution.
Composite score hides weak dimension	Users may accept a misleading overall score.	Use UT-05 drill-down reconciliation and expose dimension/KPI evidence.

14. UAT Deliverables

- UAT Plan
- UAT Test Cases
- UAT Execution Results
- Defect Log
- Retest evidence where applicable
- UAT Sign-off / acceptance record