

THE GLAMSQUAD SALON

Data Dictionary

Logical Portfolio Data Model | Profitability & Operational Analytics

Document Control	Details
Client	The GlamSquad Salon
Role	Business Analyst + Data Analyst
Project Period	May–Aug 2025
Confirmed Sources	Excel and handwritten operational records
Historical Coverage	Approximately one year
Purpose	Define the logical fields needed to reconstruct and demonstrate the confirmed analysis without exposing client data.
Status	Portfolio reconstruction; not a verbatim historical source schema.
Critical distinction: The engagement confirms the data domains and analysis performed, but the exact original column names, table names, data types and IDs are not retained. Therefore, all field names below are proposed logical portfolio fields, not claims about the client's original schema.	

1. Data Domains Confirmed in the Engagement

Domain	Confirmed Information
Appointments / bookings	Appointments, bookings, cancellations and no-shows were analyzed.
Services	Services performed and service prices were available.
Customers	Customer data and repeat visits were analyzed; phone-number data was used for repeat matching.
Staff / stylists	Staff information, working hours and attendance were available.
Compensation	Staff salaries and commissions were analyzed.
Costs	Product/material costs and expenses were analyzed.
Commercial	Revenue and discounts were analyzed.
Feedback	Google reviews, Instagram comments, WhatsApp feedback, surveys, salon records and direct conversations were reviewed qualitatively.

2. Logical Model Convention

For a sanitized portfolio rebuild, the confirmed domains can be represented using separate logical entities. This structure supports clean Power BI relationships and analytical traceability while avoiding claims about the original client's physical schema.

Logical Entity	Grain / Purpose
Customers	One sanitized row per logical customer.
Appointments	One row per appointment/booking record.
Services	One row per standardized service.
Staff	One row per staff/stylist record.
Staff_Working_Hours	One row per staff/date or working-period record, depending on available rebuild data.
Expenses	One row per expense transaction/category record.
Feedback	One row per sanitized feedback item.
Date	One row per calendar date for reporting/time intelligence.
Naming rule: Names such as Customer_Key, Appointment_ID and Service_Key are proposed rebuild identifiers. They must not be described in interviews as exact historical client column names.	

3. Customers — Logical Data Dictionary

Field	Type	Business Definition	Status	Validation / Privacy Note
Customer_Key	Text/Integer	Sanitized logical customer identifier used for modelling.	Proposed rebuild field	Derived/mapped from available customer data; no PII in public output.
Phone_Match_Key	Text	Masked/hashed or otherwise non-public matching value representing the phone-based repeat-customer logic.	Proposed representation of confirmed logic	Never expose the actual phone number.
First_Visit_Date	Date	Earliest validated visit/appointment date for the customer.	Derived	Supports customer history/cohort context if available.
Last_Visit_Date	Date	Latest validated visit/appointment date for the customer.	Derived	Supports recency/retention analysis.
Visit_Count	Whole Number	Count of validated customer visits/appointments.	Derived	Used to identify repeat behaviour.
Repeat_Customer_Flag	Boolean/Text	Indicates whether the customer meets the documented repeat-visit rule.	Derived	Exact implementation must align with rebuilt visit logic.
Retention_Status	Text	Portfolio classification for retained/returned status under a documented retention rule.	Proposed derived field	Historical retention window is not retained; define explicitly in rebuild.

4. Appointments — Logical Data Dictionary

Field	Type	Business Definition	Status	Validation / Privacy Note
Appointment_ID	Text/Integer	Unique logical identifier for an appointment.	Proposed rebuild field	Must be unique in the rebuilt appointment grain.
Appointment_Date	Date	Date associated with the booking/service appointment.	Logical field	Validate date format.
Appointment_Time	Time	Appointment time where available.	Logical field	Needed for time-of-day demand analysis.
Customer_Key	Text/Integer	Sanitized link to the logical customer.	Proposed rebuild key	No phone number exposed.
Service_Key	Text/Integer	Link to standardized service.	Proposed rebuild key	Validate mapping.
Staff_Key	Text/Integer	Link to staff/stylist responsible for the service where available.	Proposed rebuild key	Validate mapping.
Appointment_Status	Text	Standardized appointment outcome/status.	Logical standardized field	Required to distinguish completed, cancelled and no-show records.
Revenue_Amount	Decimal/Currency	Validated revenue associated with the appointment/service where the rebuild source supports attribution.	Logical analytical field	Commercial values must be sanitized for public portfolio.
Discount_Amount	Decimal/Currency	Discount associated with the transaction/appointment where available.	Logical analytical field	Do not invent missing discounts.
Duration_Minutes	Whole Number	Service/appointment duration where available in rebuild data.	Optional proposed field	Required for time-based utilization; do not claim historical availability unless confirmed.

5. Services — Logical Data Dictionary

Field	Type	Business Definition	Status	Validation / Privacy Note
Service_Key	Text/Integer	Sanitized logical identifier for a service.	Proposed rebuild field	Unique within service dimension.
Service_Name	Text	Standardized service name/category.	Logical field	Original naming may require standardization.
Listed_Price	Decimal/Currency	Service price represented in the sanitized rebuild.	Logical field based on confirmed price data	Do not publish confidential original prices.
Service_Category	Text	Optional analytical grouping of services.	Proposed rebuild field	Use only if supported/defined in rebuilt dataset.
Direct_Material_Cost	Decimal/Currency	Direct product/material cost attributable to a service where reliable allocation exists.	Conditional logical field	Do not force allocation where evidence is insufficient.
Direct_Commission_Cost	Decimal/Currency	Direct commission attributable to the service where reliable allocation exists.	Conditional logical field	Depends on rebuilt compensation logic.
Service_Contribution	Decimal/Currency	Service revenue less reliably attributable direct service costs.	Derived	Only calculate when cost attribution is defensible.
Service_Margin_Pct	Decimal %	Service contribution relative to service revenue.	Derived	Avoid divide-by-zero; not a retained historical percentage.

6. Staff / Stylists — Logical Data Dictionary

Field	Type	Business Definition	Status	Validation / Privacy Note
Staff_Key	Text/Integer	Sanitized logical identifier for staff/stylist.	Proposed rebuild field	No personal employee data required publicly.
Staff_Display_Name	Text	Sanitized label used for portfolio comparisons.	Proposed sanitized field	Use aliases if visuals are public.
Role	Text	Staff role/category if relevant and available.	Optional logical field	Do not invent role categories.
Salary_Cost	Decimal/Currency	Salary cost represented for profitability analysis.	Logical field based on confirmed salary data	Sanitize values publicly.
Commission_Cost	Decimal/Currency	Commission cost associated with staff activity.	Logical field based on confirmed commission data	Exact commission rates not retained.
Working_Hours	Decimal	Validated working hours over the relevant reporting grain.	Logical analytical field	Derived from available working-hours records.
Attendance_Status	Text	Standardized attendance information where used.	Logical standardized field	Validate source categories.

7. Staff Working Hours — Logical Data Dictionary

Field	Type	Business Definition	Status	Validation / Privacy Note
Staff_Key	Text/Integer	Link to sanitized staff/stylist.	Proposed rebuild key	Must match Staff entity.
Work_Date	Date	Date of the working-hours/attendance record.	Logical field	Validate against reporting calendar.
Scheduled_Hours	Decimal	Scheduled/available working hours if represented in rebuilt data.	Optional proposed field	Needed for capacity-based utilization.
Actual_Working_Hours	Decimal	Validated working hours recorded for the period.	Logical analytical field	Use only if source supports it.
Booked_Service_Time	Decimal	Time associated with booked/completed services where duration is available.	Optional derived field	Supports time-based staff utilization.
Staff_Utilization_Pct	Decimal %	Used/booked service time relative to available working time.	Derived	Only calculate with defensible numerator and denominator.

8. Expenses — Logical Data Dictionary

Field	Type	Business Definition	Status	Validation / Privacy Note
Expense_ID	Text/Integer	Unique logical identifier for an expense record.	Proposed rebuild field	Unique within expense grain.
Expense_Date	Date	Date associated with the expense.	Logical field	Validate date.
Expense_Category	Text	Standardized expense classification.	Logical standardized field	Categories must come from sanitized source/rebuild rules.
Expense_Amount	Decimal/Currency	Validated expense amount.	Logical field	Sanitize public values.
Cost_Type	Text	Optional direct/indirect or analytical cost classification.	Proposed rebuild field	Use only when a documented classification exists.
Related_Service_Key	Text/Integer	Optional service link for directly attributable costs.	Conditional proposed key	Do not assign costs without defensible evidence.
Related_Staff_Key	Text/Integer	Optional staff link for directly attributable costs.	Conditional proposed key	Do not assign costs without defensible evidence.

9. Feedback — Logical Data Dictionary

Field	Type	Business Definition	Status	Validation / Privacy Note
Feedback_ID	Text/Integer	Sanitized logical identifier for a feedback item.	Proposed rebuild field	No customer PII.
Feedback_Date	Date	Date of feedback where available.	Logical field	May be blank if not retained in sanitized example.
Feedback_Source	Text	Source channel for the feedback.	Logical field	Confirmed sources include Google, Instagram, WhatsApp, surveys, salon records and direct conversations.
Feedback_Text_Sanitized	Text	Redacted/sanitized text or portfolio example.	Proposed public field	Do not publish identifiable client/customer text without permission.
Feedback_Theme	Text	Categorized recurring theme.	Derived	Confirmed themes: pricing, staff behaviour, cleanliness, staff availability.
Sentiment_Label	Text	Optional sentiment classification if implemented in the rebuild.	Optional proposed field	No historical sentiment percentages are claimed.
Related_Staff_Key	Text/Integer	Optional sanitized link where a feedback item can be validly associated with staff.	Conditional proposed key	Do not force attribution.

10. Date Dimension — Proposed Portfolio Utility Table

Field	Type	Business Definition	Status	Validation / Privacy Note
Date	Date	Calendar date used to connect date-based facts.	Proposed portfolio field	One row per calendar date.
Year	Whole Number	Calendar year.	Derived	From Date.
Month_Number	Whole Number	Calendar month number.	Derived	From Date.
Month_Name	Text	Calendar month label.	Derived	From Date.
Year_Month	Text	Sortable month reporting label.	Derived	From Date.
Day_Name	Text	Day-of-week label.	Derived	Supports demand analysis.
Day_of_Week_Number	Whole Number	Sortable day-of-week number.	Derived	Definition should be consistent.
Festival_Period_Flag	Boolean/Text	Optional sanitized analytical flag for periods around major festivals.	Proposed portfolio field	Festival names/windows must be defined from the rebuild; exact historical festival logic is not retained.

11. Logical Relationships

From	To	Logical Relationship	Purpose
Customers	Appointments	1 → many via Customer_Key	Customer repeat/retention and appointment analysis
Services	Appointments	1 → many via Service_Key	Service mix/revenue/pricing analysis
Staff	Appointments	1 → many via Staff_Key	Stylist appointment and revenue analysis
Staff	Staff_Working_Hours	1 → many via Staff_Key	Working-hours/utilization analysis
Date	Appointments	1 → many via Appointment_Date	Time-based appointment/revenue analysis
Date	Expenses	1 → many via Expense_Date	Time-based cost/profit analysis
Date	Staff_Working_Hours	1 → many via Work_Date	Time-based staffing analysis
Services	Expenses	Optional relationship / attribution	Direct service-cost analysis where valid
Staff	Expenses	Optional relationship / attribution	Staff-related cost analysis where valid
Model status: These relationships describe a recommended logical star-model reconstruction for the portfolio. They are not claimed as the exact original Power BI relationship design.			

12. Derived Fields & KPI Mapping

Derived Field / Measure	Depends On	Related KPI
Profit	Revenue and expenses	KPI-03
Profit Margin %	Profit and revenue	KPI-04
Profit Improvement %	Before/after profit	KPI-05
Repeat_Customer_Flag	Customer visit count / phone-based matching logic	KPI-12, KPI-13
Retention_Status	Documented retention rule	KPI-14
Service_Contribution	Service revenue and attributable direct costs	KPI-19
Service_Margin_Pct	Service contribution and service revenue	KPI-19
Revenue_per_Working_Hour	Stylist revenue and working hours	KPI-22
Staff_Utilization_Pct	Used/booked time and available working time	KPI-23
Feedback_Theme	Sanitized qualitative feedback classification	KPI-28

13. Data Quality & Validation Rules

- Validate uniqueness of proposed primary keys in the rebuilt model.
- Standardize dates and reject/flag unparseable date values.
- Standardize service and stylist naming before grouping analysis.
- Validate appointment-status mapping before completed/cancelled/no-show KPIs.
- Deduplicate customer matching inputs before repeat-customer calculations.
- Mask or remove phone numbers and other customer PII from public files.
- Check revenue, discounts, expenses, salary/commission and material-cost fields for invalid or missing values.
- Do not calculate utilization when reliable capacity/working-time information is unavailable.
- Do not calculate service margin when direct-cost attribution is unreliable.
- Keep qualitative feedback data separate from transactional financial facts.

- Reconcile dashboard totals and KPI outputs with the cleaned analytical dataset.

14. Confidentiality Classification

Data Element	Public Portfolio Treatment
Customer phone numbers	Never expose; use sanitized/masked logical keys.
Customer names/identifiers	Remove or replace with synthetic/sanitized identifiers.
Staff names	Use sanitized aliases if public visualization requires labels.
Revenue / profit / expense values	Do not publish original confidential values; use sanitized data for demonstrations.
Salary / commission values	Do not publish original values.
Service prices / margins	Do not publish original confidential values.
Feedback text	Redact, paraphrase or use sanitized examples; do not expose identifiable content.
Confirmed 15% profit improvement	May be stated as the retained/defensible business outcome.

15. Confirmed vs Proposed Schema

Classification	Examples	How to Describe It
Confirmed data domains	Appointments, services/prices, customers/repeat visits, staff, salaries/commissions, working hours, attendance, product/material costs, discounts, revenue, expenses, cancellations/no-shows, feedback.	These categories were part of the engagement data/analysis.
Confirmed business logic	Phone number used for repeat-customer matching; profit = revenue – expenses; qualitative feedback reviewed separately.	Describe as engagement logic at the supported level.
Proposed logical fields	Customer_Key, Appointment_ID, Service_Key, Feedback_ID, Festival_Period_Flag and similar field names.	Describe as sanitized portfolio/rebuild schema.
Unknown historical schema	Exact original table/column names, IDs, data types, relationships, row counts and historical SQL/DAX.	Do not claim or reconstruct as historical fact.

16. Interview Explanation

How to explain this dictionary: The original salon information came from Excel and handwritten records and was not clean. For the portfolio, I documented the confirmed data domains and then designed a sanitized logical schema that can reproduce the analysis without exposing client data. I clearly separate fields I know existed conceptually, such as appointments, services, prices, staff, commissions and customer phone-based repeat matching, from proposed modelling keys and derived fields used only in the portfolio rebuild.