

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

1 CREATE DATABASE IF NOT EXISTS employeeeb1;
2 USE employeeeb1;
3
4 CREATE TABLE IF NOT EXISTS employees (
5     emp_id INT PRIMARY KEY,
6     emp_name VARCHAR(50),
7     dept_id INT,
8     salary DECIMAL(10,2)
9 );
10
11 INSERT INTO employees VALUES
12 (101,'Rahul',1,50000),
13 (102,'Priya',2,65000),
14 (103,'Anil',1,55000),
15 (104,'Sneha',3,70000),
16 (105,'Kiran',2,48000);
17

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	18:36:04	CREATE DATABASE IF NOT EXISTS employeeeb1	1 row(s) affected	0.015 sec
2	18:36:39	USE employeeeb1	0 row(s) affected	0.000 sec
3	18:36:39	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, emp_...	0 row(s) affected	0.032 sec
4	18:36:39	INSERT INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,65000), (103,'...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

12 (101,'Rahul',1,50000),
13 (102,'Priya',2,65000),
14 (103,'Anil',1,55000),
15 (104,'Sneha',3,70000),
16 (105,'Kiran',2,48000);
17 SELECT * FROM employees;
18

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Result Grid

emp_id	emp_name	dept_id	salary
101	Rahul	1	50000.00
102	Priya	2	65000.00
103	Anil	1	55000.00
104	Sneha	3	70000.00
105	Kiran	2	48000.00

employees 1 x Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	18:36:04	CREATE DATABASE IF NOT EXISTS employeeeb1	1 row(s) affected	0.015 sec
2	18:36:39	USE employeeeb1	0 row(s) affected	0.000 sec
3	18:36:39	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, emp_...	0 row(s) affected	0.032 sec
4	18:36:39	INSERT INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,65000), (103,'...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec
5	18:38:23	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

20 CREATE PROCEDURE GetEmployees()
21 BEGIN
22     SELECT * FROM employees;
23 END $$
24 DELIMITER ;
25 CALL GetEmployees();
26
27

```

Result Grid

emp_id	emp_name	dept_id	salary
101	Rahul	1	50000.00
102	Priya	2	65000.00
103	Anil	1	55000.00
104	Sneha	3	70000.00
105	Kiran	2	48000.00

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	18:36:39	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, e...	0 row(s) affected	0.032 sec
4	18:36:39	INSERT INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,65000), (10...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec
5	18:38:23	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
6	18:39:52	DROP PROCEDURE IF EXISTS GetEmployees	0 row(s) affected, 1 warning(s): 1305 PROCEDURE employees1.GetEmployees do...	0.000 sec
7	18:39:52	CREATE PROCEDURE GetEmployees() BEGIN SELECT * FROM employees; E...	0 row(s) affected	0.016 sec
8	18:39:52	CALL GetEmployees()	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

37 DELIMITER $$
38
39 CREATE PROCEDURE IncreaseSalary(
40     IN eid INT,
41     IN amount DECIMAL(10,2)
42 )
43 BEGIN
44     UPDATE employees
45     SET salary = salary + amount
46     WHERE emp_id = eid;
47 END $$
48
49 DELIMITER ;
50 CALL IncreaseSalary(101,5000);
51 SELECT * FROM employees WHERE emp_id=101;
52
53

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	18:38:23	SELECT * FROM employees LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
6	18:39:52	DROP PROCEDURE IF EXISTS GetEmployees	0 row(s) affected, 1 warning(s): 1305 PROCEDURE employees1.GetEmployees do...	0.000 sec
7	18:39:52	CREATE PROCEDURE GetEmployees() BEGIN SELECT * FROM employees; E...	0 row(s) affected	0.016 sec
8	18:39:52	CALL GetEmployees()	5 row(s) returned	0.000 sec / 0.000 sec
9	18:41:50	CREATE PROCEDURE GetEmployeeById(IN eid INT) BEGIN SELECT * FROM ...	0 row(s) affected	0.031 sec
10	18:42:45	CREATE PROCEDURE IncreaseSalary(IN eid INT, IN amount DECIMAL(10,...	0 row(s) affected	0.016 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

48
49 DELIMITER ;
50 CALL IncreaseSalary(101,5000);
51 SELECT * FROM employees WHERE emp_id=101;
52 DROP PROCEDURE IF EXISTS AvgSalary;
53 DELIMITER $$
54
55 CREATE PROCEDURE AvgSalary()
56 BEGIN
57     SELECT AVG(salary) AS AverageSalary
58     FROM employees;
59 END $$
60
61 DELIMITER ;
62
63 CALL AvgSalary();
64

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
6	18:39:52	DROP PROCEDURE IF EXISTS GetEmployees	0 row(s) affected, 1 warning(s): 1305 PROCEDURE employeesdb1.GetEmployees do...	0.000 sec
7	18:39:52	CREATE PROCEDURE GetEmployees() BEGIN SELECT * FROM employees; E...	0 row(s) affected	0.016 sec
8	18:39:52	CALL GetEmployees()	5 row(s) returned	0.000 sec / 0.000 sec
9	18:41:50	CREATE PROCEDURE GetEmployeeById(IN eid INT) BEGIN SELECT * FROM ...	0 row(s) affected	0.031 sec
10	18:42:45	CREATE PROCEDURE IncreaseSalary(IN eid INT, IN amount DECIMAL(10...	0 row(s) affected	0.016 sec
11	18:43:59	CALL AvgSalary()	Error Code: 1305. PROCEDURE employeesdb1.AvgSalary does not exist	0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

113 CREATE PROCEDURE AvgSalary()
114 BEGIN
115     SELECT AVG(salary) AS AverageSalary
116     FROM employees;
117 END $$
118
119 DELIMITER ;
120 CALL AvgSalary();

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Result Grid

AverageSalary
57600.000000

Result 3

Read Only Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
14	18:50:44	CALL DepartmentAverageSalary()	Error Code: 1305. PROCEDURE employeesdb1.DepartmentAverageSalary does not ...	0.000 sec
15	18:51:05	CALL DepartmentAverageSalary()	Error Code: 1305. PROCEDURE employeesdb1.DepartmentAverageSalary does not ...	0.000 sec
16	18:52:21	CALL DepartmentAverageSalary()	Error Code: 1305. PROCEDURE employeesdb1.DepartmentAverageSalary does not ...	0.000 sec
17	18:53:48	CALL DepartmentAverageSalary()	Error Code: 1305. PROCEDURE employeesdb1.DepartmentAverageSalary does not ...	0.000 sec
18	18:54:24	CREATE PROCEDURE AvgSalary() BEGIN SELECT AVG(salary) AS AverageSa...	0 row(s) affected	0.000 sec
19	18:54:37	CALL AvgSalary()	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

139 DELIMITER ;
140 CALL EmployeeDepartment();
141 DROP PROCEDURE IF EXISTS DepartmentAverageSalary;
142 DELIMITER $$
143
144 CREATE PROCEDURE DepartmentAverageSalary()
145 BEGIN
146     SELECT d.dept_name,
147           COUNT(e.emp_id) AS EmployeeCount,
148           AVG(e.salary) AS AverageSalary
149     FROM employees e
150    JOIN departments d ON e.dept_id=d.dept_id
151   GROUP BY d.dept_id, d.dept_name;
152 END $$
153
154 DELIMITER ;
155 CALL DepartmentAverageSalary();

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
18	18:54:24	CREATE PROCEDURE AvgSalary() BEGIN SELECT AVG(salary) AS AverageSa...	0 row(s) affected	0.000 sec
19	18:54:37	CALL AvgSalary()	1 row(s) returned	0.015 sec / 0.000 sec
20	18:55:39	CREATE PROCEDURE EmployeeDepartment() BEGIN SELECT e.emp_name, d...	0 row(s) affected	0.016 sec
21	18:55:50	CALL EmployeeDepartment()	Error Code: 1146. Table 'employeeeb1.departments' doesn't exist	0.016 sec
22	18:56:59	CREATE PROCEDURE DepartmentAverageSalary() BEGIN SELECT d.dept_na...	0 row(s) affected	0.016 sec
23	18:57:11	CALL DepartmentAverageSalary()	Error Code: 1146. Table 'employeeeb1.departments' doesn't exist	0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

168 SELECT 'High Salary' AS Status;
169 ELSE
170 SELECT 'Low Salary' AS Status;
171 END IF;
172 END $$
173
174 DELIMITER ;
175 CALL SalaryStatus(102);

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Result Grid

Status
High Salary

Result 4

Read Only Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
20	18:55:39	CREATE PROCEDURE EmployeeDepartment() BEGIN SELECT e.emp_name, d...	0 row(s) affected	0.016 sec
21	18:55:50	CALL EmployeeDepartment()	Error Code: 1146. Table 'employeeeb1.departments' doesn't exist	0.016 sec
22	18:56:59	CREATE PROCEDURE DepartmentAverageSalary() BEGIN SELECT d.dept_na...	0 row(s) affected	0.016 sec
23	18:57:11	CALL DepartmentAverageSalary()	Error Code: 1146. Table 'employeeeb1.departments' doesn't exist	0.000 sec
24	18:57:51	CREATE PROCEDURE SalaryStatus(IN eid INT) BEGIN DECLARE sal DECIMA...	0 row(s) affected	0.016 sec
25	18:58:01	CALL SalaryStatus(102)	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

181 SELECT COUNT(*) INTO total
182 FROM employees;
183 END $$
184
185 DELIMITER ;
186 CALL EmployeeCount(@total);
187 SELECT @total AS TotalEmployees;
188

```

Result Grid

TotalEmployees

Result

Form Editor

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 6

Read Only Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
23	18:57:11	CALL DepartmentAverageSalary()	Error Code: 1146. Table 'employeesdb1.departments' doesn't exist	0.000 sec
24	18:57:51	CREATE PROCEDURE SalaryStatus(IN eid INT) BEGIN DECLARE sal DECIMA...	0 row(s) affected	0.016 sec
25	18:58:01	CALL SalaryStatus(102)	1 row(s) returned	0.000 sec / 0.000 sec
26	18:58:44	CREATE PROCEDURE EmployeeCount(OUT total INT) BEGIN SELECT COUN...	0 row(s) affected	0.016 sec
27	18:59:03	SELECT @total AS TotalEmployees LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
28	18:59:05	SELECT @total AS TotalEmployees LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x Mysql@127.0.0.1:3306 x Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```

194 END $$
195
196 DELIMITER ;
197
198 SET @bonus=10000;
199 CALL AddBonus(@bonus);
200 SELECT @bonus AS UpdatedBonus;
201

```

Result Grid

UpdatedBonus

Result

Form Editor

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 7

Read Only Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
25	18:58:01	CALL SalaryStatus(102)	1 row(s) returned	0.000 sec / 0.000 sec
26	18:58:44	CREATE PROCEDURE EmployeeCount(OUT total INT) BEGIN SELECT COUN...	0 row(s) affected	0.016 sec
27	18:59:03	SELECT @total AS TotalEmployees LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
28	18:59:05	SELECT @total AS TotalEmployees LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
29	18:59:41	SET @bonus=10000	0 row(s) affected	0.016 sec
30	18:59:52	SELECT @bonus AS UpdatedBonus LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x MySQL@127.0.0.1:3306 x MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```
219 COMMIT;
220 END $$
221
222 DELIMITER ;
223 CALL TransferSalaryAmount(101,102,2000);
224 SELECT * FROM employees WHERE emp_id IN (101,102)
```

Result Grid

emp_id	emp_name	dept_id	salary
101	Rahul	1	50000.00
102	Priya	2	65000.00

employees 8 x Apply Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
27	18:59:03	SELECT @total AS TotalEmployees LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
28	18:59:05	SELECT @total AS TotalEmployees LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
29	18:59:41	SET @bonus=10000	0 row(s) affected	0.016 sec
30	18:59:52	SELECT @bonus AS UpdatedBonus LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
31	19:00:50	CREATE PROCEDURE TransferSalaryAmount(IN fromEmp INT, IN toEmp IN...	0 row(s) affected	0.015 sec
32	19:01:09	SELECT * FROM employees WHERE emp_id IN (101,102) LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

unconnected x MySQL@127.0.0.1:3306 x MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

```
222 DELIMITER ;
223 CALL TransferSalaryAmount(101,102,2000);
224 SELECT * FROM employees WHERE emp_id IN (101,102)
225 SHOW PROCEDURE STATUS
226 WHERE Db='employeeeb1';
227
228 SHOW CREATE PROCEDURE GetEmployees;
229
230 DROP PROCEDURE IF EXISTS GetEmployees;
231 DELIMITER $$
232 CREATE PROCEDURE Example()
233 BEGIN
234 SELECT * FROM employees;
235 END $$
236 DELIMITER ;
237
```

Output

#	Time	Action	Message	Duration / Fetch
29	18:59:41	SET @bonus=10000	0 row(s) affected	0.016 sec
30	18:59:52	SELECT @bonus AS UpdatedBonus LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
31	19:00:50	CREATE PROCEDURE TransferSalaryAmount(IN fromEmp INT, IN toEmp IN...	0 row(s) affected	0.015 sec
32	19:01:09	SELECT * FROM employees WHERE emp_id IN (101,102) LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
33	19:01:52	DROP PROCEDURE IF EXISTS GetEmployees	0 row(s) affected	0.015 sec
34	19:02:10	CREATE PROCEDURE Example() BEGIN SELECT * FROM employees; END	0 row(s) affected	0.015 sec