
1 Chronic Diseases (NCDs)

Hypertension (High BP)

Common Medication:

- Amlodipine / Telmisartan / Losartan

Precautions:

- Reduce salt, avoid stress, walk daily, check BP regularly.

Diabetes (High Sugar)

Common Medication:

- Metformin / Glimepiride / Insulin (if needed)

Precautions:

- Avoid sugar & white rice, walk after meals, check sugar often.

Arthritis / Joint Pain

Medication:

- Paracetamol, NSAIDs (Ibuprofen), Calcium + Vitamin D

Precautions:

- Light stretching, warm compress, avoid heavy lifting.

Back Pain

Medication:

- Pain killers (Paracetamol), muscle relaxants

Precautions:

- Correct posture, avoid bending suddenly, do core-strength exercises.

Heart Diseases (CAD/Heart Failure)

Medication:

- Aspirin, Statins, Beta-blockers (as prescribed)

Precautions:

- Low-fat diet, no smoking, slow walking, avoid stress.

COPD / Chronic Lung Disease

Medication:

- Inhalers (Salbutamol, Budesonide), cough medicines

Precautions:

- Avoid smoke/dust, steam inhalation, breathing exercises.

Cataract

Medication:

- Eye drops (temporary only)

Precautions:

- Surgery is the real treatment; protect eyes from dust/sun.

Refractive Errors (Vision Problems)

Medication:

- None

Precautions:

- Get proper glasses, regular eye check-ups.

2 Deficiency & Nutrition Problems

Iron Deficiency Anemia

Medication:

- Iron tablets/syrup

Precautions:

- Eat leafy greens, jaggery, beans; avoid tea/coffee with meals.

Vitamin D Deficiency

Medication:

- Vitamin D3 weekly tablets

Precautions:

- 15–20 min morning sunlight, dairy & eggs.

Vitamin B12 Deficiency

Medication:

- B12 tablets or injections

Precautions:

- Include milk, curd, paneer, eggs (if allowed).

Protein-Energy Malnutrition

Medication:

- Protein supplements, multivitamins

Precautions:

- Eat dal, eggs, milk, peanuts, bananas; small frequent meals.
-

3 Other Significant Conditions

Cognitive Impairment / Dementia

Medication:

- Donepezil / Memantine (as prescribed)

Precautions:

- Memory exercises, family support, safe home environment.

Tuberculosis (TB)

Medication:

- Full DOTS therapy (6 months course)

Precautions:

- Good ventilation, mask use, complete the full treatment.
-