

Brave

Assignment1/Ubuntu 50cmds_...Ubuntu 50cmds_Meet SonejiCreate a New Repository

github.com/new

Search or jump to...Pull requestsIssuesCodespacesMarketplaceExplore

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner *

Repository name *

chinmayojha

/Assignment

Great repository names are short and memorable. Need inspiration? How about [friendly-rotary-phone?](#)

Description (optional)

Assignments assigned to me in 4th semester

☒ Public

Anyone on the internet can see this repository. You choose who can commit.

☐ Private

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

☐ Add a README file

This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore

Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: None

Choose a license

A license tells others what they can and can't do with your code. [Learn more.](#)

License: None

You are creating a public repository in your personal account.

Create repository

```
Terminal
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05: ~

chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ping www.google.com
PING www.google.com (142.250.182.100) 56(84) bytes of data.
64 bytes from maa05s21-in-f4.1e100.net (142.250.182.100): icmp_seq=1 ttl=58 time=29.7 ms
64 bytes from maa05s21-in-f4.1e100.net (142.250.182.100): icmp_seq=2 ttl=58 time=96.4 ms
64 bytes from maa05s21-in-f4.1e100.net (142.250.182.100): icmp_seq=3 ttl=58 time=30.4 ms
^Z
[5]+  Stopped                  ping www.google.com
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ locate 1st.txt

Command 'locate' not found, but can be installed with:

sudo apt install mlocate

chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ grep 6
^Z
[6]+  Stopped                  grep --color=auto 6
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ head hello.txt
Yo, this me CK0...
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ tail hello.tst
tail: cannot open 'hello.tst' for reading: No such file or directory
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ tail hello.txt
Yo, this me CK0...
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ tac hello.txt
Yo, this me CK0...
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ more marks.txt
Mth - 80
Eng - 97
Sci - 79
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ less marks.txt

[7]+  Stopped                  less marks.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$
```

```
Terminal
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05: ~

chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ pwd
/home/chinmae_ojha
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ mkdir new
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
1st.txt  assignment  Desktop  Documents  Downloads  Music  new  Pictures  Public  Templates  Videos
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ rmdir new
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
1st.txt  assignment  Desktop  Documents  Downloads  Music  Pictures  Public  Templates  Videos
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cd assignment
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~/assignment$ cd ../
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cd ../../
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:/$ cd assignment
bash: cd: assignment: No such file or directory
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:/$ cd ../../
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:/$ ls
bin  cdrom  etc  lib  lib64  lost+found  mnt  proc  run  snap  swapfile  tmp  var
boot  dev  home  lib32  libx32  media  opt  root /sbin  srv  sys  usr
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:/$ cd
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ touch new.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
1st.txt  assignment  Desktop  Documents  Downloads  Music  new.txt  Pictures  Public  Templates  Videos
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cat > new.txt
My lovable KIITIANs.
^Z
[1]+  Stopped                  cat > new.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cat new.txt
My lovable KIITIANs.
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ rm new.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
1st.txt  assignment  Desktop  Documents  Downloads  Music  Pictures  Public  Templates  Videos
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cp 1st.txt hemlo.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
```



```
Terminal
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05: ~
1st.txt  assignment Desktop Documents Downloads hemlo.txt Music Pictures Public Templates Videos
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ passwd
Changing password for chinmae_ojha.
Current password:
passwd: Authentication token manipulation error
passwd: password unchanged
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ passwd
Changing password for chinmae_ojha.
Current password:
New password:
Retype new password:
Password unchanged
New password:
Retype new password:
Password unchanged
New password:
Retype new password:
Sorry, passwords do not match.
passwd: Authentication token manipulation error
passwd: password unchanged
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ comm 1st.txt hemlo.txt
Ya, you know what, frick off, don't pry into my life.
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
1st.txt      Desktop      Downloads    Music        Public        Templates    'VirtualBox VMs'
assignment  Documents    hemlo.txt    Pictures      README.md     Videos
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cat 1st.txt | tee new1.txt | cat
Ya, you know what, frick off, don't pry into my life.
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
1st.txt      Desktop      Downloads    Music        Pictures      README.md     Videos
assignment  Documents    hemlo.txt    new1.txt     Public        Templates     'VirtualBox VMs'
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cat > marks.txt
```

```
Terminal
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05: ~

chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cat > marks.txt
Mth - 80
Eng - 97
Sci - 79
^Z
[2]+  Stopped                  cat > marks.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ sort marks.txt
Eng - 97
Mth - 80
Sci - 79
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ sort marks.txt | uniq
Eng - 97
Mth - 80
Sci - 79
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ wc marks.txt
 3  9 27 marks.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ od -b marks.txt
00000000 115 164 150 040 055 040 070 060 012 105 156 147 040 055 040 071
00000020 067 012 123 143 151 040 055 040 067 071 012
00000033
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ od -c marks.txt
00000000  M   t   h       -       8   0  \n   E   n   g       -       9
00000020  7  \n   S   c   i       -       7   9  \n
00000033
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cal
      January 2023
Su Mo Tu We Th Fr Sa
 1  2  3  4  5  6  7
 8  9 10 11 12 13 14
15 16 17 18 19 20 21
22 23 24 25 26 27 28
29 30 31
```

```
Terminal
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05: ~

chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ date
Thursday 12 January 2023 10:42:13 PM IST
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ time

real    0m0.000s
user    0m0.000s
sys     0m0.000s
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ cat > hello.txt
Yo, this me CK0...
^Z
[3]+  Stopped                  cat > hello.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ zcat hello.txt

gzip: hello.txt: not in gzip format
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ gzip hello.txt
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
1st.txt      Desktop      Downloads    hemlo.txt    Music        Pictures     README.md    Videos
assignment   Documents    hello.txt.gz marks.txt    new1.txt     Public       Templates    'VirtualBox VMs'
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ zcat hello.txt
Yo, this me CK0...
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ who
chinmae_ojha :0                2023-01-12 19:54 (:0)
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ whoami
chinmae_ojha
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ sudo apt install neofetch
[sudo] password for chinmae_ojha:
Sorry, try again.
[sudo] password for chinmae_ojha:
Sorry, try again.
[sudo] password for chinmae_ojha:
sudo: 3 incorrect password attempts
```



```
Terminal
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05: ~
chinu123: command not found
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ sudo apt install neofetch
[sudo] password for chinmae_ojha:
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages were automatically installed and are no longer required:
  audacity audacity-data gir1.2-animation-glib-0 gir1.2-ges-1.0 javascript-common libanimation-glib0 libanimation0 libcmis-0.5-5v5 libev
ent-2.1-7 libflac++6v5 libfwupdplugin1 libges-1.0-0 libgpgmepp6 libid3tag0 libjs-jquery
  libjs-jquery-ui libminiupnpc17 libnatpmp1 libportsmf0v5 libsuil-0-0 libvamp-hostsdk3v5 libwxbase3.0-0v5 libwxgtk3.0-gtk3-0v5 libxmlb1
pitiivi python-matplotlib-data python3-cycler python3-kiwisolver python3-matplotlib python3-numpy
  python3-pyparsing transmission-common transmission-gtk zorin-os-feedback
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
  chafa imagemagick-6-common libchafa0 libmagickcore-6.q16-6 libmagickwand-6.q16-6
Suggested packages:
  libmagickcore-6.q16-6-extra
The following NEW packages will be installed:
  chafa imagemagick-6-common libchafa0 libmagickcore-6.q16-6 libmagickwand-6.q16-6 neofetch
0 upgraded, 6 newly installed, 0 to remove and 4 not upgraded.
Need to get 149 kB/2,161 kB of archives.
After this operation, 9,693 kB of additional disk space will be used.
Do you want to continue? [Y/n] Y
Get:1 http://in.archive.ubuntu.com/ubuntu focal/universe amd64 libchafa0 amd64 1.2.1-1 [42.1 kB]
Get:2 http://in.archive.ubuntu.com/ubuntu focal/universe amd64 chafa amd64 1.2.1-1 [29.7 kB]
Get:3 http://in.archive.ubuntu.com/ubuntu focal/universe amd64 neofetch all 7.0.0-1 [77.5 kB]
Fetched 149 kB in 3s (46.5 kB/s)
Selecting previously unselected package imagemagick-6-common.
(Reading database ... 282427 files and directories currently installed.)
Preparing to unpack .../0-imagemagick-6-common_8%3a6.9.10.23+dfsg-2.1ubuntu11.4_all.deb ...
Unpacking imagemagick-6-common (8:6.9.10.23+dfsg-2.1ubuntu11.4) ...
Selecting previously unselected package libmagickcore-6.q16-6:amd64.
Preparing to unpack .../1-libmagickcore-6.q16-6_8%3a6.9.10.23+dfsg-2.1ubuntu11.4_amd64.deb
```

```
`0SSSSSSSSSSSSSSSSSSSSSO`  
 .OSSSSSSSSSSSSSSSSSSSSSSO.  
.+OOOOOOOOOOOOOOOOOOOOOOOO+
```

```

      .+00000000000000000000000000000000+
      -0SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSO-
      `0SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSO`

```

```
OS: Zorin OS 16.2 x86_64
Host: 82HU IdeaPad Flex 5 14ALC05
Kernel: 5.15.0-57-generic
Uptime: 2 hours, 59 mins
Packages: 2064 (dpkg), 63 (flatpak)
Shell: bash 5.0.17
Resolution: 1920x1080
DE: GNOME
WM: Mutter
WM Theme: ZorinBlue-Dark
Theme: ZorinBlue-Dark [GTK2/3]
Icons: ZorinBlue-Dark [GTK2/3]
Terminal: gnome-terminal
CPU: AMD Ryzen 7 5700U with Radeon Graphics (16) @ 4.3726Hz
GPU: AMD ATI 04:00.0 Device 164c
Memory: 3800MiB / 15340MiB
```



```
chinmae oiha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ls
```

```
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ df
```



```
chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05: ~$ df
df: /run/user/1000/doc: Operation not permitted
Filesystem      1K-blocks      Used Available Use% Mounted on
udev             7792044         0    7792044   0% /dev
tmpfs            1570832      2008    1568824   1% /run
/dev/nvme0n1p5  171989224  34426912  128752944  22% /
tmpfs            7854148         0    7854148   0% /dev/shm
tmpfs            5120          0        5120   0% /run/lock
tmpfs            7854148         0    7854148   0% /sys/fs/cgroup
/dev/nvme0n1p1   262144      38444    223700  15% /boot/efi
tmpfs            1570828       6988    1563840   1% /run/user/1000

chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ip
Usage: ip [ OPTIONS ] OBJECT { COMMAND | help }
       ip [ -force ] -batch filename
where  OBJECT := { link | address | addrlabel | route | rule | neigh | ntable |
                  tunnel | tuntap | maddress | mroute | mrule | monitor | xfrm |
                  netns | l2tp | fou | macsec | tcp_metrics | token | netconf | ila |
                  vrf | sr | nexthop }
       OPTIONS := { -V[ersion] | -s[tatistics] | -d[etails] | -r[esolve] |
                    -h[uman-readable] | -iec | -j[son] | -p[retty] |
                    -f[amily] { inet | inet6 | mpls | bridge | link } |
                    -4 | -6 | -I | -D | -M | -B | -O |
                    -l[oops] { maximum-addr-flush-attempts } | -br[ief] |
                    -o[neline] | -t[imestamp] | -ts[hort] | -b[atch] [filename] |
                    -rc[vbuf] [size] | -n[etns] name | -N[umeric] | -a[ll] |
                    -c[olor]}

chinmae_ojha@chinmae-IdeaPad-Flex-5-14ALC05:~$ ssh
usage: ssh [-46AaCfGgKkMnqsTtVvXxYy] [-B bind_interface]
           [-b bind_address] [-c cipher_spec] [-D [bind_address:]port]
           [-E log_file] [-e escape_char] [-F configfile] [-I pkcs11]
           [-i identity_file] [-J [user@]host[:port]] [-L address]
           [-l login_name] [-m mac_spec] [-O ctl_cmd] [-o option] [-p port]
```