

Nexus Agile Mode — Complete Command Reference

Entering Agile Mode: At the main `nexus >` prompt, type `agile` and press Enter. Your prompt will change to `agile >`. Type `exit` to return to the main mode.

How to Run a Command

```
nexus > agile           # Enter Agile mode
agile > <command>      # Execute any Agile command
agile > exit           # Return to main mode
```

You can also run **one-shot** from the main prompt for Jira/Confluence keywords:

```
nexus > story list      # Auto-routes directly to agile > story list
nexus > epic view SCRUM-5  # Auto-routes directly to agile > epic view SCRUM-5
```

1. Project Commands

Command	Syntax	What It Does
project list	project list	Lists all Jira projects you have access to
project info	project info [project_key]	Shows metadata: board, lead, velocity, backlog count
project status	project status [project_key]	Displays health: CI/CD, Confluence sync, compliance gate
project create	project create	Creates a new Jira project
project delete	project delete <project_key>	Permanently deletes a project
project archive	project archive <project_key>	Archives a project (read-only)

Examples

```
agile > project list
agile > project info SCRUM
agile > project status SCRUM
agile > project archive DEMO
```

[!NOTE] `project_key` is optional — if omitted, it uses the default project from `.env` (`JIRA_PROJECT_KEY`).

2. Epic Commands

Command	Syntax	What It Does
<code>epic list</code>	<code>epic list</code>	Lists all Epics in the project with their status
<code>epic view</code>	<code>epic view <epic_id></code>	Shows Epic details, progress bar, and linked item count
<code>epic stories</code>	<code>epic stories <epic_id></code>	Lists all stories/tasks linked to the Epic
<code>epic progress</code>	<code>epic progress <epic_id></code>	Shows completion % and story point delivery
<code>epic create</code>	<code>epic create</code>	Creates a new Epic
<code>epic update</code>	<code>epic update <epic_id> <field> <value></code>	Updates an Epic field
<code>epic assign</code>	<code>epic assign <epic_id> <username></code>	Assigns the Epic to a team member
<code>epic delete</code>	<code>epic delete <epic_id></code>	Deletes the Epic

Examples

```
agile > epic list
agile > epic view SCRUM-5
agile > epic stories SCRUM-5
agile > epic progress SCRUM-5
agile > epic update SCRUM-5 summary "New Epic Title"
agile > epic assign SCRUM-5 chinmay.shete
```

3. Story Commands

Command	Syntax	What It Does
<code>story list</code>	<code>story list</code>	Lists only Story issue types from Jira
<code>story view</code>	<code>story view <story_id></code>	Displays full story details: title, status, priority, description
<code>story create</code>	<code>story create</code>	Prompts for summary and description; creates Story in Jira
<code>story update</code>	<code>story update <story_id> <field> <value></code>	Updates a specific field on a story

Command	Syntax	What It Does
story move	story move <story_id> <status>	Transitions story to a new workflow status
story assign	story assign <story_id> <username>	Assigns the story to a developer
story points	story points <story_id> <points>	Sets story point estimation
story comment	story comment <story_id> <comment text>	Adds a comment to the story
story search	story search <keyword>	Searches stories by keyword
story close	story close <story_id>	Marks story as Done
story reopen	story reopen <story_id>	Reopens a closed story back to To Do
story delete	story delete <story_id>	Deletes the story

Examples

```

agile > story list
agile > story view SCRUM-10
agile > story create                                # Prompts: summary then description
agile > story move SCRUM-10 "In Progress"
agile > story assign SCRUM-10 chinmay.shete
agile > story points SCRUM-10 8
agile > story comment SCRUM-10 "Ready for code review"
agile > story search authentication
agile > story close SCRUM-10
agile > story delete SCRUM-10

```

[!IMPORTANT] **story list** now only shows **Stories** — not Tasks, Subtasks, or Epics. This was fixed to use the Jira `issuetype=Story` filter.

[!TIP] Valid status names for `story move`: `To Do`, `In Progress`, `In Review`, `Done`

✓ 4. Task Commands

Command	Syntax	What It Does
task list	task list	Lists all Task issue types from Jira
task create	task create	Creates a new Task
task update	task update <task_id> <new_summary>	Updates task summary

Command	Syntax	What It Does
<code>task assign</code>	<code>task assign <task_id> <username></code>	Assigns task to a developer
<code>task move</code>	<code>task move <task_id> <status></code>	Changes task workflow state
<code>task complete</code>	<code>task complete <task_id></code>	Marks task as completed
<code>task delete</code>	<code>task delete <task_id></code>	Deletes the task

Examples

```
agile > task list
agile > task create
agile > task assign SCRUM-301 chinmay.shete
agile > task move SCRUM-301 "In Progress"
agile > task complete SCRUM-301
```

5. Subtask Commands

Command	Syntax	What It Does
<code>subtask list</code>	<code>subtask list</code>	Lists all Subtasks
<code>subtask create</code>	<code>subtask create <parent_id> <summary></code>	Creates a subtask under a parent story/task
<code>subtask update</code>	<code>subtask update <subtask_id> <summary></code>	Updates subtask summary
<code>subtask assign</code>	<code>subtask assign <subtask_id> <username></code>	Assigns subtask to a team member
<code>subtask complete</code>	<code>subtask complete <subtask_id></code>	Marks subtask as done
<code>subtask delete</code>	<code>subtask delete <subtask_id></code>	Deletes the subtask

Examples

```
agile > subtask list
agile > subtask create SCRUM-10 "Write unit tests for auth module"
agile > subtask assign SUB-5 chinmay.shete
agile > subtask complete SUB-5
```

6. Sprint Commands

Command	Syntax	What It Does
<code>sprint list</code>	<code>sprint list</code>	Lists all sprints in the project
<code>sprint active</code>	<code>sprint active</code>	Shows the currently running sprint
<code>sprint backlog</code>	<code>sprint backlog</code>	Displays all backlog items not in a sprint
<code>sprint report</code>	<code>sprint report</code>	Generates sprint performance report
<code>sprint burndown</code>	<code>sprint burndown</code>	Shows sprint burndown chart data
<code>sprint velocity</code>	<code>sprint velocity</code>	Displays team velocity across sprints
<code>sprint create</code>	<code>sprint create <name></code>	Creates a new sprint
<code>sprint start</code>	<code>sprint start <name></code>	Starts a sprint
<code>sprint stop</code>	<code>sprint stop <name></code>	Stops an active sprint
<code>sprint close</code>	<code>sprint close <name></code>	Closes and completes a sprint
<code>sprint delete</code>	<code>sprint delete <name></code>	Deletes a sprint

Examples

```
agile > sprint list
agile > sprint active
agile > sprint backlog
agile > sprint report
agile > sprint create "Sprint 4"
agile > sprint start "Sprint 4"
agile > sprint close "Sprint 3"
```



7. Board Commands

Command	Syntax	What It Does
<code>board view</code>	<code>board view</code>	Displays the full Agile / Kanban board
<code>board backlog</code>	<code>board backlog</code>	Shows all backlog items
<code>board active</code>	<code>board active</code>	Shows only active sprint items on the board
<code>board roadmap</code>	<code>board roadmap</code>	Shows Epic roadmap and timelines
<code>board refresh</code>	<code>board refresh</code>	Fetches fresh data from Jira

Examples

```
agile > board view
agile > board backlog
```

```
agile > board active
agile > board roadmap
agile > board refresh
```

8. Jira Operations Commands

Command	Syntax	What It Does
<code>jira auth</code>	<code>jira auth</code>	Verifies Jira API authentication
<code>jira login</code>	<code>jira login</code>	Starts Jira session
<code>jira logout</code>	<code>jira logout</code>	Ends Jira session
<code>jira sync</code>	<code>jira sync</code>	Synchronizes Jira issues and updates
<code>jira search</code>	<code>jira search <query></code>	Searches issues using JQL/keywords
<code>jira comment</code>	<code>jira comment <ticket_id> <comment></code>	Adds a comment to any Jira issue
<code>jira transition</code>	<code>jira transition <ticket_id> <status></code>	Transitions any issue to a new status
<code>jira export</code>	<code>jira export</code>	Exports all issues to a file
<code>jira import</code>	<code>jira import <filename></code>	Imports issues from a JSON file
<code>jira webhook</code>	<code>jira webhook</code>	Displays configured Jira webhooks

Examples

```
agile > jira auth
agile > jira search "payment gateway"
agile > jira comment SCRUM-10 "Reviewed and approved"
agile > jira transition SCRUM-10 "Done"
agile > jira sync
```

[!NOTE] `jira transition` is interactive — it will show you the valid transition options from Jira and ask you to confirm before executing.

9. Confluence / Docs Commands

Command	Syntax	What It Does
<code>docs search</code>	<code>docs search <keyword></code>	Searches Confluence space for matching documents
<code>docs link</code>	<code>docs link <page_name> <ticket_id></code>	Links a Confluence page to a Jira ticket
<code>docs create</code>	<code>docs create <title></code>	Creates a new Confluence page

Command	Syntax	What It Does
<code>docs publish</code>	<code>docs publish <title></code>	Publishes a draft Confluence page
<code>docs export</code>	<code>docs export</code>	Exports all Confluence pages

Examples

```
agile > docs search requirements
agile > docs search "project plan"
agile > docs link "Architecture Plan" SCRUM-10
agile > docs create "API Design Spec"
```

[!NOTE] `docs search` queries the live Confluence Space `NEXUS SDLC (CONFLUENCE_SPACE_KEY=NS)` and automatically uses the `Project Plan - AI SDLC Terminal` document as knowledge base for `plan` and `execute` commands.

 10. AI Developer Operations Commands

Command	Syntax	What It Does
<code>ai summarize sprint</code>	<code>ai summarize sprint</code>	AI-generated sprint progress summary
<code>ai summarize epic</code>	<code>ai summarize epic</code>	AI-generated Epic progress narrative
<code>ai estimate</code>	<code>ai estimate <ticket_id></code>	AI-powered complexity estimation
<code>ai analyze blockers</code>	<code>ai analyze blockers</code>	Detects blockers and circular dependencies
<code>ai standup report</code>	<code>ai standup report</code>	Generates daily standup report
<code>ai sprint review</code>	<code>ai sprint review</code>	Creates AI-powered sprint retrospective
<code>ai generate stories</code>	<code>ai generate stories</code>	Auto-generates User Stories from Epics
<code>ai generate tasks</code>	<code>ai generate tasks</code>	Auto-generates Tasks from Stories
<code>ai roadmap</code>	<code>ai roadmap</code>	Generates AI product roadmap from Epics
<code>ai release notes</code>	<code>ai release notes</code>	AI-crafted release notes from closed sprints

Examples

```
agile > ai summarize sprint
agile > ai summarize epic
agile > ai estimate SCRUM-10
agile > ai analyze blockers
agile > ai standup report
agile > ai sprint review
agile > ai generate stories
```

```
agile > ai roadmap
agile > ai release notes
```

11. Reporting Commands

Command	Syntax	What It Does
report sprint	report sprint	Full sprint analytics report
report epic	report epic <epic_id>	Epic delivery and progress report
report velocity	report velocity	Team velocity metrics across sprints
report workload	report workload	Developer workload distribution
report blockers	report blockers	All currently blocked tickets and tasks
report productivity	report productivity	Engineering productivity metrics
report releases	report releases	Release history report

Examples

```
agile > report sprint
agile > report epic SCRUM-5
agile > report velocity
agile > report workload
agile > report blockers
agile > report productivity
```

12. User & Config Commands

Command	Syntax	What It Does
user profile	user profile	Displays your Jira user profile
user permissions	user permissions	Shows your current roles and access rights
user list	user list	Lists all project team members
config view	config view	Displays current Jira/Agile configuration settings

Examples


```
agile > user profile
agile > user permissions
agile > user list
agile > config view
```

13. Ticket Execution & Version Control Commands

These are the core SDLC workflow commands — run them from **inside agile > mode**:

Command	Syntax	What It Does
<code>tickets</code>	<code>tickets</code>	Lists all Jira tickets (any type)
<code>plan <id></code>	<code>plan <ticket_id></code>	Generates an AI execution plan using Jira + Confluence context
<code>execute <id></code>	<code>execute <ticket_id></code>	Runs AI agents to generate code & tests for the ticket
<code>push <id></code>	<code>push <ticket_id></code>	Pushes the ticket's code branch to the remote git repository
<code>reset <id></code>	<code>reset <ticket_id></code>	Resets a single ticket's workflow status
<code>reset-all</code>	<code>reset-all</code>	Resets all tickets back to TODO

Examples

```
agile > tickets
agile > plan SCRUM-10
agile > execute SCRUM-10
agile > push SCRUM-10
agile > reset SCRUM-10
agile > reset-all
```

[!IMPORTANT] `plan` and `execute` automatically inject your **Confluence Project Plan document** from the **NEXUS SDLC** space as live requirements context into the AI agent.

14. System Commands (Available in Agile Mode)

Command	What It Does
<code>status</code>	Shows Agile module runtime status
<code>health</code>	Checks Jira and Confluence connectivity
<code>version</code>	Displays installed module version
<code>doctor</code>	Runs full diagnostics on integrations

Command	What It Does
<code>help</code>	Displays the Agile mode help menu
<code>exit</code>	Returns to the main <code>nexus ></code> prompt

Quick Reference Card

```
agile > project list / info / status / archive
agile > epic list / view <id> / stories <id> / progress <id> / assign <id> <user>
agile > story list / view <id> / create / move <id> <status> / assign <id> <user>
agile > story points <id> <pts> / comment <id> <text> / close <id> / delete <id>
agile > task list / create / assign <id> <user> / move <id> <status> / complete <id>
agile > subtask create <parent> <summary> / complete <id> / assign <id> <user>
agile > sprint list / active / backlog / report / burndown / velocity
agile > board view / backlog / active / roadmap
agile > jira auth / search <q> / comment <id> <text> / transition <id> <status>
agile > docs search <q> / link <page> <ticket>
agile > ai summarize sprint | ai estimate <id> | ai standup report | ai roadmap
agile > report sprint | report velocity | report workload | report blockers
agile > plan <id> | execute <id> | push <id> | reset <id> | reset-all
agile > exit
```