Faculty of Computer Technology

Assam down town University, Assam, India

Name	
Enrollment ID	
Semester	
Section	
Course Title	LeetCode Assessment Report

Assessment Report

Problems Attempted	
Problems Solved	
Accuracy (%)	
Rank	
Score	

Student Signature



Favorite - LeetCode
Longest Palindromic Substring
leetcode.com/problem-list/vvld0lg2/
Verify that it's you
Explore
Problems
Contest
Discuss
Interview
Store
Premium
Library
Study Plan
My Lists
Favorite
Favorite
Asan_Ali · 5 questions
Practice
Progress
100%
Acceptance
5 submission
Easy 1/1
Med. 3/3
Hard 1/1
Search questions
1. Two Sum 56.4% Easy
2. Add Two Numbers 47.1% Med.
3. Longest Substring Without Repeating Characters 37.7% Med.
4. Median of Two Sorted Arrays 44.9% Hard
5. Longest Palindromic Substring 36.5% Med.



leetcode.com/contest/
Contest every week. Compete and see your ranking!
Weekly Contest 470
Biweekly Contest 167
Sponsor a Contest
Past Contests
My Contests
Biweekly Contest 166
Global Ranking
Miruu
Neal Wu
Yawn_Sean

LeetCode Output:






leetcode.com/problems/add two numbers/description/?envType problem list v2&envId vvld0lg2&
Favorite
Submit
Premium
Description
Code
2. Add Two Numbers
Medium
Topics
Companies
You are given two non-empty linked lists representing two non-negative integers. The digits are stored in reverse order, and each of their nodes contains a single digit. Add the two numbers and return the sum as a linked list.
You may assume the two numbers do not contain any leading zero, except the number 0 itself.
Example 1:
2
4
3
5
6
4
7
0
8
class Solution {
public:
ListNode* addTwoNumbers(ListNode* l1, ListNode* l2) {
}
};
Saved
Testcase
Test Result
You must run your code first
35K
980
909 Online


Favorite - LeetCode
Add Two Numbers - LeetCode
leetcode.com/problems/add-two-numbers/submissions/1791184707/?envType=problem-list-v2&envId=vvld0lg2&
Verify that it's you
Favorite
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
Submit Ctrl Enter
All Submissions
Accepted 1569 / 1569 testcases passed
Asan_Ali submitted at Oct 04, 2025 20:38
Editorial
Solution
Runtime
0 ms Beats 100.00%
Analyze Complexity
Memory
77.15 MB Beats 45.55%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
5ms
6ms
Code | C++
/**
* Definition for singly-linked list.
* struct ListNode {
* int val;
* ListNode *next;
C++
Auto
int sum = carry;
if (l1) { sum += l1->val; l1 = l1->next; }
if (l2) { sum += l2->val; l2 = l2->next; }
carry = sum / 10;
cur->next = new ListNode(sum % 10);
cur = cur->next;
}
return dummy.next;
}
};
Saved
Ln 24, Col 25
Testcase
Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Case 3
Input
l1 =
[2,4,3]
l2 =
[5,6,4]
Output


Favorite - LeetCode
Longest Substring Without Rep
leetcode.com/problems/longest-substring-without-repeating-characters/description/?envType=problem-list-v2&envId=wld0lg2&
Verify that it's you
Favorite
Submit
Premium
Description
Editorial
Solutions
Submissions
3. Longest Substring Without Repeating Characters
Medium
Topics
Companies
Hint
Given a string s, find the length of the longest substring without duplicate characters.
Example 1:
Input: s = "abcabcbb"
Output: 3
Explanation: The answer is "abc", with the length of 3. Note that "bca" and "cab" are also correct answers.
Example 2:
Input: s = "bbbbb"
Output: 1
Explanation: The answer is "b", with the length of 1.
Example 3:
Input: s = "pwwkew"
Output: 3
Explanation: The answer is "wke", with the length of 3.
Notice that the answer must be a substring, "pwke" is a subsequence and not a substring.
43.3K
711
953 Online
Code
C++
Auto
class Solution {
public:
int lengthOfLongestSubstring(string s) {
}
};
Saved
Ln 1, Col 1
Testcase
Test Result
You must run your code first


Favorite
Submit
Premium
Accepted
All Submissions
Accepted
Editorial
Solution
Runtime
6 ms
Beats 67.88%
Memory
11.91 MB
Beats 46.46%
Code
C++
#include <string>
#include <unordered_map>
using namespace std;
class Solution {
Code
Auto
Saved
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input
"abcabcbb"
Output
3


Favorite - LeetCode
Median of Two Sorted Arrays -
leetcode.com/problems/median-of-two-sorted-arrays/description/?envType=problem-list-v2&envId=wld0lg2&
Verify that it's you
Favorite
Submit
Premium
Description
Editorial
Solutions
Submissions
4. Median of Two Sorted Arrays
Hard
Topics
Companies
Given two sorted arrays nums1 and nums2 of size m and n respectively, return the median of the two sorted arrays.
The overall run time complexity should be O(log (m+n)).
Example 1:
Input: nums1 = [1,3], nums2 = [2]
Output: 2.00000
Explanation: merged array = [1,2,3] and median is 2.
Example 2:
Input: nums1 = [1,2], nums2 = [3,4]
Output: 2.50000
Explanation: merged array = [1,2,3,4] and median is (2 + 3) / 2 = 2.5.
Constraints:
nums1.length == m
nums2.length == n
31K
813
611 Online
Code
C++
Auto
class Solution {
public:
double findMedianSortedArrays(vector<int>& nums1, vector<int>& nums2) {
}
};
Saved
Ln 1, Col 1
Testcase
Test Result
You must run your code first


Favorite - LeetCode
Median of Two Sorted Arrays -
leetcode.com/problems/median-of-two-sorted-arrays/submissions/1791188455/?envType=problem-list-v2&envId=wld0lg2&
Verify that it's you
Favorite
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted
2097 / 2097 testcases passed
Asan_Ali submitted at Oct 04, 2025 20:43
Editorial
Solution
Runtime
0 ms
Beats 100.00%
Analyze Complexity
Memory
94.90 MB
Beats 93.73%
1.85% of solutions used 8 ms of runtime
Code
C++
#include <vector>
#include <climits>
using namespace std;
class Solution {
} else if (Aleft > Bright) {
hi = i - 1;
} else {
lo = i + 1;
}
}
return 0.0; // unreachable if inputs are valid
}
};
Saved
Ln 38, Col 3
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
nums1 =
[1,3]
nums2 =
[2]
Output



leetcode.com/problems/longest palindromic substring/description/?envType problem list v2&envId vvId0lg2&
Favorite
Submit
Premium
Description
Code
5. Longest Palindromic Substring
Medium
Topics
Companies
Hint
Given a string s, return the longest palindromic substring in s.
Example 1:
Input: s "babad"
Output: "bab"
Explanation: "aba" is also a valid answer.
Example 2:
Input: s = "cbbd"
Output: "bb"
Constraints:
1 <= s.length <= 1000
s consist of only digits and English letters.
class Solution {
public:
};
Saved
Testcase
Test Result
You must run your code first
31.6K
515
602 Online



leetcode.com/problems/longest palindromic substring/submissions/1791189914/?envType problem list v2&envId vvId0lg2&
Favorite
Submit
Premium
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 142 / 142 testcases passed
Asan_Ali submitted at Oct 04, 2025 20:45
Editorial
Solution
Runtime
7 ms | Beats 88.20%
Analyze Complexity
Memory
9.38 MB | Beats 81.26%
Code C++
#include <string>
using namespace std;
class Solution {
public:
Code
Saved
Testcase
Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Input
"babad"
Output
"bab"
Expected