Background

When you have created and launched an AWS Linux EC2 instance, you can connect to it from your computer using the SSH protocol. PuTTY is a free SSH client that allows you to do this from a local computer running Windows. Once the connection has been established, you work within the EC2 instance just like you would on a local computer running Linux.

Prerequisites

• You must have an AWS account. If you don't have an account, create one now. *Note: You will need to provide credit card information for your new account.*


Generate a PuTTY Private Key (.ppk) File

1.

- 1. Download and install PuTTY.
- 2. Open the folder that PuTTY was installed to (default path is *C:* > *Program Files* > *PuTTY*).
- 3. Double-click on the file **puttygen.exe**.


1.

4. In *PuTTY Key Generator*, click the **Load** button and navigate to the folder that contains the private key file (*.pem*) created during the EC2 configuration process.




Click Load in the PuTTY Key Generator.

5. Click on the **PuTTY Private Key Files** button in the lower-right corner of the window and select *All Files* (*.*).



Select All Files in PuTTY Private Key Files


6. Select your private key file (.pem) and click **Open**.



Select and open your private key.


1.

7. Click **OK** to close the *PuTTYgen Notice* pop-up window.




PuTTYgen Notice

8. In *PuTTY Key Generator*, make sure *Type of key to generate* value is set to **RSA**.




Generate RSA key.

9. Click **Save private key** and then **Yes** to close the *PuTTYgen Warning* pop-up.



PuTTYgen Warning

- 10. Navigate to the location you want to store your PuTTY Private Key file (.ppk) and give it a name.
- 11. Click Save.
- 12. Close the *PuTTY Key Generator* window.



Give your PuTTY Private Key file a name

Connect to EC2

1.

- 1. Open PuTTY by clicking on the desktop icon or the **putty.exe** file in the PuTTY folder.
- 2. In the Host Name (or IP address) box, type

"ubuntu@your public DNS" (1).

Note: The Public DNS for your instance is displayed in AWS in the EC2 Management Console Instance Description in the middle of the screen.


1.

- 3. Make sure:
 - o *Port* is set to **22** (**2**).
 - Connection type is SSH (3).
- In the *Category* pane on the left of the PuTTY Configuration window, under *Connection*, click on the + next to *SSH* to expand the choices
 (4), then click on *Auth* (5).
- 5. Under *Authentication parameters*, click **Browse** and navigate to the directory where your PuTTY Private Key (*.ppk*) file is located (6).
 - o Click on the (.ppk) file to select it.
- 6. Click Open.


Note: If you want to save these settings to use later, navigate to Sessions in the PuTTY Category tree. Enter a name in the Saved Sessions box and click Save on the right.

1.


- 7. Click **Open** in *PuTTY Configuration* to connect to your Instance.
 - If this is the first time you have connected to your
 Instance, a PuTTY Security Alert will ask you whether to proceed with the connection.
 - o Click Yes to complete the connection.
 - The EC2 Instance window will appear (black screen below).




PuTTY Configuration window.



PuTTY Configuration window.



PuTTY Security Alert



You are now connected to your EC2 Instance