



# **DEPARTMENT OF EDUCATION** SCHOOLS DIVISION OF NEGROS ORIENTAL **REGION VII**



Kagawasan Ave., Daro, Dumaguete City, Negros Oriental

# TLE - HE - DRESSMAKING Quarter 4 - Module 1: **Prepare Cut Parts**





GOVERNMENT PROPERTY E

TLE - Grade 10 Alternative Delivery Mode Quarter 4 Module 1: Prepare Cut Parts First Edition, 2021

**Republic Act 8293, section 176** states that: No copyright shall subsist in any work of the Government of the Philippines. However, prior approval of the government agency or office wherein the work is created shall be necessary for exploitation of such work for profit. Such agency or office may, among other things, impose as a condition the payment of royalties.

Borrowed materials (i.e., songs, stories, poems, pictures, photos, brand names, trademarks, etc.) included in this module are owned by their respective copyright holders. Every effort has been exerted to locate and seek permission to use these materials from their respective copyright owners. The publisher and authors do not represent nor claim ownership over them.

Published by the Department of Education

Secretary: Leonor Magtolis Briones

Undersecretary: Diosdado M. San Antonio

# **Development Team of the Module**

Writer: Judee L. Cabilin

Editors: Jesusa D. Paladar, Rizabelle R. Tubio

Reviewer: Rizabelle R. Tubio

**Typesetters:** Rizabelle R. Tubio, Ivah Mae C. Estoconing

Management Team: Senen Priscillo P. Paulin, CESO V Rosela R. Abiera

Joelyza M. Arcilla EdD Maricel S. Rasid Marcelo K. Palispis EdD Elmar L. Cabrera

Nilita L. Ragay EdD

Antonio B. Baguio, Jr. EdD

Printed in the Philippines	by
----------------------------	----

# Department of Education -Region VII Schools Division of Negros Oriental


Office Address: Kagawasan Ave., Daro, Dumaguete City, Negros Oriental

Tele #: (035) 225 2376 / 541 1117 E-mail Address: negros.oriental@deped.gov.ph

# 10

# TLE Quarter 4 Module 1: PREPARE CUT PARTS





This module was designed and written with you in mind. It is here to help you master the nature of Dressmaking. The scope of this module permits it to be used in many different learning situations. The language used recognizes the diverse vocabulary level of students.

The lessons are arranged to follow the standard sequence of the course. But the order in which you read them can be changed to correspond with the textbook you are now using.

The module covers one lesson:

Lesson 1 Produce Ladies Trousers

# **LEARNING COMPETENCY:**

# MELC LO 3. Assemble garment parts for ladies trouser

3.5. Prepare cut parts

After going through this module, you are expected to:

- 1. Know the key points in preparing the cut parts of the ladies' trousers;
- 2. Present Pinning in the cut parts of the trousers with Continental side pocket; and
- 3. Press the cut parts of the trousers in accordance with the trousers style.



# **IDENTIFICATION**

**Direction:** Fill in the blanks. Choose your answer from the list below. Write the answer only.

Needle label	grainline pins	flat hands	right side cloth	damp big units
1. Pres	ss the article while	on the wron	g side.	
2. Use	both to anchor w	vork flat on the	table.	
3. To §	get easily the garment par	rts to be sewed	first, place them	at theof
the	sewing machine tables.			
4. Do	not put in your m	outh.		
5. Patr	terns are pinned to cloth t	first along the	•	
6	the units to avoid co	onfusion when	sewing.	
7. Sep	arate the units wit	th the small ur	nits.	
8. Pres	ssing over makes n	narks difficult	to remove.	
9. Plac	e the parts flat on	the table.		
10.On	the fine fabrics, use	or weights	for holding, patte	rn down.

Lesson

# PRODUCE LADIES' TROUSERS PREPARE CUT PATTERN



# Notes to the Teacher

This contains helpful tips or strategies that will help you in guiding the learners. The following are information that would lead to the activities and assessment. Some activities may need your own discretion upon checking, or you may use rubric if provided. Please review the activities and answer keys and amend if necessary.



# What's In

Why do we need to put the pins along the grain line of the fabric?

What are the key points to remember in preparing the cut parts of the trousers?



# What's New

Let us find out how much you already know about the lesson by answering this item.

**Direction:** Guess the word based on the given definition in each number. Write the missing letters of the word inside the letter blocks below the definition.

1. Fastening particles together using pins.

	01		0	0	1	
P		A		I		G

2. Seized quickly.

S	A	G	E	D

3. The element of fit, it refers to the need for lengthwise yarns to run parallel to the length of the body.

G		I	N

4. A heavy solid line along the outer edge of the pattern and this designates a cut off line.

_	-	<b>A</b>		l	-		-
C	T	T			L		E

5. The narrow, finished edges of the fabric along both lengthwise sides of the uncut woven fabrics.

S	E		A	G	



# What is It

# KEY POINTS IN PREPARING CUT PARTS OF THE TROUSERS

- 1. Use both hands to anchor work flat on the table.
- 2. Separate the big units with the small units.
- 3. Place the cloth parts flat on the table.
- 4. Label the units to avoid confusion when sewing.
- 5. To get easily the garment parts to be sewed first, place it at the right side of the sewing machine table.

You have come to the final stage in assembling the garment parts for ladies" trousers. There are standard procedures on how to assemble the parts systematically, but nowadays, dressmakers or sewers have their own standard and own technique in assembling and sewing the garment parts according to their own convenience.

#### PINNING A GARMENT TOGETHER

#### **PINNING**

In pinning the fabric to be seam, place the pins in a perpendicular manner to the edge of the fabric, to any kinds of seam preparatory to basting or stitching like;

- a. To the edge of the dart,
- b. To the pleats
- c. To the tuck or hem
- d. To the seams fitted wrong side out side


Through this way the two layers of cloth stitched together are kept smoothly and pins can be removed easily. Usually, the stitch will pucker unevenly if pins are placed parallel to the edges and baste or stitch over the pins in straight line.

Pins can be place parallel to seams when fitting to the wrong side out and to circumference seams not turned under during the first fitting in order to establish a new line during fitting and cutting.

#### PREPARING FOR THE FIRST FITTING

1. Baste darts,

2. out seams,



3. and inseams, in that order.



4. Put one leg inside the other, right sides of fabric facing, to baste the crotch seam. Do not baste through the seam allowances at the crossing of the inseam and crotch seams.



3. Pin the fitting band to the inside of the garment with the lower edge of the band on the stay stitching. Match the markings on the band to the garment at the center front, center back, and out seams. Place pins on the garment side.



#### **FITTING**

- 1. Check the grainlines, ease, balance, and the position of all seams when fitting the garment. Remember, drag lines point to the source of the trouble.
- 2. Start at the seven- inch grainline first and fit the front, then the back. The crosswise grainline at the seven-inch hipline must be kept parallel to the floor. The creases in each leg must be perpendicular to the floor. Pants have four centers, whereas skirts only have two.
- 3. Adjust the darts before fitting the out seams. The darts may be shifted to the area where they are needed.
- 4. Mini-darts, about two inches long, may be used between the large darts and the side seams.
- 5. A slight garment bias in the center back seam is acceptable. Sometimes it is impossible to match plaids at the inseams. Just remember these are the least noticeable seams in the garment. Pants may be tapered in the fabric. Indicate the amount tapered on the pattern.





# PRESSING TECHNIQUES FOR LADIES' TROUSERS

# **PRESSING**

Pressing is one of the important factors in all stages of sewing in order to give shape and set a stitching line. Steam iron and ironing board are essential for this stage. The fabric should be free from creases, folds, and wrinkles before sewing. If the lengthwise crease interfered with the placing of the lengthwise and crosswise thread in doing the proper positioning, then it must be removed. Nobody can construct a garment perfectly if the fabric or material is not smooth and free from creases and wrinkles.

What you will need.

- 1. An ironing board
- 2. An iron
- 3. A bristle brush with a backing/handle that is flat, wooden and unvarnished.

Select an iron temperature and settings consistent with the pant fabric. Steam works for most fibers, test on a small hidden area such as the pocket bag or waistband inside before pressing the entire pant. Some fabrics may require the use of a press cloth to prevent shine when pressing on the right side.

Press on a long flat surface, preferably a padded ironing board.

The crosswise or woof filling of thread must be checked for their right angle to the lengthwise or warp threads and never press the materials with diagonal direction of fabric grain.



*Tip:* If you worry about shine what you can do is use a piece of thin cloth over the top of your trousers before pressing. Be sure to use a cloth that does not leave bits of fluff.



# Performance Task 1

# **Resources Needed:**


Ruler
Tape measure
Scissors/shears
Iron and ironing board
Sewing machine

# Supplies

Bond paper Pencil/eraser Thread Scrap of cloth 7"x 5"

**Direction:** Perform a pinning of dart by presenting a pictures of how you pinned the dart before it is finally stitch using the correct process. Sample Picture is provided below.





# SCORING RUBRICS FOR PINNING AN OPEN-ENDED DART

(5 points)	(10 points)
Darts is not pinned properly	Darts is pinned properly

TOTAL SCORE



# What I Have Learned

**Direction:** Write at least two or three sentences about your learning on this lesson/module using the following guide phrases.

I have learned that		



# What I Can Do

# PERFORMANCE TASK 2

#### **Resources Needed:**


Ruler
Tape measure
Scissors/shears
Iron and ironing board
Sewing machine


# **Supplies**

Bond paper Pencil/eraser Thread Scrap of cloth 7"x 5"

**Direction:** Make an Open-Ended Dart. Follow the given procedures in creating. Do it in a Short bond paper. See scoring rubric on how are graded.

- 1. Create a dart using with the width measurement of 1.5 inches & 5 inches length using the 7 inches by 4 inches scrap of cloth.
- 2. Create a notch on the darts width.
- 3. Sew the open-ended dart with a slight concave curve.
- 4. Tie threads after trailing off the edge of the fold
- 5. Press the dart properly.
- 6. Paste it on a long bond paper.





# SCORING RUBRICS FOR MAKING AN OPEN-ENDED DART

Did not try	Not yet	Good	Very good	Excellent
(2 points)	(4 points)	(6 points)	(8 points)	(10 points)
Darts is sewn	Dart is not	Dart is sewn	Dart is made	Dart is made
incorrectly	pressed to the	correctly but	correctly but	correctly with
with sudden	correct side	bottoms	stitching is	no mistake.
end to	and threads	threads are	not straight	
stitching	was not tied	not tied in	and not	
causing a	and trimmed	knots and	backstitched	
dimple.	½ inches.	threads are	and not tied	
		too short.		
Did not press	Rarely pressed	Occasionally	Pressed dart	Pressed darts
		pressed	half flat	properly

TOTAL SCORE



# Assessment

**TRUE OR FALSE:** Read and answer the following statements. Write "True" if the statement states a fact and "False" if it doesn't. Write your answer in your quiz notebook.

- \_\_\_\_\_1. Check the grainlines, ease, balance, and the position of all seams when fitting the garment.
  - \_\_2. Press on a long flat surface, preferably a padded ironing board.
- \_\_\_\_\_\_3. Pressing is one of the important factors at all stages of sewing in order to shape and set a stitching line.
- \_\_\_\_\_4. The fabric should be free from creases, folds and wrinkles before stating to sew.
- \_\_\_\_\_5. In pinning the fabric to be seam, place the pins in a perpendicular manner.

6. Usually, the stitch will pucker unevenly if pins are placed perpendicular	· to
the edges	
7. Label the units to avoid confusion when sewing.	
8. Mix the big units with the small units.	
9. Select an iron temperature and settings consistent with the pant fabr	ic.
10. To get easily the garment parts to be sewed first, place it at the left sid	e
of the sewing machine table.	



# **Additional Activities**

**Direction:** Enumerate the 5 Key Points In Preparing Cut Parts Of The Trousers. (2 points). Write your answers on your notebook.

# What I Have Learned

# Performance Task 1

berformance) (Rubrics is provided for this

# What I can do

# Performance Task 2

performance) (Rubrics is provided for this

# **VESTERNAL**

# TRUE OR FALSE

- I. TRUE
- 2. TRUE
- 3. TRUE
- 4. TRUE
- 2. TRUE

- 9. FALSE

- 7. TRUE
- 8. FALSE
- 9. TRUE
- 10.FALSE

# Additional Activity

on the table. 1. Use both hands to anchor work flat

2. Separate the big units with the small

.etinu

3. Place the cloth parts flat on the table.

when sewing. 4. Label the units to avoid confusion

the sewing machine table. sewed first, place it at the right side of 5. To get easily the garment parts to be

Answer Key

performance

What's More

What's New

What's In

aniq .01

9. cloth

8. pins

6. label

7. needle

(Rubrics is provided for this

Performance Task 1

2. SELVAGE


5. SNAGGED

I. PINNING

(Answers may vary)

3. GRAIN

4. CUTTING LINE



- 4. needles
- 5. grainline

- 3. right side
- - 2. hands
- 1. damp

# References

CONTENT / BOOKS:

<u>Complete Guide to Sewing. Reader's Digest.</u> The Reader's Digest Association, Copyright 1976pleasantville, New York, montreal, p. 18 Publishing Co., Inc. – New York pp. 242-269

DECS 1992, Home Economics Clothing II, Isular Printing Corporation Phillippines pp. 68-69

De Guzman, Ines A. and Suratos, Cesar P. <u>Technology and Home Economics</u> (First Year). Manila, Philippines. Saint Bernadette Publication, Inc., 1993

Del Rosario, Marissa and Constancia Del Rosario. <u>Clothing and Textile III & IV.</u> Manila, Philippines. Philippine Book Company. 1986.

Erwin, Mabel D. <u>Clothing for Modern Sixth Edition</u>. Quezon City, Philippines, JMC Press Inc.,1979

Francisco, Chic R. <u>Rudiments of Simplified Pattern Making of Men's Wear.</u> Manila, Philippines. Golden Ideas Publishing House, Inc., 2006.

Hilario, Carmelita B. Clothing Technology 9Made Easy). Valenzuela City, Philippines. 24K Printing Co., Inc., 2001.

Minott, Jan Pants and Skirts. USA Burges Publishing Company, 1974.

Department of Education, Culture and Sports, SEDP Series. <u>Technology and Home Economics</u>, <u>Home Technology Clothing II</u> Fourth Year High School. CONTENT / BOOKS:

<u>K to 12 Basic Education Curriculum 3 Technology and Livelihood Education – Dressmaking/Tailoring Learning Module</u> Avendano, Emma S., Rondilla, Aida h., et.al. Pinoy Entrepreneur. Diwa Scholastic Press Inc. 2007.

Barclay, Marion S., Champion, Frances, et.al., <u>Teen Guide to Homemaking</u>. McGrw-Hill Company Company.1972.

Cock, Valerie, <u>Dressmaking Simplified, Third Edition.</u> Blackwell Science Ltd., 1981. Cruz, Duran, et.al. Home Economics IV. Adriana Publishing Co., Inc. 2002.

Draper, Wanda and Bailey, Annetta, <u>Steps in Clothing Skills</u>, Revised. Bennett Publishing Company, 1978.

Francisco, Chic R., <u>Complete Step-By-Step Guide to Pattern-Making and Sewing of Various Skirt Styles.</u> Golden Ideas Publishing House, Inc., 2000.

Lyle, Dorothy S. And Brinkley, Jeanne, <u>Contemporary Clothing</u>. Bennett Publishing Company, 1983.

Smith, Alison, Sew Step by Step, DK Publishing, USA, 2011.

Suratos, Cesar P., <u>Technology and Livelihood Education III</u>. St. Bernadette Publishing House Corporation, 2010.

Tabbada, Epifania, Reyes, Elisa. <u>Dressmaking II.</u> Phoenix Publishing House, Inc. 2008.

Wills, Lydia., <u>The Complete Idiot"s Guide</u>. Pearson Education Asia, Pte. Ltd., Philippines, 2000.

Guide Book

Ref: Effective THE series IV, Cruz et al pp. 246-247

Manzarate, Freddie. Dressmaking Guide Book. National Book Store, 1983.

#### Web sites:

# **Leena's Pattern Drafting Lessons:**

https://sewoverit.co.uk/ultimate-trousers-sewalong-no-4-sewing-the-seams/

http://www.leenas.com/English/draw\_women\_pants.html

https://www.pinterest.ph/pin/418060777880708329/

https://siemachtsewingblog.com/2017/11/altering-pants-pattern-pieces/

https://www.threadsmagazine.com/2008/11/02/tapering-or-widening-pants

https://www.google.com/search?q=front+and+back+trousers+with+allowances&sxsrf=ALeKk01T6h

NbAmAvf1aW7x1hEbUQalEdtA:1612692627483&tbm=isch&source=iu&ictx=1&fir=SSXXU-

jQMT1GmM%252C8amRTBCINYpE5M%252C &vet=1&usg=Al4 -

kSGprAUyoRRnF6DnE9EcPKaeW8frw&sa=X&ved=2ahUKEwjCnMWZxNfuAhUUHXAKHf8AD1EQ9QF6

BAgFEAE#imgrc=Lpgnud79dHWiqM

https://online.mhjc.school.nz/course/view.php?id=7001

https://online.mhjc.school.nz/course/view.php?id=7001

https://www.eyemu.info/

https://drive.google.com/file/d/0B z06SM0SYwnQnVHelZRVncwSW8/view

# For inquiries or feedback, please write or call:

Department of Education – Schools Division of Negros Oriental Kagawasan, Avenue, Daro, Dumaguete City, Negros Oriental

Tel #: (035) 225 2376 / 541 1117

Email Address: negros.oriental@deped.gov.ph

Website: Irmds.depednodis.net

