| Column Name | Accepted Values |
|---|--|
| Treatment Status | Treatment ended |
| | Continuation of Treatment |
| | Treatment ineffective due to additional resistance |
| | Patient stopped treatment |
| | Terminated from study |
| | New drugs available |
| | Drug(s) no longer available |
| | Adverse event |
| | Not Reported |
| Hain Rifampicin | Resistant |
| | Sensitive |
| | Not Reported |
| Social Risk Factors | Current smoker |
| | Documented MDR contact |
| | Patient alcohol abuse |
| | Ex prisoner |
| | TB care worker |
| | Homeless |
| | Worked abroad |
| | Patient drug abuse |
| | Immigrants |
| | refugees, internal migrants |
| | Not Reported |
| Rater | Radiologist |
| | General practitioner |
| | Other |
| | Not Reported |
| Pleural Effusion Percent of Hemithorax Involved | Less than 50, |
| | • 0 |
| | Greater than or equal to 50 |
| | Not Reported |
| Drug Regimen | Bedaquiline |
| | Clofazimine |
| | Cycloserine |
| | Levofloxacin |
| | Linezolid |
| | Capreomycin |
| | p-aminosalicylic acid |
| | Prothionamide |
| | Ethambutol |
| | • Kanamycin |
| | Pyrazinamide |
| | Rifampicin |
| | Amoxicillin-clavulanate |
| | Delamanid |
| | Imipenem-cilastatin |
| | Isoniazid |

| | Streptomycin |
|-------------------|---|
| | Moxifloxacin |
| | Pretomanid |
| | Aminoglycosides - injectible agents |
| | Ofloxacin |
| | Amikacin |
| | Ethionamide |
| | Terizidone |
| | Antiretroviral therapy |
| | Cotrimoxazol preventive |
| | Clarithromycin |
| | Fluoroquinolones |
| | Not Reported |
| Hain Isoniazid | Resistant |
| | Sensitive |
| | Intermediate |
| | Not Reported |
| Small Nodules | Lower Left Sextant-Yes |
| | Lower Left Sextant-No |
| | Lower Right Sextant-Yes |
| | Lower Right Sextant-No |
| | Middle Left Sextant-Yes |
| | Middle Right Sextant-Yes |
| | Upper Left Sextant-Yes |
| | Upper Right Sextant-Yes |
| | Middle Left Sextant-No |
| | Middle Right Sextant-No |
| | Upper Left Sextant-No |
| | Upper Right Sextant-No |
| | • None |
| | Not Reported |
| Calcified Nodules | Lower Left Sextant-Yes |
| | Lower Left Sextant-No |
| | Lower Right Sextant-Yes |
| | Lower Right Sextant-No |
| | Middle Left Sextant-Yes |
| | Middle Right Sextant-Yes |
| | Upper Left Sextant-Yes |
| | Upper Right Sextant-Yes |
| | Middle Left Sextant-No |
| | Middle Right Sextant-No |
| | Upper Left Sextant-No |
| | Upper Right Sextant-No |
| | None |
| | Not Reported |
| Gene Name | • katG |
| | • rpoB |
| | • rpsL |
| | • embB |
| | - CHIND |

| • inhA-Pro |
|----------------------------------|
| • gyrA |
| • rrs |
| • pncA |
| • inhA |
| Not Reported |