

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
In [16]: df=pd.read_csv(r"C:\Users\lahar\Downloads\archive (3)\Titanic-Dataset.csv")
df.head(10)
```

Out[16]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500
5	6	0	3	Moran, Mr. James	male	NaN	0	0	330877	8.4583
6	7	0	1	McCarthy, Mr. Timothy J	male	54.0	0	0	17463	51.8625
7	8	0	3	Palsson, Master. Gosta Leonard	male	2.0	3	1	349909	21.0750
8	9	1	3	Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)	female	27.0	0	2	347742	11.1333
9	10	1	2	Nasser, Mrs. Nicholas (Adele Achem)	female	14.0	1	0	237736	30.0708

```
In [17]: df.describe()
```

```
Out[17]:
```


	PassengerId	Survived	Pclass	Age	SibSp	Parch	Fare
count	891.000000	891.000000	891.000000	714.000000	891.000000	891.000000	891.000000
mean	446.000000	0.383838	2.308642	29.699118	0.523008	0.381594	32.204208
std	257.353842	0.486592	0.836071	14.526497	1.102743	0.806057	49.693429
min	1.000000	0.000000	1.000000	0.420000	0.000000	0.000000	0.000000
25%	223.500000	0.000000	2.000000	20.125000	0.000000	0.000000	7.910400
50%	446.000000	0.000000	3.000000	28.000000	0.000000	0.000000	14.454200
75%	668.500000	1.000000	3.000000	38.000000	1.000000	0.000000	31.000000
max	891.000000	1.000000	3.000000	80.000000	8.000000	6.000000	512.329200

```
In [18]: df['Survived'].value_counts()
```

```
Out[18]: Survived  
0      549  
1      342  
Name: count, dtype: int64
```

```
In [20]: sns.countplot(x=df['Survived'],hue=df['Pclass'],color="red")
```

```
Out[20]: <Axes: xlabel='Survived', ylabel='count'>
```




```
In [97]: df["Sex"]
```

```
Out[97]: 0      1
         1      0
         2      0
         3      0
         4      1
         ..
        886     1
        887     0
        888     0
        889     1
        890     1
        Name: Sex, Length: 891, dtype: int32
```

```
In [98]: sns.countplot(x=df['Sex'],hue=df['Survived'],color="orange")
```

```
Out[98]: <Axes: xlabel='Sex', ylabel='count'>
```



```
In [99]: df.groupby("Sex")[['Survived']].mean()
```

```
Out[99]:
```

	Survived
Sex	
0	0.742038
1	0.188908

```
In [101]: from sklearn.preprocessing import LabelEncoder
labelencoder = LabelEncoder()
df['Sex'] = labelencoder.fit_transform(df['Sex'])
df.head()
```

Out[101]:

	PassengerId	Survived	Pclass	Name	Sex	SibSp	Parch	Ticket	Fare	Embark
0	1	0	3	Braund, Mr. Owen Harris	1	1	0	A/5 21171	7.2500	
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	0	1	0	PC 17599	71.2833	
2	3	1	3	Heikkinen, Miss. Laina	0	0	0	STON/O2. 3101282	7.9250	
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	0	1	0	113803	53.1000	
4	5	0	3	Allen, Mr. William Henry	1	0	0	373450	8.0500	


```
In [102]: df['Sex'], df['Survived']
```

Out[102]:

```
(0      1
1      0
2      0
3      0
4      1
..
886    1
887    0
888    0
889    1
890    1
Name: Sex, Length: 891, dtype: int64,
0      0
1      1
2      1
3      1
4      0
..
886    0
887    1
888    0
889    1
890    0
Name: Survived, Length: 891, dtype: int64)
```

```
In [103]: sns.countplot(x=df['Sex'],hue=df['Survived'])
```

```
Out[103]: <Axes: xlabel='Sex', ylabel='count'>
```



```
In [104]: df.isna().sum()
```

```
Out[104]: PassengerId    0
Survived              0
Pclass               0
Name                 0
Sex                  0
SibSp                0
Parch               0
Ticket              0
Fare                0
Embarked            2
dtype: int64
```

```
In [107]: x=df[['Pclass','Sex']]
y=df['Survived']
```

```
In [108]: from sklearn.model_selection import train_test_split
x_train, x_test, y_train, y_test = train_test_split(x,y, test_size = 0.2, ra
```

```
In [109]: from sklearn.linear_model import LogisticRegression
log = LogisticRegression()
log.fit(x_train, y_train)
```

```
Out[109]: ▾ LogisticRegression
LogisticRegression()
```

```
In [110]: pred = print(log.predict(x_test))
```

```
[0 0 0 1 1 0 1 1 0 1 0 1 1 1 0 0 0 0 0 1 0 0 1 1 0 1 1 1 0 1 0 0 0 0 0
 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0 1 0 0 0 0 1 0 0 0 1 1 0 1 0 1 0 1 1 1 0 0 0
 0 1 0 0 0 0 0 0 1 0 0 1 1 1 1 0 0 0 0 1 1 0 1 0 0 0 0 0 0 0 1 1 1 1 0 1 0
 1 0 1 0 1 1 1 0 1 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 1 0 0 0 1 0 1 1 1 0 1
 1 0 0 1 1 0 1 0 1 1 0 0 1 1 0 0 0 0 0 0 0 1 0 0 1 0 1 0 0]
```

```
In [111]: print(y_test)
```

```
495    0
648    0
278    0
31     1
255    1
..
780    1
837    0
215    1
833    0
372    0
Name: Survived, Length: 179, dtype: int64
```

```
In [112]: import warnings
warnings.filterwarnings("ignore")
res=log.predict([[495,0]])

if(res==0):
    print("Survived")
else:
    print("Not survivrd")
```

Survived

```
In [ ]:
```

```
In [ ]:
```