Search topics, tutorials, questions and answers...

BOOTSTRAP5 (v4.6) PHP7 SQL

REFERENCES

EXAMPLES

o s

SNIPPETS

Q

#### **WEB TUTORIALS**

HTML5

CSS3

**JAVASCRIPT** 

**JOUERY** 

HTML Tutorial CSS Tutorial JavaScript Tutorial jQuery Tutorial Bootstrap Tutorial PHP Tutorial

**SOL** Tutorial

#### PRACTICE EXAMPLES

HTML Examples
CSS Examples
JavaScript Examples
jQuery Examples
Bootstrap Examples
PHP Examples

# HTML Tags/Elements

HTML Global Attributes
HTML Event Attributes
HTML Color Picker
HTML Language Codes
HTML Character Entities
HTTP Status Codes

### CSS REFERENCES

CSS At-rules

**CSS Properties** 

**CSS Animatable Properties** 

CSS Color Values

CSS Color Names

CSS Web Safe Fonts

**CSS Aural Properties** 

#### PHP REFERENCES

PHP Array Functions
PHP String Functions
PHP File System Functions
PHP Date/Time Functions
PHP Calendar Functions
PHP MySQLi Functions
PHP Filters
PHP Error Levels

```
Plesk

Your 14-day Plesk trial is Now
```

## How to Make a Redirect in PHP

## Answer: Use the PHP header() Function

You can simply use the PHP header() function to redirect a user to a different page.

The PHP code in the following example will redirect the user from the page in which it is placed to the URL http://www.example.com/another-page.php . You can also specify relative URLs.

If you want to redirect the users from old page to a new page on a permanent basis then also mention HTTP response code in the header() function as shown in the following example, so that search engines transfer "page rank" from the old page to the new page.

If the status code is not specified explicitly, for instance header("Location: URL") defaults to 302 (Found). For temporary redirect use the HTTP status code 307.

## **Related FAQ**

Here are some more FAQ related to this topic:

- · How to get current page URL in PHP
- How to remove special characters from a string in PHP
- How to extract substring from a string in PHP

≪ PREVIOUS PAGE NEXT PAGE »

ADVERTISEMENTS

No

Trello

Sign U