#### M.L.Parmar College of Computer Science & IT

T.Y.B.C.A(SEM-5th)

**UNIX & Shell Programming (Paper No-502)** 

# **MCQ - Study**

- 1 The command to search the pattern "Hi there" in file1 would be
  - A. grep "Hi there" file1
  - B. grep Hi there file1
  - C. grep \file1
  - D. grep 'Hi there' file1
- 2 The command head f1 would display
  - A. First line of the file f1
  - B. Nothing
  - C. First 10 lines of the file f1
  - D. The whole file f1
- 3 After you have entered text in your file, to save and quit vi you will use
  - A. Esc ZZ
  - B. Shift ZZ
  - C. Esc:q Enter
  - D.:wq

#### 4 The difference between the commands ps -e and ps -a is

- A. ps —e gives details of every process running in memory whereas ps —a gives output for all the process that you have launched
- B. `ps –e gives details of every process running in memory whereas ps –a gives details of all user processes
- C. No difference, both give same output
- D. None of the above

# 5 The father of all processes is

- A. root
- B. sh
- C. init
- D. sched
- 6 For a person to receive messages he should have his terminal set to a parameter which will allow him receive messages. The command to set this parameter is
  - A. message -on
  - B. msg -o
  - C. mesg-y
  - D. message -y
- 7 The command that unix offers to a user to find out whether he can send messages to a particular terminal are
  - A. finger and who
  - B. finger -mesg and who -T
  - C. finger -l and who -t
  - D. finger -I and who -T

#### 8 The message of the day is stored in a file called

- A. /etc/profile
- B. /etc/pwd
- C. /etc/motd
- D. /etc/profile

#### 9 The incoming mail of user with the login name bca1 is stored in the file

- A. /usr/spool/mail/bca1
- B. /usr/bca1/mbox
- C. /spool/mail/bca1
- D. /usr/bca1/mbox

#### 10 .mailrc is the file

- A. Which stores the incoming mail
- B. Which is used to type the mail to be sent
- C. Which is invoked when the mail command is executed
- D. Which permits you to customize the vi environment

## 11 Which of the following assignments is illegal

- A. a=`ls`
- B. b=`ls -l`
- C. c=`1922`
- D. d=`who | grep bca1`

## 12 The shell meta character \$# represents

- A. Total number of arguments supplied to the shell script
- B. Total number of files in the current directory
- C. Total number of users who have logged in
- D. Total number of processes running in the background

#### 13 When we are executing a shell script the shell acts as

- A. An interpreter
- B. A compiler
- C. An operating system
- D. Assembler

#### 14 The metacharacter \$\* represents

- A. Number of parameters supplied at the command prompt
- B. Parameters supplied at the command prompt
- C. Value of the variable \*
- D. All files in the current directory

#### 15 A shell variable cannot start with

- A. An alphabet
- B. A number
- C. A special symbol other than underscore
- D. A number and special symbol other than underscore

# 16 The statement z='expr 5/2' would store in z a value

- A. 2.5
- B. 3
- C. 2
- D. 0

#### 17 The break statement is used to exit from

- A. An if statement
- B. A for loop
- C. A program
- D. if else statement

18 1	he cp command uses
Α	. Standard input file

- B. Standard output file
- C. Both input and output file
- D. Neither input nor output file

#### 19 Which command is used to terminate a process

- A. shutdown
- B. haltsys
- C. cancel
- D. kill

# 20 The command is used to compare the files is known as

- A. comp
- B. cmp
- C. do
- D. ccp

# 21 The command which transcribes the standard input to the standard output and also makes a copy of the same in a file is

- A. tee
- B. tr
- C. sort
- D. grep

22 VI	vincii command is used to remove a directory
A.	rd
В.	rmdir
C.	didir
D.	rdir
23 W	hich command is used to extract a specific columns from the file
A.	cat
В.	cut
C.	grep
D.	paste
24 W	hich command sends the word count of the file infile to the newfile.
A.	wc infile > newfile
В.	wc newfile
C.	wc infile -newfile
D.	wc infile  newfile
	Which command is used to remove the read permission of the file 'note' from both e group and others?
A.	chmod go+r note
В.	chmod go+rw note
C.	chmod go-x note
D.	chmod go-r note
26 V	Which command will be used with vi editor to insert text to left of cursor?
A.	S
В.	S
C.	a
D.	i

Which command is used to concatenate all files beginning with the string 'emp' and followed by a non-numeric characters?
A. cat emp[!0-9]
B. more [emp][!0-9]
C. cat emp[x-z]
D. cat emp[a-z]
Which of the following special shell variable is used to process number of the last background job?

29 Which of the following commands is used to identify the type of file by context?

A. Is

A. \$!

B. \$@

C. \$# D. \$\*

- B. cat
- C. file
- D. more

30 The field separator in cut command is specified with

- A. -a option
- B. -d option
- C. -r option
- D. -I option

# 31 Which option will be used with touch command to change the access time? A. -a option B. -d option C. -r option

#### 32 Which file gets executed when we use the passwd command

- A. /etc/passwd
- B. /etc/pwd

D. -I option

- C. /bin/passwd
- D. /passwd

#### 33 The command cal j 1997 would give the output as

- A. The calendar of jan, june and july 1997
- B. Only calendar of jan 1997
- C. An error
- D. The calendar of january 1997

# 34 The output of command banner "Unix shell programming" would be

- A. A banner showing 'unix','shell' and 'programming' words displayed in
- B. A banner showing 'unix shell' in one single line
- C. Nothing
- D. A banner showing 'unix shell programming' in one line.

# 35 To see the last access time of various files in a file system the command is

- A. Is -lu
- B. Is-I
- C. Is -ac
- D. Is -mt

#### 36 Which of the following is not true

- A. Sorting is done on the basis of first character of each line
- B. Sort command sorts a file word by word rather than line by line
- C. Sort command has provision to do a numeric sort
- D. Sort is not a filter

# 37 To change the access time of a file to 12:40 PM on 26th Jan 1997 the command would be

- A. Touch -a 2601971240 file
- B. Touch -a 1240260197 file
- C. Touch -a 0126124097 file
- D. Touch -a 9701261240 file

#### 38 The command cut -f 2,8 -d":"file! would output

- A. The fields 2 to 8 from file! where delimiter between fields is:
- B. The fields 2 to 8 from filel including the delimiter: between fields
- C. The columns 2 to 8 from file! with: between each column
- D. None of the above

## 39 \_\_\_\_\_ section can be used if we've to print something before processing the first line.

- A. end
- B. begin
- C. start
- D. first

## 40 The command echo welcome > /dev / tty

- A. Echoes welcome in all the terminals that are switched on.
- B. Echoes welcome in all the terminals that are logged on.
- C. Echoes welcome only in the terminal in which it is run.
- D. Both (a) and (c)

41 In	awk, the built-in variable FS is
A.	input field seperator
В.	output field seperator
C.	record seperator
D.	subscript seperator
42 W	hich command is used to make all files and sub-directories in the directory (progs)
exe	ecutable by all users?
A.	chmod -R a+x progs
В.	chmod -R 222 progs
C.	chmod -1 a+x progs
D.	chmod -x a+x progs
43 W	hich command is used to display and create files?
A.	cat
В.	haltsys
C.	ed
D.	lyrix
44 W	hich of the following commands is used to display top lines of file?
A.	head
В.	tail
C.	wc
D.	cut
45 W	hich of the following command is used to join the file vertically?
A.	paste
В.	cut
C.	uniq
D.	head

the logged in	and in unix is used by the system administrator to send message to all users?
A. mesg	
B. window	
C. wall	
D. comm	
47	command is used to suspend the foreground job.
A. fg	
B. bg	
C. ctrl+z	
D. ctrl+d	
A. Is B. cat C. date D. pwd	
49	_comands don't generate process and are executed directly by kernel.
A. Internal	
B. External	
C. both	
D. None of the	e above

	ich of the signal is used to terminate a job for sure?
A. S	IGINT
	IGTERM
C. S	IGKILL
D. S	IGQUIT
51	is the feature used to store the output in a file instead of displaying it on
mon	itor(Output device).
Λ Ι,	nput redirection
	Output Redirection
	ong listing using Is
	Ione of the above
52	is the state of chprocess in which the process is terminated but its parent
	is the state of chprocess in which the process is terminated but its parent tess doesn't read the exist status of it.
proc	ess doesn't read the exist status of it.
<b>proc</b> A. C	ress doesn't read the exist status of it.
A. C B. b	ess doesn't read the exist status of it. Orphan ackground
A. C B. b C. Z	ress doesn't read the exist status of it.  Orphan ackground ombie
A. C B. b C. Z	ess doesn't read the exist status of it. Orphan ackground
A. C B. b C. Z	ress doesn't read the exist status of it.  Orphan ackground ombie
A. C B. b C. Z	ress doesn't read the exist status of it.  Orphan ackground ombie
A. C. B. b. C. Z. D. N.	ress doesn't read the exist status of it.  Orphan ackground ombie Ione of the above  is the attribute of a file not stored in inode block of the file.
A. C. B. b. C. Z. D. N.	press doesn't read the exist status of it.  Orphan ackground ombie Ione of the above  is the attribute of a file not stored in inode block of the file.
A. C. B. b. C. Z. D. N. S. A. ir. B. fi	ress doesn't read the exist status of it.  Orphan ackground ombie Ione of the above  is the attribute of a file not stored in inode block of the file.  node number le name
A. C. B. b. C. Z. D. N. S. A. ir. B. fi. C. fi.	press doesn't read the exist status of it.  Orphan ackground ombie Ione of the above  is the attribute of a file not stored in inode block of the file.

54 \_\_\_\_\_ represents beginning of file in the given regular expression.

- A. \$
- B. ^
- C. /
- D. \*

55 Which of the following pattern will match with the regular expression ^[0-9]?

- A. pattern that begins with digit
- B. pattern that does not begin with digit
- C. pattern that ends with digit
- D. pattern that ends with alphabet

56 Identify the following operator. "ch\{m,n\}"

- A. Character class
- B. Repetition Operator
- C. Save operator
- D. Sequence Operator

57 Which of the following command is used to display all the lines starting with special characters in the file f1?

- A. grep "^[a-zA-Z0-9].\*\$" f1
- B. grep -v "^[a-zA-Z0- 9].\*\$" f1
- C. grep "[a-zA-Z0-9].\*\$" f1
- D. grep "[A-Z0-9].\*\$" f1

Page 14

UNIX-MCQ

58 Which one of the following command is used for searching for a pattern in one or

subset?	
A. *	
B*	
C. ^\$	
D. ch+	
63 Which of the following symbols are used for ma	atching multiple patterns?
A.	
B. &	
C. ( and )	
D.   and ( and )	
54 Which of the following commands is known as s	stream editor?
A. sed	
B. grep	
C. grep	
D. tr	
T MCO	
-MCQ	Pag

62 Which of the following is not a subset of BRE (basic regular expression) character

65	Which one of the following command will be used for quitting after selecting 3 lines
	from file emp.lst?

- A. sed -n 3 emp.lst
- B. sed -i 1-3 emp.lst
- C. sed '3q' emp.lst
- D. sed -n

# 66 Which option is used with sed for using multiple instructions?

- A. -f
- B. -n
- С. -е
- D. -f and -e

# 67 To perform context addressing, we have to enclose the pattern in \_\_\_\_\_

- A. double quotes
- B. single quotes
- C. //
- D. \$\$

68	represents the device dirver this is actually the type of device being refered to.
В.	minor number inode number major number
	None of the above is the process that executes with process id 1.
В. С.	getty init shell None of the above
70	passwd as a data file, that store user information with password is generally stored in directory.
В. С.	/etc /dev /tmp /var
71	Which of the following character represents, link file in the output of "Is -I" command?
A. B. C. D.	b s

# 72 Which of the following command is used to rename a file as well as move a file from one directory to another directory?

- A. rm
- B. mv
- C. rename
- D. mkdir

# 73 Identify the command that can copy the content of f1 to f2.

- A. cat f1>f2
- B. copy f1 f2
- C. cp f1 f2
- D. Both (a) and (c)

# 74 Which command is used to sort the lines of data in a file in reverse order.

- A. sort
- B. sh
- C. st
- D. sort -r

# 75 In Unix, how do you check that two given strings a and b are equal?

- A. test \$a -eq \$b
- B. test \$a -equal \$b
- C. test a = b
- D. both a and c

# 76 In which mode of vi editor "wq" command is written to save a file?

- A. command
- B. ex-mode
- C. insert
- D. None of the above
- 77 \_\_\_\_\_ key is used to switch from insert mode to command mode.
  - A. Esc
  - B. ctrl
  - C. alt
  - D. space

# 78 Which of the following is used to implement command substitution?

- A. a pair of `
- B. a pair of '
- C. a pair of "
- D. a pair of \$

# 79 What are the functions performed by expr command?

- A. arithmetic operations on integers
- B. string manipulations on strings
- C. both a and b
- D. None of the above

# 80 Which of the following command is used to create a link between two files?

- A. Is
- B. link
- C. In
- D. nl

# 81 Which statement is not correct about "init" process in Unix?

- A. It is generally the parent of the login shell.
- B. It has PID 1.
- C. It is the first process in the system.
- D. Init forks and execs a 'getty' process at every port connected to a terminal.

# 82 Unix command to change the case of first three lines of file "shortlist" from lower to upper

- A. f(a-z)'(A-Z)' shortlist f(a-z)'
- B.  $\frac{1}{2}$  head-3 shortlist  $\frac{1}{2}$  tr ' $\frac{1}{2}$  and ' $\frac{1}{2}$  ' $\frac{1}{2}$  A Z]'
- C. \$ tr head -3 shortlist '[A Z]' '[a z]'
- D. \$ tr shortlist head -3 '[a-z]' '[A-Z]'
- 83 In UNIX, \_\_\_\_\_ creates three subdirectories: 'PIS' and two subdirectories 'progs' and 'data' from just created subdirectory 'PIS'.
- A. mkdir PIS/progs PIS/data PIS
- B. mkdir PIS progs data
- C. mkdir PIS PIS/progs PIS/data
- D. mkdir PIS/progs data

B. chmod a + x myfile
C. chmod + x myfile
D. All of the above
Which of the following is used to send the output of one command as an input of another command?
A. pipe
B. Is
C. cat
D. asterisk
86 Which of the following keys is used to replace a single character with new text?
A. S
B. s
C. r
D. C
87 Which command is used to count lines of the file "infile" ?
A. wc -o infile
B. wc -l infile
C. wc -c infile
D. wc -w infile

Page 21

84 In Unix, the command to enable execution permission for file "mylife" by all is

A. chmod ugo + x myfile

UNIX-MCQ

88 Which of the following is not a communication command.	
A. write	
B. mesg	
C. mail	
D. grep	
89 Which symbol is used to separate more than one command in the same command line?	
A. \$	
B. #	
C. :	
D. ;	
90 Which command is used to display the characteristics of a process?	
A. pid	
B. du	
C. ps	
C. ps D. au	
•	
91 command is used to ensure that the background process do not die when you	
91 command is used to ensure that the background process do not die when you logout.	
91 command is used to ensure that the background process do not die when you logout.  A. dontdie	
<ul> <li>91 command is used to ensure that the background process do not die when you logout.</li> <li>A. dontdie</li> <li>B. kill</li> </ul>	

A. Begin
B. End
C. stop
D. execute
93 awk supports array in which information is held as key-value pair.
A. creative
B. associative
C. formative
D. None of the above
94 What does the "0" signify as an output of exit status?
A. Successful completeion of last executed command
B. unsuccessful completeion of last executed command
C. command executed with error
D. None of the above
95 Shell scripts are executed in a separate child shell process.
A. TRUE
B. FALSE
C. Can not be determined
D. None of the above

92 \_\_\_\_\_ is the section processed after the file processing is over in awk.

# 96 Which command is used for making the scripts interactive?

- A. ip
- B. input
- C. read
- D. write

# 97 A single read statement can be used with one or more variables.

- A. TRUE
- B. FALSE
- C. Can not be determined
- D. None of the above

#### 98 What are positional parameters?

- A. special variables for assigning arguments from the command line
- B. pattern matching parameters
- C. special variables for taking input using read
- D. special variables and patterns

# 99 Which of the following operators are used for Conditional execution?

- A. ||
- B. &&
- C. %%
- D. && and ||

	ich one of the following option is d for AND operation?
A.	-0
В.	-a
С.	-e

# **101** Which command is used for changing filename extensions?

A. chown

D. -an

- B. rename
- C. basename
- D. rm

# 102 Which command is used by the shell for manipulating positional parameters?

- A. set
- B. cut
- C. case
- D. paste

# 103 What is the prompt for system administrator?

- A. \$
- B. %
- C. #
- D. &

# 104 test command can be used to check which of the following? A. Compare two numbers B. Compare two strings C. Check attributes of a file D. All of the mentioned

105	test and	[] car	ı be	used	for	string	comparison.
<b>TO</b> 3	tcst and	ı ı cai		uscu	101	3111115	COILIDAL ISOLI.

- A. TRUE
- B. FALSE
- C. Can not be determined
- D. None of the above

<b>106</b>	is the system variable contains
	sequence of characters that are used as word
	seperator.

- A. IFS
- B. HOME
- C. PATH
- D. PS1

## 107 Which of the following is not a filter?

- A. date
- B. head
- C. tail
- D. cut

# 108 Which of the following option is used to overcome the problem of duplicate lines?

- A. -a
- B. -n
- C. -i
- D. -c

# 109 Which of the following command will print details of top 3 students, where the file is sorted as per marks?

- A. head -3 stud.dat
- B. tail -3 stud.dat
- C. head +3 stud.dat
- D. tail +3 stud.dat

# 110 Which of the following is contained in boot block?

- A. inode
- B. Master boot Record
- C. Shell program
- D. None of the above

# Which one of the following command will be used for adding two spaces before every line in emp.lst?

- A. sed 's/^//' emp.lst
- B. sed 's / / /'emp.lst
- C. sed 's /\$/ /'emp.lst
- D. sed 's/\$/

# 112 Which shortcut does sed offer to replace the string Linux with Red hat Linux?

- A. {}
- B. ()
- C. ^^
- D. &

113	Awk filter operates at field level.
	A. TRUE
	B. FALSE
	C. May be
	D. Can't say
114	The default action if selection_criteria is missing is
	A. print
	B. split
	C. print and split
	D. no default action
115	awk uses for splitting a line into fields.
	A. special parameters
	B. shell variables
	C. env variables
	D. command arguments
	D. communa arguments
116 U	Jnix OS was first developed by
A.	Dennis Ritchie
В.	Bjarne stroustrup
C.	Ken Thompson
D.	Brian Kernighan
117 U	Jnix OS was first developed at
A.	Microsoft corp. USA
В.	AT & T Bell Labs, USA
C.	IBM, USA
D.	Borland International, USA

#### 118 Unix is written in

- A. Clanguage
- B. Ada language
- C. Perl language
- D. Pascal language

#### 119 Unix is a

- A. Single User, Single tasking OS
- B. Single User, Multitasking OS
- C. Multi-User, Multi-tasking OS
- D. Multi-User, Singletasking OS

# 120 Which of the following is a command for searching a pattern in a file?

- A. Find
- B. group
- C. lookup
- D. grep

# 121 Unix Command can be typed in

- A. Lower case
- B. Upper case
- C. Both cases
- D. Mixed cases

# 122 Shell Program is stored in a file called

- A. unix
- B. sh
- C. cc
- D. dd

123 Which Shell offers command history feature?
A. C shell
B. Bourne shell
C. Korn shell
D. Visual shell
124 The minimum number of links for any directory file are
A. 3
B. 4
C. 1
D. 2
125 The default value of umask is
A. 1024
B. 2048
C. 0022
D. 1001
126 Binary executable required for system administration is usually placed in
directory.
A. /etc
B. /usr
C. /dev
D. none
127 All user directories are usually placed in directory.
A. /etc
B. /usr
C. /dev
D. none

# A. Pressing the keys ctrlc B. Typing save and pressing enter C. Pressing Esc key D. Pressing ctrl-d 130 The file for which we do not have write permission can be deleted using the command A. rm -I file B. rm -i file C. rm -r file D. rm -f file 131 The permission 746 can be represented as A. rwxrwx--x B. rw--w-r-x C. rwxr-xr-x D. rwxr--rw-132 A Sticky bit applies to a file would mean that A. No one can remove it B. It would stick around in memory even when its execution is over C. Next time you login it would get executed on its own D. Only the file's owner or root user can remove it **UNIX-MCQ** Page 31

128 If there are three links for a file then the number of copies of the file would be

129 After typing the contents of file test created by you by giving the command

A. OneB. TwoC. ThreeD. Zero

cat>test you save the contents by

# 133 The command pwd gives A. Present Working Directory B. Previous Working Directory C. Password in encrypted form D. Password in decrypted form 134 which of the following is not a unix command A. cd B. rm C. del D. pwd

135 The size of any block in the unix file system is

- A. 512 bytes
- B. 1024 bytes
- C. 2048 bytes
- D. Any of the above

# 136 Each entry in inode table is of size

- A. 64 kb
- B. 32 kb
- C. 32 bytes
- D. 64 bytes

# 137 Which of the following is not and input mode command?

- A. s
- B. a
- C. i
- D. x

#### 138 The state of the file system is contained in

- A. Boot block
- B. A special block created by Book Block
- C. Super Block
- D. Data Block

#### 139 What is FNR?

- A. FNR is the current record number in the current file
- B. FNR is the number of fields in the current input record
- C. FNR is an array contains the value of environment
- D. None of the above

#### 140 Which command will delete all the blank lines in file old.txt?

- A. sed '/d' old.txt
- B. sed '/^/d' old.txt
- C. sed '/^\$/d' old.txt
- D. sed  $'/^*/d'$  old.txt

# 141 \_\_\_\_\_ is the directory in which all the device files are stored?

- A. /dev
- B. /tmp
- C. /usr
- D. /bin

# is the command to delete all the digits from the file f1.

- A. sed  $\frac{(0-9)}{g}$  f1
- B. sed 's///g' f1
- C. sed 's/[0-9]//' f1
- D. sed 's/[a-zA-Z]//g' f1

143	is the command used to start debugging.
A. 9	set -x
B. 9	set +x
C. 9	set -d
D. 9	set +d
144	If no file is specified in sed command then
A. s	sed command will not work
B. 9	sed reads from standard input
C. 9	sed reads the data already present in buffer
D. i	t is necessary to provide the filename
A. sed B. sed C. sed	Which command is used to replace word 'cat' (already present in the file) with ouse' at all places in a file 'old.txt' and save the result in a new file 'new.txt'?  's/cat/mouce/g' old.txt > new.txt  's/cat/mouse' old.txt new.txt  '/s/cat/mouse/g' old.txt new.txt  '/s/cat/mouse' old.txt > new.txt
146 V	Which option can be used with 'rm' command to prompt for file removal?
A. –as	k
В. –і	
C. –c	
D. –n	

147 Following is the utility program to perform complex mathematical computation.
A. expr
B. bc
C. cal
D. calci
148 Out of the following which can place in home directory?
A. cd
B. cd ~
C. Both (a) and (b)
D. None
149 Identify the environment variable which designates secondary prompt.
A. PP1
B. SP2
C. PS1
D. PS2
150 To Extract Specific Columns From A File, Command Is Used.
A. Tail
B. Head
C. Pr
D. Cut