



CSE6324-SOFTWARE VERIFICATION & VALIDATION

Topic: Hospital Management System

Student Name	Student ID	Email
CHIN ZHEN HO	1221102540	1221102540@student.mmu.edu.my
PANG TIAN YOU	1231303394	1231303394@student.mmu.edu.my
LIM KAI SHEN	1211110602	1211110602@student.mmu.edu.my

Submission Date: 18/6/2026

Test Log

Project Title: HMS Independent Verification and Validation
Date: 01/06/2026

Document Name	HMS Test Log (Iteration 1)
Reference Number	HMS_TL
Version	1.0.0
Project Code	HMS
Status	In-use
Date Released	01/06/2026
Test Log ID	HMS_TL_1_1.0.0

Document Control

Name	Position	Signature
Prepared By: LIM KAI SHEN	Test Analyst	
Reviewed By: PANG TIAN YOU	Test Lead	
Verified By: CHIN ZHEN HO	Test Manager	

Version History

Version	Release Date	Section	Amendments
1.0	01/06/2026	All	Original document

Distribution List

Version	Release Date	Controlled Copy No	Recipient Name	Department	Issue Date	Return Date
1.0.0	01/06/2026	01	LIM KAI SHEN	QA Dept.	01/06/2026	N/A
1.0.0	01/06/2026	02	PANG TIAN YOU	Test Team	01/06/2026	N/A
1.0.0	01/06/2026	03	CHIN ZHEN HO	Test Team	01/06/2026	N/A

General Information

Test Log Scope	This Test Log covered User Authentication, Patient Functions, Doctor Functions, and Admin Functions (F001 to F019) as described in Test Plan, HMS TP 1.00
Test Log Description	The items tested were the comprehensive functional features in HMS. This test log records the execution of test procedures (HMS TPS-01-001 through TPS-19-001) using both manual techniques and automated tools.
Version Author	LIM KAI SHEN
Revision Version	1.0
Contact Number	N/A
People Responsible	CHIN ZHEN HO, PANG TIAN YOU, LIM KAI SHEN

Activities Execution Information

Execution Start Date	Execution Start Time	Tester Name	End Date	End Time
01/06/2026	09:00 AM	LIM KAI SHEN	01/06/2026	11:30 AM

Procedure Result

Req ID	Test Case ID	Test Procedure ID	Testing Type	Tool	Pass / Fail	Test Incident Report ID	Remark
F001	TC-01-001	TPS-01-001	Functional	Manual	Pass	N/A	System validated input, created new patient account, and redirected to dashboard.
F001	TC-01-002	TPS-01-001	Functional	Manual	Pass	N/A	System displayed validation message and did not create account.
F001	TC-01-003	TPS-01-001	Functional	Manual	Pass	N/A	System displayed password mismatch error and did not create account.
F001	TC-01-004	TPS-01-001	Functional	Manual	Pass	N/A	System displayed invalid email/password length error.
F002	TC-02-001	TPS-02-001	Functional	Katalon	Pass	N/A	System validated credentials and redirected to dashboard. [info] Test case passed.

F002	TC-02-002	TPS-02-001	Functional	Katalon	Pass	N/A	System displayed validation message for empty fields.
F002	TC-02-003	TPS-02-001	Functional	Katalon	Fail	TIR-02-001	System rejected login, but script halted as expected error element ID was not found. [error] did not match.
F002	TC-02-004	TPS-02-001	Functional	Katalon	Pass	N/A	System rejected wrong role login attempt and displayed error.
F003	TC-03-001	TPS-03-001	Functional	Manual	Pass	N/A	System terminated session and displayed logout message.
F003	TC-03-002	TPS-03-001	Functional	Manual	Pass	N/A	System redirected user to login page successfully.
F003	TC-03-003	TPS-03-001	Functional	Manual	Pass	N/A	System redirected to login page when logout attempted without session.

F003	TC-03-004	TPS-03-001	Functional	Manual	Pass	N/A	System blocked dashboard access after logout and required login again.
F004	TC-04-001	TPS-04-001	Functional	Katalon	Fail	TIR-04-001	Fatal error: Uncaught mysqli_sql_exception on admin-panel.php:45. System crashed during insertion instead of displaying success message.
F004	TC-04-002	TPS-04-001	Functional	Manual	Pass	N/A	System rejected booking and displayed doctor unavailable message.
F004	TC-04-003	TPS-04-001	Functional	Manual	Pass	N/A	System rejected booking and displayed future date/time error message.
F004	TC-04-004	TPS-04-001	Functional	Manual	Pass	N/A	System displayed validation message for missing fields.
F005	TC-05-001	TPS-05-001	Functional	Manual	Pass	N/A	System displayed appointment list with all details correctly.

F005	TC-05-002	TPS-05-001	Functional	Manual	Pass	N/A	System displayed empty list message for no records.
F005	TC-05-003	TPS-05-001	Functional	Manual	Pass	N/A	System displayed appointment as Active and showed Cancel button.
F005	TC-05-004	TPS-05-001	Functional	Manual	Pass	N/A	System displayed cancelled status as read-only.
F006	TC-06-001	TPS-06-001	Functional	Manual	Pass	N/A	System updated appointment status to Cancelled and displayed success message.
F006	TC-06-002	TPS-06-001	Functional	Manual	Pass	N/A	System kept appointment active when confirmation was rejected.
F006	TC-06-003	TPS-06-001	Functional	Manual	Pass	N/A	System prevented secondary cancellation correctly.
F006	TC-06-004	TPS-06-001	Functional	Manual	Pass	N/A	System redirected to login page for

							unauthenticated access.
F007	TC-07-001	TPS-07-001	Functional	Manual	Pass	N/A	System displayed prescription details correctly.
F007	TC-07-002	TPS-07-001	Functional	Manual	Pass	N/A	System showed successful payment and generated bill PDF.
F007	TC-07-003	TPS-07-001	Functional	Manual	Pass	N/A	System displayed appropriate empty list message.
F007	TC-07-004	TPS-07-001	Functional	Manual	Pass	N/A	System did not generate PDF when payment was not completed.
F008	TC-08-001	TPS-08-001	Functional	Manual	Pass	N/A	System validated input, stored query, and displayed success message.
F008	TC-08-002	TPS-08-001	Functional	Manual	Pass	N/A	System displayed validation message for empty fields.

F008	TC-08-003	TPS-08-001	Functional	Manual	Pass	N/A	System displayed invalid email error.
F008	TC-08-004	TPS-08-001	Functional	Manual	Pass	N/A	System displayed phone validation error.
F009	TC-09-001	TPS-09-001	Functional	Manual	Pass	N/A	System displayed appointment list with all details.
F009	TC-09-002	TPS-09-001	Functional	Manual	Pass	N/A	System displayed empty list message appropriately.
F009	TC-09-003	TPS-09-001	Functional	Manual	Pass	N/A	System filtered and displayed matching appointment records.
F009	TC-09-004	TPS-09-001	Functional	Manual	Pass	N/A	System displayed no-result message for unmatched contact.
F010	TC-10-001	TPS-10-001	Functional	Katalon	Fail	TIR-10-001	System allows infinite duplicate prescriptions for the same Appointment ID. Missing state management.

F010	TC-10-002	TPS-10-001	Functional	Manual	Pass	N/A	System displayed validation message for empty fields.
F010	TC-10-003	TPS-10-001	Functional	Manual	Pass	N/A	System rejected creation for invalid/cancelled appointment.
F010	TC-10-004	TPS-10-001	Functional	Manual	Pass	N/A	System displayed error message on simulated database failure.
F011	TC-11-001	TPS-11-001	Functional	Manual	Pass	N/A	System updated appointment to Cancelled and displayed success message.
F011	TC-11-002	TPS-11-001	Functional	Manual	Pass	N/A	System kept appointment unchanged when confirmation rejected.
F011	TC-11-003	TPS-11-001	Functional	Manual	Pass	N/A	System blocked cancellation for unassigned appointment.

F011	TC-11-004	TPS-11-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.
F012	TC-12-001	TPS-12-001	Functional	Manual	Pass	N/A	System displayed prescription list with full details.
F012	TC-12-002	TPS-12-001	Functional	Manual	Pass	N/A	System displayed empty list message accurately.
F012	TC-12-003	TPS-12-001	Functional	Manual	Pass	N/A	System successfully hid unauthorized prescription records.
F012	TC-12-004	TPS-12-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.
F013	TC-13-001	TPS-13-001	Functional	Manual	Pass	N/A	System validated input, created doctor account, and displayed success message.
F013	TC-13-002	TPS-13-001	Functional	Manual	Pass	N/A	System displayed validation message for empty required fields.

F013	TC-13-003	TPS-13-001	Functional	Manual	Pass	N/A	System rejected submission for invalid email or password mismatch.
F013	TC-13-004	TPS-13-001	Functional	Manual	Pass	N/A	System rejected submission and displayed fee validation error.
F014	TC-14-001	TPS-14-001	Functional	Manual	Pass	N/A	System removed selected doctor record and updated list.
F014	TC-14-002	TPS-14-001	Functional	Manual	Pass	N/A	System prevented deletion for non-existing record.
F014	TC-14-003	TPS-14-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.
F015	TC-15-001	TPS-15-001	Functional	Manual	Pass	N/A	System displayed all registered doctor records.
F015	TC-15-002	TPS-15-001	Functional	Manual	Pass	N/A	System displayed matching doctor records correctly.

F015	TC-15-003	TPS-15-001	Functional	Manual	Pass	N/A	System displayed empty result message for unmatched email.
F015	TC-15-004	TPS-15-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.
F016	TC-16-001	TPS-16-001	Functional	Manual	Pass	N/A	System displayed all registered patient records.
F016	TC-16-002	TPS-16-001	Functional	Manual	Pass	N/A	System displayed matching patient records correctly.
F016	TC-16-003	TPS-16-001	Functional	Manual	Pass	N/A	System displayed empty result message for unmatched contact.
F016	TC-16-004	TPS-16-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.
F017	TC-17-001	TPS-17-001	Functional	Manual	Pass	N/A	System displayed appointment records with all patient/doctor details.

F017	TC-17-002	TPS-17-001	Functional	Manual	Pass	N/A	System displayed matching appointment records successfully.
F017	TC-17-003	TPS-17-001	Functional	Manual	Pass	N/A	System displayed empty result message for unmatched contact.
F017	TC-17-004	TPS-17-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.
F018	TC-18-001	TPS-18-001	Functional	Manual	Pass	N/A	System displayed prescription records with all details.
F018	TC-18-002	TPS-18-001	Functional	Manual	Pass	N/A	System displayed empty list message correctly.
F018	TC-18-003	TPS-18-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.
F019	TC-19-001	TPS-19-001	Functional	Manual	Pass	N/A	System displayed submitted query records with contact details.

F019	TC-19-002	TPS-19-001	Functional	Manual	Pass	N/A	System displayed matching query records correctly.
F019	TC-19-003	TPS-19-001	Functional	Manual	Pass	N/A	System displayed empty result message for unmatched contact.
F019	TC-19-004	TPS-19-001	Functional	Manual	Pass	N/A	System redirected to login page for unauthenticated access.

Environment Information

Environment Item	Description
Hardware	Standard Desktop / Laptop PC
Operating System	Windows 11
Web Browser	Google Chrome
Server Environment	Local XAMPP Server
Web Server	MySQL / MariaDB
Database	PHP
Testing Tool	Katalon Studio
Supporting Tool	TestCase Studio
Evidence	Screenshots, execution logs, and test result records

Test Environment After Changes:

- No changes were made to the test environment during execution. The HMS was tested using the same local XAMPP environment, Google Chrome browser, and testing tools throughout the test execution.

Anomalous Event

Unexpected event occurred	Test Procedure ID	Anomaly Reporter Name
Fatal Database Crash: Submitting the Book Appointment form triggered a fatal <code>mysqli_sql_exception</code> exposing backend code.	TPS-04-001	LIM KAI SHEN
Business Logic Failure: System failed to lock the "Prescribe" button after use, allowing the doctor to generate infinite duplicate prescriptions for a single appointment.	TPS-10-001	LIM KAI SHEN
Element Not Found (False Positive): Automated script failed to locate the expected UI element during the verification step. System returned a fatal [error] did not match trace in the execution log.	TPS-02-001	LIM KAI SHEN