


TITLE	SDRAM & NAND flash GPLv3			
FILE:			REVISION:	
PAGE	OF		DRAWN BY:	Saritha Kalyanam



		Ethernet 10/100 & DBGU/Serial		
		& USB Host/Device		
TITLE		GPLv3		
FILE:			REVISION:	
PAGE	OF		DRAWN BY:	Saritha Kalyanam

AT91SAM9260 | PA8/MCCK | PB0/SPI1_MISO/TIOA3 | PB1/SPI1_MOSI/TIOB3 | PB2/SPI1_SPCK/TIOA4 | PB3/SPI1_NPCSO/TIOA5 | PB16/TK0/TCLK3 | PB1/TTF0/TCLK4 | PB18/TD0/TIOB4 | PB18/TD0/TIOB5 | PB20/RK0/ISI_D0 | PB21/RF0/ISI_D1 | 164 | RF0 | RF0

TITLE		SSC interface (for FXS Si321x) GPLv3		
FILE:			REVISION:	Saritha Kalyanam
PAGE	OF		DRAWN BY:	,


TITLE		User Interface (LEDs and Interrupts) GPLv3		
FILE:			REVISION:	
PAGE	OF		DRAWN BY:	Saritha Kalyanam


U?


AT91SAM9260


	A 13 10AW3200		
183	PA4/RTS2/MCDB2	NC _	1
184	PA5/CTS2/MCDB1	NRD/CFOE	6
208	PA23/TWD/ETX2	NWR0/NWE/CFWE	√ √
1	PA24/TWCK/ETX3	NCS0	<u>_6</u>
17	PB6/TXD1/TCLK1	A12	_8
18	PB7/RXD1/TCLK2	A15	<u>_8</u>
19	PB8/TXD2	A18	√7
20	PB9/RXD2	A19	√7 }_
161	PB10/TXD3/ISI_D8	A20	7
162	PB11/RXD3/ISI_D9		_
165	PB22/DSR0/ISI_D2		
166	PB23/CDC0/ISI_D3		
167	PB24/DTR0/ISI_D4		
168	PB25/RI0/ISI_D5		
175	PB28/RTS1/ISI_PCK		
176	PB29/CTS1/ISI_VSYNC		
158	PC0		
159	PC1		
62	PC4/A23/SPI1_NPCS2		
63	PC6/TIOB2/CFCE1		
64	PC7/TIOB1/CFCE2		
61	PC8/NCS4/CFCS0/RTS3		
60	PC9/NCS5/CFCS1/TIOB0		
58	PC10/A25/CFRNW/CTS3		
57	PC11/NCS2/SPI0_NPCS1		
127	PC15/NWAIT/IRQ1		

		Unconnected GPLv3	Unconnected pins GPLv3		
FILE:			REVISION:		
PAGE	OF		DRAWN BY:	Saritha Kalyanam	












JTAG/ICE interfa			ace	
FILE:			REVISION:	
PAGE	OF		DRAWN BY:	Saritha Kalyanam



TITLE	SDRAM 32 MB (16-bit n		node)	
FILE:		REVISION:	Saritha Kalyanam	
PAGE	OF	DRAWN BY:	GPLv3	





TITLE FILE:

PAGE


GPL v3

OF

REVISION:

DRAWN BY:

Saritha Kalyanam



		UI		
TITLE		GPLv3		
FILE:			REVISION:	Saritha Kalyanam
PAGE	OF		DRAWN BY:	

