





TITLE		SDRAM & NAND flash GPLv3			
FILE:			REVISION:		
PAGE	OF		DRAWN BY:	Saritha Kalyanam	




		Ethernet 10/100 & DBGU/Serial			
		& USB Hose/Device			
TITLE		GPLv3			
FILE:			REVISION:		
PAGE	OF		DRAWN BY:	Saritha Kalyanam	









TITLE		JTAG/ICE interface GPLv3		
FILE:			REVISION:	
PAGE	OF		DRAWN BY:	Saritha Kalyanam




TITLE		SDRAM 32 MB (32-bit mode)		
FILE:			REVISION:	Saritha Kalyanam
PAGE	OF		DRAWN BY:	GPLv3





TITLE	Serial Port	Serial Port (RS232 and DBGU) GPL v3			
FILE:		REVISION:			
PAGE	OF	DRAWN BY:	Saritha Kalyanam		



AT91SAM9260	U?			
	PB0/SPI1_MISO/TIOA3	9	SPI1_MISO /	1
	PB1/SPI1_MOSI/TIOB3	10	SPI1_MOSI	1
	PB2/SPI1_SPCK/TIOA4	11	SPI1_SPCK /	1
	PB3/SPI1_NPCS0/TIOA5	12	SPI1_NPCS0/	1
	PB16/TK0/TCLK3	23	TK0	1
	PB17/TF0/TCLK4	26	TF0/	1
	PB18/TD0/TIOB4	27	TD0	1
	PB19/RD0/TIOB5	28	RD0	1
	PB20/RK0/ISI_D0	163	RK0	1
	PB21/RF0/ISI_D1	164	RF0	1

TITLE		FXS (Si321x) interface GPLv3			
FILE:			REVISION:	Saritha Kalyanam	
PAGE	OF		DRAWN BY:		