








AT91SAM9260 based Telephone ATA Design (GPL v3)		
FILE:		REVISION:
PAGE	OF	DRAWN BY: Saritha Kalyanam



Power		
GPLv3		
TITLE		
FILE:		REVISION:
PAGE	OF	DRAWN BY: Saritha Kalyanam



Clock and JTAG/ICE		
GPLv3		
TITLE		
FILE:		REVISION:
PAGE	OF	Saritha Kalyanam
		DRAWN BY:



SDRAM & NAND flash	
GPLv3	
TITLE	
FILE:	REVISION:
PAGE	DRAWN BY: Sariitha Kalyanam

AT91SAM9260

U?

PA19/ETXCK	202	ETXCK
PA11/MCDA3/ETX3	192	ETX3
PA10/MCDA2/ETX2	191	ETX2
PA13/ETX1	194	ETX1
PA12/ETX0	193	ETX0
PA16/ETXEN	197	ETXEN
PA26/TIOA0/ERX3	3	ERX3
PA25/TCLK0/ERX2	2	ERX2
PA15/ERX1	196	ERX1
PA14/ERX0	195	ERX0
PA27/TIOA1/ERXCK	4	ERXCK
PA17/ERXD	198	ERXD
PA22/ADTRG/ETXER	207	ETXER
PA18/ERXER	201	ERXER
PA29/SCK1/ECOL	8	ECOL
PA28/TIOA1/ECRS	7	ECRS
PA20/EMDC	205	EMDC
PA21/EMDIO	206	EMDIO
PA7/MCCDA	186	PIO_A7

AT91SAM9260

U?

PB14/DRXD	21	DRXD
PB15/DTXD	22	DTXD
PB4/TXD0	15	TXD0
PB26/RTS0/ISI_D6	171	RTS0
PB5/RXD0	16	RXD0
PB27/CTS0/ISI_D7	172	CTS0

AT91SAM9260

U?

HDMA	50	HDMA
HDP	51	HDP
DDM	54	DDM
DDP	55	DDP
PC5/A24/SPI1_NPCS1	67	USBCNX

Ethernet 10/100 & DBGU/Serial  
& USB Host/Device  
GPLv3

TITLE

FILE:

PAGE


OF

REVISION:

DRAWN BY:

Saritha Kalyanam


AT91SAM9260



TITLE			SSC interface (for FXS Si321x)		
			GPLv3		
FILE:		REVISION:		Saritha Kalyanam	
PAGE		OF		DRAWN BY:	

AT91SAM9260

U?




TITLE		User Interface (LEDs and Interrupts)	
FILE:		GPLv3	
PAGE		OF	REVISION:
			DRAWN BY: Saritha Kalyanam


U?

AT91SAM9260			
183	PA4/RTS2/MCDB2	NC	152
184	PA5/CTS2/MCDB1	NRD/CFOE	69
208	PA23/TWD/ETX2	NWR0/NWE/CFWE	70
1	PA24/TWCK/ETX3	NCS0	68
17	PB6/TXD1/TCLK1	A12	85
18	PB7/RXD1/TCLK2	A15	82
19	PB8/TXD2	A18	79
20	PB9/RXD2	A19	76
161	PB10/TXD3/ISL_D8	A20	75
162	PB11/RXD3/ISL_D9		
165	PB22/DSR0/ISL_D2		
166	PB23/CDC0/ISL_D3		
167	PB24/DTR0/ISL_D4		
168	PB25/RIO/ISL_D5		
175	PB28/RTS1/ISL_PCK		
176	PB29/CTS1/ISL_VSYNC		
158	PC0		
159	PC1		
62	PC4/A23/SPI1_NPCS2		
63	PC6/TIOB2/CFCE1		
64	PC7/TIOB1/CFCE2		
61	PC8/NCS4/CFCS0/RTS3		
60	PC9/NCS5/CFCS1/TIOB0		
58	PC10/A25/CFRNW/CTS3		
57	PC11/NCS2/SPI0_NPCS1		
127	PC15/NWAIT/IRQ1		


Unconnected pins		
GPLv3		
TITLE		
FILE:		REVISION:
PAGE	OF	DRAWN BY: Sariitha Kalyanam









TITLE			SPI Dataflash (128KB) and NAND Flash (32MB)	
FILE:			GPLv3	
PAGE			OF	REVISION:
				DRAWN BY: Saritha Kalyanam








TITLE		JTAG/ICE interface GPLv3	
FILE:		REVISION:	
PAGE	OF	DRAWN BY:	Saritha Kalyanam




TITLE		SDRAM 32 MB (16-bit mode)	
FILE:		REVISION:	Saritha Kalyanam
PAGE	OF	DRAWN BY:	GPLv3



Power Supply		
GPLv3		
TITLE		
FILE:		REVISION:
PAGE	OF	DRAWN BY: Saritha Kalyanam




Serial Port (RS232 and DBGU)			
GPL v3			
TITLE			
FILE:		REVISION:	Saritha Kalyanam
PAGE	OF	DRAWN BY:	



TITLE		UI GPLv3	
FILE:		REVISION:	Saritha Kalyanam
PAGE	OF	DRAWN BY:	





USB Host and Device	
GPLv3	
TITLE	
FILE:	REVISION:
PAGE	OF
	Saritha Kalyanam
	DRAWN BY: