Experiment 6

Aim

Write an HTML code to demonstrate the usage of inline CSS.

Code

index.html

```
<!DOCTYPE html>
<html>
    <head>
        <title>Inline CSS</title>
    </head>
    <body>
        <p style = "color:blue; font-size:50px;
                font-weight:bold; text-align:center;">
            I'm implemented with Inline CSS
        </p>
    </body>
</html>
```

Output

<div align="center">

I'm implemented with Inline CSS

</div>

Experiment 7

Aim

Write an HTML code to demonstrate the usage of internal CSS.

Code

index.html

```html
<!DOCTYPE html>
<html>
    <head>
        <title>Internal CSS</title>
        <style>
            p { text-align:center;
                color:blue;
                font-size:50px;
                font-weight:bold;}
        </style>
    </head>
    <body>
<p>I'm implemented with Internal CSS</p>
    </body>
</html>
```

Output

<div style="border:1px solid black; text-align:center;">

I'm implemented with Internal CSS

</div>

Experiment 8

Aim

Write an HTML code to demonstrate the usage of external CSS.

Code

index.html

```
<!DOCTYPE html>
<html>
    <head>
        <title>External CSS</title>
        <link rel="stylesheet" href="style.css">
    </head>
    <body>
        <p>I'm implemented with External CSS</p>
    </body>
</html>
```

style.css

```
p {
    text-align:center;
    color:blue;
    font-size:50px;
    font-weight:bold;
}
```

Output

I'm implemented with External CSS