

Course Objectives:

1. To provide a comprehensive understanding of the subject matter.
2. To develop critical thinking and analytical skills.
3. To enhance problem-solving abilities.
4. To encourage independent learning and research.
5. To foster effective communication and collaboration.
6. To prepare students for further academic or professional pursuits.
7. To promote ethical and responsible behavior.
8. To instill a lifelong love of learning.

1. Chemistry of Atomic and Molecular Structure

The study of the chemistry of atomic and molecular structure involves understanding the arrangement of atoms and molecules and how this arrangement affects their chemical properties and behavior. Some key concepts in this field include:

- **Atomic structure:** The structure of an atom, including the arrangement of its subatomic particles (protons, neutrons, and electrons) and the forces that hold them together.
- **Molecular structure:** The arrangement of atoms within a molecule, including the types of chemical bonds that hold the atoms together and the shape of the molecule.
- **Chemical bonding:** The forces that hold atoms together in a molecule, including covalent, ionic, and metallic bonds.
- **Electron configuration:** The arrangement of electrons in an atom or molecule, which determines its chemical properties and reactivity.
- **Valence electrons:** The electrons in the outermost shell of an atom, which are involved in chemical bonding.
- **Periodic table:** A chart that organizes the elements according to their atomic structure and chemical properties.

Understanding these concepts is essential for predicting and explaining the behavior of atoms and molecules in chemical reactions and for designing new materials with desired properties. It is a fundamental part of chemistry and is covered in introductory chemistry courses.

Advanced Materials

Advanced materials refer to materials that have been developed through the incorporation of new or improved properties, making them superior to traditional materials in terms of performance or sustainability. Some examples of advanced

materials include liquid crystals, nanomaterials, graphite and fullerenes, and green chemistry.

Liquid Crystals

- Liquid crystals are a state of matter that has properties between those of conventional liquids and those of solid crystals.
- They can flow like a liquid, but have the long-range order of a solid crystal.
- Liquid crystals are used in a variety of applications, including displays, sensors, and thermometers.

Nanomaterials

- Nanomaterials are materials with at least one dimension in the nanometer range (1-100 nm).
- They exhibit unique properties due to their small size and high surface area to volume ratio.
- Nanomaterials have applications in a wide range of fields, including electronics, medicine, and energy.

Graphite and Fullerenes

- Graphite is a form of carbon that consists of layers of carbon atoms arranged in a hexagonal lattice.
- Fullerenes are a class of carbon molecules that are composed entirely of carbon, in the form of a hollow sphere, ellipsoid, or tube.
- Graphite and fullerenes have a wide range of applications, including lubricants, batteries, and catalysts.

Green Chemistry

- Green chemistry is the design of chemical products and processes that reduce or eliminate the use or generation of hazardous substances.
- It aims to minimize the environmental impact of chemical processes and products, while maintaining their efficiency and effectiveness.
- Green chemistry has applications in a wide range of industries, including pharmaceuticals, agriculture, and energy.

2. To enable the students to understand and apply the detailed concepts of spectroscopic techniques:

- Spectroscopy is the study of the interaction between matter and electromagnetic radiation.
- Spectroscopic techniques are used to analyze the chemical composition and structure of materials.

- There are several types of spectroscopy, including atomic absorption, atomic emission, infrared, Raman, ultraviolet-visible, and X-ray fluorescence.
- Each type of spectroscopy uses a different part of the electromagnetic spectrum and provides different information about the sample being analyzed.
- Spectroscopic techniques can be used in a variety of fields, including chemistry, physics, biology, and environmental science.
- To apply spectroscopic techniques, students must understand the principles of the technique and how to interpret the data obtained from the analysis.
- Students should also be familiar with the instrumentation used for spectroscopic analysis and how to properly calibrate and operate the equipment.
- With a solid understanding of spectroscopic techniques, students can use these methods to analyze a wide range of materials and gain valuable insights into their composition and structure.

Stereochemistry

Stereochemistry is the branch of chemistry that deals with the three-dimensional arrangement of atoms in molecules and the effect of this arrangement on the chemical properties of the compounds.

Some key points to remember about stereochemistry are:

1. Stereoisomers are compounds that have the same molecular formula and the same connectivity of atoms, but differ in the spatial arrangement of their atoms.
2. There are two main types of stereoisomers: enantiomers and diastereomers.
3. Enantiomers are non-superimposable mirror images of each other, while diastereomers are not mirror images of each other.
4. The presence of a chiral center, a carbon atom bonded to four different groups, is often responsible for the existence of enantiomers.
5. The configuration of a chiral center can be determined using the Cahn-Ingold-Prelog (CIP) priority rules.
6. The absolute configuration of a chiral center can be represented using the R/S system.
7. The relative configuration of diastereomers can be determined by comparing their physical and chemical properties.
8. Stereochemistry plays an important role in the biological activity of many compounds, including drugs and natural products.

3. To enable the students to understand and apply the concepts related to Electrochemistry, Batteries, Corrosion

Electrochemistry is the branch of chemistry that deals with the chemical reactions that occur at the interface of an electrode, usually a solid metal or a semiconductor, and an ionic conductor, the electrolyte. These reactions involve the transfer of electrons between the electrode and the electrolyte or species in solution.

Some key concepts in electrochemistry include: - **Redox reactions:** These are reactions in which there is a transfer of electrons from one species to another. - **Electrochemical cells:** These are devices that convert chemical energy into electrical energy or vice versa. - **Electrode potential:** This is the potential difference between an electrode and its surrounding solution. - **Nernst equation:** This equation relates the electrode potential of a half-cell to the concentrations of the species involved in the redox reaction.

Batteries are electrochemical cells that convert chemical energy into electrical energy. They consist of two or more electrochemical cells connected in series. The cells contain electrodes and an electrolyte. The electrodes are made of different materials and have different potentials. When the battery is connected to a load, a chemical reaction occurs at the electrodes, producing a flow of electrons from one electrode to the other through the external circuit.

Corrosion is the degradation of a material due to a reaction with its environment. It is a common problem in many industries, including construction, transportation, and power generation. Corrosion can be prevented or controlled through various methods, including the use of coatings, cathodic protection, and material selection.

In summary, electrochemistry, batteries, and corrosion are important concepts that students should understand and be able to apply. These concepts have many practical applications and are essential for many industries. By understanding these concepts, students will be better equipped to solve problems and make informed decisions in their future careers.

Chemistry of Engineering Materials: Cement

Cement is a binding material that is used in construction to set, harden, and adhere to other materials. The chemical composition of cement depends on the raw materials used in its manufacturing, which are mainly lime, silica, alumina, and iron oxide .

One of the most commonly used types of cement is Portland cement, which is made up of four main compounds: tricalcium silicate ($3\text{CaO} \cdot \text{SiO}_2$), dicalcium silicate ($2\text{CaO} \cdot \text{SiO}_2$), tricalcium aluminate ($3\text{CaO} \cdot \text{Al}_2\text{O}_3$), and a tetra-calcium aluminoferrite ($4\text{CaO} \cdot \text{Al}_2\text{O}_3\text{Fe}_2\text{O}_3$) .

Cement can be used alone, but it is normally mixed with inert materials known as aggregates to form mortar or concrete. Mortar is cement mixed with sand or crushed stone, while concrete is cement mixed with sand, crushed stone, and water .

With a better understanding of cement chemistry, scientists could potentially alter production or change ingredients to reduce the impact of cement production on emissions or add ingredients that are capable of actively absorbing carbon dioxide .

4. To enable the students to understand and apply detailed concepts of water source, water impurities, hardness

Water is an essential resource for life and is found in various sources such as rivers, lakes, groundwater, and oceans. It is important to understand the different sources of water and their characteristics to ensure that the water we use is safe and suitable for consumption and other purposes.

Water impurities refer to substances or particles that are present in water and can affect its quality. These impurities can be classified into two categories: dissolved and suspended. Dissolved impurities are substances that are dissolved in water, such as salts and minerals. Suspended impurities are particles that are not dissolved in water, such as sand and silt.

Hardness is a measure of the amount of dissolved calcium and magnesium in water. Water with high levels of these minerals is considered hard, while water with low levels is considered soft. Hard water can cause problems such as scaling in pipes and appliances, and can also affect the taste and appearance of water.

It is important for students to understand these concepts in order to make informed decisions about water use and treatment. By understanding the sources of water, the types of impurities present, and the hardness of water, students can apply this knowledge to ensure that the water they use is safe and suitable for their needs.

Water and Boiler Troubles Used in Industry

Water is a primary medium used in many commercial, manufacturing, and industrial processes. These include the use of boilers and steam raising plant, cooling towers, cooling systems, and other closed circuit systems . However, there are several common problems that can occur when using water in industrial boilers. Some of these problems include:

1. **Missing Insulation:** If the insulation on a boiler is missing, it will have reduced efficiency as the insulation works to contain heat in the system .
2. **Irregular or Infrequent Maintenance:** Irregular maintenance is usually at the heart of every boiler problem .
3. **Water Leaks:** Water leaks can cause damage to the unit .

4. **Pressure-Related Issues:** Pressure-related issues can cause damage to the unit .
5. **Scale Buildup & Blockages:** Scale buildup and blockages can cause damage to the unit .

Analysis of Coal & Determination of Calorific Values

Calorific value is a measure of the amount of energy produced from a unit weight of coal when it is combusted in oxygen. A measured sample of coal is completely combusted in a bomb calorimeter, which is a device for measuring heat . The calorific value mainly comes from the combustion of organic components (C, H, N). In addition, moisture and ash in coal will absorb part of the heat during combustion .

There are several methods for determining the calorific value of coal, including the use of complex thermal analysis techniques such as TG/DTG and DTA . These methods can be used to determine the calorific values of coals of different origin and the results can be compared with those obtained using an adiabatic bomb calorimeter by the standard ASTM method .

5. To enable the students to understand detailed concepts related to polymers, Polymerization, Polymer Blends

Polymers are large molecules made up of repeating subunits called monomers. These monomers are chemically bonded together to form long chains or networks. Polymers can be found in nature, such as in proteins and DNA, or they can be synthesized in a laboratory.

Polymerization is the process of chemically bonding monomers together to form a polymer. There are two main types of polymerization: addition polymerization and condensation polymerization. In addition polymerization, monomers are added to the growing polymer chain one at a time, with no byproducts being produced. In condensation polymerization, monomers react with each other to form a polymer, with a small molecule, such as water, being produced as a byproduct.

Polymer blends are mixtures of two or more polymers. These blends can be created to combine the desirable properties of each individual polymer, resulting in a material with improved characteristics. Polymer blends can be made by physically mixing the polymers together, or by chemically bonding them together to form a copolymer.

- Polymers are large molecules made up of repeating subunits called monomers.
- Polymerization is the process of chemically bonding monomers together to form a polymer.

- There are two main types of polymerization: addition polymerization and condensation polymerization.
- Polymer blends are mixtures of two or more polymers, created to combine the desirable properties of each individual polymer.

Polymer Composites

Polymer composites are materials made by combining a polymer matrix with a reinforcing material. The reinforcing material can be in the form of fibers, particles, or flakes, and is typically made of glass, carbon, or other materials. The polymer matrix can be a thermoplastic or thermosetting polymer.

Some key points to consider when studying polymer composites include:

1. The properties of the composite material depend on the properties of the individual components, as well as their interactions.
2. The reinforcing material provides strength and stiffness to the composite, while the polymer matrix provides toughness and ductility.
3. The processing methods used to create the composite can affect its properties.
4. Polymer composites can be tailored to meet specific performance requirements by varying the type and amount of reinforcing material, as well as the type of polymer matrix used.
5. Polymer composites have a wide range of applications, including aerospace, automotive, construction, and consumer goods.

Content Contact

Content contact refers to the interaction between the content of a message and its recipient. This can include the way the content is presented, the language used, and the medium through which it is delivered. Here are some key points to consider when creating content for effective contact:

1. **Clarity:** The content should be clear and easy to understand. Avoid using jargon or technical terms that may be unfamiliar to the audience.
2. **Relevance:** The content should be relevant to the audience and their needs or interests. This can help to engage the audience and keep their attention.
3. **Tone:** The tone of the content should be appropriate for the audience and the message being conveyed. For example, a formal tone may be appropriate for a business communication, while a more casual tone may be suitable for a social media post.
4. **Medium:** The medium through which the content is delivered can also impact its effectiveness. Consider the audience and the message when choosing the best medium for delivery, whether it be through email, social media, or another platform.

5. **Visuals:** The use of visuals can help to enhance the content and make it more engaging. Consider using images, videos, or infographics to help convey the message.

By considering these factors, content creators can help to ensure that their message is effectively communicated to their audience.

Hours

- An hour is a unit of time conventionally defined as 1/24th of a day and scientifically reckoned as 3,599–3,601 seconds, depending on conditions.
- The hour was initially established in the ancient Near East as a variable measure of 1/12 of the night or daytime.
- The seasonal, temporal, or unequal hour was established in the ancient Near East as 1/12 of the night or daytime.
- Such hours varied by season, latitude, and weather.
- It was subsequently divided into 60 minutes, each of 60 seconds.
- Its East Asian equivalent was the shi, which was 1/12 of the nominal night.
- The use of the hour in timekeeping has increased steadily since the Middle Ages.
- Equal or clock time, which is used today, was only gradually adopted as the default time standard.
- The use of various means to keep time, such as water clocks, sundials, and marked candles, eventually led to mechanical clocks.
- The invention of the mechanical clock in the 14th century initiated a change in timekeeping methods from continuous processes, such as the motion of the gnomon's shadow on a sundial or the flow of liquid in a water clock, to periodic oscillatory processes, such as the swing of a pendulum or the vibration of a quartz crystal, which had the potential for more accuracy.
- The timekeeping element in every modern clock is a harmonic oscillator, a physical object that vibrates or oscillates repetitively at a precisely constant frequency.
- This object can be a pendulum, a tuning fork, a quartz crystal, or the vibration of electrons in atoms as they emit microwaves.
- Analog clocks usually indicate time using angles.
- Digital clocks display a numeric representation of time.
- Two numeric display formats are commonly used on digital clocks: 24-hour notation and 12-hour notation.
- Most digital clocks use electronic mechanisms and LCD, LED, or VFD displays.
- For convenience, distance, telephony or blindness, auditory clocks present the time as sounds.
- There are also clocks for the blind that have displays that can be read by using the sense of touch.
- Some of these are similar to normal analog displays, but are constructed

so the hands can be felt without damaging them.

- The evolution of the technology of clocks continues today. The study of timekeeping is known as horology.

Unit-1: 8

1. The number 8 is an even integer.
2. It is the cube of 2.
3. It is the only Fibonacci number, aside from 1, that is a perfect cube.
4. In the base 10 numeral system, 8 is the highest digit.
5. The number 8 is considered lucky in Chinese culture.
6. In music, an octave is the interval between one musical pitch and another with half or double its frequency.
7. In computer science, a byte is a unit of data that is eight bits long.
8. In chess, the board is an 8x8 grid.

Atomic and Molecular Structure: Molecular orbitals of diatomic molecules, Bond Order

Molecular orbitals are formed by the combination of atomic orbitals of two or more atoms in a molecule. In diatomic molecules, the atomic orbitals of the two atoms combine to form molecular orbitals that are either bonding or antibonding.

- Bonding molecular orbitals are lower in energy than the atomic orbitals from which they are formed and are more stable. Electrons in bonding orbitals hold the atoms together in a chemical bond.
- Antibonding molecular orbitals are higher in energy than the atomic orbitals from which they are formed and are less stable. Electrons in antibonding orbitals weaken the chemical bond between the atoms.

The bond order is a measure of the strength of a chemical bond. It is calculated as the number of electrons in bonding orbitals minus the number of electrons in antibonding orbitals, divided by two.

For example, in a diatomic molecule such as O₂, the bond order is 2, indicating a double bond between the two oxygen atoms. In N₂, the bond order is 3, indicating a triple bond between the two nitrogen atoms.

Bond order can also be used to predict the stability of a molecule. Molecules with higher bond orders are generally more stable than those with lower bond orders. For example, N₂ with a bond order of 3 is more stable than O₂ with a bond order of 2.

Magnetic Characteristics and Numerical Problems

Magnetic characteristics refer to the properties of a material that determine its behavior in the presence of a magnetic field. These characteristics include:

1. **Permeability:** The ability of a material to conduct magnetic flux. It is the ratio of the magnetic flux density in the material to the magnetic field strength.
2. **Magnetic susceptibility:** The degree to which a material can be magnetized in an external magnetic field. It is the ratio of the magnetization of the material to the applied magnetic field strength.
3. **Retentivity:** The ability of a material to retain its magnetization after the external magnetic field is removed.
4. **Coercivity:** The strength of the external magnetic field required to reduce the magnetization of a material to zero.

Numerical problems involving magnetic characteristics typically involve calculating the magnetic field strength, magnetic flux density, magnetization, and other related quantities using the above-mentioned properties and their relationships.

Here is an example of a numerical problem:

Problem: A magnetic material has a relative permeability of 1000 and is placed in a magnetic field of strength 1000 A/m. Calculate the magnetic flux density in the material.

Solution: The magnetic flux density in the material can be calculated using the formula $B = \mu H$, where B is the magnetic flux density, μ is the permeability of the material, and H is the magnetic field strength.

Since the relative permeability of the material is 1000, its absolute permeability is $\mu = \mu_0 \times 1000$, where μ_0 is the permeability of free space (4×10^{-7} H/m).

Substituting the values, we get $B = (4 \times 10^{-7} \text{ H/m}) \times 1000 \times 1000 \text{ A/m} = 0.004 \text{ T}$.

Therefore, the magnetic flux density in the material is 0.004 T.

Chemistry of Advanced Materials:

1. Advanced materials are materials that have been engineered to have superior properties and performance compared to traditional materials.
2. These materials can be designed to have specific properties such as high strength, light weight, or resistance to heat or corrosion.
3. The chemistry of advanced materials involves the study of the composition, structure, and properties of these materials, as well as the development of new materials and the improvement of existing ones.

4. Some examples of advanced materials include nanomaterials, biomaterials, and smart materials.
5. Nanomaterials are materials that have been engineered at the nanoscale, with dimensions typically less than 100 nanometers.
6. Biomaterials are materials that are designed to interact with biological systems, such as implants or drug delivery systems.
7. Smart materials are materials that can change their properties in response to external stimuli, such as temperature or light.
8. The development of advanced materials requires a deep understanding of the underlying chemistry, as well as the use of advanced techniques and tools for material synthesis and characterization.
9. The field of advanced materials chemistry is interdisciplinary, involving collaboration between chemists, materials scientists, and engineers.
10. The study of advanced materials chemistry has the potential to lead to the development of new technologies and innovations in a wide range of industries, including healthcare, energy, and transportation.

Liquid Crystals

Introduction

A liquid crystal is a thermodynamic stable phase characterized by anisotropy of properties without the existence of a three-dimensional crystal lattice, generally lying in the temperature range between the solid and isotropic liquid phase, hence the term mesophase. Liquid crystal materials are unique in their properties and uses.

Types

There are several distinct types of liquid crystals: lyotropic, polymeric, thermotropic, and discotic. The nematic, smectic, and cholesteric are the three basic phases of liquid crystals classified according to the molecular orientations. Depending on the arrangement of the molecules in a mesophase, or its symmetry, liquid crystals are subdivided into nematics, cholesterics, smectics, and columnar mesophases.

Applications

Two groups of potential applications are discussed in detail: 1. the use of liquid crystals as anisotropic solvent for the determination of molecular properties by means of spectroscopy, and 2. their use in analytical chemistry, particularly in gas chromatography. In over 2000 pages the Handbook provides detailed information on the basic principles of both low- and high-molecular weight materials, as well as the synthesis, characterization, modification, and applications (such as in computer displays or as structural materials) of all types of liquid crystals.

Industrial Applications

Liquid crystals have a wide range of industrial applications, including computer displays, structural materials, and more. They are used as anisotropic solvents for the determination of molecular properties by means of spectroscopy, and in analytical chemistry, particularly in gas chromatography.

Important Materials Used as Liquid Crystals

Liquid crystals are substances that blend the structures and properties of the normally disparate liquid and crystalline solid states. They can be divided into 3 main types: thermotropic, lyotropic, and metallotropic.

- **Thermotropic liquid crystals** consist mostly of organic molecules, although a few minerals are also known.
- **Lyotropic liquid crystals** are formed from amphiphilic molecules and a hydrophilic solvent. The amphiphilic molecules generally used in the formation of lyotropic liquid crystals can be long-chain alcohols, deoxyribonucleic acid (DNA), gelatin, surfactants, and membrane phospholipids, whereas, the hydrophilic solvent is usually water.
- Many biological materials also form liquid crystals. For example, myelin, a fatty material extracted from nerve cells, was the first intensively studied liquid crystal. The tobacco mosaic virus, with its rodlike shape, forms a nematic phase.

Graphite and Fullerene; Introduction, Structure and applications

Graphite and Fullerene are two allotropes of carbon. Graphite has a layered structure in which hexagonal rings are connected to each other. The fullerene structure is similar to graphite, but a pentagonal ring may also exist in the fullerene structure. The most abundant form of fullerene is Buckminster fullerene (C 60), which has 60 carbon atoms arranged in a spherical structure.

Graphene is a single layer of graphite and has properties that make it useful in electronics and composites. Like graphite, graphene conducts electricity well because it has delocalised electrons that are free to move across its surface.

Fullerenes have a similar structure to graphite, which is made up of a sheet of connected hexagonal rings, but they have pentagonal (or sometimes heptagonal) rings that prevent the sheet from being planar. Buckyballs and buckytubes are terms used to describe them depending on their shape. Cylindrical fullerenes are referred to as nanotubes.

The discovery of C 60 has led to a paradigm shift in the understanding of graphite, in particular graphene sheets on a small scale. It is now known that the most stable form of a carbon aggregate, containing tens to several thousands of atoms, is a closed buckyball or nanotube.

Nanomaterials: Introduction, Preparation, Characteristics, and Applications

Nanomaterials are materials that have at least one dimension in the nanoscale range, typically between 1 and 100 nanometers. At this scale, unique optical, magnetic, electrical, and other properties emerge, which have great potential applications in electronics, medicine, and other fields .

Nanomaterials can be classified into nanostructured and nanophase/nanoparticle materials . The properties of nanomaterials can be tuned as desired via precisely controlling the size, shape, synthesis conditions, and appropriate functionalization .

Nanomaterials are being tested for applications in tissue engineering, drug delivery, and biosensors. Nanozymes are the artificial enzymes used for biosensing, bioimaging, and tumor detection . Nanomaterials are utilized in various processes of manufacturing, health care, products as well as insulation, and so on .

Nanomaterials: Carbon Nano Tubes (CNT)

Carbon nanotubes (CNTs) are a one-dimensional form of carbon. They are part of a unique class of materials known as nanomaterials, 1D materials like carbon nanotubes are typically only one atom thick in at least one spatial dimension.

CNTs have been used as an excellent material for catalysis, separation, adsorption and disinfection processes. They have grabbed the attention of the scientific community and they have the potential to adsorb most of the organic compounds from water.

Scientists within the nanotechnology field have significant research interests in carbon nanotubes (CNTs) due to their wide range of applications in sectors like energy, defense, biomedical, automobile, and aerospace. More advanced materials are now obtained through nanomaterials reinforced with carbon nanotubes.

Carbon nanotubes have extraordinary properties and are increasingly being used in various fields of engineering and research. The sp² structure enables CNTs to possess unique electrical and mechanical properties for a sheet.

A carbon nanotube (CNT) is a tube made of carbon with diameters typically measured in nanometers. Single-wall carbon nanotubes (SWCNTs) are one of the allotropes of carbon, intermediate between fullerene cages and flat graphene, with diameters in the range of a nanometre.

Green Chemistry: Introduction, 12 principles and importance of green Synthesis, Green

Green chemistry, also known as sustainable chemistry, is the design of chemical products and processes that reduce or eliminate the use or generation of haz-

ardous substances. It is an approach to chemistry that aims to minimize the environmental impact of chemical processes and products, while maximizing their efficiency and effectiveness.

The 12 principles of green chemistry are:

1. Prevention: It is better to prevent waste than to treat or clean up waste after it has been created.
2. Atom Economy: Synthetic methods should be designed to maximize the incorporation of all materials used in the process into the final product.
3. Less Hazardous Chemical Syntheses: Wherever practicable, synthetic methods should be designed to use and generate substances that possess little or no toxicity to human health and the environment.
4. Designing Safer Chemicals: Chemical products should be designed to affect their desired function while minimizing their toxicity.
5. Safer Solvents and Auxiliaries: The use of auxiliary substances (e.g., solvents, separation agents, etc.) should be made unnecessary wherever possible and innocuous when used.
6. Design for Energy Efficiency: Energy requirements of chemical processes should be recognized for their environmental and economic impacts and should be minimized. If possible, synthetic methods should be conducted at ambient temperature and pressure.
7. Use of Renewable Feedstocks: A raw material or feedstock should be renewable rather than depleting whenever technically and economically practicable.
8. Reduce Derivatives: Unnecessary derivatization (use of blocking groups, protection/deprotection, temporary modification of physical/chemical processes) should be minimized or avoided if possible, because such steps require additional reagents and can generate waste.
9. Catalysis: Catalytic reagents (as selective as possible) are superior to stoichiometric reagents.
10. Design for Degradation: Chemical products should be designed so that at the end of their function they break down into innocuous degradation products and do not persist in the environment.
11. Real-time analysis for Pollution Prevention: Analytical methodologies need to be further developed to allow for real-time, in-process monitoring and control prior to the formation of hazardous substances.
12. Inherently Safer Chemistry for Accident Prevention: Substances and the form of a substance used in a chemical process should be chosen to minimize the potential for chemical accidents, including releases, explosions, and fires.

The importance of green synthesis in green chemistry lies in its ability to minimize the use and generation of hazardous substances, while maximizing the efficiency and effectiveness of chemical processes. Green synthesis methods aim to reduce the environmental impact of chemical processes and products, while also improving their sustainability. This is achieved through the use of renew-

able feedstocks, safer solvents and auxiliaries, and the design of safer chemicals and processes.

Green chemistry is an important approach to sustainable development, as it seeks to minimize the environmental impact of chemical processes and products, while maximizing their efficiency and effectiveness. By following the 12 principles of green chemistry, it is possible to design chemical products and processes that are safer, more efficient, and more sustainable, contributing to a healthier and more sustainable future for all.

Chemicals, Synthesis of typical organic compounds by conventional and Green route (Adipic)

- Adipic acid is an organic compound that can be synthesized using both conventional and green routes.
- The conventional route for the synthesis of adipic acid involves the use of benzene as a starting material, which requires high pressure and temperature .
- New synthetic pathways have been reported for the manufacture of adipic acid using glucose as a starting material instead of benzene .
- The green route for the synthesis of adipic acid requires less temperature and pressure compared to the conventional route .
- Green techniques have been applied to synthesize both well-known chemical compounds by more sustainable routes and completely new materials .
- In organic chemistry, green techniques include reactions of C–H bond activation, fluoros, solid-supported, bio- and asymmetric catalysis and synthesis, use of water and other green solvents (in particular, ionic liquids (ILs)) or without any solvent, microwave-, ultrasound- and ultraviolet (UV)-assisted reactions, and use of flow reactors .
- The ideology of Green Chemistry calls for the development of new chemical reactivities and reaction conditions that can potentially provide benefits for chemical syntheses in terms of resource and energy efficiency, product selectivity, operational simplicity, and health and environmental safety .

Acid and Paracetamol

- Mefenamic Acid + Paracetamol is a combination of two medicines: Mefenamic Acid and Paracetamol. It works by blocking the release of certain chemical messengers that cause fever, pain and inflammation (redness and swelling).
- Paracetamol may be made by acetylation of para-aminophenol (obtained by reduction of para-nitrophenol) with acetic acid or acetic anhydride.
- Paracetamol is used as an analgesic and antipyretic drug. It is the pre-

ferred alternative analgesic-antipyretic to aspirin (acetylsalicylic acid), particularly in patients with coagulation disorders, individuals with a history of peptic ulcer or who cannot tolerate aspirin, as well as in children.

Environmental impact of Green chemistry on society

- Green chemicals either degrade to innocuous products or are recovered for further use. Plants and animals suffer less harm from toxic chemicals in the environment. Lower potential for global warming, ozone depletion, and smog formation.
- Scientists and chemists can significantly minimize the risk to environment and health of human by the help of all the valuable ideology of green chemistry.
- Green chemistry is the design of high-performing, cost-effective technology that is safer for the environment and human health.

Unit-2: 8

1. Point 1
2. Point 2
3. Point 3
4. Point 4
5. Point 5
6. Point 6
7. Point 7
8. Point 8

Spectroscopic Techniques and Applications: Elementary idea and simple applications of

Spectroscopy is the study of the interaction between matter and electromagnetic radiation. It is a powerful tool for the analysis of the structure and composition of materials. Some of the elementary ideas and simple applications of spectroscopy are:

1. **Identification of elements and compounds:** Spectroscopy can be used to identify the presence of specific elements or compounds in a sample by analyzing the characteristic absorption or emission spectra.
2. **Quantitative analysis:** Spectroscopy can be used to determine the concentration of a specific element or compound in a sample by measuring the intensity of the characteristic absorption or emission lines.
3. **Molecular structure determination:** Spectroscopy can provide information about the structure of molecules, including bond lengths, bond angles, and the presence of functional groups.

4. **Remote sensing:** Spectroscopy can be used for remote sensing, such as the analysis of the composition of planetary atmospheres or the detection of pollutants in the environment.

UV, IR and NMR, Numerical problems

UV, IR and NMR are three types of spectroscopy techniques used to study the structure of molecules.

- **UV spectroscopy** uses ultraviolet light to study the electronic structure of molecules. It is commonly used to determine the concentration of a substance in a solution.
- **IR spectroscopy** uses infrared light to study the vibrational modes of molecules. It is commonly used to identify functional groups in organic molecules.
- **NMR spectroscopy** uses radio waves to study the magnetic properties of atomic nuclei. It is commonly used to determine the structure of organic molecules.

Numerical problems in these techniques involve using the principles of spectroscopy to solve problems related to the structure and properties of molecules. These problems may involve calculating the concentration of a substance in a solution, identifying functional groups in a molecule, or determining the structure of a molecule.

Here are some examples of numerical problems in UV, IR and NMR spectroscopy:

1. A solution of compound X has an absorbance of 0.75 at a wavelength of 250 nm. Calculate the concentration of compound X in the solution, given that the molar absorptivity of compound X at this wavelength is 15,000 L/mol/cm.
2. An IR spectrum of an unknown compound shows a strong absorption at 1710 cm⁻¹. What functional group is likely present in the molecule?
3. An NMR spectrum of an unknown compound shows a singlet at 3.5 ppm with an integration of 3. What is the likely structure of the molecule?

These are just a few examples of the types of numerical problems that can be solved using UV, IR and NMR spectroscopy. To solve these problems, it is important to have a strong understanding of the principles of spectroscopy and the properties of molecules.

Stereochemistry: Optical isomerism in compounds without chiral carbon, Geometrical

Stereochemistry is the study of the spatial arrangement of atoms in molecules and the effect of this arrangement on the chemical and physical properties of the molecules. Optical isomerism and geometrical isomerism are two types of stereoisomerism.

1. **Optical Isomerism:** Optical isomerism occurs when a compound has similar bonds but a different spatial arrangement of atoms, resulting in non-superimposable mirror images, known as enantiomers. Enantiomers differ from one another in their optical activity. Optical isomerism occurs in chiral molecules in solution, which appear to be mirror images of one another.
2. **Geometrical Isomerism:** Geometrical isomerism occurs due to the different geometric configurations of the atoms in a molecule. Geometrical stereoisomers are a common occurrence in heteroleptic compounds.

It is important to note that optical isomerism is not limited to molecules with a single chiral center. The chirality of molecules can result from the presence of chiral centers, as well as from the presence of chiral axes or planes.

Isomerism and Chiral Drugs

Isomerism is a phenomenon where two or more compounds have the same molecular formula but different structural arrangements. This can result in different physical and chemical properties. In the context of drugs, isomerism has opened a new era of drug development.

One type of isomerism is optical isomerism, where a molecule cannot be superimposed on its mirror image. Such a molecule is called chiral, and each of these images is called an enantiomer. Enantiomers are isomers that are mirror images of each other.

The importance of chiral drugs in the drug development space cannot be understated. In pharmaceutical industries, 56% of the drugs currently in use are chiral molecules and 88% of the last ones are marketed as racemates (or racemic mixtures), consisting of an equimolar mixture of two enantiomers.

Knowledge of isomerism has helped in introducing safer and more effective drug alternatives of the newer as well as existing drugs. Many existing drugs have gone chiral switch i.e., switching from racemic mixture to one of its isomers.

The stereoisomeric composition of a drug with a chiral center should be known and the quantitative isomeric composition of the material used in pharmacologic, toxicologic, and clinical studies.

Unit-3: 8

1. Point 1
2. Point 2
3. Point 3
4. Point 4
5. Point 5

Electrochemistry and Batteries: Basic concepts of electrochemistry

Electrochemistry is the branch of chemistry that deals with the relationship between electricity and chemical reactions. It involves the study of chemical changes that produce electrical energy and the use of electrical energy to bring about chemical changes.

Some basic concepts of electrochemistry include:

1. **Redox reactions:** These are reactions in which electrons are transferred from one species to another. The species that loses electrons is oxidized, while the species that gains electrons is reduced.
2. **Electrochemical cells:** These are devices that convert chemical energy into electrical energy or vice versa. They consist of two electrodes (an anode and a cathode) and an electrolyte.
3. **Galvanic cells:** These are electrochemical cells in which a spontaneous redox reaction generates an electric current. The anode is the electrode where oxidation occurs, while the cathode is the electrode where reduction occurs.
4. **Electrolytic cells:** These are electrochemical cells in which an electric current is used to drive a non-spontaneous redox reaction. The anode is the electrode where oxidation occurs, while the cathode is the electrode where reduction occurs.
5. **Batteries:** These are devices that consist of one or more electrochemical cells connected in series or parallel. They are used to store and provide electrical energy.

These are some of the basic concepts of electrochemistry. Understanding these concepts is essential for studying electrochemistry and its applications, including batteries.

Batteries; Classification and applications of Primary Cells (Dry Cell) and Secondary Cells

A battery is a galvanic cell that has been specially designed and constructed in a way that best suits its intended use as a source of electrical power for specific applications. A battery can be divided into two types: primary and secondary cells.

Primary Cells

A primary battery or primary cell is a battery (a galvanic cell) that is designed to be used once and discarded, and not recharged with electricity and reused like a secondary cell (rechargeable battery). In general, the electrochemical reaction occurring in the cell is not reversible, rendering the cell unrechargeable. Dry cells and (most) alkaline batteries are examples of primary batteries.

Secondary Cells

The second type of battery is rechargeable and is called a secondary battery. A secondary battery can be used multiple times by recharging it. Examples of secondary batteries include nickel-cadmium (NiCd), lead acid, and lithium-ion batteries.

Lead Acid Battery

- The lead-acid battery is a type of rechargeable battery first invented in 1859 by French physicist Gaston Planté .
- It is the first type of rechargeable battery ever created .
- Compared to modern rechargeable batteries, lead-acid batteries have relatively low energy density .
- A lead-acid battery consists of a negative electrode made of spongy or porous lead .
- The positive electrode consists of lead oxide .
- The lead-acid battery consists of two electrodes submerged in an electrolyte of sulfuric acid .
- The positive electrode is made of grains of metallic lead oxide, while the negative electrode is attached to a grid of metallic lead .
- Lead-acid batteries are classified into two types: flooded and valve-regulated .
- Lead-acid batteries are currently used in uninterrupted power modules, electric grid, and automotive applications .
- A lead-acid battery system may cost hundreds or thousands of dollars less than a similarly-sized lithium-ion setup .

Corrosion

Introduction to corrosion

Corrosion is the process of wearing away of a material due to chemical reactions, mainly oxidation. It occurs whenever a gas or liquid chemically attacks an exposed surface, often a metal, and is accelerated by warm temperatures and by acids and salts.

Types of corrosion

There are several types of corrosion, including: 1. **Galvanic corrosion**: This type of corrosion occurs when two metals with different electrochemical charges are linked via a conductive path. 2. **Intergranular corrosion**: This type of corrosion occurs when one impure metal is present. 3. **Stress-corrosion cracking (SCC)**: This type of corrosion can severely damage a component beyond repair. 4. **General corrosion**: It is electrochemical corrosion.

Cause of corrosion

Metals begin to corrode when they react with other substances such as oxygen, hydrogen, an electric current, or even bacteria or dirt. Corrosion can also take place when metals such as steel are occupied under so much stress compelling materials to crack.

Corrosion

Corrosion is a natural process that can have significant economic, environmental, and safety implications. It is important to understand the causes and types of corrosion in order to prevent or mitigate its effects.

Prevention and Control of Corrosion

Corrosion prevention and control (CPC) is a vital aspect of maintaining physical assets, ranging from aircraft, ships, ground combat vehicles, and materiel, as well as wharves, buildings, and other infrastructure. These assets are subject to degradation due to corrosion, and CPC helps to reduce the effect of corrosion on sustainment costs while also improving materiel readiness.

CPC entails the characteristics of a system design to preclude or reduce corrosion, materials selection, non-destructive inspections for corrosion detection, coatings, finishes, cleaning materials and washings, repairs, and other maintenance activities .

The DoD Corrosion Prevention and Control Planning Guidebook for Military Systems and Equipment (MS&E) (i.e., CPC Planning Guidebook) helps Program Managers (PMs), Systems Engineers, Product Support Managers and other program staff develop and execute a comprehensive CPC approach.

Issues in Specific Industries

Power Generation

1. Environmental concerns: The burning of fossil fuels for power generation releases greenhouse gases and other pollutants into the atmosphere, contributing to climate change and air pollution.

2. Reliability: Power generation facilities can experience outages due to natural disasters, equipment failure, or other factors, leading to disruptions in the supply of electricity.
3. Cost: The cost of generating electricity can vary depending on the fuel source and technology used, and can be affected by market conditions and government policies.

Chemical Industry

1. Safety: The chemical industry involves the handling and processing of hazardous materials, which can pose risks to workers and the environment if not managed properly.
2. Regulation: The chemical industry is subject to a wide range of regulations governing the production, transport, and disposal of chemicals, which can add to the cost and complexity of operations.
3. Innovation: The chemical industry relies on innovation to develop new products and processes, but research and development can be expensive and time-consuming.

Processing Industry, Oil & Gas Industry, and Pulp & Paper Industries

Processing Industry

- The processing industry involves the transformation of raw materials into finished products.
- This industry includes a wide range of sectors such as food processing, textile processing, and chemical processing.
- The processing industry plays a crucial role in the economy by adding value to raw materials and creating employment opportunities.

Oil & Gas Industry

- The oil and gas industry is involved in the exploration, extraction, refining, and distribution of oil and gas.
- This industry is critical to the global economy as it provides the primary source of energy for transportation, heating, and electricity generation.
- The oil and gas industry is divided into three main sectors: upstream, midstream, and downstream.

Pulp & Paper Industries

- The pulp and paper industry is involved in the production of paper and paper products from wood and other raw materials.

- This industry plays a vital role in the global economy by providing paper products for communication, packaging, and hygiene.
- The pulp and paper industry is divided into two main sectors: pulp production and paper production.

Chemistry of Engineering Materials:

1. Engineering materials are materials that are used in the construction of machines, structures, and other industrial products.
2. These materials can be classified into four main categories: metals, ceramics, polymers, and composites.
3. Metals are materials that are characterized by their high strength, ductility, and conductivity. They are commonly used in the construction of structural components, such as beams and columns, as well as in the manufacture of machinery and equipment.
4. Ceramics are materials that are characterized by their high hardness, strength, and resistance to heat and wear. They are commonly used in the manufacture of cutting tools, bearings, and heat-resistant components.
5. Polymers are materials that are characterized by their low density, high flexibility, and resistance to chemicals. They are commonly used in the manufacture of plastics, rubber, and synthetic fibers.
6. Composites are materials that are made up of two or more different materials, which are combined to produce a material with improved properties. They are commonly used in the manufacture of aircraft, boats, and sports equipment.
7. The chemistry of engineering materials is concerned with the study of the properties and behavior of these materials, as well as the development of new materials with improved properties.
8. This field of study involves the application of principles from chemistry, physics, and materials science to the design and development of new materials for use in engineering applications.

Cement

Cement is a binding material that sets, hardens, and adheres to other materials to bind them together. It is manufactured through a closely controlled chemical combination of calcium, silicon, aluminum, iron, and other ingredients .

Manufacturing

Cement is manufactured by grinding the raw materials, which include limestone, clay, and shale, to a fine powder. This powder is then heated in a kiln to around 1450°C, which causes the materials to fuse together to form clinker. The clinker is then ground to a fine powder and mixed with gypsum to produce cement .

Hardening and Setting

Cement hardens and sets as a result of hydration, which is a chemical combination of the cement compounds with water. This process yields submicroscopic crystals or a gel-like material with a high surface area. The hydration, setting, and hardening of Portland cement are constrained by C3S and C3A, and any admixtures that affect the hydration of these compounds can change the performance of the hydration, setting, and hardening of Portland cement .

Deterioration of Cement

Set cement and concrete can suffer deterioration from attack by some natural or artificial chemical agents. The alumina compound is the most vulnerable to chemical attack in soils containing sulfate salts or in seawater, while the iron compound and the two calcium silicates are more resistant. Concrete can also deteriorate for a variety of other reasons, including corrosion of embedded metals, freeze-thaw cycles, and alkali-aggregate reactions .

Plaster

Plaster is a building material used for coating walls and ceilings. It is made by mixing cement, sand, and water, and can be applied in a single or multiple coats. Plaster provides a smooth, durable surface that can be painted or wallpapered.

Paris (POP)

- According to recent estimates, the population of the city of Paris is 2,206,488, representing a small decline in population numbers from 2014.
- However, the population of the surrounding suburbs is estimated to be around 10.5 million, which makes it the most populous urban area in the European Union.
- Paris's 2023 population is now estimated at 12,064,575.
- In 1950, the population of Paris was 6,283,018.
- Paris has grown by 68,610 in the last year, which represents a 0.57% annual change.
- These population estimates and projections come from the latest revision of the UN World Urbanization Prospects.
- Paris is the capital and most populous city of France, with an estimated population of 2,165,423 residents in 2019 in an area of more than 105 km² (41 sq mi).
- Paris is the fourth-most populated city in the European Union as well as the 30th most densely populated city in the world in 2022.
- In the past 70 years, Paris's population has almost doubled in size from 6.2 million people in 1950 and has now become the most populous urban area in all of Europe, with a population density of 21,000 people per square kilometer.
- A young city Paris owes most of its population growth to the birth of children between the years of 1999 to 2009.

Unit-4: 8

1. I'm sorry, but I need more information to provide a response. Can you please specify the subject and context of Unit-4 and what the number 8 refers to?
2. Is this a chapter or a topic in a specific course or book?
3. Providing more details will help me generate a more accurate and helpful response. Thank you.

Water Technology

Sources of Water

Water is a vital resource for life and is obtained from various sources. Some of the common sources of water include: 1. Surface water: This includes water from rivers, lakes, and reservoirs. 2. Groundwater: This is water that is found underground in aquifers and is obtained through wells and boreholes. 3. Rain-water: This is water that is collected from precipitation and can be harvested and stored for use. 4. Desalination: This is the process of removing salt and other minerals from seawater to make it suitable for use.

Impurities in Water

Water from natural sources is not pure and contains various impurities. These impurities can be classified into two categories: 1. Dissolved impurities: These are impurities that are dissolved in water and include salts, minerals, and organic matter. 2. Suspended impurities: These are impurities that are not dissolved in water and include sand, silt, and clay particles.

Hardness of Water

Hardness of water refers to the presence of dissolved calcium and magnesium salts in water. These salts can cause problems in industrial and domestic settings by forming scale in boilers and pipes, reducing the effectiveness of soap and detergents, and causing skin irritation. Water hardness is classified into two types: 1. Temporary hardness: This is caused by the presence of bicarbonates of calcium and magnesium and can be removed by boiling the water. 2. Permanent hardness: This is caused by the presence of sulfates and chlorides of calcium and magnesium and cannot be removed by boiling. It can be removed by using ion exchange resins or by adding chemicals such as sodium carbonate.

Boiler Troubles

Boiler troubles refer to problems that can occur in boilers due to the presence of impurities in water. Some common boiler troubles include: 1. Scale formation: This is caused by the deposition of calcium and magnesium salts on the inner surfaces of boilers and can reduce heat transfer efficiency and increase fuel consumption. 2. Corrosion: This is caused by the reaction of water with the metal

surfaces of boilers and can lead to the weakening and failure of boiler components. 3. Priming and foaming: This is caused by the presence of dissolved and suspended impurities in water and can lead to the carryover of water into the steam, reducing the quality of the steam and causing damage to downstream equipment.

Techniques for Water Softening

Water softening is the process of removing impurities such as calcium and magnesium ions from water. These impurities can cause water to be hard, which can lead to problems such as scale buildup in pipes and reduced effectiveness of soaps and detergents. There are several techniques for water softening, including Lime-Soda, Zeolite, Ion Exchange, and Reverse Osmosis.

1. **Lime-Soda:** The lime-soda method of water softening involves the use of chemicals such as calcium hydroxide (slaked lime) and sodium carbonate (soda ash) to remove impurities from water. This method must be followed by sedimentation and filtration in order to remove the precipitates.
2. **Zeolite:** The zeolite process for water softening has become a commercial success because zeolite can be easily regenerated. When hard water containing calcium and magnesium ions is passed through a bed of sodium zeolite, the sodium ions are replaced by the calcium and magnesium ions.
3. **Ion Exchange:** Ion exchange softening is applied to water high in non-carbonated hardness and the total hardness does not exceed 350 mg/L. This method involves the use of ion exchange resins to remove impurities from water.
4. **Reverse Osmosis:** Reverse osmosis softening involves the use of a semipermeable membrane to remove impurities from water. Water is forced through the membrane, which allows water molecules to pass through but blocks larger impurities.

These are some of the common techniques for water softening. Each technique has its own advantages and disadvantages, and the best technique for a particular situation will depend on factors such as the hardness of the water and the intended use of the softened water.

Determination of Hardness and Alkalinity, Numerical problems

Hardness

Hardness is a measure of the concentration of calcium and magnesium ions in water. It is usually expressed in milligrams per liter (mg/L) as calcium carbonate (CaCO_3). There are two types of hardness: carbonate hardness

(CH) and noncarbonate hardness (NCH). The total hardness (TH) is the sum of carbonate hardness and noncarbonate hardness: $TH = CH + NCH$.

Alkalinity

Alkalinity is a measure of the capacity of water to neutralize acids. It is usually expressed in milligrams per liter (mg/L) as calcium carbonate ($CaCO_3$). Carbonate hardness has a relationship with alkalinity: CH in meq/L = [Alk in meq/L] and CH in °dH = $809 \times [\text{Alk in meq/L}]$.

Numerical problems

Here is an example of a numerical problem involving hardness and alkalinity:

The analysis further showed that the concentrations of all the three principal cations causing hardness are numerically the same. If the value of carbonate hardness is 77 mg /lit, calculate; 1) the value of NCH 2) the concentrations of principal cations; and 3) the value of total alkalinity in mg/lit .

Solution: 1) $NCH = TH - CH$ 2) Total Hardness = $[50P/20 + 50P/12.2]$ mg/lit as $CaCO_3$. $300 = 6.6 P$. Therefore, $P = 45.45$ mg/lit. 3) Bicarbonate alkalinity = $150 \times 50/61 = 122.95$ mg/lit as $CaCO_3$. Total alkalinity = $CA + BA = 0 + 122.95 = 122.95$ mg/lit. Here, Total hardness > Total alkalinity. Carbonate hardness = Total alkalinity = 122.95 mg/lit .

Fuels and Combustion

Definition

- Fuel is any material that can be burned to release energy in the form of heat or light.
- Combustion is the process of burning a fuel in the presence of oxygen to produce heat and light.

Classification

Fuels can be classified into three main categories: 1. Solid fuels: such as coal, wood, and charcoal. 2. Liquid fuels: such as gasoline, diesel, and kerosene. 3. Gaseous fuels: such as natural gas, propane, and hydrogen.

Characteristics of a good fuel

A good fuel should have the following characteristics: 1. High calorific value: The fuel should release a large amount of heat per unit mass when burned. 2. Easy to ignite: The fuel should ignite easily and burn steadily. 3. Low moisture content: The fuel should have a low moisture content to reduce the loss of heat due to evaporation. 4. Low ash content: The fuel should produce a small amount of ash after burning to reduce the amount of waste produced. 5. Easy

to transport and store: The fuel should be easy to transport and store without the risk of fire or explosion.

Calorific Value

The calorific value of a fuel is the amount of heat released per unit mass of fuel when it is burned completely. It is usually expressed in units of energy per unit mass, such as joules per gram (J/g) or calories per gram (cal/g). The higher the calorific value of a fuel, the more heat it releases when burned, and the more efficient it is as a source of energy.

Values, Gross & Net Calorific Value, Determination of Calorific Value by Bomb Calorimeter

Values

Values are principles or standards of behavior that are considered important or worthwhile. They can be personal, cultural, or societal, and they can vary from one individual or group to another.

Gross & Net Calorific Value

Calorific value is the amount of heat energy released when a substance is burned. It is usually measured in units of energy per unit of mass, such as joules per gram or calories per gram.

Gross calorific value (GCV) is the total amount of heat energy released when a substance is burned, including the heat energy contained in the water vapor produced during combustion. Net calorific value (NCV) is the amount of heat energy released when a substance is burned, excluding the heat energy contained in the water vapor produced during combustion.

Determination of Calorific Value by Bomb Calorimeter

A bomb calorimeter is a device used to measure the calorific value of a substance. It consists of a sealed container, known as a bomb, which is filled with oxygen and the substance to be tested. The bomb is then placed in a water bath, and the substance is ignited. The heat energy released during combustion is transferred to the water, causing its temperature to rise. The temperature rise is measured, and the calorific value of the substance can be calculated using the known heat capacity of the water and the mass of the substance burned.

Theoretical calculation of calorific value by Dulong's method, Ranking of Coal, Analysis of coal

Theoretical calculation of calorific value by Dulong's method

Dulong's formula is used to calculate the calorific value of a fuel. The formula is as follows:

$$\text{Gross Calorific Value} = 33800C + 144200(H - O/8) + 9400S$$

Where: - C is the percentage of carbon - H is the percentage of hydrogen - O is the percentage of oxygen - S is the percentage of sulfur

This formula assumes that all the carbon, hydrogen, and sulfur in the fuel are completely burned and that all the heat generated is recovered.

Ranking of Coal

Coal is ranked based on its carbon content, heating value, and sulfur content. The ranks of coal, from lowest to highest, are: 1. Lignite 2. Sub-bituminous 3. Bituminous 4. Anthracite

Lignite has the lowest carbon content and heating value, while anthracite has the highest. The sulfur content of coal also affects its rank, with lower sulfur content being more desirable.

Analysis of coal

Coal analysis is the process of determining the composition and properties of coal. This can include measurements of the following: - Moisture content - Ash content - Volatile matter - Fixed carbon - Sulfur content - Heating value - Carbon, hydrogen, nitrogen, and oxygen content

These measurements can be used to determine the rank of the coal, its suitability for a particular use, and its environmental impact when burned. Coal analysis is typically performed using standardized laboratory methods.

Proximate and Ultimate Analysis Method

Proximate and ultimate analysis are two methods used to determine the chemical composition of coal and other solid fuels. These methods provide information about the fuel's heating value, volatile matter, moisture, ash, and fixed carbon content.

Proximate Analysis

Proximate analysis is used to determine the following properties of coal:

- Moisture: The amount of water present in the coal.
- Volatile Matter: The amount of gas released when coal is heated to a high temperature.
- Ash: The non-combustible residue left after coal is burned.
- Fixed Carbon: The solid carbonaceous material remaining after the volatile matter has been driven off.

Ultimate Analysis

Ultimate analysis is used to determine the elemental composition of coal, including the following elements:

- Carbon
- Hydrogen
- Nitrogen
- Sulfur
- Oxygen

Numerical Problems

Numerical problems involving proximate and ultimate analysis typically involve calculating the heating value of coal or other solid fuels, or determining the composition of the fuel based on the results of the analysis.

Chemistry of Biogas

Biogas is a renewable energy source produced by the anaerobic digestion of organic matter. The main components of biogas are methane (CH_4) and carbon dioxide (CO_2), with small amounts of hydrogen sulfide (H_2S), nitrogen (N_2), and other trace gases.

During the anaerobic digestion process, microorganisms break down organic matter in the absence of oxygen, producing biogas as a byproduct. The methane in biogas is produced by methanogenic bacteria, which convert organic acids and hydrogen into methane and carbon dioxide.

Biogas can be used as a fuel for heating, cooking, and generating electricity. It can also be upgraded to biomethane, a renewable natural gas, by removing the carbon dioxide and other impurities.

Production from Organic Waste Materials and their Environmental Impact on Society

Organic waste materials can be used to produce compost, which can be used to enrich soil and reduce the need for chemical fertilizers. However, when organic waste is disposed of in landfills, it can have a negative impact on the environment.

The anaerobic decomposition of organic materials in landfills produces methane, a potent greenhouse gas with a global warming potential approximately 85 times higher than carbon dioxide over a 20-year time period . Landfills are one of the top emitters of man-made methane emissions in the United States .

Organic waste feedstocks of aquatic, agricultural, forestry, and terrestrial animal origin are especially suitable for valorization . By composting wasted food and other organics, methane emissions are significantly reduced . However, toxic waste can pollute groundwater, soil, surface water, and air, causing problems for humans and environmental health . Gases like CO₂ and methane, which are by-products of many production processes, have an adverse impact on our environment, increasing the speed of global warming .

In conclusion, the production of compost from organic waste materials can have a positive impact on the environment by reducing the need for chemical fertilizers and reducing methane emissions. However, the disposal of organic waste in landfills can have a negative impact on the environment by producing methane, a potent greenhouse gas. It is important to manage waste through reuse, recycling, storage, treatment, energy recovery, and/or disposal or other releases to the environment .

Unit-5: 8

1. I'm sorry, but I need more information to provide you with a detailed response. Can you please specify the subject or context of Unit-5: 8?
2. Without additional information, it is not possible for me to provide a comprehensive response on the topic of Unit-5: 8.

Materials Chemistry:

Materials Chemistry is a branch of chemistry that deals with the study of the synthesis, structure, properties, and performance of materials. These materials can range from simple substances to complex, multi-component systems.

Some key points to consider when studying Materials Chemistry include:

1. Materials can be classified into various categories, such as metals, ceramics, polymers, and composites.
2. The properties of materials are determined by their chemical composition and structure.
3. Materials can be synthesized using various methods, such as chemical reactions, physical vapor deposition, and sol-gel processing.
4. The performance of materials can be evaluated using various techniques, such as mechanical testing, thermal analysis, and spectroscopy.
5. Materials Chemistry plays a crucial role in the development of new technologies, such as energy storage, electronics, and biomedicine.

Polymers; Classification, Polymerization processes, Thermosetting and Thermoplastic

Polymers are large molecules made up of repeating subunits called monomers. They can be classified in several ways, including by their chemical structure, physical properties, and synthesis methods.

Classification

When classified by chemical structure, there are two generally recognized classes of plastic materials: Thermosets, having cross-linked molecular chains, and Thermoplastics, which are made up of linear molecular chains .

Polymerization processes

Thermoset polymers require a two-stage polymerization process. In the first stage, the liquid resin is mixed with a hardener to create a thermosetting plastic. In the second stage, the plastic is heated to cure and harden it .

Thermosetting and Thermoplastic

Thermosetting polymers are made up of cross-linked molecular chains, while thermoplastic polymers are made up of linear molecular chains. Thermoplastics soften when heated and harden when cooled, while thermosets do not soften when heated .

Thermoplastics are reversible and reproducible in that they soften when heated and stiffen when cooled. Most linear polymers and branched structure polymers with flexible chains are thermoplastics .

Thermosetting polymers, on the other hand, do not soften when heated. Instead, they undergo a chemical change that makes them hard and rigid. This process is irreversible, meaning that once a thermoset has been cured, it cannot be melted or reshaped .

Polymers, Polymer Blends and Composites, Conducting and Biodegradable polymers

Polymers

- Polymers are large molecules composed of repeating structural units connected by covalent chemical bonds.
- The process of converting monomers into polymers is called polymerization.
- Polymers can be classified into two types: addition polymers and condensation polymers.

- Addition polymers are formed by the addition of monomers with unsaturated bonds, while condensation polymers are formed by the elimination of a small molecule, such as water, during polymerization.

Polymer Blends and Composites

- Polymer blends are mixtures of two or more polymers that are physically mixed together.
- Polymer composites are materials made by combining two or more different types of materials to create a new material with improved properties.
- The most common type of polymer composite is a fiber-reinforced composite, where fibers of one material are embedded in a matrix of another material.

Conducting Polymers

- Conducting polymers are a class of polymers that have the ability to conduct electricity.
- They are typically conjugated polymers, meaning they have alternating single and double bonds along the polymer chain.
- Conducting polymers can be used in a variety of applications, including batteries, sensors, and displays.

Biodegradable Polymers

- Biodegradable polymers are polymers that can be broken down by microorganisms into natural substances such as water, carbon dioxide, and biomass.
- They are typically made from renewable resources, such as starch, cellulose, and lactic acid.
- Biodegradable polymers are used in a variety of applications, including packaging, agriculture, and medicine.

Preparation, properties, industrial applications of Teflon, Lucite, Bakelite, Kelvar, Dacron

Teflon

Teflon is a brand name for the chemical compound polytetrafluoroethylene (PTFE). It is a white solid compound at room temperature with a density of about 2200 kg/m³ or 2.2 g/cm³. Its melting point is 600 K. It is chemically resistant, with the only chemicals that can affect it being alkali metals. It shows good resistance towards heat and low temperature and has a low water absorption capacity .

Teflon is used in a variety of real-world applications due to its chemical properties. It is used in electrical appliances, manufacturing, and even the textile industry, where it is used in the production of many clothing items .

Bakelite

Bakelite is a type of plastic made from phenol and formaldehyde. The preparation of Bakelite involves several steps. Ortho and para hydroxy benzyl alcohols are formed when phenol and formaldehyde react. Novolac is created by removing a water molecule during the polymerization process of hydroxy benzyl alcohol, formed from phenol and formaldehyde in an acid medium with HCl or ZnCl_2 .

Bakelite is a good insulator and is used in the manufacture of non-conducting parts of radio and electric devices such as sockets, wire insulation, switches, and automobile distribution caps. It is also used in the manufacture of clocks, buttons, washing machines, toys, kitchenware, and other items .

Lucite

I'm sorry, but I couldn't find any information on Lucite in my search results. Would you like me to search again or provide information on another topic?

Kelvar

I'm sorry, but I couldn't find any information on Kelvar in my search results. Would you like me to search again or provide information on another topic?

Dacron

Thiokol, Nylon, Buna-N and Buna-S and their environmental impact on society, Speciality

Thiokol

- Thiokol is a synthetic rubber that is used in the production of solid rocket propellants and sealants.
- There is no information available on the environmental impact of Thiokol.

Nylon

- Nylon is the world's first entirely synthetic polymer fiber, introduced by the DuPont company in 1938.
- Known for its strength, durability, and flexibility.
- There is no information available on the environmental impact of Nylon.

Buna-N

- Buna-N, also known as nitrile butadiene rubber, NBR, and acrylonitrile butadiene rubber, is a synthetic rubber derived from acrylonitrile (ACN) and butadiene.
- Trade names include Perbunan, Nipol, Krynac and Europrene.
- This rubber is unusual in being resistant to oil, fuel, and other chemicals.
- There is no information available on the environmental impact of Buna-N.

Buna-S

- Buna-S, now known as styrene butadiene rubber (SBR), was being produced in large quantities in Germany by 1935.
- IG Farben scientists also developed nitrile rubber Buna-N in 1931, now known as NBR, and began mass production in 1935.
- There is no information available on the environmental impact of Buna-S.

Polymers

- Polymers range from familiar synthetic plastics such as polystyrene to natural biopolymers such as DNA and proteins that are fundamental to biological structure and function.
- Polymers, both natural and synthetic, are created via polymerization of many small molecules, known as monomers.
- A polymer is a substance composed of macromolecules.
- A macromolecule is a molecule of high relative molecular mass, the structure of which essentially comprises the multiple repetition of units derived, actually or conceptually, from molecules of low relative molecular mass.
- Polymers make up many of the materials in living organisms, including, for example, proteins, cellulose, and nucleic acids.

Organometallic Compounds: General methods of preparation and applications of

Organometallic compounds are chemical compounds that contain at least one bond between a carbon atom of an organic molecule and a metal. These compounds have a wide range of applications in various fields, including catalysis, medicine, and materials science.

General methods of preparation:

1. **Direct reaction of a metal with an organic compound:** This method involves the direct reaction of a metal with an organic compound, such as an alkane, alkene, or alkyne, to form an organometallic compound. For example, the reaction of magnesium with an alkyl halide produces a Grignard reagent, an important type of organometallic compound.

2. **Reaction of a metal with an organic halide:** This method involves the reaction of a metal with an organic halide, such as an alkyl or aryl halide, to form an organometallic compound. For example, the reaction of lithium with an alkyl halide produces an organolithium compound.
3. **Transmetalation:** This method involves the transfer of an organic group from one metal to another. For example, the reaction of an organolithium compound with a transition metal halide produces an organotransition metal compound.

Applications of organometallic compounds:

1. **Catalysis:** Organometallic compounds are widely used as catalysts in various chemical reactions, including polymerization, hydrogenation, and cross-coupling reactions.
2. **Medicine:** Certain organometallic compounds have been found to have medicinal properties and are used in the treatment of various diseases. For example, cisplatin, an organoplatinum compound, is used in the treatment of cancer.
3. **Materials science:** Organometallic compounds are used in the synthesis of various materials, including polymers, ceramics, and semiconductors.

Organometallic Compounds (RMgX and LiAlH_4)

Organometallic compounds are compounds that contain a metal-carbon bond. RMgX , where X is a halide, is known as a Grignard reagent. Grignard reagents are named after Victor Grignard. They are usually written as R-Mg-X , but in fact, the magnesium(II) center is tetrahedral when dissolved in Lewis basic solvents.

Grignard reagents are important due to their use in organic synthesis and as synthons for a range of organometallic compounds. They react with organic carbonyls (aldehydes, ketones, and esters) to yield the alcohol on hydrolysis. This synthetic route is useful for the formation of primary, secondary, and terminal alcohols.

LiAlH_4 is another organometallic compound. It is a reducing agent commonly used in organic synthesis.

Course Outcomes:

1. Understanding of the subject matter and its relevance to the field of study.
2. Development of critical thinking and problem-solving skills.
3. Ability to apply theoretical concepts to practical situations.
4. Improvement in communication and presentation skills.
5. Enhancement of teamwork and collaboration abilities.

6. Acquisition of research and analytical skills.
7. Familiarity with current trends and developments in the field.
8. Preparation for further academic or professional pursuits.

Upon completion of the course the student should be able to:

1. Demonstrate a comprehensive understanding of the subject matter.
2. Apply the knowledge and skills acquired in the course to solve problems and make informed decisions.
3. Communicate effectively using the language and terminology of the subject.
4. Work effectively both independently and as part of a team.
5. Demonstrate critical thinking and analytical skills.
6. Use appropriate technology and tools to enhance learning and problem-solving.
7. Demonstrate ethical and professional behavior.
8. Engage in lifelong learning and continuous professional development.

Units Course Outcomes Bloom's

1. **Units:** Units are a standard of measurement used to express physical quantities. They provide a common language for scientists to communicate their findings and compare results.
2. **Course Outcomes:** Course outcomes are the specific knowledge, skills, and abilities that students are expected to achieve by the end of a course. They are used to assess the effectiveness of the course and to guide future improvements.
3. **Bloom's Taxonomy:** Bloom's Taxonomy is a framework for categorizing educational goals and objectives. It is used to design learning activities and assessments that promote higher-order thinking skills. The taxonomy is organized into six levels, from lower-order thinking skills such as remembering and understanding to higher-order thinking skills such as analyzing, evaluating, and creating.

Level

- A level is a tool used to determine if a surface is horizontal (level) or vertical (plumb).
- Levels can be used in construction, carpentry, surveying, and many other applications.
- There are several types of levels, including spirit levels, laser levels, and water levels.
- Spirit levels use a liquid-filled vial with an air bubble to indicate levelness.
- Laser levels project a laser beam to create a visual reference for levelness.
- Water levels use the principle that water will always find its own level to determine levelness.

- Levels can vary in size and accuracy, with larger and more precise levels being used for more demanding applications.
- It is important to use a level when installing objects such as shelves, cabinets, and picture frames to ensure that they are straight and level.
- Levels can also be used to check the levelness of floors, walls, and ceilings during construction or renovation.
- Using a level can help to ensure that a project is completed accurately and to a high standard.

CO-1: Understanding the Theoretical Principles of Chemistry of Molecular Structure, Bonding and

1. **Molecular Structure:** The arrangement of atoms in a molecule determines its shape and properties. Theories such as VSEPR (Valence Shell Electron Pair Repulsion) and hybridization are used to predict the geometry of molecules.
2. **Bonding:** Chemical bonds are the forces that hold atoms together in a molecule. There are several types of chemical bonds, including covalent, ionic, and metallic bonds. The type of bond formed depends on the electronegativity of the atoms involved.
3. **Theoretical Principles:** The principles of quantum mechanics are used to describe the behavior of electrons in atoms and molecules. Molecular orbital theory and valence bond theory are two approaches used to explain chemical bonding.
4. **Chemistry:** Chemistry is the study of matter and its interactions. It involves understanding the properties and behavior of atoms and molecules, and how they combine to form new substances.
5. **Importance:** Understanding the principles of molecular structure and bonding is essential for predicting the properties and reactivity of substances, and for designing new materials with desired properties.

Properties and Chemistry of Advanced Materials

Liquid Crystals

- Liquid crystals are a state of matter that has properties between those of a conventional liquid and those of a solid crystal.
- They can flow like a liquid, but have the long-range order of a solid.
- Liquid crystals are used in displays, such as LCD screens, because they can be manipulated to control the passage of light.
- The two main types of liquid crystals are thermotropic and lyotropic.
- Thermotropic liquid crystals change phase in response to temperature, while lyotropic liquid crystals change phase in response to the concentration of a solvent.

Nanomaterials

- Nanomaterials are materials with at least one dimension in the nanoscale range (1-100 nanometers).
- They have unique properties due to their small size and high surface area to volume ratio.
- Nanomaterials can be used in a variety of applications, including electronics, medicine, and energy production.
- Some common types of nanomaterials include nanoparticles, nanotubes, and nanowires.

Graphite and Fullerene

- Graphite is a form of carbon that consists of layers of carbon atoms arranged in a hexagonal lattice.
- It is a good conductor of electricity and heat, and is used in a variety of applications, including batteries and lubricants.
- Fullerene is a molecule composed entirely of carbon, in the form of a hollow sphere, ellipsoid, or tube.
- Fullerenes have unique properties and potential applications in materials science, electronics, and medicine.
- The most famous fullerene is the buckminsterfullerene, also known as the “buckyball,” which is a spherical molecule composed of 60 carbon atoms.

Principles of Green Chemistry

Green chemistry is the approach in chemical sciences that efficiently uses renewable raw materials, eliminating waste and avoiding the use of toxic and hazardous reagents and solvents in the manufacture and application of chemical products.

There are twelve basic principles of Green Chemistry that can be grouped into “Reducing Risk” and “Minimizing the Environmental Footprint”. Some of these principles are:

1. **Prevention of waste or by-products:** According to this principle of green chemistry, priority is given for the prevention of waste rather than cleaning up and treating waste after it has been generated.
2. **Atom Economy:** This principle focuses on designing synthetic methods to maximize the incorporation of all materials used in the process into the final product.
3. **Reduce derivatives:** One of the key principles of green chemistry is to reduce the use of derivatives and protecting groups in the synthesis of target molecules. One of the best ways of doing this is the use of enzymes.

Green chemistry applies across the life cycle of a chemical product, including its design, manufacture, use, and ultimate disposal.

K3

- K3 is a term that can refer to several different things, depending on the context.
- It could refer to a mountain in the Karakoram range, also known as Broad Peak.
- It could also refer to a type of visa for spouses of U.S. citizens.
- In mathematics, K3 could refer to a complete graph with three vertices.
- In music, K3 is a Belgian-Dutch girl group.
- In transportation, K3 may refer to a class of passenger carriages used by the Indian Railways.

CO-2 Apply the fundamental concepts of determination of structure with various spectral techniques

1. Spectral techniques are used to determine the structure of molecules by analyzing the interaction of electromagnetic radiation with matter.
2. Some common spectral techniques include infrared (IR) spectroscopy, nuclear magnetic resonance (NMR) spectroscopy, and mass spectrometry (MS).
3. In IR spectroscopy, the absorption of infrared radiation by a molecule causes vibrations in its chemical bonds. The resulting spectrum can be used to identify functional groups and determine the molecule's overall structure.
4. NMR spectroscopy uses the interaction of radio waves with the nuclei of atoms to determine the chemical environment of those atoms within a molecule. This information can be used to deduce the molecule's structure.
5. MS measures the mass-to-charge ratio of ions produced by ionizing a sample. The resulting mass spectrum can provide information about the molecular weight and structure of the sample.
6. These techniques can be used in combination to provide a more complete picture of a molecule's structure.
7. It is important to have a fundamental understanding of these techniques in order to accurately interpret the data and determine the structure of a molecule.

Stereochemistry

Stereochemistry is a subdiscipline of chemistry that involves the study of the relative spatial arrangement of atoms that form the structure of molecules and their manipulation. It is also known as 3D chemistry, where the prefix “stereo” means “three-dimensionality” .

The study of stereochemistry focuses on the relationships between stereoisomers, which by definition have the same molecular formula and sequence of bonded atoms .

Some important concepts in stereochemistry include:

- **Chirality:** This property refers to the handedness of molecules. Just like how your left foot doesn't quite fit your right shoe, molecules can also have properties that depend on their handedness .
- **Stereoisomers:** Stereoisomers are isomers that have the same molecular formula and sequence of bonded atoms, but differ in the three-dimensional orientations of their atoms in space .
- **Enantiomers:** Enantiomers are a type of stereoisomer that are mirror images of each other, but are not superimposable .
- **Diastereomers:** Diastereomers are a type of stereoisomer that are not mirror images of each other .
- **R,S system:** This is a system used to assign configurations to chiral molecules .
- **Optical activity:** This refers to the ability of a chiral molecule to rotate the plane of polarized light .
- **Fischer projections:** Fischer projections are a way to represent the three-dimensional structure of a molecule in two dimensions .

K4

1. K4 is a term that can refer to several different things, depending on the context in which it is used.
2. In mathematics, K4 is a complete graph with four vertices, also known as a tetrahedron.
3. In cryptography, K4 is the fourth part of the Kryptos sculpture, a famous encrypted message located at the CIA headquarters in Langley, Virginia.
4. In transportation, K4 may refer to a class of steam locomotives, a model of car, or a type of kayak.
5. In biology, K4 is a type of human blood group antigen.
6. In music, K4 is a musical note in the 4th octave of a standard keyboard.

CO-3 Utilize the theory of construction of electrodes, batteries and fuel cells in redesigning new engineering

1. **Electrodes:** Electrodes are conductive materials that allow the flow of electric charge. They are used in batteries and fuel cells to facilitate the transfer of electrons between the electrolyte and the external circuit. The construction of electrodes involves selecting materials with high conductivity and electrochemical stability, as well as designing the shape and size of the electrode to maximize surface area and minimize resistance.
2. **Batteries:** Batteries are devices that store electrical energy in the form of chemical energy. They consist of one or more electrochemical cells, each of which contains a positive electrode (cathode), a negative electrode (anode), and an electrolyte. The construction of batteries involves selecting the appropriate materials for the electrodes and electrolyte, as well as

designing the cell to maximize energy density and minimize self-discharge.

3. **Fuel cells:** Fuel cells are electrochemical devices that convert the chemical energy of a fuel directly into electrical energy. They consist of an anode, a cathode, and an electrolyte. The construction of fuel cells involves selecting materials with high catalytic activity and stability, as well as designing the cell to maximize power density and efficiency.
4. **Redesigning new engineering:** The theory of construction of electrodes, batteries, and fuel cells can be utilized in redesigning new engineering by incorporating advances in materials science and electrochemistry. This can lead to the development of more efficient, durable, and sustainable energy storage and conversion technologies. For example, the use of new electrode materials with higher conductivity and electrochemical stability can improve the performance of batteries and fuel cells. Additionally, the design of the cell can be optimized to maximize energy density and minimize self-discharge.

Corrosion

Corrosion is the process of deterioration of materials due to chemical reactions with their environment. It is a natural process that occurs in metals and other materials over time. The following are the reasons for corrosion:

1. **Chemical reactions:** Corrosion is caused by chemical reactions between the material and its environment. These reactions can be influenced by factors such as the presence of water, oxygen, and other chemicals.
2. **Electrochemical reactions:** Corrosion can also occur due to electrochemical reactions, where electrons are transferred between the material and its environment. This can happen when two different metals are in contact with each other in the presence of an electrolyte.
3. **Environmental factors:** Environmental factors such as temperature, humidity, and pollution can also contribute to corrosion.

There are several methods to control corrosion and prevent it from occurring. These include:

1. **Material selection:** Choosing the right material for the specific environment can help prevent corrosion. For example, stainless steel is more resistant to corrosion than regular steel.
2. **Coatings:** Applying coatings such as paint or zinc can help protect the material from corrosion.
3. **Cathodic protection:** Cathodic protection is a technique used to control the corrosion of a metal surface by making it the cathode of an electrochemical cell.

4. **Environmental control:** Controlling the environment, such as reducing humidity or pollution, can also help prevent corrosion.

It is important to study and understand the causes and methods of controlling corrosion in order to develop effective strategies for preventing it and prolonging the life of materials.

Understanding of Chemistry of Engineering materials (Cement)

Cement is an adhesive substance used in building and civil engineering construction. It is a finely ground powder that, when mixed with water, sets to a hard mass. Cements may be used alone or in mortar and concrete, in which the cement is mixed with inert material known as aggregate.

There are two main types of cement based on the way it sets and hardens: hydraulic cement, which hardens due to the addition of water, and non-hydraulic cement, which hardens by carbonation with the carbon present in the air.

The chemical composition of cement will depend on the raw materials used in its manufacturing. These raw materials are lime, silica, alumina, and iron oxide. Portland cement, for example, is made up of four main compounds: tricalcium silicate, dicalcium silicate, tricalcium aluminate, and a tetra-calcium aluminoferrite.

With a better understanding of cement chemistry, scientists could potentially alter production or change ingredients so that concrete has less of an impact on emissions, or add ingredients that are capable of actively absorbing carbon dioxide.

K3

K3 is a term that can refer to several different things. Without more context, it is difficult to determine which specific topic you are referring to. Some possible interpretations of K3 include:

1. K3 is a Belgian-Dutch girl group with a studio-based line-up, as well as a live line-up. The group is primarily aimed at pre-adolescent children and has sold millions of albums worldwide.
2. K3 is a visa type issued to a spouse of a U.S. citizen who is waiting abroad for an immigrant visa.
3. K3 is a mountain in the Karakoram range, also known as Broad Peak.
4. K3 is a type of tax form used in certain countries.

CO-4 Develop understanding of the sources, impurities and hardness of water, apply the concepts of

Water is a vital resource for life on Earth. It is important to understand the sources of water, the impurities that may be present in it, and its hardness. This knowledge can help us to better manage and protect our water resources.

Sources of Water

Water can be obtained from various sources, including: 1. Surface water: This includes water from rivers, lakes, and reservoirs. 2. Groundwater: This is water that is found underground in aquifers. 3. Rainwater: This is water that is collected from precipitation. 4. Desalination: This is the process of removing salt from seawater to make it suitable for drinking and irrigation.

Impurities in Water

Water can contain various impurities, including: 1. Physical impurities: These include suspended particles such as sand, silt, and clay. 2. Chemical impurities: These include dissolved substances such as salts, minerals, and organic compounds. 3. Biological impurities: These include microorganisms such as bacteria, viruses, and parasites.

Hardness of Water

Water hardness is a measure of the concentration of calcium and magnesium ions in water. Hard water can cause problems such as scaling in pipes and reduced effectiveness of soap and detergents. Water hardness can be reduced by methods such as ion exchange and reverse osmosis.

In summary, understanding the sources, impurities, and hardness of water is important for managing and protecting our water resources. By applying this knowledge, we can ensure that we have access to clean and safe water for our needs.

Determination of Calorific Values and Analysis of Coal

Calorific value is a measure of the amount of energy produced from a unit weight of coal when it is combusted in oxygen. A measured sample of coal is completely combusted in a bomb calorimeter, which is a device for measuring heat. Standard bomb calorimeters can be used to determine the gross calorific value and are described in the ISO 1928 and ASTM D5865 standard. The two categories of calorimeters for coal analysis are adiabatic and isoperibolic.

Elemental or ultimate analysis encompasses the quantitative determination of carbon, hydrogen, nitrogen, sulfur, and oxygen within the coal. Additionally,

specific physical and mechanical properties of coal and particular carbonization properties are also analyzed . The calorific value Q of coal [kJ/kg] is the heat liberated by its complete combustion with oxygen .

Common coal analyses include ash fusion, ash yield, and calorific value . Ash fusion determines how coal ash will behave when heated in an industrial furnace or boiler . Ash yield determines the amount of noncombustible material in a coal sample . Calorific value determines the heating potential of coal and is usually expressed in Btu per pound .

The calorific value mainly comes from the combustion of organic components (C, H, N) . Moisture and ash in coal will absorb part of the heat during combustion . Therefore, some characteristic spectral lines related to calorific value are selected and normalized by different normalization methods .

K3

- K3 is a term that can refer to several different things, depending on the context.
- It could refer to the K3 surface in mathematics, which is a complex algebraic surface with trivial canonical bundle.
- In mountaineering, K3 is the name given to the mountain Skil Brum, which is located in the Karakoram range.
- K3 is also the name of a Belgian-Dutch girl group, known for their pop music targeted towards young children.
- In the context of visas, K3 refers to a nonimmigrant visa for spouses of U.S. citizens.
- K3 can also refer to a type of tax form used in the state of Kentucky, USA.

CO-5 Develop the understanding of Chemical structure of polymers and its effect on their various properties

1. Polymers are large molecules made up of repeating units called monomers.
2. The chemical structure of a polymer refers to the arrangement of its monomers and the bonds between them.
3. The chemical structure of a polymer can affect its properties such as strength, elasticity, and melting point.
4. The arrangement of monomers in a polymer can be linear, branched, or cross-linked.
5. Linear polymers have a simple, straight chain structure and are usually strong and rigid.
6. Branched polymers have side chains attached to the main chain, which can make them more flexible and less dense.
7. Cross-linked polymers have covalent bonds between the chains, which can make them very strong and resistant to heat and chemicals.
8. The type of monomers used and the way they are bonded together can also affect the properties of the polymer.

9. For example, polymers made from monomers with polar groups can have stronger intermolecular forces and higher melting points.
10. The degree of polymerization, or the number of monomers in a polymer chain, can also affect its properties.
11. Longer chains can result in stronger, more rigid polymers, while shorter chains can result in more flexible, less dense polymers.

Applications of Polymers in Engineering Materials

Polymers are incredibly diverse elements that represent such fields of engineering from avionics through biomedical applications, drug delivery system, biosensor devices, tissue engineering, cosmetics etc. The application of polymers and their subsequent composites is still advancing and increasing quickly due to their ease regarding manufacturing.

Some of the industries in which you would see the use and application of various polymeric materials and polymers themselves are: 1. In aircraft, aerospace, and sports equipment 2. 3D printing plastics 3. Biopolymers in molecular recognition 4. Polymers in holography 5. Organic polymers used in water purification 6. Printed circuit board substrates 7. Green Chemicals: Polymers and Biopolymers 8. Polymeric Biomolecules

Polymer chemists have designed and synthesized polymers that vary in hardness, flexibility, softening temperature, solubility in water, and biodegradability. They have produced polymeric materials that are as strong as steel yet lighter and more resistant to corrosion.

Sample research topics that span the journal's scope are polymer applications in energy storage and conversion, separations, membranes, adhesives, functional coatings, sensing, adaptive and reconfigurable materials, electronics, photonics, biomaterials, and nanocomposites.

Applicable in Industrial Process

1. Industrial processes are procedures involving chemical, physical, electrical, or mechanical steps to aid in the manufacturing of an item or items, usually carried out on a very large scale.
2. These processes are critical to the production of goods used in everyday life, from food and clothing to buildings and transportation.
3. Some common industrial processes include casting, molding, forming, machining, joining, and assembly.
4. These processes often involve the use of specialized machinery and equipment, and require a high level of expertise and knowledge to operate safely and efficiently.

5. Advances in technology have led to the development of new and improved industrial processes, allowing for increased efficiency, reduced waste, and improved safety.
6. The use of automation and robotics has also become increasingly common in industrial processes, allowing for greater precision and consistency in production.
7. Industrial processes are subject to strict regulations and standards to ensure the safety of workers and the environment.
8. Continuous improvement and innovation are essential to remain competitive in the global market.

K3

K3 is a term that can refer to several different things. Without more context, it is difficult to determine which specific topic you are referring to. Some possible interpretations of K3 include:

1. K3, a mountain in the Karakoram range in Pakistan, also known as Broad Peak.
2. K3, a Belgian girl group formed in 1998.
3. K3, a type of visa for spouses of U.S. citizens to enter the United States while waiting for their immigrant visa to be processed.
4. K3, a type of South Korean high-speed train.
5. K3, a type of tax form used in the United States for reporting income from partnerships, S corporations, and trusts.

Reference Books:

Reference books are a type of non-fiction book that provides information on a specific subject. They are designed to be consulted for specific information rather than read from cover to cover. Some common types of reference books include:

1. **Dictionaries:** Provide definitions and meanings of words.
2. **Encyclopedias:** Provide general knowledge on a wide range of subjects.
3. **Atlases:** Provide maps and geographical information.
4. **Almanacs:** Provide statistical and factual information on a variety of subjects.
5. **Handbooks:** Provide practical information and instructions on a specific subject.
6. **Directories:** Provide lists of names, addresses, and other contact information.
7. **Bibliographies:** Provide lists of books and other resources on a specific subject.

Reference books are often used in research and academic settings to provide reliable and authoritative information on a subject. They can be found in

libraries, bookstores, and online. It is important to evaluate the credibility of the source when using reference books for research.

Engineering Chemistry by Rath & Singh, 2nd Edition, Cengage Learning India Pvt Ltd Delhi

- Engineering Chemistry is a comprehensive book that covers all topics taught to the first-year undergraduate students of all engineering disciplines offered by various Indian universities .
- The book presents each chapter in a simple, comprehensive, and illustrative manner .
- It covers topics from diverse branches of chemistry, viz., general, inorganic, organic, and analytical chemistry in addition to a topic, nanomaterials, from material science .
- Each chapter includes a variety of solved and unsolved problems/exercises to help reinforce learning and boost the confidence of the learner/reader .
- The specific focus in this book is on the syllabi of Biju Patnaik University of Technology (BPUT), KIIT (Deemed University), and SOA (Deemed University) in the state of Orissa .

2. Engineering Chemistry by SS Dara, S Chand & Co Ltd

Engineering Chemistry is a textbook written by SS Dara and published by S Chand & Co Ltd. It is a comprehensive guide for students studying engineering chemistry and covers a wide range of topics including:

1. Atomic Structure and Chemical Bonding
2. States of Matter
3. Chemical Thermodynamics
4. Electrochemistry
5. Chemical Kinetics
6. Surface Chemistry
7. Coordination Compounds
8. Nuclear Chemistry
9. Organic Chemistry
10. Polymers

This book is widely used by students and is known for its clear explanations and well-organized content. It is a valuable resource for anyone studying engineering chemistry.

3. Engineering Chemistry by Jain & Jain, S.Chand & Comp, New Delhi

Engineering Chemistry is a textbook written by Jain & Jain and published by S.Chand & Company, New Delhi. The book covers the fundamental concepts of chemistry and their applications in engineering. Some of the topics covered in the book include:

1. Atomic Structure and Chemical Bonding
2. States of Matter
3. Chemical Thermodynamics
4. Electrochemistry
5. Chemical Kinetics
6. Surface Chemistry
7. Coordination Compounds
8. Organic Chemistry
9. Polymers
10. Environmental Chemistry

This book is widely used by engineering students as a reference for their chemistry courses. It provides a comprehensive and in-depth coverage of the subject, making it an ideal study material for exams.

4. Engineering Chemistry by K. Sesha Maheswaramma, Pearson

Engineering Chemistry is a textbook written by K. Sesha Maheswaramma and published by Pearson. The book covers the fundamental concepts of chemistry and their applications in engineering. Some of the key topics covered in the book include:

1. Atomic Structure and Chemical Bonding
2. States of Matter
3. Chemical Thermodynamics
4. Electrochemistry
5. Chemical Kinetics
6. Surface Chemistry
7. Coordination Compounds
8. Organic Chemistry
9. Polymers
10. Environmental Chemistry

This book is designed to provide a comprehensive understanding of the subject and is suitable for students pursuing engineering courses. It is written in a clear and concise manner, with numerous examples and illustrations to aid in understanding the concepts. The book also includes practice problems and exercises to help students test their knowledge and prepare for exams.

5. Engineering Chemistry by OG Palanna, Mc Graw Hill Education, New Delhi

Engineering Chemistry by OG Palanna is a comprehensive textbook published by Mc Graw Hill Education, New Delhi. The book covers various topics in the field of engineering chemistry, including:

1. Atomic Structure and Chemical Bonding
2. States of Matter

3. Chemical Thermodynamics
4. Electrochemistry
5. Chemical Kinetics
6. Surface Chemistry
7. Coordination Compounds
8. Nuclear Chemistry
9. Solid State Chemistry
10. Materials Chemistry

The book is written in a clear and concise manner, making it easy for students to understand the concepts. It is a valuable resource for students studying engineering chemistry and related fields.

6. Engineering Chemistry by Shashi Chawala, Dhanpat Rai Publishing Comp, New Delhi

- “Engineering Chemistry” is a book written by Shashi Chawala and published by Dhanpat Rai Publishing Co., Pvt. Ltd., Educational and Technical Publishers, New Delhi.
- The book is in its 3rd edition, published in 2015.
- The book covers the syllabus for the Engineering Chemistry course offered to first-year B.E/B.Tech students of various Indian universities.
- The book has received an average rating of 4.18 out of 5, based on 171 ratings and 16 reviews.
- The book is available in paperback format and was first published on January 1, 2001.
- The book covers topics such as electrochemistry, environmental chemistry, organic reaction mechanism, etc.

7. University Chemistry by BH Mahan

- University Chemistry is a textbook written by BH Mahan.
- It is a comprehensive guide to the subject of chemistry at the university level.
- The book covers a wide range of topics, including atomic structure, chemical bonding, thermodynamics, and kinetics.
- It is written in a clear and concise manner, making it accessible to students of all levels.
- The book includes numerous examples and practice problems to help students understand and apply the concepts presented.
- It is a valuable resource for students studying chemistry at the university level, as well as for those preparing for exams in the subject.

University Chemistry by CNR Rao

- University Chemistry is a book written by CNR Rao.

- CNR Rao is an Indian chemist who has worked mainly in solid-state and structural chemistry.
- The book is intended for undergraduate students studying chemistry.
- It covers a wide range of topics in chemistry, including atomic structure, chemical bonding, and chemical reactions.
- The book is known for its clear explanations and well-organized content.
- It is a popular choice for students preparing for exams in chemistry.
- The book is available in both print and electronic formats.
- It is widely used as a textbook in universities and colleges.