ANAND COMMERCE COLLEGE
TY BBA ISM (SEM VI)
PHP PRACTICAL SOLUTION

1.Write a PHP program to read two integer numbers from the users to perform arithmetic operation on given numbers.

```
<html>
<head>
<title> practical 1 </title>
</head>

<body>

    <form method="post">

    Enter no1:<input type="text" name="n1" required><br>
    Enter no2:<input type="text" name="n2" required><br><br>

    <input type="submit" name="submit">

    <?php

    if(isset($_POST['submit'])){

            $n1=$_POST['n1'];
            $n2=$_POST['n2'];

            echo $n1+$n2." is ans";

            if($n2==0){
               echo "Division: Not Possible (Cannot divide by zero)";
           } else {
               echo "Division: " . ($n1 / $n2);
            }
    }
```

```
        ?>
    </form>


</body>
</html>
```

OUTPUT :

Enter no1: 10
Enter no2: 20

Submit 30 is ansDivision: 0.5

2.Write a PHP script which read value of radius (r) from the user. Find area of circle using define(). (where pi=3.14, area=pi*r*r) .

```
<html>
<head>
<title> practical 2 </title>
</head>

<body>

<form method="post">

Enter r:<input type="text" name="num" required><br><br>

<input type="submit" name="submit"><br>

</form>
<?php

if(isset($_POST['submit'])){
```

```
    $r=$_POST['num'];
    define("pi",3.14);
    echo "Area Of Circle: ".pi*$r*$r;

}

?>

</body>
</html>
```

OUTPUT

Enter r: 58

Submit

Area Of Circle: 10562.96

3.Write a PHP program to find maximum and minimum number out of two numbers using ternary operator. Programs based on conditional statements .

```
<html>

<head>

<title> practical 3 </title>

</head>
```

```
<body>

    <form method="post">

    Enter no1:<input type="text" name="n1" required><br>

    Enter no2:<input type="text" name="n2" required><br><br>

    <input type="submit" name="submit">

    <?php

    if(isset($_POST['submit'])){

            $n1=$_POST['n1'];

            $n2=$_POST['n2'];

            $max=($n1>$n2) ? $n1 : $n2;

            $min=($n1<$n2) ? $n1 : $n2;

            echo "<br><h1>Maximum: ".$max."</h1>";

            echo "<br><h1>Minimum : ".$min."</h1>";

    }

            ?>

    </form>

</body>
```

```
</html>
```

OUTPUT

Enter no1: 25
Enter no2: 59

Submit

Maximum: 59

Minimum : 25

4.Read two numbers from the user to check whether entered number is odd or even.

```
<html>
<head>
<title> practical 4 </title>
</head>

<body>

        <form method="post">

        Enter no:<input type="text" name="n1" required><br>

        <input type="submit" name="submit">

        <?php
```

```
if(isset($_POST['submit'])){

        $n=$_POST['n1'];

        if($n % 2 == 0)
        {
                echo "<br>$n is even</h1>";
        }
        else
        {
                echo "<br>$n is odd</h1>";
        }
}

        ?>
</form>


</body>
</html>
```

OUTPUT :

Enter no: 89

Submit

89 is odd

5.Write a PHP script to read three numbers from the user to find maximum number among them

```
<html>

<head>

<title> practical 5 </title>

</head>



<body>



    <form method="post">



    Enter no1:<input type="text" name="n1" required><br>

    Enter no2:<input type="text" name="n2" required><br>

    Enter no3:<input type="text" name="n3" required><br><br>





    <input type="submit" name="submit">
```

```
<?php



if(isset($_POST['submit'])){



        $a=$_POST['n1'];

        $b=$_POST['n2'];

        $c=$_POST['n3'];



        if($a>$b & $a>$c)

        {

                echo $a." is max number";

        }

        elseif($b>$c & $b>$a)

        {

                echo $b." is max number";

        }

        else
```

```
            {

                echo $c." is max number";

            }

    }

            ?>

    </form>

</body>

</html>
```

OUTPUT :

Enter no1: 89
Enter no2: 100
Enter no3: 25

Submit 100 is max number

6.Create PHP page to read Student's name, 3 subjects marks from the user. Calculate Total, Percentage & Grade of the students and Display in appropriate format.

Grade Criteria:

per>=85 Grade O

per>=75 & per<85 Grade A

per>=65 & per<75 Grade B

per>=55 & per<65 Grade C

per>=40 & per<55 Grade D

```
<html>

<head>

    <title>Student Result</title>

</head>

<body>



<h2>Student Marks Result</h2>



<form method="post">

    Student Name: <input type="text" name="sname" required><br><br>
```

```
    Subject 1 Marks: <input type="number" name="m1" required><br><br>

    Subject 2 Marks: <input type="number" name="m2" required><br><br>

    Subject 3 Marks: <input type="number" name="m3" required><br><br>



    <input type="submit" name="submit" value="Calculate Result">

</form>



<?php

if(isset($_POST['submit']))

{

    $name = $_POST['sname'];

    $m1 = $_POST['m1'];

    $m2 = $_POST['m2'];

    $m3 = $_POST['m3'];



    $total = $m1 + $m2 + $m3;

    $per = ($total / 300) * 100; //$total/3
```

```
if($per >= 85)

    $grade = "O";

else if($per >= 75 && $per < 85)

    $grade = "A";

else if($per >= 65 && $per < 75)

    $grade = "B";

else if($per >= 55 && $per < 65)

    $grade = "C";

else if($per >= 40 && $per < 55)

    $grade = "D";

else

    $grade = "Fail";



echo "<h3>Result</h3>";

echo "<table border='1' cellpadding='10'>

        <tr><th>Student Name</th><td>$name</td></tr>
```

```
        <tr><th>Total Marks</th><td>$total</td></tr>

        <tr><th>Percentage</th><td>".number_format($per,2)." %</td></tr>

        <tr><th>Grade</th><td>$grade</td></tr>

      </table>";

}

?>



</body>

</html>
```

OUTPUT:

Student Marks Result

Student Name:

Subject 1 Marks:

Subject 2 Marks:

Subject 3 Marks:

Calculate Result

Result

Student Name	OM
Total Marks	275
Percentage	91.67 %
Grade	O

7.Write a PHP program to read two numbers and choice of operator (+, - , * , /) from the user to perform arithmetic operation using Switch Case. OR Create a simple calculator in PHP.

```
<!DOCTYPE html>
<html>
<head>
   <title>Simple Calculator</title>
</head>
<body>

<h2>Simple Calculator</h2>

<form method="post">
   Enter First Number:
   <input type="number" name="num1" required><br><br>

   Enter Second Number:
   <input type="number" name="num2" required><br><br>

   Select Operator:
   <select name="operator" required>
      <option value="+">Addition (+)</option>
      <option value="-">Subtraction (-)</option>
      <option value="*">Multiplication (*)</option>
      <option value="/">Division (/)</option>
   </select><br><br>

   <input type="submit" name="submit" value="Calculate">
</form>
```

```
<?php
if (isset($_POST['submit'])) {

    $num1 = $_POST['num1'];
    $num2 = $_POST['num2'];
    $operator = $_POST['operator'];

    switch ($operator) {
        case '+':
            $result = $num1 + $num2;
            echo "Result = $result";
            break;

        case '-':
            $result = $num1 - $num2;
            echo "Result = $result";
            break;

        case '*':
            $result = $num1 * $num2;
            echo "Result = $result";
            break;

        case '/':
            if ($num2 != 0) {
                $result = $num1 / $num2;
                echo "Result = $result";
            } else {
                echo "Division by zero is not allowed";
```

```
            }
            break;


        default:
            echo "Invalid Operator";
    }
}
?>


</body>
</html>
```

OUTPUT:

Simple Calculator

Enter First Number: 11

Enter Second Number: 2

Select Operator: Subtraction (-)

Calculate

Result = 9

8.Write a program to make a multiplication table for given number. Suppose user enter number=25, then 25 *1=25 to 25*10=250 will be generated.

```
<!DOCTYPE html>
<html>
<head>
   <title>Multiplication Table</title>
</head>
<body>

<h2>Multiplication Table</h2>

<form method="post">
   Enter a Number:
   <input type="number" name="num" required>
   <br><br>
   <input type="submit" name="submit" value="Show Table">
</form>

<?php
if (isset($_POST['submit'])) {
   $num = $_POST['num'];

   echo "<h3>Multiplication Table of $num</h3>";

   for ($i = 1; $i <= 10; $i++) {
      echo $num . " * " . $i . " = " . ($num * $i) . "<br>";
   }
```

```
}
?>

</body>
</html>
```

Output:

Multiplication Table

Enter a Number: [ ]

[Show Table]

Multiplication Table of 10

10 * 1 = 10
10 * 2 = 20
10 * 3 = 30
10 * 4 = 40
10 * 5 = 50
10 * 6 = 60
10 * 7 = 70
10 * 8 = 80
10 * 9 = 90
10 * 10 = 100

9.Read a number from the user to find the factorial of the given number.

```
<!DOCTYPE html>
<html>
<head>
    <title>Factorial Program</title>
</head>
<body>

<h2>Find Factorial</h2>

<form method="post">
    Enter Number:
```

```
    <input type="number" name="num" required>
    <input type="submit" value="Find Factorial">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST")
{
    $num = $_POST['num'];
    $fact = 1;

    for ($i = 1; $i <= $num; $i++)
    {
        $fact = $fact * $i;
    }

    echo "<br>Factorial of $num is: $fact";
}
?>

</body>
</html>
```

Output:

Find Factorial

Enter Number: [ ] [Find Factorial]

Factorial of 5 is: 120

10.Write a program to generate the series of even numbers from the given number. eg. If user read number=10 then Program print the value 2,4,6,8,10 (using for loop)

```
<!DOCTYPE html>
<html>
<head>
   <title>Even Number Series</title>
</head>
<body>

<form method="post">
   Enter a number:
   <input type="text" name="num">
   <input type="submit" name="submit" value="Show">
</form>

<?php
if (isset($_POST['submit'])) {
   $n = $_POST['num'];

   echo "Even numbers are: ";

   for ($i = 2; $i <= $n; $i += 2) {
      echo $i . " ";
   }
}
?>

</body>
</html>
```

Output:

Enter a number: 10 Show

Even numbers are: 2 4 6 8 10

11.Create an array of five elements using array() construct and find maximum and minimum element from it.

```
<?php
// Create array using array() construct
$arr = array(12, 45, 7, 30, 22);

// Find maximum and minimum
$max = max($arr);
$min = min($arr);

// Display result
echo "Array elements are: ";
foreach ($arr as $value) {
    echo $value . " ";
}

echo "<br>Maximum element: " . $max;
echo "<br>Minimum element: " . $min;
?>
```

Output

Array elements are: 12 45 7 30 22
Maximum element: 45
Minimum element: 7

12.Write a program which display the list of various states & its respective capitals in a tabular format using list() construct of PHP array.

```
<?php
// Create an array of states and capitals

$states = array(

    array("Gujarat", "Gandhinagar"),
    array("Maharashtra", "Mumbai"),
    array("Rajasthan", "Jaipur"),
    array("Uttar Pradesh", "Lucknow"),
    array("Tamil Nadu", "Chennai")

);

// Display table

echo "<table border='1' cellpadding='8' cellspacing='0'>";
echo "<tr>
        <th>State</th>
        <th>Capital</th>
      </tr>";

// Using list() construct
```

```
foreach ($states as $state) {
    list($stateName, $capital) = $state;
    echo "<tr>
            <td>$stateName</td>
            <td>$capital</td>
          </tr>";
}

echo "</table>";
?>
```

Output:

State	Capital
Gujarat	Gandhinagar
Maharashtra	Mumbai
Rajasthan	Jaipur
Uttar Pradesh	Lucknow
Tamil Nadu	Chennai

13. Write a program which read Ten elements using array() construct of PHP array and sort elements in both ascending and descending order.

```
<?php
// Create array using array() construct

$numbers = array(45, 12, 89, 23, 67, 5, 90, 34, 10, 56);

// Display original array

echo "Original Array: <br>";
print_r($numbers);
echo "<br><br>";

// Sort array in ascending order

sort($numbers);
echo "Ascending Order: <br>";
print_r($numbers);
echo "<br><br>";

// Sort array in descending order

rsort($numbers);
echo "Descending Order: <br>";
print_r($numbers);
?>
```

Output:

```
Original Array:
Array ( [0] => 45 [1] => 12 [2] => 89 [3] => 23 [4] => 67 [5] => 5 [6] => 90 [7] => 34 [8] => 10 [9] => 56 )

Ascending Order:
Array ( [0] => 5 [1] => 10 [2] => 12 [3] => 23 [4] => 34 [5] => 45 [6] => 56 [7] => 67 [8] => 89 [9] => 90 )

Descending Order:
Array ( [0] => 90 [1] => 89 [2] => 67 [3] => 56 [4] => 45 [5] => 34 [6] => 23 [7] => 12 [8] => 10 [9] => 5 )
```

14.Write a user defined function in PHP to check whether the given number is prime or not.

```
<!DOCTYPE html>
<html>
<head>
    <title>Prime Number Check</title>
</head>
<body>

<form method="post">
    Enter a number:
    <input type="number" name="num" required>
    <input type="submit" name="submit" value="Check">
</form>

<?php
function checkPrime($num)
{
    if ($num <= 1) {
        return false;
    }

    for ($i = 2; $i <= sqrt($num); $i++) {
        if ($num % $i == 0) {
            return false;
```

```
        }
    }
    return true;
}

if (isset($_POST['submit'])) {
    $number = $_POST['num'];

    if (checkPrime($number)) {
        echo "<br>$number is a Prime number";
    } else {
        echo "<br>$number is Not a Prime number";
    }
}
?>

</body>
</html>
```

Output:

Enter a number: 7 Check

7 is a Prime number

15.Write a PHP program to create user define function to find the sum of factorial of given number.

```
<html>
<head>
<title> Practical 1 </title>
</head>

<body>

<form method="post">

Enter N: <input type="text" name="num" required><br>
<input type="submit" name="submit"><br><br>

<?php
if(isset($_POST['submit'])){

    $n = $_POST['num'];

    function factorial($n){
        $fact = 1;
        for($i = 1; $i <= $n; $i++){
            $fact *= $i;
        }
        return $fact;
    }

    $sum = 0;

    for($i = 1; $i <= $n; $i++){
        $sum += factorial($i);
```

```
    }

    echo "Sum of factorial is: " . $sum;
}
?>

</form>

</body>
</html>
```

Output:

Enter N: 5

Submit

Sum of factorial is: 153

16.Write a PHP program to generate a Fibonacci series of given number using user defined function.

```
<!DOCTYPE html>

<html>

<head>

    <title>Fibonacci Series using PHP</title>

</head>

<body>
```

```
<h2>Fibonacci Series Generator</h2>



<!-- HTML Form -->

<form method="post">

    Enter a number:

    <input type="text" name="num">

    <input type="submit" name="submit" value="Generate">

</form>



<?php

// User-defined function to generate Fibonacci series

function fibonacci($n)

{

    $a = 0;

    $b = 1;



    echo "<br>Fibonacci Series:<br>";
```

```
    echo $a . " " . $b . " ";



    for ($i = 2; $i < $n; $i++) {

        $c = $a + $b;

        echo $c . " ";

        $a = $b;

        $b = $c;

    }

}



// Form validation and processing

if (isset($_POST['submit'])) {

    $num = $_POST['num'];



    if ($num == "") {

        echo "<br><span style='color:red;'>Error: Please enter a number.</span>";

    } elseif (!is_numeric($num)) {
```

```
        echo "<br><span style='color:red;'>Error: Please enter a valid numeric
value.</span>";

    } elseif ($num <= 0) {

        echo "<br><span style='color:red;'>Error: Please enter a positive number.</span>";

    } else {

        fibonacci($num);

    }

}

?>



</body>

</html>
```

Output:

Fibonacci Series Generator

Enter a number: 10 Generate

Fibonacci Series:
0 1 1 2 3 5 8 13 21 34

17.Design a form which accept an Employee ID, Employee Name, Designation, Gross Salary from the user and count 30%DA, 10%HRA and deduct 33% Tax from Gross_Sal and calculate the Net_sal of the employee using function cal_sal(). Where Net_Sal=Gross_Sal+DA+HRA – Tax. Display appropriate output on screen.

```
<!DOCTYPE html>
<html>
<head>
   <title>Employee Salary Calculation</title>
</head>
<body>

<h2>Employee Salary Form</h2>

<!-- HTML Form -->
<form method="post">
   Employee ID: <br>
   <input type="text" name="eid"><br><br>

   Employee Name: <br>
   <input type="text" name="ename"><br><br>

   Designation: <br>
   <input type="text" name="designation"><br><br>

   Gross Salary: <br>
   <input type="text" name="gross"><br><br>

   <input type="submit" name="submit" value="Calculate Salary">
</form>
```

```
<?php
// User-defined function to calculate salary
function cal_sal($gross)
{
   $da  = 0.30 * $gross;
   $hra = 0.10 * $gross;
   $tax = 0.33 * $gross;

   $net = $gross + $da + $hra - $tax;

   return array($da, $hra, $tax, $net);
}

// Form validation and processing
if (isset($_POST['submit'])) {

   $eid = $_POST['eid'];
   $ename = $_POST['ename'];
   $designation = $_POST['designation'];
   $gross = $_POST['gross'];

   if ($eid == "" || $ename == "" || $designation == "" || $gross == "") {
      echo "<br><span style='color:red;'>Please fill all the fields.</span>";
   }
   elseif (!is_numeric($gross)) {
      echo "<br><span style='color:red;'>Gross Salary must be numeric.</span>";
   }
   else {
      list($da, $hra, $tax, $net) = cal_sal($gross);

      echo "<h3>Employee Salary Details</h3>";
      echo "Employee ID: $eid <br>";
```

```
        echo "Employee Name: $ename <br>";
        echo "Designation: $designation <br>";
        echo "Gross Salary: Rs. $gross <br>";
        echo "DA (30%): Rs. $da <br>";
        echo "HRA (10%): Rs. $hra <br>";
        echo "Tax (33%): Rs. $tax <br>";
        echo "<b>Net Salary: Rs. $net</b>";
    }
}
?>

</body>
</html>
```

Output:



18.Write a code to create below given HTML form which accept the values from the user and redirect output on PHP page using $_GET / $_POST.

.HTML FILE

```
<html>
<head>
   <title>Contact Us</title>
</head>
<body>

<h2>Contact Us</h2>

<form method="post" action="practical18.php">
   First Name:
   <input type="text" name="fname" required><br><br>

   Email Address:
   <input type="email" name="email" required><br><br>

   Message:<br>
   <textarea name="message" rows="4" cols="30" required></textarea><br><br>

   <input type="submit" value="Send">
```

```
</form>


</body>
</html>
```

.PHP FILE

```
<!DOCTYPE html>
<html>
<head>
   <title>Form Output</title>
</head>
<body>

<h2>Submitted Details</h2>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST")
{
   $fname = $_POST['fname'];
   $email = $_POST['email'];
   $message = $_POST['message'];

   echo "First Name : $fname <br>";
   echo "Email Address : $email <br>";
   echo "Message : $message <br>";
}
?>

</body>
</html>
```

OUTPUT

Contact Us

First Name: OM

Email Address: ompatel31@gmail.com

Message:
HELLO

Send

Submitted Details

First Name : OM
Email Address : ompatel31@gmail.com
Message : HELLO

19.Create below given HTML sample form to validate fields of name, e-mail and gender to confirm that these fields are mandatory and must not remain empty when submitting the form. After submitting the form, values are redirected on the same page. (Use $_SERVER[PHP_SELF])

```
<?php
// Initialize variables
$name = $email = $gender = "";
$nameErr = $emailErr = $genderErr = "";

// Form validation
if ($_SERVER["REQUEST_METHOD"] == "POST")
{
   if (empty($_POST["name"]))
```

```
        $nameErr = "Name is required";
    else
        $name = $_POST["name"];

    if (empty($_POST["email"]))
        $emailErr = "Email is required";
    else
        $email = $_POST["email"];

    if (empty($_POST["gender"]))
        $genderErr = "Gender is required";
    else
        $gender = $_POST["gender"];
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>PHP Form Validation</title>
    <style>
        .error { color: red; }
    </style>
</head>
<body>

<h2>PHP Form Validation Example</h2>
<p><span class="error">* mandatory field</span></p>

<form method="post" action="<?php echo $_SERVER['PHP_SELF']; ?>">
```

```
Name:
<input type="text" name="name" value="<?php echo $name; ?>">
<span class="error">* <?php echo $nameErr; ?></span>
<br><br>

E-mail:
<input type="text" name="email" value="<?php echo $email; ?>">
<span class="error">* <?php echo $emailErr; ?></span>
<br><br>

Website:
<input type="text" name="website">
<br><br>

Comment:
<textarea name="comment" rows="4" cols="40"></textarea>
<br><br>

Gender:
<input type="radio" name="gender" value="Female">Female
<input type="radio" name="gender" value="Male">Male
<input type="radio" name="gender" value="Other">Other
<span class="error">* <?php echo $genderErr; ?></span>
<br><br>

<input type="submit" value="Submit">

</form>
```

```
<?php

// Display output after successful submission

if ($_SERVER["REQUEST_METHOD"] == "POST" && $nameErr == "" &&
$emailErr == "" && $genderErr == "")

{

   echo "<h3>Your Input:</h3>";

   echo "Name: $name <br>";

   echo "Email: $email <br>";

   echo "Gender: $gender <br>";

}

?>


</body>

</html>
```

OUTPUT :

PHP Form Validation Example

* mandatory field

Name: rits *

E-mail: rits23@gmail,com *

Website:

Comment:

Gender: ○ Female ○ Male ○ Other * Gender is required

Submit