

Chirag Rao KV
240962180
AIML B

```
mca@computinglab26-16: ~/240962180/lab_3
(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 10:14:38 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "Write a shell script to find whether a given file is the directory or regular file."
Write a shell script to find whether a given file is the directory or regular file.
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_1.sh
enter the path to the file
folder/t.txt
folder/t.txt is a normal file
end
(base) mca@computinglab26-16:~/240962180/lab_3$
```

```
(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 10:14:38 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "Write a shell script to find whether a
given file is the directory or regular file."
Write a shell script to find whether a given file is the directory or regular file.
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_1.sh
enter the path to the file
folder/t.txt
folder/t.txt is a normal file
end
(base) mca@computinglab26-16:~/240962180/lab_3$
```

```
(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 10:18:13 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "Write a shell script to list all files (only file names) containing the input pattern
(string) in the folder entered by the user."
Write a shell script to list all files (only file names) containing the input pattern
(string) in the folder entered by the user.
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_2.sh
lab_3_q_2.sh: line 1: !#/bin/sh: No such file or directory
enter the folder path
folder
enter the string to search for
hello
Found in: folder/t2.txt
Found in: folder/t.txt
(base) mca@computinglab26-16:~/240962180/lab_3$
```

```
(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 11:17:17 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "Write a shell script to list all files (only
file names) containing the input pattern
(string) in the folder entered by the user"
Write a shell script to list all files (only file names) containing the input pattern
(string) in the folder entered by the user
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_2.sh
lab_3_q_2.sh: line 1: !#/bin/sh: No such file or directory
enter the folder path
folder
enter the string to search for
hello
folder/another_folder not a normal file
Found in: folder/t2.txt
Found in: folder/t.txt
(base) mca@computinglab26-16:~/240962180/lab_3$
```

```

(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 10:53:02 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "Write a shell script to replace all files with
.txt extension with .text in the current di-
rectory. This has to be done recursively i.e if the current folder contains a folder
"OS" with abc.txt then it has to be changed to abc.text ( Hint: use find, mv )"
Write a shell script to replace all files with .txt extension with .text in the current di-
rectory. This has to be done recursively i.e if the current folder contains a folder
"OS" with abc.txt then it has to be changed to abc.text ( Hint: use find, mv )
(base) mca@computinglab26-16:~/240962180/lab_3$
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_3.sh
enter the folder name
folder
(base) mca@computinglab26-16:~/240962180/lab_3$ ls folder/
another_folder  t2.text.txt  t.text.txt
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_3.sh
enter the folder name
folder
./t.txt is being renamed
./t2.txt is being renamed
./another_folder/another_text.txt is being renamed
(base) mca@computinglab26-16:~/240962180/lab_3$

```

```

(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 11:04:50 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "Write a shell script to calculate the
gross salary. GS=Basics + TA + 10% of Basics.
Floating point calculations has to be performed."
Write a shell script to calculate the gross salary. GS=Basics + TA + 10% of Basics.
Floating point calculations has to be performed.
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_4.sh
base salary ans ta
1000 3.4
final salary 1103.4
(base) mca@computinglab26-16:~/240962180/lab_3$

```

```
mca@computinglab26-16: ~/240962180/lab_3 x mca@computinglab26-16:
(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 11:04:50 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "Write a shell script to calculate the gross salary
Floating point calculations has to be performed."
Write a shell script to calculate the gross salary. GS=Basics + TA + 10% of Basics.
Floating point calculations has to be performed.
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_4.sh
base salary ans ta
1000 3.4
final salary 1103.4
(base) mca@computinglab26-16:~/240962180/lab_3$
```

(base) mca@computinglab26-16:~/240962180/lab_3\$ date
Friday 23 January 2026 11:18:14 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3\$ echo "Write a shell script to replace all files
with .txt extension with .text in the current di-
rectory. This has to be done recursively i.e if the current folder contains a folder
"OS" with abc.txt then it has to be changed to abc.text (Hint: use find, mv)"
Write a shell script to replace all files with .txt extension with .text in the current di-
rectory. This has to be done recursively i.e if the current folder contains a folder
"OS" with abc.txt then it has to be changed to abc.text (Hint: use find, mv)
(base) mca@computinglab26-16:~/240962180/lab_3\$ bash lab_3_q_3.sh
enter the folder name
folder
./t.txt is being renamed
./t2.txt is being renamed
./another_folder/another_text.txt is being renamed
(base) mca@computinglab26-16:~/240962180/lab_3\$

```
mca@computinglab26-16: ~/240962180/lab_3 x mca@computinglab26-16: ~/240962180/lab_3 x mca@computinglab26-16: ~/240962180/lab_3 x
(base) mca@computinglab26-16:~/240962180/lab_3/text$ date
Friday 23 January 2026 11:13:59 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3/text$ echo "Write a program to copy all the files (having file extension input by the user) in the
current folder to the new folder input by the user. ex: user enter .text TEXT then all
files with .text should be moved to TEXT folder. This should be done only at single
level. i.e if the current folder contains a folder name ABC which has .txt files then
these files should not be copied to TEXT."
Write a program to copy all the files (having file extension input by the user) in the
current folder to the new folder input by the user. ex: user enter .text TEXT then all
files with .text should be moved to TEXT folder. This should be done only at single
level. i.e if the current folder contains a folder name ABC which has .txt files then
these files should not be copied to TEXT.
(base) mca@computinglab26-16:~/240962180/lab_3/text$ cd ..
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_5.sh
enter extension
text
enter destination folder name
all_text
current file ./text/t2.text
current file ./text/t.text
current file ./text/another_text.text
current file ./folder/t2.text
current file ./folder/another_folder/another_text.text
current file ./folder/t.text
(base) mca@computinglab26-16:~/240962180/lab_3$ ls all_text/
another_text.txt t2.text t.text
(base) mca@computinglab26-16:~/240962180/lab_3$
```

(base) mca@computinglab26-16:~/240962180/lab_3/text\$ date
Friday 23 January 2026 11:13:59 AM IST

(base) mca@computinglab26-16:~/240962180/lab_3/text\$ echo "Write a program to copy all the files (having file extension input by the user) in the current folder to the new folder input by the user. ex: user enter .text TEXT then all files with .text should be moved to TEXT folder. This should be done only at single level. i.e if the current folder contains a folder name ABC which has .txt files then these files should not be copied to TEXT."

Write a program to copy all the files (having file extension input by the user) in the current folder to the new folder input by the user. ex: user enter .text TEXT then all files with .text should be moved to TEXT folder. This should be done only at single level. i.e if the current folder contains a folder name ABC which has .txt files then these files should not be copied to TEXT.

(base) mca@computinglab26-16:~/240962180/lab_3/text\$ cd ..

(base) mca@computinglab26-16:~/240962180/lab_3\$ bash lab_3_q_5.sh

enter extension

text

enter destination folder name

all_text

current file ./text/t2.text

current file ./text/t.text

current file ./text/another_text.text

current file ./folder/t2.text


current file ./folder/another_folder/another_text.text

current file ./folder/t.text

(base) mca@computinglab26-16:~/240962180/lab_3\$ ls all_text/

another_text.text t2.text t.text

(base) mca@computinglab26-16:~/240962180/lab_3\$



```
mca@computinglab26-16: ~/240962180/lab_3
(base) mca@computinglab26-16:~/240962180/lab_3$ date
Friday 23 January 2026 11:23:41 AM IST
(base) mca@computinglab26-16:~/240962180/lab_3$ echo "6. Write a shell script which deletes all the even numbered lines in a text file."
6. Write a shell script which deletes all the even numbered lines in a text file.
(base) mca@computinglab26-16:~/240962180/lab_3$ bash lab_3_q_6.sh
Enter the filename:
folder/t2.text
Even-numbered lines deleted from folder/t2.text
(base) mca@computinglab26-16:~/240962180/lab_3$
```

(base) mca@computinglab26-16:~/240962180/lab_3\$ date

Friday 23 January 2026 11:23:41 AM IST

(base) mca@computinglab26-16:~/240962180/lab_3\$ echo "6. Write a shell script which deletes all the even numbered lines in a text file."

6. Write a shell script which deletes all the even numbered lines in a text file.

(base) mca@computinglab26-16:~/240962180/lab_3\$ bash lab_3_q_6.sh

Enter the filename:

folder/t2.text

Even-numbered lines deleted from folder/t2.text

(base) mca@computinglab26-16:~/240962180/lab_3\$